

Assisted Reproductive Technology

Fertility Clinic Success Rates Report

National Center for Chronic Disease Prevention and Health Promotion
Division of Reproductive Health



Updates to this report will be posted on the CDC website at the following address:

<https://www.cdc.gov/art/artdata/index.html/>

For additional information, send an e-mail to artinfo@cdc.gov

Or write to CDC, ATTN: ART Surveillance and Research Team

4770 Buford Highway, N.E.; Mail Stop F-74; Atlanta, GA 30341-3717

6 Assisted **2017** Reproductive Technology

Fertility Clinic Success Rates Report

October 2018



Acknowledgments

The Centers for Disease Control and Prevention, the Society for Assisted Reproductive Technology, and the American Society for Reproductive Medicine thank RESOLVE: The National Infertility Association and Path2Parenthood for their commitment to assisted reproductive technology (ART) surveillance. Their assistance in making this report informative and helpful to people considering an ART procedure is greatly appreciated.

This publication was developed and produced by the National Center for Chronic Disease Prevention and Health Promotion of the Centers for Disease Control and Prevention in consultation with the American Society for Reproductive Medicine and the Society for Assisted Reproductive Technology.

Centers for Disease Control and Prevention

National Center for Chronic Disease Prevention
and Health Promotion

Dana Shelton, MPH, Acting Director

Division of Reproductive Health

RADM Wanda D. Barfield, MD, MPH, Director
Kelly Morris, MPH, CHES

Maternal and Infant Health Branch

William M. Callaghan, MD, MPH, Chief
Sheree L. Boulet, DrPH, MPH
Jeani Chang, PhD, MPH
Sara Crawford, PhD
Dmitry M. Kissin, MD, MPH
Aniket D. Kulkarni, MBBS, MPH
Mithi Sunderam, PhD
Yujia Zhang, PhD

American Society for Reproductive Medicine

Christos Coutifaris, MD, PhD, President

Society for Assisted Reproductive Technology

David Seifer, MD, President
Kelley Jefferson

Suggested Citation: Centers for Disease Control and Prevention, American Society for Reproductive Medicine, Society for Assisted Reproductive Technology. *2016 Assisted Reproductive Technology Fertility Clinic Success Rates Report*. Atlanta (GA): US Dept of Health and Human Services; 2018.

The data included in this report and publication support were provided by Westat under Contract No. GS-23F-8144H for the National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention, US Department of Health and Human Services.

Table of Contents

Preface	1	Nebraska	293
Commonly Asked Questions About the US ART Clinic Reporting System	3	Nevada	295
2016 Fertility Clinic Tables	9	New Hampshire	300
Introduction to Fertility Clinic Tables	11	New Jersey	301
Important Factors to Consider When Using These Tables to Assess a Clinic	11	New Mexico	321
How to Read a Fertility Clinic Table	14	New York	323
2016 National Summary	22	North Carolina	365
Alabama	23	North Dakota	377
Arizona	29	Ohio	378
Arkansas	44	Oklahoma	391
California	45	Oregon	394
Colorado	124	Pennsylvania	398
Connecticut	132	Puerto Rico	415
Delaware	140	Rhode Island	419
District of Columbia	142	South Carolina	420
Florida	145	South Dakota	426
Georgia	174	Tennessee	427
Hawaii	182	Texas	437
Idaho	188	Utah	484
Illinois	189	Vermont	488
Indiana	218	Virginia	490
Iowa	227	Washington	502
Kansas	229	West Virginia	515
Kentucky	233	Wisconsin	518
Louisiana	239	Appendix A: Technical Notes	525
Maine	245	Validation of 2016 ART Data	527
Maryland	246	Discrepancy Rates by Data Fields Selected for Validation	528
Massachusetts	255	How to Interpret Confidence Intervals for Discrepancy Rates	530
Michigan	263	Appendix B: Glossary of Terms	531
Minnesota	276	Appendix C: ART Clinics	537
Mississippi	281	2016 Reporting Clinics, by State	539
Missouri	283	2016 Nonreporting Clinics, by State	578
Montana	292		

Preface

For many people who want to start a family, the dream of having a child is not easily realized. Assisted reproductive technology (ART) has been used in the United States since 1981 to help patients become pregnant, most commonly through the transfer of fertilized human eggs into a woman's uterus. However, for many people, deciding whether to undergo this expensive and time-consuming treatment can be difficult.

The goal of this report is to help patients make informed decisions about ART by providing some of the information needed to answer the following questions:

- What are my chances of having a child by using ART?
- Where can I go to get this treatment?

The Society for Assisted Reproductive Technology (SART), an organization of ART providers affiliated with the American Society for Reproductive Medicine (ASRM), has been collecting data and publishing annual reports of pregnancy success rates for fertility clinics in the United States and Canada since 1989. In 1992, the US Congress passed the Fertility Clinic Success Rate and Certification Act. This law requires the Centers for Disease Control and Prevention (CDC) to publish pregnancy success rates for ART in fertility clinics in the United States. (For more details about the law, see <https://www.cdc.gov/art/nass/policy.html>.) Since 1995, CDC has worked in consultation with SART and ASRM to report ART success rates.

This report is based on the latest available data on the type, number, and outcome of ART cycles performed in US clinics.

The 2016 ART report has three major sections:

- **Commonly Asked Questions About the US ART Clinic Reporting System**

This section provides background information on infertility and ART, an explanation of the data collection, analysis, and publication processes, and links to resources for people experiencing infertility or people interested in ART.

- **Fertility Clinic Tables**

Many factors contribute to the success of ART, including the training and experience of the ART clinic and laboratory professionals, the quality of services, and the characteristics of the patient population. The Fertility Clinic Tables section displays ART results and success rates for individual US fertility clinics in 2016. The section also includes the 2016 National Summary table, which combines data from all clinics.

- **Appendixes**

Appendix A provides information about 2016 data validation activities.

Appendix B provides definitions for technical and medical terms used throughout the report.

Appendix C includes the current names and addresses of all reporting clinics along with a list of clinics known to be in operation in 2016 that did not report their data to CDC as required by law.

This report is intended for the general public, and the emphasis is on presenting the information in an easily understandable form. CDC hopes that this report is informative and helpful to people considering an ART procedure. We welcome any suggestions for improving the report and making it easier to use. (Please contact us at artinfo@cdc.gov.)

In addition to the *2016 Assisted Reproductive Technology Fertility Clinic Success Rates Report*, CDC also publishes the *2016 Assisted Reproductive Technology National Summary Report* (available in October 2018), which provides an overall national picture that uses 2016 data to answer specific questions related to ART success rates.

Commonly Asked Questions About the US ART Clinic Reporting System

Background Information, Data Collection Methods, Content and Design of the Report, and Additional Information About ART in the United States

1. How many people in the United States have infertility problems?

The latest data on infertility available to CDC are from the 2011–2015 National Survey of Family Growth. (For more details about the data, see https://www.cdc.gov/nchs/nsfg/key_statistics/i.htm#infertility.)

- Of the approximately 61 million women aged 15–44 years in 2011–2015, more than 7 million, or 12%, had, at some time in their lives, received medical tests to diagnose infertility, medical advice and treatments to help a woman become pregnant, or services other than routine prenatal care to prevent miscarriage.
- Additionally, almost 7% of married women aged 15–44 years were unable to get pregnant after at least 12 consecutive months of trying to conceive.

2. What is assisted reproductive technology (ART)?

Although various definitions have been used for ART, the definition used in this report is based on the 1992 law that requires CDC to publish this report. According to this definition, ART includes all fertility treatments in which either eggs or embryos are handled. In general, ART procedures involve surgically removing eggs from a woman's ovaries, combining them with sperm in the laboratory, and returning them to a female patient or gestational carrier or donating them to another patient. They do NOT include treatments in which only sperm are handled

(i.e., intrauterine insemination) or procedures in which a woman takes drugs only to stimulate egg production without the intention of having eggs surgically retrieved.

The main type of ART is **in vitro fertilization (IVF)**. IVF involves extracting a woman's eggs, fertilizing the eggs in the laboratory, and then transferring the resulting embryos into the uterus of the female patient or gestational carrier. For some IVF procedures, fertilization involves a specialized technique known as intracytoplasmic sperm injection (ICSI). In ICSI, a single sperm is injected directly into a woman's egg.

Other types of ART exist, but are rarely performed. **Gamete intrafallopian transfer (GIFT)** involves using a fiber optic instrument called a laparoscope to guide the transfer of unfertilized eggs and sperm (gametes) into a woman's fallopian tubes through small incisions in her abdomen. **Zygote intrafallopian transfer (ZIFT)** involves fertilizing a woman's eggs in the laboratory and then using a laparoscope to guide the transfer of the fertilized eggs (zygotes) into a woman's fallopian tubes.

In addition, ART often is categorized according to whether the procedure was started with the intent to freeze all eggs or embryos (banking), whether the procedure used a female patient's own eggs (nondonor) or eggs from another woman (donor), whether the eggs were frozen and thawed before use, and whether the embryos used were newly fertilized (fresh) or previously fertilized, frozen, and then thawed (frozen).

3. What is an ART cycle?

Because ART consists of several steps over an interval of approximately 2 weeks, an ART procedure is typically referred to as a **cycle** of treatment rather than a procedure at a single point in time. The start of an ART cycle is when a woman begins taking drugs to stimulate egg production or starts ovarian monitoring with the intent of having embryos transferred. For the purposes of this report, data on all cycles that were started, even those that were discontinued before all steps were undertaken, are counted in the clinic's success rates.

4. How do United States ART clinics report data to CDC about their success rates?

CDC contracts with a statistical survey research organization, Westat, to obtain the data published in the *Fertility Clinic Success Rates Report*. Westat maintains a list of all ART clinics known to be in operation, identifies new clinics throughout the year, and tracks clinic reorganizations and closings. This list includes clinics and individual providers that are members of the Society for Assisted Reproductive Technology (SART) as well as clinics and providers that are not SART members. Westat maintains the National ART Surveillance System (NASS), the web-based data collection system that all ART clinics use to submit data to CDC. Clinics either electronically enter or import data into NASS for each ART cycle started in a given reporting year. SART-member clinics can report directly to SART, and SART submits the data to NASS. The data collected include de-identified information on the patient's medical history (such as infertility diagnoses), clinical information pertaining to the ART procedure, and information on resulting pregnancies and births.

5. Why is the report of 2016 success rates being published in 2018?

Before success rates based on live births can be calculated, every ART pregnancy must be followed up to determine whether a birth occurred. Therefore, the earliest possible date that clinics can report complete annual data is about 9 months past the end of the reporting year, when all the births have occurred. Accordingly, the results of all the cycles initiated in 2016 were not known until October 2017. After ART outcomes are known, the following occurs before the report is published:

- Clinics enter their 2016 data into NASS and verify that the generated clinic tables are accurate before submitting the data at the end of 2017 to Westat.
- Preliminary data for individual fertility clinic tables are prepared and made available in the spring of 2018 on CDC's website at <https://www.cdc.gov/art/artdata/index.html>.
- After CDC conducts extensive data checks, the full report with all fertility clinic tables and the National Summary table is prepared and published on the CDC website at <https://www.cdc.gov/art/artdata/index.html>.

6. Which clinics are represented in this report?

The data in this report come from 463 fertility clinics that provided and verified information about the outcomes of the ART cycles started in their clinics in 2016.

Although almost all clinics that provided ART services in the United States during 2016 are represented in this report, data from 39 clinics or practitioners are not included because they did not report as required. Clinics and practitioners known to have been in operation at any time during 2016 that did not report and verify their data are listed in this report as nonreporters, as required by law (see Appendix C: 2016

Nonreporting Clinics, by State on pages 578–580). Given the estimated number of ART cycles performed in nonreporting clinics, we estimate that ART surveillance covered 97% of ART cycles performed in the United States in 2016. We will continue to make every effort to include in future reports all clinics and practitioners providing ART services.

7. Why aren't the clinics ranked by their success rates?

Many factors contribute to the success rate of an ART procedure, and a difference in success rates between two ART clinics may reflect differences in the groups of patients treated, the types of procedures performed, or other factors. More explanations on how to use the success rates and other statistics published in this report are in the Introduction to Fertility Clinic Tables section (see pages 11–21). The report should be used to help people considering an ART procedure find clinics where they can meet personally with ART providers to discuss their specific medical situation and their likelihood of success using ART. Contacting a clinic also may provide additional information that could be helpful in deciding whether or not to use ART. Because ART offers several treatment options for infertility, and because there are non-ART treatment options, there are many other factors that may affect the decision. This report may be a helpful starting point for consumers to obtain information and consider their options.

8. Does this report include all ART cycles performed by the reporting clinics?

This report includes 263,577 ART cycles performed in 2016 by the 463 clinics that reported their data as required. Of those 263,577 cycles, 65,840 were cycles started with the intent of cryopreserving (freezing) and storing all resulting eggs or embryos for potential future use.

Because these cycles cannot result in immediate pregnancies, they are not included in the majority of clinic success rates. Instead, the number of banking cycles is included in the total number of cycles performed, and the total number of banking cycles and the number of banking cycles performed for fertility preservation by age group are reported.

Of the 263,577 total cycles, 934 were cycles started with the intent of thawing a previously frozen egg from a female patient for fertilization and transfer. These cycles are not included in any clinic success rates. Instead, the number of cycles using fresh embryos from frozen nondonor eggs is shown for each clinic in their table as part of the total number of cycles performed. The 263,577 total cycles performed in 2016 excludes 2 cycles started in which a new treatment procedure was being evaluated. The number of new treatment procedures performed is shown for each clinic in footnote “d” of their table.

9. How are the success rates determined?

This report presents several measures of success for ART, including the percentage of ART cycles that result in a pregnancy. Note that not all pregnancies result in live birth; some pregnancies result in miscarriage, induced abortion, or stillbirth. All live-birth deliveries were reported to the ART clinic by either the patient or the patient's obstetric provider. Because this report is geared toward patients, the focus is on the percentage of cycles resulting in live births. Singleton live births (births of a single, live infant), are emphasized as a separate measure of success because they have a much lower risk than multiple-infant births for adverse infant health outcomes, including prematurity, low birth weight, disability, and death. Success rates were calculated at various steps of the ART cycle to provide a complete picture of the chances for success as the cycle progresses.

10. What are my chances of getting pregnant using ART?

Many consumers ask this question because they assume that the pregnancy will lead to a live birth. Unfortunately, not all ART procedures that result in a pregnancy lead to the delivery of a live infant. For example, 86,237 ART cycles were started with the intent to transfer fresh embryos from fresh nondonor eggs in 2016. Of those, 23,529 (27%) led to a pregnancy, but only 19,137 (22%) resulted in a live birth. In other words, 4,392 (almost 1 in 5) of ART pregnancies did not result in a live birth. The percentage of cycles resulting in live births will give a more accurate answer to the question, “If I have an ART procedure, what is my chance that I will have a baby?”

It is important to note that ART success rates vary in the context of patient and treatment characteristics. These characteristics include age, type of infertility diagnosis, number of embryos transferred, type of ART procedure, use of techniques such as ICSI, and history of previous births, miscarriages, and ART cycles.

11. If a patient has had more than one ART treatment cycle, how is the success rate calculated? Alternatively, how many cycles does a patient usually go through before getting pregnant?

Because clinics report information based on outcomes for each cycle started, success rates on a “per patient” basis, or the number of cycles that an average patient may undergo before achieving success, are not presented in this report. Success rates vary in the context of patient and treatment characteristics. Patients should consult with their physician to understand their specific medical situation and their chances of pregnancy using ART.

12. What quality control steps are used to ensure data accuracy?

To have their success rates published in this annual report, clinics have to submit their data in time for analysis and the clinics’ medical directors have to verify by signature that the generated clinic tables are accurate. Then, Westat conducts an in-house review of the data and contacts the clinics if corrections are necessary. After the data have been checked, a quality control process called validation begins.

This year, 34 (about 7%) of the 463 reporting clinics were selected for validation. During the annual validation process, members of the Westat Validation Team visit the selected clinics and review medical record data for a sample of the clinic’s ART cycles. (See Appendix A: Validation of 2016 ART Data on page 527 for a more detailed presentation of sampling strategy.) For each cycle, the validation team abstracts information from the patient’s medical record. The abstracted information is then compared with the data submitted for the report.

The data validation process does not include any assessment of clinical practice or overall record keeping. Validation primarily helps ensure that clinics submit accurate data. It also serves to identify any systematic problems that could cause data collection to be inconsistent or incomplete. (See Appendix A: Discrepancy Rates by Data Fields Selected for Validation on pages 528–529 for findings from 2016 validation.)

13. Does CDC collect any data that it does not report in the annual *Assisted Reproductive Technology Fertility Clinic Success Rates Report* and *National Summary Report*?

Yes. CDC uses the data collected and not reported in the annual ART reports for surveillance of emerging practice patterns, to better understand success rates by the characteristics of the patient or practice,

evaluation of emerging ART research questions, and the monitoring of safety and efficacy issues related to ART treatment for improving maternal and child health outcomes. A list of ART publications is available at <https://www.cdc.gov/art/key-findings/index.html>.

14. How does CDC ensure the confidentiality of the ART data it collects?

CDC has an Assurance of Confidentiality for the ART database. An assurance is a formal confidentiality protection used for projects conducted by CDC staff or contractors involving the collection or maintenance of sensitive, identifiable, or potentially identifiable information. The assurance allows CDC programs to assure that individuals and institutions involved in research or nonresearch projects protect the confidentiality of the data collected. The ART data are stored in a secure, limited-access, password-protected environment.

15. Why doesn't the report contain specific medical information about ART?

This report describes average chances of success per ART cycle. Although the report provides some information about factors such as age and type of infertility diagnosis, patients have many unique medical situations. This population-based registry of ART procedures cannot capture detailed information about specific medical conditions associated with infertility. Patients should consult with their physician to understand their specific medical situation and their chances of success using ART.

16. Why are statistics in the Fertility Clinic Tables published by CDC different from statistics reported by SART's IVF Success Rate Reports?

In 2016, of all the ART clinics reporting data to CDC, 82% were SART members. Annual summary statistics of ART treatments performed in each of these SART member clinics are available in this report, as well as online at <https://www.sart.org>. Discrepancies in tabulated statistics between the SART and CDC tables may be due to (1) the inclusion in the CDC Fertility Clinic Reports of ART treatments performed at non-SART member clinics; (2) differences in the data submission deadlines between SART and CDC, which may result in ART clinics being excluded from CDC's annual Fertility Clinic Reports; and (3) differences in data processing procedures, statistical methods, and data presentation.

17. Does CDC have any information on the women who donate eggs?

CDC has recently updated NASS to collect more information about egg donors. When a woman seeks ART treatment for the purpose of donating her eggs, the following information is collected:

- Patient characteristics such as age, height, weight, place of residence, and race/ethnicity.
- Obstetric history such as number of prior pregnancies and births.
- Details about the stimulation, if any, such as medications used.
- Details about the retrieval, such as number of oocytes retrieved.

For cycles of ART treatment using donated eggs, CDC collects information on the age and race/ethnicity of the donor. However, the cycles in which eggs are donated are not linked to the cycles in which donated eggs are used by another ART patient. In 2016, the average age of women donating their eggs was 27 years. Success rates for cycles using donor eggs or using embryos derived from donor eggs is related to the age of the woman who produced the eggs. CDC does not present data about egg donors in the individual clinic tables for this report.

18. Are there any medical guidelines for ART performed in the United States?

ASRM and SART issue guidelines dealing with specific ART practice issues, such as the number of embryos to be transferred in an ART procedure. Further information can be obtained from ASRM or SART (at telephone 205-978-5000 or at websites <https://www.asrm.org> and <https://www.sart.org>).

19. Where can I get additional information on United States fertility clinics?

For further information on specific clinics, contact the clinic directly. (See Appendix C: ART Clinics on pages 539–580 for contact information.) In addition, SART can provide general information on its member clinics (telephone 205-978-5000).

20. What resources are available for people experiencing infertility or people interested in ART?

Resources for people experiencing infertility can be found at <https://www.cdc.gov/reproductivehealth/infertility/> under Related Links. Resources for people interested in ART can be found at <https://www.cdc.gov/art/whatis.html> under Related Resources.

21. What's new in the 2016 report?

CDC is constantly striving to present the most accurate and relevant ART clinic success rates to help inform potential patients' decisions. Highlights of modifications to this report designed to enhance clarity and provide a more comprehensive presentation of data include the following:

- Percentages for type of ART and procedural factors as well as patient diagnosis are now presented for all cycles (previously were only for fresh nondonor cycles) except cycles evaluating new procedures and banking cycles.
- The number of fertility preservation cycles by patient age is now reported.
- The categories of donor egg cycles are more specific, including fresh embryos from fresh donor eggs, fresh embryos from frozen donor eggs, frozen embryos from fresh or frozen donor eggs, and donated embryos.
- Egg cryopreservation has been added to the clinic services and profile section.

2016

Fertility Clinic Tables



INTRODUCTION TO FERTILITY CLINIC TABLES

Presentation of fertility table data begins on page 22 with the 2016 National Summary of combined data from all clinics. Individual clinic tables follow, beginning on page 23, with each clinic's data presented in a one-page table that includes the types of assisted reproductive technology (ART) used, patient diagnoses, success rates, and individual clinic characteristics. Clinics reporting their data to CDC are listed in alphabetical order by state, city, and clinic name. Each known nonreporting clinic is also included in alphabetical order, although no data are presented for these clinics. An explanation of how to read a fertility clinic table begins on page 14.

Many people considering ART will want to use this report to find the “best” clinic. However, comparisons between clinics must be made with caution. Many factors contribute to the success of an ART procedure. Some factors are related to the training and experience of the ART clinic and laboratory professionals and the quality of services they provide. Other factors are related to the patients themselves, such as their age, quality of their eggs and sperm, cause of their infertility, and genetic factors. Some clinics may be more willing than others to accept patients with low chances of success or may specialize in ART treatments that attract particular types of patients.

We encourage consumers considering ART to contact clinics to discuss their specific medical situations and their potential for success using ART. Because clinics did not have the opportunity to provide narratives to explain their data in this report, such conversations could provide additional information to help consumers decide whether to use ART.

Although ART offers important options for the treatment of infertility, the decision to use ART

involves many factors in addition to success rates. Therefore, consumers should carefully examine all related financial, psychological, and medical issues before beginning treatment. They also will want to consider the location of the clinic, the counseling and support services available, and the rapport that staff members have with their patients.

Important Factors to Consider When Using These Tables to Assess a Clinic

- **ART statistics are from 2016**

Data for cycles started in 2016 could not be published until 2018 because the final outcomes of pregnancies conceived in December 2016 were not known until October 2017. Additional time was then required to collect and analyze the data and prepare the report. Many factors that contribute to a clinic's success rate may have changed in the 2 years since these cycles were performed. Personnel may be different. Equipment and training may or may not have been updated. As a result, success rates for 2016 may not necessarily represent current rates.

- **Success rates may vary**

A clinic's success rates may vary from year to year even if all determining factors remain the same. The more cycles that a clinic carries out, the less the rate is likely to vary. Conversely, clinics that perform fewer cycles are likely to have more variability in success rates from year to year. As an extreme example, if a clinic reports only one ART cycle in a given category, as is sometimes the case in the data presented here, the clinic's success rate in that category would be either 0% or 100%.

- **Some clinics see more than the average number of patients with difficult infertility problems**

Some clinics are willing to offer ART to most potential patients, even those who have a low probability of success. Others discourage such patients or encourage them to use donor eggs, a practice that results in higher success rates among older patients. Clinics that accept a higher percentage of patients who previously have had multiple unsuccessful ART cycles will generally have lower success rates. In contrast, clinics that offer ART procedures to patients who might have become pregnant with less technologically advanced treatment will generally have higher success rates. CDC does not collect information on clinic-specific practices with regard to patient selection.

- **The percentage of cycles that are canceled varies**

The percentage of canceled cycles using fresh embryos from fresh nondonor eggs varies among clinics from less than 1% to, in a few cases, more than 45%. A high percentage of cancellations tends to lower the percentage of cycles resulting in live births but may increase the percentage of embryo transfers resulting in live births.

- **Percentages of unstimulated (or “natural”) cycles are included with those for stimulated cycles**

In an unstimulated cycle, a woman ovulates naturally rather than as the result of the daily injections used in stimulated cycles. Unstimulated cycles are less expensive because they require no daily injections and fewer ultrasounds and blood tests. However, women who use natural or mild stimulation produce only one or two eggs, thus reducing the potential number of embryos for transfer. As a result, clinics that perform a relatively

high percentage of unstimulated cycles may have lower success rates. Nationally, about 1% of ART cycles using fresh embryos from fresh nondonor or fresh donor eggs in 2016 were unstimulated.

- **Success rates are calculated per cycle rather than per patient**

Success rates shown in this report are presented in terms of cycles, as required by law, rather than in terms of patients. As a result, patients who had more than one ART cycle in 2016 are represented in multiple cycles that are not linked. In addition, for patients who undergo both fresh and frozen cycles, success rates are calculated separately by cycle type. Clinics that have a very high percentage of cycles resulting in live births with frozen embryos would have higher ART success rates if these births were included as successes from the original fresh cycle. Consumers should look at both rates (for cycles using fresh embryos and for those using frozen embryos) when assessing a clinic’s success rates. Also, cycles in which a new procedure was being evaluated and cycles with the intent to use fresh embryos from frozen nondonor eggs are not used in success rate calculations.

- **The number of embryos transferred varies from clinic to clinic**

In 2016, the number of embryos that clinics transferred to patients younger than age 35 ranged from 1 to 3 for cycles with the intent to use fresh embryos from fresh nondonor eggs. The American Society for Reproductive Medicine (ASRM) and the Society for Assisted Reproductive Technology (SART) discourage the transfer of a large number of embryos because of the increased likelihood of multiple-fetus pregnancies. Multiple-fetus pregnancies, in turn, increase the probability of premature births and related health problems.

SAMPLE CLINIC TABLE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

1 Data verified by Sample Doctor, MD

2 Type of ART and Procedural Factors^a				3 Patient Diagnosis^{a,b}				
IVF	99%	With ICSI	66%	Tubal factor	13%	Uterine factor	1%	Multiple Factors: Female factors only 13% Female & male factors 28%
Unstimulated	<1%	PGD/PGS	25%	Ovulatory dysfunction	6%	Male factor	19%	
Used gestational carrier	2%			Diminished ovarian reserve	9%	Other factor	7%	
				Endometriosis	6%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

4 Total number of cycles^d: 605
(includes 8 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	6 Age of Patient				
	<35	35–37	38–40	41–42	>42
7 Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	106	68	19	12
Percentage of cancellations before retrieval (%)	12.2	6.6	13.2	3 / 19	2 / 12
Number of transfers	90	85	52	15	8
Average number of embryos transferred	2.0	2.5	2.8	2.9	2.7
Percentage of elective single embryo transfers (eSET) (%)	5.5	1.2	3.8	1 / 15	0 / 8
7A Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.2	37.7	23.5	5 / 19	1 / 12
Percentage of cycles resulting in live births (%)	37.4	31.1	20.6	2 / 19	1 / 12
Percentage of cycles resulting in singleton live births (%)	28.7	21.7	14.7	1 / 19	0 / 12
Percentage of cycles resulting in twin live births (%)	7.0	8.5	2.9	1 / 19	1 / 12
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.5	18.9	10.3	1 / 19	0 / 12
7B Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.8	18.8	11.0	11.5	4.6
Percentage of transfers resulting in pregnancies (%)	57.8	47.0	30.8	5 / 15	1 / 8
Percentage of transfers resulting in live births (%)	47.7	38.8	26.9	2 / 15	1 / 8
Percentage of transfers resulting in singleton live births (%)	36.7	27.1	19.2	1 / 15	0 / 8
Percentage of transfers resulting in twin live births (%)	8.9	10.6	3.8	1 / 15	1 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	23.5	13.5	1 / 15	0 / 8
8 Frozen Embryos from Nondonor Eggs					
Number of cycles	75	30	25	20	15
Number of transfers	62	25	20	14	8
Estimated average number of transfers per retrieval	2.5	1.9	1.4	2.0	
Average number of embryos transferred	2.1	2.0	2.7	2.0	2.7
Percentage of embryos transferred resulting in implantation (%)	24.5	25.3	32.1	10.7	9.3
Percentage of transfers resulting in pregnancies (%)	61.3	48.0	45.0	3 / 14	2 / 8
Percentage of transfers resulting in live births (%)	27.4	36.0	20.0	2 / 14	1 / 8
Percentage of transfers resulting in singleton live births (%)	21.0	24.0	10.0	1 / 14	1 / 8
Percentage of transfers resulting in twin live births (%)	4.8	8.0	5.0	1 / 14	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.4	24.0	10.0	1 / 14	1 / 8
9 Number of Egg or Embryo Banking Cycles	12	7	4	0	0
Number of fertility preservation cycles	4	2	0	0	0
10 Donor Eggs^f	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	60	7	19	3	
Number of transfers	49	5	14	3	
Average number of embryos transferred	2.1	2.0	2.4	1.7	
Percentage of embryos transferred resulting in implantation (%)	34.0	7 / 10	26.8	4 / 5	
Percentage of transfers resulting in pregnancies (%)	71.4	4 / 5	9 / 14	3 / 3	
Percentage of transfers resulting in live births (%)	51.0	3 / 5	7 / 14	3 / 3	
Percentage of transfers resulting in singleton live births (%)	45.0	1 / 5	6 / 14	2 / 3	
Percentage of transfers resulting in twin live births (%)	4.1	2 / 5	1 / 14	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.7	1 / 5	5 / 14	1 / 3	

11 CURRENT SERVICES & PROFILE

Current Name: Sample Clinic

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 3 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

How to Read a Fertility Clinic Table

This section is provided to help consumers understand the information presented in the fertility clinic tables. The number before each heading refers to the number of the corresponding section in the sample clinic table on page 13. Technical terms are defined in the Glossary of Terms (see Appendix B on pages 533–536).

1. Verification

To have success rates published in the annual report, a clinic's medical director must verify the accuracy of the generated clinic table before submitting 2016 data to Westat. The name of the medical director who verified the clinic's data is shown.

2. Type of ART and procedural factors

This section gives the percentage of ART cycles that used in vitro fertilization (IVF), that involved intracytoplasmic sperm injection (ICSI), that used preimplantation genetic diagnosis or screening (PGD/PGS), that were unstimulated, and that used a gestational carrier. Cycles started with the intent of freezing and banking all eggs or embryos for future use and cycles started with the intent of evaluating a new procedure are not included in the calculations of percentages in this section. Also, only cycles started with the intent of using fresh embryos from fresh nondonor or donor eggs are included in the calculations of percentages for unstimulated cycles.

3. Patient diagnosis

This section gives the percentage of ART cycles for which patients had a particular diagnosis out of the total number of cycles performed at the clinic. The Glossary of Terms has more information about each diagnosis (see Appendix B on pages 533–536). Cycles started with the intent of freezing and banking all eggs

or embryos for future use and cycles started with the intent of evaluating a new procedure are not included in the calculations of percentages in this section.

Consumers may want to know what percentage of cycles are performed for a clinic's patients with the same diagnosis as they have. In addition, patients' diagnoses may affect a clinic's success rates. However, the use of these diagnostic categories may vary somewhat from clinic to clinic, and total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

4. Total number of cycles

The first number represents total ART cycles started at the clinic in 2016. It includes cycles started with the intent of freezing and banking all eggs or embryos for future use. It also includes cycles started with the intent of using fresh embryos from frozen nondonor eggs, which is shown in parentheses. The total number of ART cycles excludes cycles started with the intent of evaluating a new procedure (a small number nationwide). The number of cycles at each clinic in which a new procedure was being evaluated is shown in footnote "d." Cycles in which a new procedure was being evaluated and cycles with the intent to use fresh embryos from frozen nondonor eggs are not used to calculate success rates presented in clinic tables or the national summary.

5. Success rates by type of cycle

Success rates are given for the three categories of ART cycles included in Sections 7, 8, and 10: cycles using fresh embryos from fresh nondonor eggs, cycles using frozen embryos from nondonor eggs, and cycles using donor eggs. (Section 9 gives the number of egg or embryo banking cycles.) Success rates shown are calculated on

the basis of data from all ART cycle procedures (IVF, gamete intrafallopian transfer or GIFT, and zygote intrafallopian transfer or ZIFT).

Success rates for term, normal weight, and singleton live births (births of a single live infant at 37 weeks or more and weighing at least 5 pounds and 8 ounces) are emphasized in the table because they are an important measure of success. Multiple-infant births are associated with increased risk of adverse outcomes for mothers and infants, including higher rates of caesarean section, prematurity, low birth weight, and infant disability or death.

Clinic table success rates indicate the average chance of success for ART cycles started at the clinic in 2016. Depending on the type of cycle, success rates are calculated by the number of cycles started, the number of cycles that progressed to embryo transfer, or both, and by age group or for all ages combined. For example, if a clinic started 60 fresh embryo cycles using fresh nondonor eggs in 2016, and these resulted in 15 live births, the average success rate for this type of cycle started at that clinic would be

$$15 \text{ (births)} \div 60 \text{ (cycles)} = 0.250 \text{ or } 25.0\%.$$

Thus, the success rate per cycle was 25.0%, meaning that 25.0% of fresh embryo cycles using fresh nondonor eggs started at the clinic in 2016 resulted in a live birth. Alternatively, if an embryo transfer was attempted in only 40 of the 60 cycles, the average success rate for transfers of this type of cycle at that clinic would be

$$15 \text{ (births)} \div 40 \text{ (transfers)} = 0.375 \text{ or } 37.5\%.$$

Thus, the success rate per transfer was 37.5%, meaning that 37.5% of fresh embryo cycles using fresh nondonor eggs in which an embryo transfer was attempted at the clinic in 2016 resulted in a live birth.

Success rate calculations may be misleading if they are based on a small number of cycles or transfers. Therefore, when fewer than 20 cycles

or transfers are reported in a given category, the rates are shown as fractions rather than percentages. For example, suppose that the sample clinic started only 19 fresh embryo cycles using fresh nondonor eggs among patients aged 41–42 years. Of these 19 cycles, 2—or about 10%—resulted in a live birth. Because of the small number of cycles, 10% is not a statistically reliable success rate, so the success rate is presented as 2/19, meaning 2 out of the 19 cycles started resulted in a live birth.

6. Age of patient

This represents the age of the patient when the ART cycle is started.

Because a woman's fertility declines with age, there are lower success rates for older female patients attempting to become pregnant with their own eggs. For this reason, success rates using nondonor eggs or embryos are reported separately for patients younger than age 35, for patients aged 35–37, aged 38–40, aged 41–42, and for patients older than age 42. The sample clinic table illustrates the decline in ART success rates among older patients. For example, for cycles that used fresh embryos from fresh nondonor eggs, the percentage of cycles resulting in live births among patients younger than age 35 was 37.4%, whereas the percentage of cycles resulting in live births among patients aged 38–40 was 20.6%.

7. Cycles using fresh embryos from fresh nondonor eggs

This section includes success rates for all ART cycles started with the intent to use fresh embryos from a female patient's own eggs retrieved during the current cycle. Cycles started with the intention of using frozen nondonor eggs or freezing and banking all eggs or embryos for future use are not included in the calculations of success rates in this section.

- **Number of cycles**

This represents the number of ART cycles started by age of patient.

- **Percentage of cancellations before retrieval**

This refers to cycles that were stopped before an egg retrieval was attempted. A cycle may be canceled if a woman's ovaries do not respond to fertility medications and thus do not produce a sufficient number of eggs. Cycles also may be canceled because of illness or other medical or personal reasons.

This is calculated as follows: number of cycles canceled divided by the total number of cycles, expressed as a percentage of cycles.

- **Number of transfers**

This represents the number of transfer procedures attempted out of all cycles started, by age of patient.

- **Average number of embryos transferred**

The average number of embryos transferred varies from clinic to clinic. ASRM and SART have practice guidelines that address this issue. Further information can be obtained from ASRM or SART (at telephone 205-978-5000 or at websites <https://www.asrm.org> and <https://www.sart.org>).

This is calculated as follows: number of embryos transferred divided by number of cycles in which one or more embryos were transferred.

- **Percentage of elective single embryo transfers (eSET)**

This represents the cycles in which one embryo is selected to be transferred from a larger number of available embryos, usually for the purpose of reducing the chance of having a multiple-infant birth. For these cycles, one or

more of the extra embryos are cryopreserved (frozen) during the current cycle for future use.

This is calculated as follows: number of cycles in which one embryo was transferred and one or more embryos were cryopreserved, divided by number of transfers in which either one embryo was transferred and one or more embryos were cryopreserved or more than one embryo was transferred, expressed as a percentage of these transfer procedures.

7A. Outcomes per cycle

In this section, success rates using fresh embryos from fresh nondonor eggs are calculated as a percentage of these cycles started. The number of cycles started is not the same as the number of patients treated because some patients start more than one cycle in a year.

- **Percentage of cycles resulting in pregnancies**

This represents the cycles that resulted in a pregnancy out of all cycles started. Because some pregnancies end in a miscarriage, induced abortion, or stillbirth, the percentage of cycles resulting in pregnancies is usually higher than the percentage of cycles resulting in live births.

This is calculated as follows: number of pregnancies divided by number of cycles, expressed as a percentage of cycles.

- **Percentage of cycles resulting in live births**

This represents the cycles that resulted in a live birth out of all cycles started. A cycle resulting in live birth may include one or more infants born live; that is, a multiple-infant birth (for example, twins or triplets) with at least one live-born infant is counted as one live birth.

This is calculated as follows: number of live births divided by number of cycles, expressed as a percentage of cycles.

- **Percentage of cycles resulting in singleton live births**

This represents the cycles that resulted in the birth of a single live infant out of all cycles started.

This is calculated as follows: number of single-infant live births divided by number of cycles, expressed as a percentage of cycles.

- **Percentage of cycles resulting in twin live births**

This represents the cycles that resulted in a live birth of two infants out of all cycles started. A twin live birth may include one or both infants born live.

This is calculated as follows: number of twin live births divided by number of cycles, expressed as a percentage of cycles.

- **Percentage of cycles resulting in term, normal weight and singleton live births**

This represents the cycles that resulted in the birth of a single live infant of normal weight and at term, out of all cycles started. For this report, births are defined as term if 37 full weeks gestation or more and normal weight if at least 2,500 grams (approximately 5 pounds and 8 ounces).

This is calculated as follows: number of single-infant live births with a birth weight of at least 2,500 grams and at least 37 full weeks gestation, divided by number of cycles, expressed as a percentage of cycles.

7B. Outcomes per transfer

In this section, success rates using fresh embryos from fresh nondonor eggs are calculated as the percentage of these cycles in which an embryo transfer procedure was attempted, even if no embryos were successfully transferred. A clinic may begin cycles that do not proceed to transfer because

not every cycle started results in successful egg retrieval and fertilization. For this reason, percentages of transfers resulting in pregnancies and live births generally are higher than percentages for cycles started.

- **Percentage of embryos transferred resulting in implantation**

This represents the number of fetuses with which a woman became pregnant out of the total number of embryos transferred for all cycles in which one or more embryos were transferred. Not all fetal hearts can be detected by ultrasound. For this reason, the number of fetuses with which a woman is pregnant is defined as the larger of either the maximum number of fetal hearts detected by ultrasound or the number of infants born, including live-born and stillborn infants.

This is calculated as follows: the larger of either the maximum number of fetal hearts or the number of infants born (live born and stillborn) divided by number of embryos transferred, expressed as a percentage of embryos transferred.

- **Percentage of transfers resulting in pregnancies**

This represents the transfer procedures that resulted in a pregnancy out of all cycles in which a transfer was attempted. Because some pregnancies end in a miscarriage, induced abortion, or stillbirth, the percentage of transfers resulting in pregnancies is usually higher than the percentage of transfers resulting in live births.

This is calculated as follows: number of pregnancies divided by number of transfers, expressed as a percentage of transfers.

- **Percentage of transfers resulting in live births**

This represents the transfer procedures that resulted in a live birth out of all cycles in which

a transfer was attempted. A transfer resulting in live birth may include one or more infants born live; that is, a multiple-infant birth (for example, twins or triplets) with at least one live-born infant is counted as one live birth.

This is calculated as follows: number of live births divided by number of transfers, expressed as a percentage of transfers.

- **Percentage of transfers resulting in singleton live births**

This represents the transfer procedures that resulted in the birth of a single live infant out of all cycles in which a transfer was attempted.

This is calculated as follows: number of single-infant live births divided by number of transfers, expressed as a percentage of transfers.

- **Percentage of transfers resulting in twin live births**

This represents the transfer procedures that resulted in a live birth of two infants out of all cycles in which a transfer was attempted. A twin live birth may include one or both infants born live.

This is calculated as follows: number of twin live births divided by number of transfers, expressed as a percentage of transfers.

- **Percentage of transfers resulting in term, normal weight and singleton live births**

This represents the transfer procedures that resulted in the birth of a single live infant of normal weight and at term, out of all cycles in which a transfer was attempted. For this report, births are defined as term if 37 full weeks gestation or more and normal weight if at least 2,500 grams (approximately 5 pounds and 8 ounces).

This is calculated as follows: number of single-infant live births with a birth weight of at least 2,500 grams and at least 37 full weeks gestation, divided by number of transfers, expressed as a percentage of transfers.

8. Cycles using frozen embryos from nondonor eggs

This section includes success rates for all ART cycles started with the intent to use frozen embryos from a female patient's own eggs regardless of whether the eggs were kept fresh or frozen prior to fertilization.

Cycles using frozen embryos are those in which previously cryopreserved (frozen) embryos are thawed and transferred. Because these cycles use embryos formed during a previous cycle, no stimulation or retrieval is involved in the current cycle. As a result, cycles using frozen embryos usually are less expensive and less invasive than cycles using fresh embryos from fresh eggs. In addition, cryopreserving some of the embryos formed during a fresh cycle may increase a patient's overall chances of having a child from a single retrieval.

The embryos transferred in frozen embryo cycles using fresh or frozen nondonor eggs may come from prior cycles with the original intent to retrieve and transfer embryos (fresh embryo cycles using fresh nondonor eggs) and in which one or more embryos were cryopreserved. Embryos transferred in frozen nondonor cycles also may come from previous banking cycles with the original intent to cryopreserve all retrieved eggs or resulting embryos for future use. Banking cycles may be performed to avoid potentially negative effects of stimulation, or when it is necessary to wait for results of genetic testing. Since some women may only develop a small number of eggs during a single cycle, patients may undergo several short-term banking cycles to improve availability of good-quality embryos for later transfer. In other situations, patients may choose to cryopreserve

eggs or embryos because the patient or partner needs to undergo medical treatment that may harm their future reproduction capabilities or to delay childbearing for other reasons.

Success rates in Section 8 are calculated for frozen embryo cycles using fresh or frozen nondonor eggs as the percentage of these cycles in which an embryo transfer procedure was attempted, not the percentage of cycles started because not every cycle started results in successful thaw of frozen embryos or proceeds to transfer. The only success rate in the clinic table that includes banking cycles in the calculation is the estimated average number of frozen nondonor embryo transfers per fresh nondonor egg retrieval. See the following interpretation of this measure, and Sections 7 (pages 15–16) and 7B (pages 17–18) for the interpretation of other success rates for frozen nondonor embryo cycles.

- **Estimated average number of transfers per retrieval**

This represents an estimate of the average number of frozen nondonor embryo cycle transfers for a patient per fresh nondonor egg cycle retrieval. All banking cycles started during the reporting year, and any fresh embryo cycles using fresh nondonor eggs performed during the reporting year among patients who received a transfer of frozen nondonor embryos are included. Frozen nondonor embryo transfers performed early in the reporting year might have involved egg retrieval and egg or embryo cryopreservation during cycles performed in previous years. Additionally, cycles in which retrieval and cryopreservation occurred late in the reporting year may not contribute to frozen nondonor embryo cycles in which thawed embryos are transferred until subsequent years.

This measure will be lower in clinics performing a larger number of banking cycles for embryo accumulation, that is, to increase the number of good-quality embryos available for transfer,

or in clinics performing a larger number of banking cycles for fertility preservation. On the other hand, this measure will be higher in clinics practicing elective single embryo transfer (eSET) when one fresh embryo cycle using fresh nondonor eggs results in several subsequent frozen nondonor embryo cycles.

This is calculated as follows: number of frozen nondonor embryo cycles in which at least one embryo was transferred divided by the sum of: number of banking cycles among all patients in the age group and number of fresh embryo cycles using fresh nondonor eggs among those patients in the age group with one or more frozen nondonor embryo cycles resulting in the transfer of at least one embryo.

9. Number of egg or embryo banking cycles

This section represents the number of cycles started with the intent of freezing and banking all eggs or embryos for future use, by age of patient. See Section 8 on pages 18–19 for additional information about banking cycles.

- **Number of fertility preservation cycles**

This represents the number of cycles started with the intent to freeze all resulting eggs or embryos for 12 months or longer in order to preserve future fertility. This is a subset of all egg or embryo banking cycles.

10. Cycles using donor eggs

Female patients who are older, who have premature ovarian failure (early menopause), whose ovaries have been removed, or who have a genetic concern about using their own eggs may consider using eggs that are donated by a young, healthy woman. Embryos donated by patients who previously had ART also may be available. Many clinics provide services for donor egg and embryo cycles.

In this section, success rates are presented separately for ART cycles using fresh embryos from fresh donor eggs, fresh embryos from frozen donor eggs, frozen embryos from fresh or frozen donor eggs, or donated embryos.

- **Fresh eggs**

This represents the intent to transfer fresh embryos created from fresh eggs retrieved from a donor during the current cycle.

- **Frozen eggs**

This represents the intent to transfer fresh embryos created from frozen eggs retrieved from a donor during a previous cycle and stored for potential future use. The frozen eggs are thawed and fertilized for transfer during the current cycle.

- **Frozen embryos**

This represents the intent to transfer frozen embryos created from fresh or frozen eggs retrieved from a donor during a previous cycle and stored for potential future use. The frozen embryos are thawed for transfer during the current cycle.

- **Donated embryos**

This represents the intent to transfer embryos left over from another patient's ART treatment and subsequently donated for use by a recipient.

For all donor cycle types, results among patients in all age groups are reported together because previous data show that patient age does not affect success rates with donor eggs. Success rates using donor eggs are calculated as the percentage of these cycles in which an embryo transfer was attempted, even if no embryos were successfully transferred. See Sections 7 (pages 15–16) and 7B (pages 17–18) for the interpretation of success rates for cycles using donor eggs.

11. Current clinic services and profile

- **Current name**

This may reflect a clinic name change that occurred since 2016, whereas the clinic name at the top of the table was the name of the ART clinic as it existed in the beginning of 2016. Some clinics may have reorganized, which is defined as a change in ownership or affiliation or a change in at least two of the three key staff positions (practice director, medical director, or laboratory director) because the staff in those positions are no longer employed at the clinic. In such cases, a statement will indicate this. If a clinic has closed since 2016, a statement that the clinic has closed is included, and no current name, clinic services, or profile are listed.

- **Donor eggs**

Some clinics have programs for ART in which a donor egg is retrieved from one woman (the donor), fertilized with either partner or donor sperm, and then the resulting embryo is transferred to the uterus of another woman (the recipient). Policies regarding sharing of donor eggs vary from clinic to clinic.

- **Donor embryos**

This refers to whether the clinic has a program for ART using embryos that were donated by other patients who previously underwent ART treatment and had extra embryos available.

- **Embryo cryopreservation**

This refers to whether the clinic has a program for freezing extra embryos that may be available from a patient's ART cycle.

- **Egg cryopreservation**

This refers to whether the clinic has a program for freezing eggs after retrieval (egg banking).

- **Single women**

Clinics have varying policies regarding ART services for single (unmarried) women.

- **Gestational carriers**

A gestational carrier is a woman who carries a child for others; sometimes such women are referred to as gestational surrogates. Policies regarding ART services using gestational carriers vary from clinic to clinic. Some states do not permit clinics to offer this service.

- **SART member**

In 2016, 378 of the 463 reporting clinics were SART members.

- **Verified lab accreditation**

If “Yes” appears next to this item, the clinic uses an embryo laboratory accredited by one or more of three specific accrediting organizations. If “Pending” appears here, it means that the clinic has submitted an application for accreditation to one or more of the three organizations and has provided proof of such application to CDC. “No” indicates that the embryo laboratory has not been accredited by any of these three organizations or has not provided proof of accreditation to CDC.

CDC provides this information as a public service. Note that CDC does not oversee any of these accreditation programs. They are all nonfederal programs. To become certified, laboratories must have systems and processes in place that comply with the accrediting organization’s standards. Depending on the organization, standards may include those for personnel, quality control and quality assurance, specimen tracking, results reporting, and the performance of technical procedures.

Compliance with these standards is confirmed by documentation provided by the laboratory and by on-site inspections. For further information, consumers may contact the three accrediting organizations directly:

College of American Pathologists (CAP):

For a list of accredited laboratories, call 800-323-4040 and follow the prompts for Laboratory Accreditation.

The Joint Commission: Call 630-792-5800 to inquire about the status of individual laboratories.

New York State Tissue Bank Program

(NYSTB): Call 518-485-5341 to find out which laboratories are certified under the tissue bank regulations.

Further information on laboratory accreditation for specific clinics is provided in Appendix C: 2016 Reporting Clinics, by State (pages 539–577).

2016 NATIONAL SUMMARY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}					
IVF	>99%	With ICSI	66%	Tubal factor	12%	Uterine factor	6%	Multiple Factors:	
Unstimulated	1%	PGD/PGS	22%	Ovulatory dysfunction	16%	Male factor	32%	Female factors only	13%
Used gestational carrier	3%			Diminished ovarian reserve	31%	Other factor	21%	Female & male factors	17%
				Endometriosis	8%	Unknown factor	13%		

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 263,577
(includes 934 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36,625	18,278	16,109	8,264	6,961
Percentage of cancellations before retrieval (%)	6.2	10.9	16.3	20.0	22.6
Number of transfers	24,878	11,672	9,149	4,093	2,894
Average number of embryos transferred	1.5	1.7	2.0	2.4	2.4
Percentage of elective single embryo transfers (eSET) (%)	42.7	25.2	9.0	3.7	2.8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	29.5	21.7	12.6	6.3
Percentage of cycles resulting in live births (%)	31.0	24.0	15.5	8.0	3.2
Percentage of cycles resulting in singleton live births (%)	24.9	19.0	12.7	7.0	2.9
Percentage of cycles resulting in twin live births (%)	5.9	4.8	2.8	1.0	0.4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.0	15.8	10.4	5.6	2.2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.8	32.6	22.0	11.7	5.9
Percentage of transfers resulting in pregnancies (%)	52.9	46.2	38.3	25.5	15.2
Percentage of transfers resulting in live births (%)	45.7	37.6	27.4	16.1	7.8
Percentage of transfers resulting in singleton live births (%)	36.7	29.8	22.3	14.1	6.9
Percentage of transfers resulting in twin live births (%)	8.7	7.6	4.8	2.0	0.9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.9	24.7	18.3	11.3	5.3
Frozen Embryos from Nondonor Eggs					
Number of cycles	39,894	21,400	15,529	5,749	3,694
Number of transfers	37,461	19,913	14,200	5,142	3,194
Estimated average number of transfers per retrieval	1.2	1.0	0.8	0.6	0.4
Average number of embryos transferred	1.4	1.4	1.4	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	49.6	46.7	42.6	35.5	23.9
Percentage of transfers resulting in pregnancies (%)	59.3	57.1	54.1	48.6	38.1
Percentage of transfers resulting in live births (%)	49.4	46.5	42.7	37.9	27.7
Percentage of transfers resulting in singleton live births (%)	41.5	40.3	37.9	34.5	25.2
Percentage of transfers resulting in twin live births (%)	7.8	6.1	4.7	3.3	2.5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.4	34.2	32.0	28.9	20.9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	20,949	14,556	14,913	7,661	7,761
	4,273	3,941	3,286	1,258	1,174
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5,644	3,329	13,458	1,869	
Number of transfers	4,446	2,723	12,391	1,758	
Average number of embryos transferred	1.5	1.5	1.4	1.7	
Percentage of embryos transferred resulting in implantation (%)	53.9	41.9	46.1	38.4	
Percentage of transfers resulting in pregnancies (%)	65.0	54.7	55.8	53.1	
Percentage of transfers resulting in live births (%)	54.6	44.9	44.8	42.7	
Percentage of transfers resulting in singleton live births (%)	41.7	36.2	37.7	33.9	
Percentage of transfers resulting in twin live births (%)	12.7	8.4	6.9	8.5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.5	28.1	29.4	26.8	

CURRENT SERVICES & PROFILE

Number of reporting clinics: 463

Percentage of clinics that allow cycles involving:		Clinic profile:	
Donor eggs	88%	Single women	99%
Donor embryos	63%	Gestational carriers	88%
Embryo cryopreservation	>99%	SART member	82%
Egg cryopreservation	97%	Verified lab accreditation	
		Yes	92%
		No	5%
		Pending	2%

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 2 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALABAMA FERTILITY SPECIALISTS BIRMINGHAM, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Janet M. Bouknight, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	39%	Tubal factor	24%	Uterine factor	6%	Multiple Factors: Female factors only 18% Female & male factors 33%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	32%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	15%	
				Endometriosis	21%	Unknown factor	1%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 92 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		29	11	12	1	0
Percentage of cancellations before retrieval (%)		20.7	6 / 11	3 / 12	0 / 1	
Number of transfers		22	5	9	1	0
Average number of embryos transferred		2.0	2.0	2.6	2.0	
Percentage of elective single embryo transfers (eSET) (%)		0.0	1 / 4	0 / 9	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		27.6	2 / 11	2 / 12	0 / 1	
Percentage of cycles resulting in live births (%)		27.6	1 / 11	2 / 12	0 / 1	
Percentage of cycles resulting in singleton live births (%)		20.7	1 / 11	1 / 12	0 / 1	
Percentage of cycles resulting in twin live births (%)		6.9	0 / 11	1 / 12	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		17.2	1 / 11	1 / 12	0 / 1	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		22.2	1 / 7	21.7	0 / 2	
Percentage of transfers resulting in pregnancies (%)		36.4	2 / 5	2 / 9	0 / 1	
Percentage of transfers resulting in live births (%)		36.4	1 / 5	2 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)		27.3	1 / 5	1 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)		9.1	0 / 5	1 / 9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		22.7	1 / 5	1 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles		9	9	5	0	0
Number of transfers		9	8	5	0	0
Estimated average number of transfers per retrieval		1.8	4.0	1.3		
Average number of embryos transferred		2.1	1.8	2.6		
Percentage of embryos transferred resulting in implantation (%)		6 / 19	2 / 12	3 / 13		
Percentage of transfers resulting in pregnancies (%)		4 / 9	2 / 8	3 / 5		
Percentage of transfers resulting in live births (%)		4 / 9	1 / 8	3 / 5		
Percentage of transfers resulting in singleton live births (%)		2 / 9	0 / 8	3 / 5		
Percentage of transfers resulting in twin live births (%)		2 / 9	1 / 8	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 9	0 / 8	2 / 5		
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		1	0	0	0	0
		1	0	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		4	1	4	6	
Number of transfers		4	1	4	5	
Average number of embryos transferred		2.0	2.0	2.0	1.6	
Percentage of embryos transferred resulting in implantation (%)		4 / 8	0 / 2	1 / 8	1 / 8	
Percentage of transfers resulting in pregnancies (%)		2 / 4	0 / 1	1 / 4	1 / 5	
Percentage of transfers resulting in live births (%)		2 / 4	0 / 1	1 / 4	1 / 5	
Percentage of transfers resulting in singleton live births (%)		2 / 4	0 / 1	1 / 4	1 / 5	
Percentage of transfers resulting in twin live births (%)		0 / 4	0 / 1	0 / 4	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 4	0 / 1	1 / 4	1 / 5	

CURRENT SERVICES & PROFILE		Current Name: Alabama Fertility Specialists					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ART FERTILITY PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Virginia L. Houserman, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	27%	Uterine factor	3%	
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	8%	Male factor	70%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	56%	
				Endometriosis	21%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				15%
				Female & male factors				54%

2016 ART SUCCESS RATES^{c,d} Total number of cycles^d: 376 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	36	21	4	3
Percentage of cancellations before retrieval (%)	5.7	13.9	33.3	0 / 4	2 / 3
Number of transfers	65	24	11	4	1
Average number of embryos transferred	1.7	1.9	2.1	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	14.5	0.0	0 / 9	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.3	44.4	19.0	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	29.9	36.1	14.3	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	19.5	16.7	14.3	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	9.2	16.7	0.0	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	13.9	9.5	0 / 4	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.5	60.5	21.7	0 / 10	0 / 2
Percentage of transfers resulting in pregnancies (%)	44.6	66.7	4 / 11	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	40.0	54.2	3 / 11	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.2	25.0	3 / 11	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	12.3	25.0	0 / 11	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.6	20.8	2 / 11	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	64	25	18	5	3
Number of transfers	57	17	16	4	2
Estimated average number of transfers per retrieval	1.4	0.9	1.5	1.0	0.7
Average number of embryos transferred	1.6	1.6	1.9	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	36.0	29.6	17.9	2 / 8	1 / 6
Percentage of transfers resulting in pregnancies (%)	47.4	6 / 17	5 / 16	2 / 4	1 / 2
Percentage of transfers resulting in live births (%)	35.1	6 / 17	4 / 16	1 / 4	1 / 2
Percentage of transfers resulting in singleton live births (%)	24.6	5 / 17	3 / 16	1 / 4	1 / 2
Percentage of transfers resulting in twin live births (%)	8.8	1 / 17	1 / 16	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.1	3 / 17	1 / 16	0 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	15	10	2	3
	2	4	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	8	28	12	
Number of transfers	6	7	23	9	
Average number of embryos transferred	2.0	2.0	1.5	1.9	
Percentage of embryos transferred resulting in implantation (%)	5 / 12	5 / 14	25.7	3 / 17	
Percentage of transfers resulting in pregnancies (%)	4 / 6	3 / 7	34.8	2 / 9	
Percentage of transfers resulting in live births (%)	3 / 6	1 / 7	26.1	2 / 9	
Percentage of transfers resulting in singleton live births (%)	2 / 6	0 / 7	21.7	1 / 9	
Percentage of transfers resulting in twin live births (%)	1 / 6	1 / 7	4.3	1 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 7	13.0	1 / 9	

CURRENT SERVICES & PROFILE Current Name: ART Fertility Program of Alabama

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF ALABAMA AT BIRMINGHAM
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
BIRMINGHAM, ALABAMA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by G. Wright Bates, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	21%	Uterine factor	5%	Multiple Factors: Female factors only 16% Female & male factors 18%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	17%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	9%	
				Endometriosis	13%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 289
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	56	12	10	5	2
Percentage of cancellations before retrieval (%)	10.7	0 / 12	2 / 10	0 / 5	1 / 2
Number of transfers	28	4	5	2	0
Average number of embryos transferred	1.3	1.8	2.0	3.0	
Percentage of elective single embryo transfers (eSET) (%)	67.9	0 / 3	0 / 4	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.0	0 / 12	4 / 10	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	25.0	0 / 12	3 / 10	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	23.2	0 / 12	2 / 10	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	1.8	0 / 12	1 / 10	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.4	0 / 12	1 / 10	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.5	0 / 7	6 / 10	0 / 6	
Percentage of transfers resulting in pregnancies (%)	50.0	0 / 4	4 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	50.0	0 / 4	3 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	46.4	0 / 4	2 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	3.6	0 / 4	1 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.9	0 / 4	1 / 5	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	69	35	18	4	0
Number of transfers	57	32	14	2	0
Estimated average number of transfers per retrieval	1.3	1.3	1.2	1.0	
Average number of embryos transferred	1.2	1.2	1.3	1.5	
Percentage of embryos transferred resulting in implantation (%)	55.7	45.9	9 / 18	0 / 3	
Percentage of transfers resulting in pregnancies (%)	66.7	53.1	9 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	56.1	46.9	6 / 14	0 / 2	
Percentage of transfers resulting in singleton live births (%)	54.4	43.8	6 / 14	0 / 2	
Percentage of transfers resulting in twin live births (%)	1.8	3.1	0 / 14	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.1	37.5	4 / 14	0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	18	11	2	0
	4	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	2	14	0	
Number of transfers	5	1	14	0	
Average number of embryos transferred	1.4	1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 7	1 / 1	57.1		
Percentage of transfers resulting in pregnancies (%)	4 / 5	1 / 1	10 / 14		
Percentage of transfers resulting in live births (%)	4 / 5	1 / 1	9 / 14		
Percentage of transfers resulting in singleton live births (%)	4 / 5	1 / 1	7 / 14		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1	2 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	1 / 1	6 / 14		

CURRENT SERVICES & PROFILE

Current Name: University of Alabama at Birmingham, Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HUNTSVILLE REPRODUCTIVE MEDICINE, PC
MADISON, ALABAMA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by George T. Koulianos, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	18%	Uterine factor	5%	Multiple Factors: Female factors only 6% Female & male factors 8%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	16%	Male factor	38%	
Used gestational carrier	3%			Diminished ovarian reserve	14%	Other factor	6%	
				Endometriosis	15%	Unknown factor	3%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 324 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		76	32	20	7	0
Percentage of cancellations before retrieval (%)		5.3	25.0	5.0	5 / 7	
Number of transfers		43	17	13	1	0
Average number of embryos transferred		1.4	1.8	2.2	1.0	
Percentage of elective single embryo transfers (eSET) (%)		55.0	2 / 15	0 / 11		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		27.6	31.3	30.0	0 / 7	
Percentage of cycles resulting in live births (%)		25.0	25.0	30.0	0 / 7	
Percentage of cycles resulting in singleton live births (%)		18.4	18.8	20.0	0 / 7	
Percentage of cycles resulting in twin live births (%)		6.6	6.3	10.0	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		17.1	15.6	15.0	0 / 7	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		41.7	42.3	32.1	0 / 1	
Percentage of transfers resulting in pregnancies (%)		48.8	10 / 17	6 / 13	0 / 1	
Percentage of transfers resulting in live births (%)		44.2	8 / 17	6 / 13	0 / 1	
Percentage of transfers resulting in singleton live births (%)		32.6	6 / 17	4 / 13	0 / 1	
Percentage of transfers resulting in twin live births (%)		11.6	2 / 17	2 / 13	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		30.2	5 / 17	3 / 13	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles		71	19	20	3	3
Number of transfers		70	19	19	3	2
Estimated average number of transfers per retrieval		1.2	1.5	1.2	0.3	0.4
Average number of embryos transferred		1.5	1.4	1.8	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)		44.0	36.0	36.4	2 / 6	1 / 3
Percentage of transfers resulting in pregnancies (%)		54.3	8 / 19	10 / 19	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)		47.1	7 / 19	7 / 19	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)		37.1	5 / 19	4 / 19	1 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)		10.0	2 / 19	3 / 19	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		32.9	5 / 19	4 / 19	0 / 3	0 / 2
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		21	5	8	10	5
		5	2	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		0	16	8	0	
Number of transfers		0	11	8	0	
Average number of embryos transferred			1.5	1.8		
Percentage of embryos transferred resulting in implantation (%)			5 / 15	1 / 11		
Percentage of transfers resulting in pregnancies (%)			6 / 11	3 / 8		
Percentage of transfers resulting in live births (%)			5 / 11	1 / 8		
Percentage of transfers resulting in singleton live births (%)			5 / 11	1 / 8		
Percentage of transfers resulting in twin live births (%)			0 / 11	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			4 / 11	1 / 8		

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Medicine					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Botros M. Rizk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	33%	Uterine factor	54%	Multiple Factors: Female factors only 44% Female & male factors 44%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	39%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	10%	
				Endometriosis	18%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 39
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	15	7	3	5	2
Percentage of cancellations before retrieval (%)	2 / 15	2 / 7	0 / 3	0 / 5	0 / 2
Number of transfers	10	5	1	4	2
Average number of embryos transferred	2.8	2.4	2.0	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 9	0 / 4	0 / 1	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 15	1 / 7	0 / 3	0 / 5	1 / 2
Percentage of cycles resulting in live births (%)	5 / 15	1 / 7	0 / 3	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	3 / 15	1 / 7	0 / 3	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	2 / 15	0 / 7	0 / 3	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 15	1 / 7	0 / 3	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	25.0	1 / 12	0 / 2	0 / 7	1 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 10	1 / 5	0 / 1	0 / 4	1 / 2
Percentage of transfers resulting in live births (%)	5 / 10	1 / 5	0 / 1	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 10	1 / 5	0 / 1	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 5	0 / 1	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 10	1 / 5	0 / 1	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	0	1	1	0
Number of transfers	5	0	1	1	0
Estimated average number of transfers per retrieval	1.7			1.0	
Average number of embryos transferred	2.4		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 12		0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		0 / 1	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW DIRECTION FERTILITY CENTERS GILBERT, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark Amols, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 36% Female & male factors 21%
Unstimulated	0%	PGD/PGS	52%	Ovulatory dysfunction	14%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	98%	
				Endometriosis	9%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 795
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	1	0	0	1
Percentage of cancellations before retrieval (%)	0 / 3	0 / 1			0 / 1
Number of transfers	3	0	0	0	1
Average number of embryos transferred	1.7				4.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2				0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 3	0 / 1			0 / 1
Percentage of cycles resulting in live births (%)	3 / 3	0 / 1			0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 3	0 / 1			0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 1			0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 3	0 / 1			0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 5				0 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 3				0 / 1
Percentage of transfers resulting in live births (%)	3 / 3				0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 3				0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3				0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3				0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	184	66	30	8	7
Number of transfers	184	64	30	7	7
Estimated average number of transfers per retrieval	0.8	0.6	0.5	0.2	0.2
Average number of embryos transferred	1.7	1.6	1.7	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	58.5	51.0	51.0	4 / 9	5 / 10
Percentage of transfers resulting in pregnancies (%)	72.3	64.1	73.3	3 / 7	4 / 7
Percentage of transfers resulting in live births (%)	64.1	59.4	56.7	3 / 7	4 / 7
Percentage of transfers resulting in singleton live births (%)	42.4	42.2	43.3	2 / 7	3 / 7
Percentage of transfers resulting in twin live births (%)	21.2	17.2	13.3	1 / 7	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.9	29.7	30.0	2 / 7	2 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	235	111	58	38	42
	9	8	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	1	6	1	
Number of transfers	2	1	6	1	
Average number of embryos transferred	2.0	2.0	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 4	2 / 2	9 / 11	1 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 1	6 / 6	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1	6 / 6	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1	3 / 6	1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 2	1 / 1	3 / 6	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 1	2 / 6	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: New Direction Fertility Centers

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TROCHÉ FERTILITY CENTERS GLENDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vladimir Troché, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	17%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 55%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	19%	Male factor	80%	
Used gestational carrier	3%			Diminished ovarian reserve	41%	Other factor	6%	
				Endometriosis	4%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 215
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	27	14	2	5
Percentage of cancellations before retrieval (%)	0.0	7.4	0 / 14	0 / 2	1 / 5
Number of transfers	30	25	13	2	4
Average number of embryos transferred	1.7	2.2	2.2	5.0	2.8
Percentage of elective single embryo transfers (eSET) (%)	33.3	8.0	0 / 10	0 / 2	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.2	59.3	3 / 14	1 / 2	1 / 5
Percentage of cycles resulting in live births (%)	47.2	51.9	1 / 14	1 / 2	0 / 5
Percentage of cycles resulting in singleton live births (%)	25.0	29.6	0 / 14	1 / 2	0 / 5
Percentage of cycles resulting in twin live births (%)	22.2	22.2	1 / 14	0 / 2	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.2	22.2	0 / 14	1 / 2	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.1	40.4	12.0	1 / 10	2 / 11
Percentage of transfers resulting in pregnancies (%)	56.7	64.0	3 / 13	1 / 2	1 / 4
Percentage of transfers resulting in live births (%)	56.7	56.0	1 / 13	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	30.0	32.0	0 / 13	1 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	26.7	24.0	1 / 13	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.7	24.0	0 / 13	1 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	14	11	2	6
Number of transfers	40	12	11	2	5
Estimated average number of transfers per retrieval	2.1	1.1	2.8	2.0	1.3
Average number of embryos transferred	1.6	1.5	1.7	2.5	2.2
Percentage of embryos transferred resulting in implantation (%)	22.0	5 / 18	7 / 14	1 / 5	3 / 11
Percentage of transfers resulting in pregnancies (%)	32.5	5 / 12	8 / 11	1 / 2	2 / 5
Percentage of transfers resulting in live births (%)	25.0	5 / 12	5 / 11	1 / 2	2 / 5
Percentage of transfers resulting in singleton live births (%)	20.0	5 / 12	5 / 11	1 / 2	1 / 5
Percentage of transfers resulting in twin live births (%)	5.0	0 / 12	0 / 11	0 / 2	1 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.0	5 / 12	5 / 11	1 / 2	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	8	1	1	3
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	0	21	4	
Number of transfers	9	0	19	3	
Average number of embryos transferred	1.7		1.6	1.7	
Percentage of embryos transferred resulting in implantation (%)	6 / 15		23.3	3 / 5	
Percentage of transfers resulting in pregnancies (%)	3 / 9		5 / 19	2 / 3	
Percentage of transfers resulting in live births (%)	3 / 9		5 / 19	2 / 3	
Percentage of transfers resulting in singleton live births (%)	0 / 9		4 / 19	1 / 3	
Percentage of transfers resulting in twin live births (%)	3 / 9		0 / 19	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 9		3 / 19	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Troché Fertility Centers

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS PHOENIX, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Drew V. Moffitt, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	19%	Uterine factor	3%	
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	17%	Male factor	46%	
Used gestational carrier	2%			Diminished ovarian reserve	47%	Other factor	9%	
				Endometriosis	10%	Unknown factor	4%	
						Multiple Factors:		
						Female factors only	16%	
						Female & male factors	29%	
2016 ART SUCCESS RATES ^{c,d}				Total number of cycles ^d : 398 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient							
	<35	35–37	38–40	41–42	>42			
Fresh Embryos from Fresh Nondonor Eggs								
Number of cycles	1	0	0	1	1			
Percentage of cancellations before retrieval (%)	0 / 1			0 / 1	0 / 1			
Number of transfers	1	0	0	1	1			
Average number of embryos transferred	1.0			5.0	2.0			
Percentage of elective single embryo transfers (eSET) (%)	1 / 1			0 / 1	0 / 1			
Outcomes per Cycle								
Percentage of cycles resulting in pregnancies (%)	0 / 1			1 / 1	0 / 1			
Percentage of cycles resulting in live births (%)	0 / 1			1 / 1	0 / 1			
Percentage of cycles resulting in singleton live births (%)	0 / 1			1 / 1	0 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 1			0 / 1	0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1			1 / 1	0 / 1			
Outcomes per Transfer								
Percentage of embryos transferred resulting in implantation (%)	0 / 1			1 / 5	0 / 2			
Percentage of transfers resulting in pregnancies (%)	0 / 1			1 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 1			1 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1			1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1			1 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs								
Number of cycles	101	52	30	6	11			
Number of transfers	96	49	27	6	10			
Estimated average number of transfers per retrieval	1.4	1.3	0.9	0.5	0.6			
Average number of embryos transferred	1.5	1.4	1.5	1.2	1.5			
Percentage of embryos transferred resulting in implantation (%)	39.4	35.5	44.7	2 / 6	4 / 15			
Percentage of transfers resulting in pregnancies (%)	47.9	44.9	59.3	2 / 6	4 / 10			
Percentage of transfers resulting in live births (%)	40.6	32.7	48.1	1 / 6	4 / 10			
Percentage of transfers resulting in singleton live births (%)	33.3	28.6	37.0	0 / 6	4 / 10			
Percentage of transfers resulting in twin live births (%)	6.3	4.1	11.1	1 / 6	0 / 10			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.2	24.5	37.0	0 / 6	3 / 10			
Number of Egg or Embryo Banking Cycles								
Number of fertility preservation cycles	66	39	31	12	18			
	4	3	1	0	0			
Donor Eggs ^f	Fresh Eggs		Frozen Eggs		Frozen Embryos		Donated Embryos	
	Number of cycles	Number of transfers	Average number of embryos transferred	Percentage of embryos transferred resulting in implantation (%)	Percentage of transfers resulting in pregnancies (%)	Percentage of transfers resulting in live births (%)	Percentage of transfers resulting in singleton live births (%)	Percentage of transfers resulting in twin live births (%)
Number of cycles	4	1	21	2				
Number of transfers	4	1	20	2				
Average number of embryos transferred	1.3	1.0	1.2	2.0				
Percentage of embryos transferred resulting in implantation (%)	4 / 5	0 / 1	52.2	1 / 4				
Percentage of transfers resulting in pregnancies (%)	3 / 4	0 / 1	55.0	1 / 2				
Percentage of transfers resulting in live births (%)	3 / 4	0 / 1	45.0	1 / 2				
Percentage of transfers resulting in singleton live births (%)	2 / 4	0 / 1	40.0	1 / 2				
Percentage of transfers resulting in twin live births (%)	1 / 4	0 / 1	5.0	0 / 2				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	0 / 1	35.0	1 / 2				
CURRENT SERVICES & PROFILE				Current Name: Arizona Reproductive Medicine Specialists				
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes	
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes	

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GONDRA CENTER FOR REPRODUCTIVE CARE & ADVANCED GYNECOLOGY PHOENIX, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Maria M. Gondra, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	91%	Tubal factor	18%	Uterine factor	18%	Multiple Factors: Female factors only 18% Female & male factors 55%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	0%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	0%	
				Endometriosis	55%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 12
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	0	0	1	0
Percentage of cancellations before retrieval (%)	0 / 3			0 / 1	
Number of transfers	2	0	0	1	0
Average number of embryos transferred	2.0			3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2			0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3			1 / 1	
Percentage of cycles resulting in live births (%)	2 / 3			1 / 1	
Percentage of cycles resulting in singleton live births (%)	1 / 3			1 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 3			0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 3			1 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4			1 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 2			1 / 1	
Percentage of transfers resulting in live births (%)	2 / 2			1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2			1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2			1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	0	2	0
Number of transfers	1	1	0	2	0
Estimated average number of transfers per retrieval	0.5	1.0		2.0	
Average number of embryos transferred	2.0	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 2		0 / 4	
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1		0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	1	0	0	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	2	0	0	
Number of transfers	0	2	0	0	
Average number of embryos transferred		1.5			
Percentage of embryos transferred resulting in implantation (%)		1 / 3			
Percentage of transfers resulting in pregnancies (%)		1 / 2			
Percentage of transfers resulting in live births (%)		1 / 2			
Percentage of transfers resulting in singleton live births (%)		1 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 2			

CURRENT SERVICES & PROFILE

Current Name: Gondra Center for Reproductive Care & Advanced Gynecology

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sujatha Gunnala, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	16%	Uterine factor	7%	Multiple Factors: Female factors only 9% Female & male factors 24%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	17%	Male factor	35%	
Used gestational carrier	1%			Diminished ovarian reserve	33%	Other factor	7%	
				Endometriosis	12%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 122
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	6	10	2	4
Percentage of cancellations before retrieval (%)	4.2	0 / 6	3 / 10	0 / 2	0 / 4
Number of transfers	19	5	5	2	4
Average number of embryos transferred	1.7	2.0	2.4	2.5	3.3
Percentage of elective single embryo transfers (eSET) (%)	8 / 19	0 / 4	0 / 5	0 / 2	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.7	1 / 6	1 / 10	1 / 2	0 / 4
Percentage of cycles resulting in live births (%)	29.2	1 / 6	1 / 10	1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	20.8	0 / 6	1 / 10	1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	8.3	1 / 6	0 / 10	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.7	0 / 6	1 / 10	0 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.7	2 / 10	1 / 12	1 / 5	0 / 13
Percentage of transfers resulting in pregnancies (%)	10 / 19	1 / 5	1 / 5	1 / 2	0 / 4
Percentage of transfers resulting in live births (%)	7 / 19	1 / 5	1 / 5	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 19	0 / 5	1 / 5	1 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	2 / 19	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 19	0 / 5	1 / 5	0 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	10	6	2	4
Number of transfers	15	10	6	2	4
Estimated average number of transfers per retrieval	1.9	1.3	1.5	0.4	0.7
Average number of embryos transferred	1.7	1.9	1.7	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	38.5	8 / 17	4 / 10	1 / 4	2 / 7
Percentage of transfers resulting in pregnancies (%)	8 / 15	7 / 10	3 / 6	1 / 2	2 / 4
Percentage of transfers resulting in live births (%)	7 / 15	6 / 10	3 / 6	1 / 2	1 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 15	5 / 10	2 / 6	1 / 2	1 / 4
Percentage of transfers resulting in twin live births (%)	2 / 15	1 / 10	1 / 6	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 15	3 / 10	2 / 6	0 / 2	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	6	4	4	6
	1	1	2	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	8	2	
Number of transfers	3	0	8	1	
Average number of embryos transferred	1.7		2.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 5		6 / 17	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3		4 / 8	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		3 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3		2 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3		1 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		2 / 8	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Southwest Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CARE, PLLC SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Frederick W. Larsen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	55%	Tubal factor	15%	Uterine factor	16%	Multiple Factors: Female factors only 14% Female & male factors 37%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	14%	Male factor	50%	
Used gestational carrier	1%			Diminished ovarian reserve	40%	Other factor	24%	
				Endometriosis	5%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 430
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	82	53	25	14	3
Percentage of cancellations before retrieval (%)	3.7	15.1	24.0	6 / 14	0 / 3
Number of transfers	73	41	15	7	3
Average number of embryos transferred	1.4	1.5	2.1	2.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	54.4	34.4	0 / 13	0 / 6	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	48.8	41.5	24.0	3 / 14	1 / 3
Percentage of cycles resulting in live births (%)	34.1	37.7	20.0	2 / 14	1 / 3
Percentage of cycles resulting in singleton live births (%)	31.7	28.3	16.0	2 / 14	1 / 3
Percentage of cycles resulting in twin live births (%)	2.4	9.4	4.0	0 / 14	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.5	22.6	16.0	1 / 14	1 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.6	43.5	22.6	4 / 16	1 / 8
Percentage of transfers resulting in pregnancies (%)	54.8	53.7	6 / 15	3 / 7	1 / 3
Percentage of transfers resulting in live births (%)	38.4	48.8	5 / 15	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	35.6	36.6	4 / 15	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	2.7	12.2	1 / 15	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	29.3	4 / 15	1 / 7	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	57	35	15	4	0
Number of transfers	54	30	14	3	0
Estimated average number of transfers per retrieval	1.2	0.9	0.5	0.4	0.0
Average number of embryos transferred	1.3	1.2	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	73.1	57.1	13 / 16	2 / 4	
Percentage of transfers resulting in pregnancies (%)	74.1	66.7	13 / 14	2 / 3	
Percentage of transfers resulting in live births (%)	63.0	56.7	11 / 14	2 / 3	
Percentage of transfers resulting in singleton live births (%)	51.9	56.7	10 / 14	2 / 3	
Percentage of transfers resulting in twin live births (%)	11.1	0.0	1 / 14	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.6	46.7	9 / 14	2 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	27	25	7	2
	2	3	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	13	14	17	9	
Number of transfers	9	11	16	9	
Average number of embryos transferred	1.4	1.5	1.3	1.1	
Percentage of embryos transferred resulting in implantation (%)	6 / 13	7 / 17	52.4	4 / 10	
Percentage of transfers resulting in pregnancies (%)	5 / 9	5 / 11	9 / 16	4 / 9	
Percentage of transfers resulting in live births (%)	5 / 9	4 / 11	8 / 16	4 / 9	
Percentage of transfers resulting in singleton live births (%)	4 / 9	2 / 11	7 / 16	4 / 9	
Percentage of transfers resulting in twin live births (%)	1 / 9	2 / 11	1 / 16	0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	2 / 11	5 / 16	3 / 9	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Care, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ketan S. Patel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 15%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	7%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	22%	
				Endometriosis	4%	Unknown factor	27%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 257
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	10	10	4	3
Percentage of cancellations before retrieval (%)	25.9	1 / 10	0 / 10	1 / 4	1 / 3
Number of transfers	13	6	4	2	1
Average number of embryos transferred	1.6	1.5	2.0	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	2 / 5	0 / 4		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.9	1 / 10	2 / 10	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	22.2	1 / 10	2 / 10	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	18.5	1 / 10	2 / 10	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	3.7	0 / 10	0 / 10	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.5	1 / 10	2 / 10	0 / 4	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.1	1 / 9	3 / 8	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	6 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	70	34	25	5	2
Number of transfers	68	27	24	5	2
Estimated average number of transfers per retrieval	1.9	1.6	1.5	2.5	0.7
Average number of embryos transferred	1.3	1.1	1.3	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	61.8	64.5	41.9	3 / 6	1 / 2
Percentage of transfers resulting in pregnancies (%)	69.1	59.3	50.0	3 / 5	1 / 2
Percentage of transfers resulting in live births (%)	58.8	44.4	33.3	3 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	47.1	33.3	29.2	3 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	11.8	11.1	4.2	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.7	33.3	29.2	3 / 5	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	28	14	15	2	3
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	4	0	
Number of transfers	1	0	4	0	
Average number of embryos transferred	1.0		1.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 1		2 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 1		2 / 4		
Percentage of transfers resulting in live births (%)	1 / 1		1 / 4		
Percentage of transfers resulting in singleton live births (%)	1 / 1		1 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		1 / 4		

CURRENT SERVICES & PROFILE

Current Name: Arizona Associates for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ARIZONA CENTER FOR FERTILITY STUDIES
(ACFS)
SCOTTSDALE, ARIZONA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jay S. Nemiro, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	89%	Tubal factor	8%	Uterine factor	11%	Multiple Factors: Female factors only 65% Female & male factors 26%
Unstimulated		PGD/PGS	92%	Ovulatory dysfunction	0%	Male factor	26%	
Used gestational carrier	7%			Diminished ovarian reserve	47%	Other factor	90%	
				Endometriosis	10%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 113
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	13	8	8	3
Number of transfers	13	13	8	6	3
Estimated average number of transfers per retrieval	0.9	1.4	0.7	0.9	0.3
Average number of embryos transferred	1.8	1.8	2.1	1.8	1.7
Percentage of embryos transferred resulting in implantation (%)	41.7	41.7	13 / 17	6 / 11	5 / 5
Percentage of transfers resulting in pregnancies (%)	7 / 13	8 / 13	8 / 8	4 / 6	3 / 3
Percentage of transfers resulting in live births (%)	7 / 13	7 / 13	6 / 8	3 / 6	2 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 13	6 / 13	2 / 8	1 / 6	1 / 3
Percentage of transfers resulting in twin live births (%)	3 / 13	1 / 13	4 / 8	2 / 6	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13	4 / 13	2 / 8	1 / 6	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	14	9	12	7	9
	2	0	0	1	0
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	13	4	
Number of transfers	0	0	13	4	
Average number of embryos transferred			1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)			66.7	3 / 8	
Percentage of transfers resulting in pregnancies (%)			12 / 13	3 / 4	
Percentage of transfers resulting in live births (%)			10 / 13	3 / 4	
Percentage of transfers resulting in singleton live births (%)			8 / 13	3 / 4	
Percentage of transfers resulting in twin live births (%)			2 / 13	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			5 / 13	3 / 4	

CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Fertility Studies, (ACFS)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLOOM REPRODUCTIVE INSTITUTE SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Millie A. Behera, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	6%	Uterine factor	11%	Multiple Factors: Female factors only 17% Female & male factors 12%
Unstimulated	3%	PGD/PGS	45%	Ovulatory dysfunction	29%	Male factor	19%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	12%	
				Endometriosis	10%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 485
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	20	22	8	19
Percentage of cancellations before retrieval (%)	0.0	15.0	18.2	5 / 8	5 / 19
Number of transfers	15	11	9	1	6
Average number of embryos transferred	1.5	1.5	1.4	1.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	5 / 12	2 / 8	1 / 4		0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.0	35.0	22.7	0 / 8	2 / 19
Percentage of cycles resulting in live births (%)	30.0	35.0	18.2	0 / 8	1 / 19
Percentage of cycles resulting in singleton live births (%)	25.0	30.0	13.6	0 / 8	0 / 19
Percentage of cycles resulting in twin live births (%)	5.0	5.0	4.5	0 / 8	1 / 19
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	25.0	9.1	0 / 8	0 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.8	8 / 17	6 / 13	0 / 1	3 / 14
Percentage of transfers resulting in pregnancies (%)	6 / 15	7 / 11	5 / 9	0 / 1	2 / 6
Percentage of transfers resulting in live births (%)	6 / 15	7 / 11	4 / 9	0 / 1	1 / 6
Percentage of transfers resulting in singleton live births (%)	5 / 15	6 / 11	3 / 9	0 / 1	0 / 6
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 11	1 / 9	0 / 1	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 15	5 / 11	2 / 9	0 / 1	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	84	41	24	9	1
Number of transfers	83	41	22	9	1
Estimated average number of transfers per retrieval	0.8	0.7	0.6	0.4	0.3
Average number of embryos transferred	1.7	1.8	1.5	1.9	1.0
Percentage of embryos transferred resulting in implantation (%)	51.4	62.1	40.7	4 / 16	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.1	75.6	59.1	5 / 9	0 / 1
Percentage of transfers resulting in live births (%)	54.2	65.9	36.4	4 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.9	36.6	31.8	4 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	18.1	29.3	4.5	0 / 9	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.9	26.8	22.7	1 / 9	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	97	52	36	23	4
	14	22	17	14	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	7	15	0	
Number of transfers	3	7	15	0	
Average number of embryos transferred	1.3	1.6	1.7		
Percentage of embryos transferred resulting in implantation (%)	3 / 4	8 / 11	22.7		
Percentage of transfers resulting in pregnancies (%)	2 / 3	5 / 7	7 / 15		
Percentage of transfers resulting in live births (%)	2 / 3	5 / 7	5 / 15		
Percentage of transfers resulting in singleton live births (%)	2 / 3	2 / 7	5 / 15		
Percentage of transfers resulting in twin live births (%)	0 / 3	3 / 7	0 / 15		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	2 / 7	1 / 15		

CURRENT SERVICES & PROFILE

Current Name: Bloom Reproductive Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE ARIZONA CENTER SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Alan Penzias, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	19%	Uterine factor	7%	Multiple Factors: Female factors only 30% Female & male factors 21%
Unstimulated	4%	PGD/PGS	45%	Ovulatory dysfunction	28%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	64%	Other factor	7%	
				Endometriosis	9%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 215
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	17	8	9	2	9
Percentage of cancellations before retrieval (%)	0 / 17	3 / 8	2 / 9	2 / 2	4 / 9
Number of transfers	9	1	3	0	2
Average number of embryos transferred	1.1	2.0	2.7		2.5
Percentage of elective single embryo transfers (eSET) (%)	5 / 6	0 / 1	0 / 3		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 17	1 / 8	2 / 9	0 / 2	0 / 9
Percentage of cycles resulting in live births (%)	2 / 17	1 / 8	2 / 9	0 / 2	0 / 9
Percentage of cycles resulting in singleton live births (%)	1 / 17	0 / 8	2 / 9	0 / 2	0 / 9
Percentage of cycles resulting in twin live births (%)	1 / 17	1 / 8	0 / 9	0 / 2	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 17	0 / 8	2 / 9	0 / 2	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 10	2 / 2	2 / 8		0 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 9	1 / 1	2 / 3		0 / 2
Percentage of transfers resulting in live births (%)	2 / 9	1 / 1	2 / 3		0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 9	0 / 1	2 / 3		0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 9	1 / 1	0 / 3		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9	0 / 1	2 / 3		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	49	26	6	4	0
Number of transfers	47	23	5	4	0
Estimated average number of transfers per retrieval	1.0	0.9	0.3	0.8	0.0
Average number of embryos transferred	1.1	1.1	1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	54.9	53.8	5 / 8	1 / 3	
Percentage of transfers resulting in pregnancies (%)	61.7	56.5	3 / 5	2 / 4	
Percentage of transfers resulting in live births (%)	48.9	52.2	2 / 5	1 / 4	
Percentage of transfers resulting in singleton live births (%)	44.7	52.2	2 / 5	1 / 4	
Percentage of transfers resulting in twin live births (%)	4.3	0.0	0 / 5	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.4	47.8	2 / 5	1 / 4	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	21	16	4	3
	2	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	3	0	
Number of transfers	0	0	3	0	
Average number of embryos transferred			1.7		
Percentage of embryos transferred resulting in implantation (%)			5 / 5		
Percentage of transfers resulting in pregnancies (%)			3 / 3		
Percentage of transfers resulting in live births (%)			2 / 3		
Percentage of transfers resulting in singleton live births (%)			0 / 3		
Percentage of transfers resulting in twin live births (%)			2 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 3		

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Arizona Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PHOENIX SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John L. Couvaras, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 8%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	4%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	21%	Other factor	14%	
				Endometriosis	2%	Unknown factor	33%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 178
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	20	17	8	3
Percentage of cancellations before retrieval (%)	8.6	15.0	3 / 17	0 / 8	0 / 3
Number of transfers	9	7	3	0	1
Average number of embryos transferred	1.7	1.9	2.3		1.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	0 / 6	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5.7	5.0	1 / 17	0 / 8	0 / 3
Percentage of cycles resulting in live births (%)	2.9	5.0	1 / 17	0 / 8	0 / 3
Percentage of cycles resulting in singleton live births (%)	0.0	5.0	1 / 17	0 / 8	0 / 3
Percentage of cycles resulting in twin live births (%)	2.9	0.0	0 / 17	0 / 8	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	5.0	1 / 17	0 / 8	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 15	1 / 13	1 / 7		0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 9	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in live births (%)	1 / 9	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 9	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 7	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 9	1 / 7	1 / 3		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	12	6	3	0
Number of transfers	20	12	6	3	0
Estimated average number of transfers per retrieval	0.7	0.8	0.5	0.6	0.0
Average number of embryos transferred	1.5	1.6	1.5	1.3	
Percentage of embryos transferred resulting in implantation (%)	16.7	6 / 19	4 / 9	1 / 4	
Percentage of transfers resulting in pregnancies (%)	25.0	3 / 12	3 / 6	1 / 3	
Percentage of transfers resulting in live births (%)	25.0	3 / 12	1 / 6	1 / 3	
Percentage of transfers resulting in singleton live births (%)	25.0	0 / 12	0 / 6	1 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	3 / 12	1 / 6	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	0 / 12	0 / 6	0 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	19	8	11	4	4
	2	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	5	0	
Number of transfers	0	0	5	0	
Average number of embryos transferred			1.6		
Percentage of embryos transferred resulting in implantation (%)			3 / 8		
Percentage of transfers resulting in pregnancies (%)			2 / 5		
Percentage of transfers resulting in live births (%)			2 / 5		
Percentage of transfers resulting in singleton live births (%)			1 / 5		
Percentage of transfers resulting in twin live births (%)			1 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 5		

CURRENT SERVICES & PROFILE

Current Name: IVF Phoenix

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY TREATMENT CENTER, PC TEMPE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by H. Randall Craig, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	5%	Uterine factor	5%	Multiple Factors: Female factors only 7% Female & male factors 5%
Unstimulated	10%	PGD/PGS	11%	Ovulatory dysfunction	12%	Male factor	17%	
Used gestational carrier	1%			Diminished ovarian reserve	48%	Other factor	6%	
				Endometriosis	2%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 538
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	17	13	19	16	18
Percentage of cancellations before retrieval (%)	6 / 17	6 / 13	11 / 19	8 / 16	8 / 18
Number of transfers	3	1	2	0	1
Average number of embryos transferred	1.7	2.0	2.5		2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 1	0 / 2		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 17	1 / 13	1 / 19	0 / 16	0 / 18
Percentage of cycles resulting in live births (%)	0 / 17	1 / 13	1 / 19	0 / 16	0 / 18
Percentage of cycles resulting in singleton live births (%)	0 / 17	0 / 13	0 / 19	0 / 16	0 / 18
Percentage of cycles resulting in twin live births (%)	0 / 17	1 / 13	0 / 19	0 / 16	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 17	0 / 13	0 / 19	0 / 16	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 3	2 / 2	3 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 1	1 / 2		0 / 1
Percentage of transfers resulting in live births (%)	0 / 3	1 / 1	1 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 1	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 1	0 / 2		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	90	56	42	17	9
Number of transfers	88	50	41	17	9
Estimated average number of transfers per retrieval	1.1	1.0	0.9	1.1	0.8
Average number of embryos transferred	2.0	2.2	2.0	2.2	2.4
Percentage of embryos transferred resulting in implantation (%)	45.3	38.2	31.7	21.1	1 / 18
Percentage of transfers resulting in pregnancies (%)	65.9	66.0	58.5	7 / 17	2 / 9
Percentage of transfers resulting in live births (%)	59.1	48.0	34.1	5 / 17	1 / 9
Percentage of transfers resulting in singleton live births (%)	37.5	32.0	26.8	5 / 17	1 / 9
Percentage of transfers resulting in twin live births (%)	21.6	16.0	7.3	0 / 17	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	28.0	24.4	4 / 17	1 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	68	46	44	13	11
	1	4	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	21	38	
Number of transfers	0	0	19	37	
Average number of embryos transferred			1.9	2.1	
Percentage of embryos transferred resulting in implantation (%)			47.1	44.3	
Percentage of transfers resulting in pregnancies (%)			12 / 19	64.9	
Percentage of transfers resulting in live births (%)			11 / 19	51.4	
Percentage of transfers resulting in singleton live births (%)			8 / 19	35.1	
Percentage of transfers resulting in twin live births (%)			3 / 19	13.5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			7 / 19	27.0	

CURRENT SERVICES & PROFILE

Current Name: Fertility Treatment Center, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Timothy J. Gelety, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	36%	Tubal factor	19%	Uterine factor	7%	Multiple Factors: Female factors only 12% Female & male factors 14%
Unstimulated	<1%	PGD/PGS	5%	Ovulatory dysfunction	19%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	12%	
				Endometriosis	17%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 258
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	61	27	24	9	8
Percentage of cancellations before retrieval (%)	1.6	3.7	8.3	0 / 9	1 / 8
Number of transfers	56	24	20	7	7
Average number of embryos transferred	1.9	2.4	2.6	2.7	1.9
Percentage of elective single embryo transfers (eSET) (%)	2.0	0.0	0 / 18	0 / 6	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.7	33.3	12.5	1 / 9	2 / 8
Percentage of cycles resulting in live births (%)	47.5	22.2	8.3	1 / 9	1 / 8
Percentage of cycles resulting in singleton live births (%)	34.4	14.8	4.2	1 / 9	1 / 8
Percentage of cycles resulting in twin live births (%)	11.5	7.4	4.2	0 / 9	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	32.8	14.8	4.2	1 / 9	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.6	21.8	7.7	2 / 19	2 / 13
Percentage of transfers resulting in pregnancies (%)	60.7	37.5	15.0	1 / 7	2 / 7
Percentage of transfers resulting in live births (%)	51.8	25.0	10.0	1 / 7	1 / 7
Percentage of transfers resulting in singleton live births (%)	37.5	16.7	5.0	1 / 7	1 / 7
Percentage of transfers resulting in twin live births (%)	12.5	8.3	5.0	0 / 7	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.7	16.7	5.0	1 / 7	1 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	56	28	10	1	3
Number of transfers	56	25	10	1	3
Estimated average number of transfers per retrieval	2.4	1.9	1.7		1.5
Average number of embryos transferred	2.1	2.4	2.5	2.0	2.3
Percentage of embryos transferred resulting in implantation (%)	21.2	23.3	20.0	0 / 2	2 / 7
Percentage of transfers resulting in pregnancies (%)	39.3	44.0	5 / 10	0 / 1	2 / 3
Percentage of transfers resulting in live births (%)	33.9	32.0	5 / 10	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.4	24.0	5 / 10	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	3.6	4.0	0 / 10	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.8	20.0	5 / 10	0 / 1	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	3	3	0	2
	2	1	3	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	7	0	
Number of transfers	5	0	7	0	
Average number of embryos transferred	2.0		2.3		
Percentage of embryos transferred resulting in implantation (%)	6 / 10		3 / 16		
Percentage of transfers resulting in pregnancies (%)	4 / 5		2 / 7		
Percentage of transfers resulting in live births (%)	4 / 5		1 / 7		
Percentage of transfers resulting in singleton live births (%)	2 / 5		0 / 7		
Percentage of transfers resulting in twin live births (%)	2 / 5		1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		0 / 7		

CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH CENTER TUCSON, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Scot M. Hutchison, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	93%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 4% Female & male factors 14%
Unstimulated	0%	PGD/PGS	57%	Ovulatory dysfunction	16%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	8%	Other factor	4%	
				Endometriosis	7%	Unknown factor	32%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 229
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	49	21	15	9	4
Percentage of cancellations before retrieval (%)	0.0	0.0	0 / 15	0 / 9	0 / 4
Number of transfers	3	5	0	0	0
Average number of embryos transferred	1.0	1.8			
Percentage of elective single embryo transfers (eSET) (%)	2 / 2	1 / 4			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2.0	19.0	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	2.0	14.3	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	2.0	9.5	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	4.8	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2.0	4.8	0 / 15	0 / 9	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 3	5 / 9			
Percentage of transfers resulting in pregnancies (%)	1 / 3	4 / 5			
Percentage of transfers resulting in live births (%)	1 / 3	3 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	1 / 5			
Frozen Embryos from Nondonor Eggs					
Number of cycles	60	17	14	3	1
Number of transfers	58	17	14	3	1
Estimated average number of transfers per retrieval	2.0	1.4	2.0	1.5	
Average number of embryos transferred	1.1	1.2	1.1	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.6	3 / 18	4 / 13	1 / 6	1 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	5 / 17	5 / 14	1 / 3	1 / 1
Percentage of transfers resulting in live births (%)	37.9	1 / 17	3 / 14	1 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	37.9	1 / 17	2 / 14	1 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 17	1 / 14	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.5	1 / 17	2 / 14	1 / 3	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	1	0	0	0
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	9	12	8	
Number of transfers	1	7	12	8	
Average number of embryos transferred	2.0	1.1	1.1	1.3	
Percentage of embryos transferred resulting in implantation (%)		2 / 8	6 / 13	4 / 9	
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 7	6 / 12	5 / 8	
Percentage of transfers resulting in live births (%)	0 / 1	1 / 7	6 / 12	4 / 8	
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 7	6 / 12	4 / 8	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 7	0 / 12	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 7	6 / 12	1 / 8	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIVERE ARIZONA REPRODUCTIVE INSTITUTE TUCSON, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christine W. Mansfield, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	89%	Tubal factor	5%	Uterine factor	<1%	Multiple Factors: Female factors only 10% Female & male factors 12%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	15%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	24%	
				Endometriosis	8%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 321
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	68	42	14	5	11
Percentage of cancellations before retrieval (%)	1.5	4.8	2 / 14	0 / 5	1 / 11
Number of transfers	35	28	4	2	2
Average number of embryos transferred	1.9	2.0	2.8	3.5	1.5
Percentage of elective single embryo transfers (eSET) (%)	9.1	4.2	0 / 4	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.5	23.8	1 / 14	1 / 5	0 / 11
Percentage of cycles resulting in live births (%)	17.6	16.7	0 / 14	0 / 5	0 / 11
Percentage of cycles resulting in singleton live births (%)	16.2	16.7	0 / 14	0 / 5	0 / 11
Percentage of cycles resulting in twin live births (%)	1.5	0.0	0 / 14	0 / 5	0 / 11
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	13.2	9.5	0 / 14	0 / 5	0 / 11
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.8	14.8	0 / 9	0 / 5	0 / 3
Percentage of transfers resulting in pregnancies (%)	45.7	35.7	1 / 4	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)	34.3	25.0	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.4	25.0	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	2.9	0.0	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.7	14.3	0 / 4	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	67	26	15	5	2
Number of transfers	67	26	15	5	2
Estimated average number of transfers per retrieval	1.2	1.1	0.8	0.5	0.2
Average number of embryos transferred	1.8	1.7	2.1	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	45.1	30.8	23.3	1 / 6	1 / 4
Percentage of transfers resulting in pregnancies (%)	65.7	50.0	5 / 15	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	53.7	38.5	3 / 15	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	40.3	34.6	1 / 15	1 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	13.4	3.8	2 / 15	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	15.4	1 / 15	1 / 5	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	11	10	7	10
	6	3	3	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	2	2	0	
Number of transfers	3	2	2	0	
Average number of embryos transferred	2.0	1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 6	2 / 2	0 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 3	2 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	2 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 2	0 / 2		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Arizona Reproductive Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKANSAS FERTILITY CENTER LITTLE ROCK, ARKANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Dean M. Moutos, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	23%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 15%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	17%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	4%	
				Endometriosis	13%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 293
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	103	45	16	4	1
Percentage of cancellations before retrieval (%)	6.8	11.1	3 / 16	1 / 4	0 / 1
Number of transfers	79	36	11	3	1
Average number of embryos transferred	1.7	1.9	2.0	1.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	29.2	10.3	0 / 8	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.6	31.1	7 / 16	1 / 4	0 / 1
Percentage of cycles resulting in live births (%)	37.9	24.4	5 / 16	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.2	17.8	4 / 16	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	9.7	4.4	1 / 16	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.2	11.1	3 / 16	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.0	25.0	33.3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	59.5	38.9	7 / 11	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	49.4	30.6	5 / 11	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.7	22.2	4 / 11	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	12.7	5.6	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	13.9	3 / 11	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	56	25	12	3	0
Number of transfers	54	22	8	3	0
Estimated average number of transfers per retrieval	1.7	2.2	2.7	1.5	
Average number of embryos transferred	1.4	1.6	1.4	1.3	
Percentage of embryos transferred resulting in implantation (%)	18.2	29.0	1 / 11	2 / 4	
Percentage of transfers resulting in pregnancies (%)	20.4	45.5	1 / 8	2 / 3	
Percentage of transfers resulting in live births (%)	20.4	27.3	1 / 8	2 / 3	
Percentage of transfers resulting in singleton live births (%)	16.7	18.2	1 / 8	2 / 3	
Percentage of transfers resulting in twin live births (%)	3.7	9.1	0 / 8	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	14.8	18.2	1 / 8	2 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	1	3	2	0
	2	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	1	3	2	
Number of transfers	7	1	3	2	
Average number of embryos transferred	1.3	1.0	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	7 / 9	1 / 1	1 / 4	0 / 4	
Percentage of transfers resulting in pregnancies (%)	6 / 7	1 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	5 / 7	1 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 7	1 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 1	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7	1 / 1	1 / 3	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Arkansas Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESTART FERTILITY CENTER AGOURA HILLS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Anita P. Singh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	15%	Tubal factor	15%	Uterine factor	23%	Multiple Factors: Female factors only 31% Female & male factors 15%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	15%	Male factor	54%	
Used gestational carrier	8%			Diminished ovarian reserve	39%	Other factor	8%	
				Endometriosis	8%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 21
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	2	0	2
Percentage of cancellations before retrieval (%)	0 / 1		1 / 2		0 / 2
Number of transfers	1	0	1	0	2
Average number of embryos transferred	2.0		2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 1		0 / 1		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1		1 / 2		0 / 2
Percentage of cycles resulting in live births (%)	1 / 1		1 / 2		0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 1		1 / 2		0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 1		0 / 2		0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 2		0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 2		1 / 2		0 / 4
Percentage of transfers resulting in pregnancies (%)	1 / 1		1 / 1		0 / 2
Percentage of transfers resulting in live births (%)	1 / 1		1 / 1		0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 1		1 / 1		0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 1		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	2	0	0	0
Number of transfers	3	2	0	0	0
Estimated average number of transfers per retrieval	1.5	2.0	0.0	0.0	0.0
Average number of embryos transferred	1.0	1.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 3	2 / 2			
Percentage of transfers resulting in pregnancies (%)	2 / 3	2 / 2			
Percentage of transfers resulting in live births (%)	2 / 3	2 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 3	2 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3	1 / 2			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	1	2	1	2
	0	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	1	1	
Number of transfers	1	0	1	1	
Average number of embryos transferred	2.0		1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)			0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 1	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: LifeStart Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ryszard J. Chetkowski, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	7%	Uterine factor	13%	Multiple Factors: Female factors only 11% Female & male factors 7%
Unstimulated	0%	PGD/PGS	38%	Ovulatory dysfunction	2%	Male factor	11%	
Used gestational carrier	18%			Diminished ovarian reserve	24%	Other factor	51%	
				Endometriosis	11%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 63
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	0	5	2	0
Percentage of cancellations before retrieval (%)	1 / 2		2 / 5	1 / 2	
Number of transfers	0	0	3	0	0
Average number of embryos transferred			1.3		
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in live births (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 5	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			0 / 4		
Percentage of transfers resulting in pregnancies (%)			0 / 3		
Percentage of transfers resulting in live births (%)			0 / 3		
Percentage of transfers resulting in singleton live births (%)			0 / 3		
Percentage of transfers resulting in twin live births (%)			0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	6	1	0	2
Number of transfers	9	6	1	0	2
Estimated average number of transfers per retrieval	1.1	1.5	0.3	0.0	1.0
Average number of embryos transferred	1.4	1.3	1.0		1.5
Percentage of embryos transferred resulting in implantation (%)	5 / 13	3 / 7	1 / 1		2 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 9	3 / 6	1 / 1		2 / 2
Percentage of transfers resulting in live births (%)	5 / 9	3 / 6	1 / 1		2 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 9	3 / 6	1 / 1		2 / 2
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 6	0 / 1		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 9	3 / 6	1 / 1		2 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	4	4	2	2
	1	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	17	0	
Number of transfers	1	0	15	0	
Average number of embryos transferred	2.0		1.4		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		12 / 19		
Percentage of transfers resulting in pregnancies (%)	0 / 1		10 / 15		
Percentage of transfers resulting in live births (%)	0 / 1		7 / 15		
Percentage of transfers resulting in singleton live births (%)	0 / 1		6 / 15		
Percentage of transfers resulting in twin live births (%)	0 / 1		1 / 15		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		6 / 15		

CURRENT SERVICES & PROFILE

Current Name: Alta Bates In Vitro Fertilization Program

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY
(CRH&G)
BEVERLY HILLS, CALIFORNIA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Sam Najmabadi, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	15%	Uterine factor	4%	Multiple Factors: Female factors only 24% Female & male factors 22%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	0%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	46%	
				Endometriosis	2%	Unknown factor	2%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 104 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	5	8	3	4
Percentage of cancellations before retrieval (%)	1 / 7	0 / 5	2 / 8	0 / 3	1 / 4
Number of transfers	5	5	6	3	3
Average number of embryos transferred	1.8	2.0	1.8	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	1 / 5	0 / 5	1 / 6	1 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4 / 7	4 / 5	4 / 8	1 / 3	2 / 4
Percentage of cycles resulting in live births (%)	3 / 7	3 / 5	4 / 8	1 / 3	1 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 7	2 / 5	3 / 8	1 / 3	1 / 4
Percentage of cycles resulting in twin live births (%)	2 / 7	1 / 5	1 / 8	0 / 3	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 7	2 / 5	2 / 8	0 / 3	1 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 9	5 / 10	5 / 11	1 / 6	1 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 5	4 / 5	4 / 6	1 / 3	2 / 3
Percentage of transfers resulting in live births (%)	3 / 5	3 / 5	4 / 6	1 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 5	3 / 6	1 / 3	1 / 3
Percentage of transfers resulting in twin live births (%)	2 / 5	1 / 5	1 / 6	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	2 / 5	2 / 6	0 / 3	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	6	2	0	1
Number of transfers	5	6	2	0	0
Estimated average number of transfers per retrieval	0.5	1.0	0.1	0.0	0.0
Average number of embryos transferred	1.6	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 8	4 / 9	3 / 3		
Percentage of transfers resulting in pregnancies (%)	3 / 5	3 / 6	2 / 2		
Percentage of transfers resulting in live births (%)	3 / 5	3 / 6	2 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 5	2 / 6	1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 5	1 / 6	1 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	2 / 6	1 / 2		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	6	15	8	10
	10	6	13	8	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	0	6	2	
Number of transfers	6	0	5	2	
Average number of embryos transferred	1.8		1.6	2.5	
Percentage of embryos transferred resulting in implantation (%)	4 / 11		4 / 8	2 / 5	
Percentage of transfers resulting in pregnancies (%)	4 / 6		3 / 5	2 / 2	
Percentage of transfers resulting in live births (%)	3 / 6		3 / 5	2 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 6		2 / 5	2 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 6		1 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6		2 / 5	2 / 2	

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Health & Gynecology, (CRH&G)					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER BEVERLY HILLS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark W. Surrey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	2%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 7%
Unstimulated	0%	PGD/PGS	70%	Ovulatory dysfunction	4%	Male factor	11%	
Used gestational carrier	7%			Diminished ovarian reserve	7%	Other factor	74%	
				Endometriosis	2%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,183
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	8	14	13	16
Percentage of cancellations before retrieval (%)	0 / 13	0 / 8	1 / 14	0 / 13	0 / 16
Number of transfers	8	2	2	1	1
Average number of embryos transferred	1.4	1.0	2.0	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 8	1 / 1	0 / 2	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4 / 13	0 / 8	2 / 14	1 / 13	0 / 16
Percentage of cycles resulting in live births (%)	3 / 13	0 / 8	0 / 14	1 / 13	0 / 16
Percentage of cycles resulting in singleton live births (%)	3 / 13	0 / 8	0 / 14	1 / 13	0 / 16
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 8	0 / 14	0 / 13	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 13	0 / 8	0 / 14	1 / 13	0 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 11	0 / 2	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 8	0 / 2	2 / 2	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 8	0 / 2	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 8	0 / 2	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8	0 / 2	0 / 2	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	150	59	69	30	24
Number of transfers	149	59	68	29	24
Estimated average number of transfers per retrieval	0.7	0.4	0.4	0.3	0.3
Average number of embryos transferred	1.2	1.3	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	59.6	55.4	46.8	51.5	31.0
Percentage of transfers resulting in pregnancies (%)	60.4	61.0	57.4	62.1	41.7
Percentage of transfers resulting in live births (%)	55.7	57.6	47.1	58.6	37.5
Percentage of transfers resulting in singleton live births (%)	44.3	50.8	45.6	58.6	37.5
Percentage of transfers resulting in twin live births (%)	11.4	6.8	1.5	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.3	47.5	41.2	51.7	25.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	216	167	190	96	80
	115	110	128	56	53
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	33	0	
Number of transfers	5	0	33	0	
Average number of embryos transferred	1.2		1.4		
Percentage of embryos transferred resulting in implantation (%)	3 / 6		38.1		
Percentage of transfers resulting in pregnancies (%)	2 / 5		51.5		
Percentage of transfers resulting in live births (%)	1 / 5		39.4		
Percentage of transfers resulting in singleton live births (%)	0 / 5		36.4		
Percentage of transfers resulting in twin live births (%)	1 / 5		3.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5		24.2		

CURRENT SERVICES & PROFILE

Current Name: Southern California Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Changnin T. Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	>99%	Tubal factor	11%	Uterine factor	5%	Multiple Factors: Female factors only 51% Female & male factors 25%
Unstimulated	0%	PGD/PGS	77%	Ovulatory dysfunction	11%	Male factor	25%	
Used gestational carrier	13%			Diminished ovarian reserve	28%	Other factor	94%	
				Endometriosis	4%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 219
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	1
Percentage of cancellations before retrieval (%)					0 / 1
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					0 / 1
Percentage of cycles resulting in live births (%)					0 / 1
Percentage of cycles resulting in singleton live births (%)					0 / 1
Percentage of cycles resulting in twin live births (%)					0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	19	16	13	9
Number of transfers	33	19	15	12	8
Estimated average number of transfers per retrieval	1.2	1.0	0.6	0.7	0.3
Average number of embryos transferred	1.3	1.3	1.4	1.1	1.8
Percentage of embryos transferred resulting in implantation (%)	59.1	83.3	50.0	5 / 12	3 / 10
Percentage of transfers resulting in pregnancies (%)	63.6	16 / 19	8 / 15	6 / 12	4 / 8
Percentage of transfers resulting in live births (%)	51.5	15 / 19	7 / 15	5 / 12	3 / 8
Percentage of transfers resulting in singleton live births (%)	39.4	12 / 19	4 / 15	5 / 12	3 / 8
Percentage of transfers resulting in twin live births (%)	12.1	3 / 19	3 / 15	0 / 12	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.4	9 / 19	3 / 15	2 / 12	3 / 8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	20	27	17	23
	0	2	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	11	2	
Number of transfers	1	0	11	1	
Average number of embryos transferred	1.0		1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1		8 / 11	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1		9 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1		6 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1		5 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		1 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		3 / 11	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Fertility Care of Orange County

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTRAL CALIFORNIA IVF PROGRAM WOMEN'S SPECIALTY AND FERTILITY CENTER CLOVIS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by H. Michael Synn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	19%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 15%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	16%	Male factor	30%	
Used gestational carrier	2%			Diminished ovarian reserve	44%	Other factor	<1%	
				Endometriosis	3%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 303
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	72	39	24	8	6
Percentage of cancellations before retrieval (%)	4.2	10.3	12.5	2 / 8	1 / 6
Number of transfers	64	34	21	6	4
Average number of embryos transferred	1.8	2.0	2.3	1.7	1.8
Percentage of elective single embryo transfers (eSET) (%)	16.7	3.3	1 / 19	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.8	35.9	29.2	1 / 8	0 / 6
Percentage of cycles resulting in live births (%)	37.5	28.2	16.7	0 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	29.2	25.6	16.7	0 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	8.3	2.6	0.0	0 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.0	20.5	12.5	0 / 8	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.3	19.7	14.0	0 / 9	0 / 7
Percentage of transfers resulting in pregnancies (%)	51.6	41.2	33.3	1 / 6	0 / 4
Percentage of transfers resulting in live births (%)	42.2	32.4	19.0	0 / 6	0 / 4
Percentage of transfers resulting in singleton live births (%)	32.8	29.4	19.0	0 / 6	0 / 4
Percentage of transfers resulting in twin live births (%)	9.4	2.9	0.0	0 / 6	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.1	23.5	14.3	0 / 6	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	22	19	6	2
Number of transfers	45	21	17	3	1
Estimated average number of transfers per retrieval	2.1	1.6	2.1	3.0	
Average number of embryos transferred	1.6	1.6	1.7	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	31.7	28.6	23.1	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	51.1	42.9	8 / 17	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	35.6	28.6	5 / 17	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.9	23.8	5 / 17	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	6.7	4.8	0 / 17	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.4	23.8	5 / 17	0 / 3	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	4	4	1	0
	1	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	7	14	0	
Number of transfers	7	7	11	0	
Average number of embryos transferred	1.7	1.9	1.6		
Percentage of embryos transferred resulting in implantation (%)	4 / 12	4 / 13	4 / 18		
Percentage of transfers resulting in pregnancies (%)	3 / 7	3 / 7	3 / 11		
Percentage of transfers resulting in live births (%)	2 / 7	3 / 7	2 / 11		
Percentage of transfers resulting in singleton live births (%)	2 / 7	2 / 7	1 / 11		
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 7	1 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 7	2 / 7	0 / 11		

CURRENT SERVICES & PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA IVF FERTILITY CENTER DAVIS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ernest J. Zeringue, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	34%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 24% Female & male factors 22%
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	11%	Male factor	34%	
Used gestational carrier	3%			Diminished ovarian reserve	34%	Other factor	53%	
				Endometriosis	5%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 715
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	17	9	9	8	6
Percentage of cancellations before retrieval (%)	0 / 17	1 / 9	1 / 9	2 / 8	1 / 6
Number of transfers	15	5	6	5	3
Average number of embryos transferred	1.7	1.6	1.7	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 13	0 / 3	0 / 4	0 / 5	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7 / 17	0 / 9	2 / 9	3 / 8	0 / 6
Percentage of cycles resulting in live births (%)	5 / 17	0 / 9	0 / 9	2 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	3 / 17	0 / 9	0 / 9	0 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	2 / 17	0 / 9	0 / 9	2 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 17	0 / 9	0 / 9	0 / 8	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	0 / 8	1 / 8	5 / 11	0 / 6
Percentage of transfers resulting in pregnancies (%)	7 / 15	0 / 5	2 / 6	3 / 5	0 / 3
Percentage of transfers resulting in live births (%)	5 / 15	0 / 5	0 / 6	2 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 15	0 / 5	0 / 6	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 15	0 / 5	0 / 6	2 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 15	0 / 5	0 / 6	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	93	60	37	9	5
Number of transfers	91	59	37	9	5
Estimated average number of transfers per retrieval	1.2	1.0	1.2	0.5	0.3
Average number of embryos transferred	1.7	1.7	1.7	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	46.5	47.9	36.8	5 / 19	2 / 10
Percentage of transfers resulting in pregnancies (%)	54.9	69.5	59.5	5 / 9	1 / 5
Percentage of transfers resulting in live births (%)	45.1	54.2	48.6	4 / 9	0 / 5
Percentage of transfers resulting in singleton live births (%)	26.4	45.8	43.2	4 / 9	0 / 5
Percentage of transfers resulting in twin live births (%)	18.7	8.5	5.4	0 / 9	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.9	37.3	32.4	3 / 9	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	69	54	27	18	15
	9	11	5	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	64	0	207	5	
Number of transfers	64	0	206	5	
Average number of embryos transferred	1.7		1.6	1.4	
Percentage of embryos transferred resulting in implantation (%)	54.8		44.9	0 / 7	
Percentage of transfers resulting in pregnancies (%)	67.2		61.7	0 / 5	
Percentage of transfers resulting in live births (%)	56.3		45.6	0 / 5	
Percentage of transfers resulting in singleton live births (%)	34.4		35.0	0 / 5	
Percentage of transfers resulting in twin live births (%)	21.9		10.7	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3		27.7	0 / 5	

CURRENT SERVICES & PROFILE

Current Name: California IVF Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE ENCINITAS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lori L. Arnold, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	4%	Uterine factor	17%	Multiple Factors: Female factors only 10% Female & male factors 6%
Unstimulated	0%	PGD/PGS	72%	Ovulatory dysfunction	10%	Male factor	9%	
Used gestational carrier	56%			Diminished ovarian reserve	14%	Other factor	52%	
				Endometriosis	1%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 120
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	2	0	0
Percentage of cancellations before retrieval (%)	0 / 1		1 / 2		
Number of transfers	1	0	1	0	0
Average number of embryos transferred	2.0		2.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1		0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1		1 / 2		
Percentage of cycles resulting in live births (%)	0 / 1		1 / 2		
Percentage of cycles resulting in singleton live births (%)	0 / 1		1 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 1		0 / 2		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 2		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 2		1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1		1 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		1 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	7	6	0	1
Number of transfers	17	7	6	0	1
Estimated average number of transfers per retrieval	1.1	0.7	0.7	0.0	0.1
Average number of embryos transferred	1.2	1.4	1.0		1.0
Percentage of embryos transferred resulting in implantation (%)	52.4	5 / 10	5 / 6		0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 17	5 / 7	4 / 6		0 / 1
Percentage of transfers resulting in live births (%)	8 / 17	5 / 7	3 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 17	5 / 7	2 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 7	1 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 17	4 / 7	0 / 6		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	16	10	9	6	8
	1	0	1	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	35	0	
Number of transfers	2	0	34	0	
Average number of embryos transferred	1.5		1.4		
Percentage of embryos transferred resulting in implantation (%)	2 / 3		75.5		
Percentage of transfers resulting in pregnancies (%)	2 / 2		79.4		
Percentage of transfers resulting in live births (%)	2 / 2		70.6		
Percentage of transfers resulting in singleton live births (%)	2 / 2		44.1		
Percentage of transfers resulting in twin live births (%)	0 / 2		26.5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2		32.4		

CURRENT SERVICES & PROFILE

Current Name: California Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeffrey Steinberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 3% Female & male factors 3%
Unstimulated	0%	PGD/PGS	67%	Ovulatory dysfunction	1%	Male factor	3%	
Used gestational carrier	13%			Diminished ovarian reserve	3%	Other factor	95%	
				Endometriosis	<1%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 213
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	30	22	2	2
Percentage of cancellations before retrieval (%)	5.7	0.0	4.5	0 / 2	0 / 2
Number of transfers	30	29	16	1	2
Average number of embryos transferred	1.5	1.6	1.3	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	31.8	36.4	2 / 7		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.0	30.0	36.4	1 / 2	1 / 2
Percentage of cycles resulting in live births (%)	17.1	30.0	36.4	1 / 2	1 / 2
Percentage of cycles resulting in singleton live births (%)	8.6	26.7	27.3	1 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	8.6	3.3	9.1	0 / 2	1 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.6	16.7	22.7	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.2	22.2	47.6	1 / 1	2 / 4
Percentage of transfers resulting in pregnancies (%)	23.3	31.0	8 / 16	1 / 1	1 / 2
Percentage of transfers resulting in live births (%)	20.0	31.0	8 / 16	1 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	10.0	27.6	6 / 16	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	10.0	3.4	2 / 16	0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	10.0	17.2	5 / 16	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	4	11	3	1
Number of transfers	15	4	11	3	1
Estimated average number of transfers per retrieval	0.8	0.2	0.4	0.8	0.1
Average number of embryos transferred	1.5	1.0	1.5	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	13.6	3 / 4	2 / 17	2 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 15	3 / 4	2 / 11	2 / 3	0 / 1
Percentage of transfers resulting in live births (%)	0 / 15	2 / 4	1 / 11	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 15	2 / 4	1 / 11	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 4	0 / 11	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 15	2 / 4	1 / 11	2 / 3	0 / 1
Number of Egg or Embryo Banking Cycles					
	13	16	30	3	9
Number of fertility preservation cycles	7	6	11	2	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	1	7	0	
Number of transfers	7	1	6	0	
Average number of embryos transferred	1.7	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	5 / 12	0 / 2	2 / 9		
Percentage of transfers resulting in pregnancies (%)	5 / 7	0 / 1	2 / 6		
Percentage of transfers resulting in live births (%)	4 / 7	0 / 1	2 / 6		
Percentage of transfers resulting in singleton live births (%)	4 / 7	0 / 1	2 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 1	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	0 / 1	1 / 6		

CURRENT SERVICES & PROFILE

Current Name: The Fertility Institutes-Los Angeles, New York, Guadalajara

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ENCINO ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Michael A. Feinman, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	79%	Tubal factor	2%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 4%
Unstimulated	0%	PGD/PGS	57%	Ovulatory dysfunction	3%	Male factor	11%	
Used gestational carrier	9%			Diminished ovarian reserve	29%	Other factor	44%	
				Endometriosis	2%	Unknown factor	20%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 1,024 (includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		105	80	79	44	38
Percentage of cancellations before retrieval (%)		0.0	1.3	7.6	6.8	13.2
Number of transfers		64	37	34	20	10
Average number of embryos transferred		1.6	1.7	2.0	2.3	2.2
Percentage of elective single embryo transfers (eSET) (%)		44.1	37.5	12.5	2 / 15	0 / 7
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		45.7	21.3	24.1	9.1	5.3
Percentage of cycles resulting in live births (%)		37.1	20.0	20.3	6.8	2.6
Percentage of cycles resulting in singleton live births (%)		28.6	15.0	16.5	6.8	2.6
Percentage of cycles resulting in twin live births (%)		8.6	5.0	2.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		26.7	12.5	12.7	6.8	2.6
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		54.9	33.3	33.9	6.8	4.8
Percentage of transfers resulting in pregnancies (%)		75.0	45.9	55.9	20.0	2 / 10
Percentage of transfers resulting in live births (%)		60.9	43.2	47.1	15.0	1 / 10
Percentage of transfers resulting in singleton live births (%)		46.9	32.4	38.2	15.0	1 / 10
Percentage of transfers resulting in twin live births (%)		14.1	10.8	5.9	0.0	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		43.8	27.0	29.4	15.0	1 / 10
Frozen Embryos from Nondonor Eggs						
Number of cycles		87	80	72	30	23
Number of transfers		84	77	66	28	18
Estimated average number of transfers per retrieval		1.2	1.0	1.0	0.8	0.4
Average number of embryos transferred		1.6	1.5	1.6	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)		62.4	54.4	50.0	21.6	40.7
Percentage of transfers resulting in pregnancies (%)		76.2	71.4	74.2	35.7	10 / 18
Percentage of transfers resulting in live births (%)		70.2	57.1	60.6	25.0	9 / 18
Percentage of transfers resulting in singleton live births (%)		48.8	42.9	51.5	21.4	8 / 18
Percentage of transfers resulting in twin live births (%)		21.4	14.3	9.1	3.6	1 / 18
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		42.9	40.3	40.9	21.4	8 / 18
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		23	39	40	27	41
		1	9	10	3	3
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		100	4	107	3	
Number of transfers		60	4	106	3	
Average number of embryos transferred		1.5	1.3	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)		55.3	3 / 5	56.3	2 / 3	
Percentage of transfers resulting in pregnancies (%)		73.3	3 / 4	69.8	2 / 3	
Percentage of transfers resulting in live births (%)		63.3	3 / 4	61.3	2 / 3	
Percentage of transfers resulting in singleton live births (%)		51.7	3 / 4	49.1	2 / 3	
Percentage of transfers resulting in twin live births (%)		11.7	0 / 4	12.3	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		46.7	3 / 4	41.5	2 / 3	

CURRENT SERVICES & PROFILE		Current Name: HRC Fertility-Encino					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LOS ANGELES REPRODUCTIVE CENTER (LARC) ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nurit Winkler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	8%	Uterine factor	6%	Multiple Factors: Female factors only 28% Female & male factors 23%
Unstimulated	17%	PGD/PGS	59%	Ovulatory dysfunction	15%	Male factor	26%	
Used gestational carrier	15%			Diminished ovarian reserve	38%	Other factor	57%	
				Endometriosis	4%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 128
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	0	1	0
Percentage of cancellations before retrieval (%)		0 / 1		0 / 1	
Number of transfers	0	1	0	0	0
Average number of embryos transferred		1.0			
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		0 / 1		0 / 1	
Percentage of cycles resulting in live births (%)		0 / 1		0 / 1	
Percentage of cycles resulting in singleton live births (%)		0 / 1		0 / 1	
Percentage of cycles resulting in twin live births (%)		0 / 1		0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 1		0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 1			
Percentage of transfers resulting in pregnancies (%)		0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	8	13	3	5
Number of transfers	14	7	12	3	4
Estimated average number of transfers per retrieval	0.7	0.4	0.5	0.8	0.3
Average number of embryos transferred	1.4	1.4	1.3	1.0	1.8
Percentage of embryos transferred resulting in implantation (%)	50.0	4 / 8	7 / 13	1 / 3	4 / 7
Percentage of transfers resulting in pregnancies (%)	9 / 14	6 / 7	6 / 12	1 / 3	2 / 4
Percentage of transfers resulting in live births (%)	9 / 14	4 / 7	3 / 12	1 / 3	2 / 4
Percentage of transfers resulting in singleton live births (%)	8 / 14	4 / 7	2 / 12	1 / 3	1 / 4
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 7	1 / 12	0 / 3	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 14	3 / 7	2 / 12	1 / 3	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	19	18	22	4	12
	3	5	8	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	3	0	
Number of transfers	3	0	2	0	
Average number of embryos transferred	1.3		2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4		1 / 4		
Percentage of transfers resulting in pregnancies (%)	3 / 3		1 / 2		
Percentage of transfers resulting in live births (%)	2 / 3		1 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 3		1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Los Angeles Reproductive Center (LARC)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTERN FERTILITY INSTITUTE ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ashim V. Kumar, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	<1%	Uterine factor	<1%	Multiple Factors: Female factors only 24% Female & male factors 3%
Unstimulated	11%	PGD/PGS	94%	Ovulatory dysfunction	0%	Male factor	3%	
Used gestational carrier	56%			Diminished ovarian reserve	2%	Other factor	69%	
				Endometriosis	2%	Unknown factor	53%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 383
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	2	1	2	0
Percentage of cancellations before retrieval (%)	0 / 2	0 / 2	0 / 1	0 / 2	
Number of transfers	1	1	0	0	0
Average number of embryos transferred	1.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	1 / 1	1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 2	1 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	1 / 2	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 2	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 2	0 / 2	0 / 1	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	27	18	11	5
Number of transfers	38	25	16	11	5
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.3	0.1
Average number of embryos transferred	1.4	1.1	1.1	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	75.0	85.2	11 / 18	8 / 13	5 / 7
Percentage of transfers resulting in pregnancies (%)	84.2	88.0	10 / 16	7 / 11	4 / 5
Percentage of transfers resulting in live births (%)	73.7	68.0	10 / 16	5 / 11	4 / 5
Percentage of transfers resulting in singleton live births (%)	52.6	60.0	9 / 16	3 / 11	3 / 5
Percentage of transfers resulting in twin live births (%)	21.1	8.0	1 / 16	2 / 11	1 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.7	44.0	7 / 16	3 / 11	2 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	34	29	25	38	38
	0	1	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	108	0	
Number of transfers	1	0	105	0	
Average number of embryos transferred	1.0		1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 1		72.3		
Percentage of transfers resulting in pregnancies (%)	1 / 1		80.0		
Percentage of transfers resulting in live births (%)	1 / 1		60.0		
Percentage of transfers resulting in singleton live births (%)	1 / 1		44.8		
Percentage of transfers resulting in twin live births (%)	0 / 1		15.2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		28.6		

CURRENT SERVICES & PROFILE

Current Name: Western Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ZOUVES FERTILITY CENTER FOSTER CITY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christo G. Zouves, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	6%	Uterine factor	7%	Multiple Factors: Female factors only 4% Female & male factors 16%
Unstimulated		PGD/PGS	90%	Ovulatory dysfunction	25%	Male factor	34%	
Used gestational carrier	14%			Diminished ovarian reserve	29%	Other factor	10%	
				Endometriosis	10%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 806
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	91	74	57	21	15
Number of transfers	90	71	53	20	14
Estimated average number of transfers per retrieval	0.7	0.7	0.4	0.3	0.2
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	45.7	44.4	52.7	8 / 19	7 / 17
Percentage of transfers resulting in pregnancies (%)	46.7	49.3	56.6	45.0	7 / 14
Percentage of transfers resulting in live births (%)	36.7	40.8	52.8	25.0	6 / 14
Percentage of transfers resulting in singleton live births (%)	34.4	39.4	52.8	25.0	6 / 14
Percentage of transfers resulting in twin live births (%)	2.2	1.4	0.0	0.0	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	35.2	49.1	20.0	6 / 14
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	125	96	128	66	58
	18	20	18	9	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	10	65	0	
Number of transfers	0	10	63	0	
Average number of embryos transferred		1.8	1.3		
Percentage of embryos transferred resulting in implantation (%)		11 / 18	38.0		
Percentage of transfers resulting in pregnancies (%)		7 / 10	42.9		
Percentage of transfers resulting in live births (%)		5 / 10	33.3		
Percentage of transfers resulting in singleton live births (%)		3 / 10	27.0		
Percentage of transfers resulting in twin live births (%)		2 / 10	6.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 10	20.6		

CURRENT SERVICES & PROFILE

Current Name: Zouves Fertility Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST FERTILITY CENTER FOUNTAIN VALLEY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David G. Diaz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	50%	Tubal factor	26%	Uterine factor	8%	Multiple Factors: Female factors only 28% Female & male factors 13%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	20%	Male factor	21%	
Used gestational carrier	7%			Diminished ovarian reserve	43%	Other factor	23%	
				Endometriosis	4%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 180
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	4	5	4	2	0
Percentage of cancellations before retrieval (%)	0 / 4	0 / 5	0 / 4	0 / 2	
Number of transfers	3	3	3	2	0
Average number of embryos transferred	1.7	1.7	2.3	2.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 2	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 4	2 / 5	1 / 4	1 / 2	
Percentage of cycles resulting in live births (%)	1 / 4	2 / 5	1 / 4	1 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 4	1 / 5	0 / 4	1 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 5	1 / 4	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 4	0 / 5	0 / 4	1 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 5	5 / 5	2 / 7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 3	1 / 3	1 / 2	
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	1 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 3	0 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 3	0 / 3	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	29	7	13	4	5
Number of transfers	29	7	10	3	3
Estimated average number of transfers per retrieval	0.9	0.5	0.5	0.3	0.4
Average number of embryos transferred	1.4	1.9	1.5	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	30.8	3 / 13	3 / 15	0 / 5	0 / 6
Percentage of transfers resulting in pregnancies (%)	41.4	3 / 7	3 / 10	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	37.9	3 / 7	2 / 10	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.5	3 / 7	2 / 10	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	3.4	0 / 7	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.0	2 / 7	2 / 10	0 / 3	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	30	13	19	9	8
	30	13	17	7	8
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	4	14	0	
Number of transfers	8	3	12	0	
Average number of embryos transferred	1.3	1.0	1.6		
Percentage of embryos transferred resulting in implantation (%)	5 / 9	3 / 3	5 / 19		
Percentage of transfers resulting in pregnancies (%)	5 / 8	3 / 3	5 / 12		
Percentage of transfers resulting in live births (%)	4 / 8	3 / 3	4 / 12		
Percentage of transfers resulting in singleton live births (%)	3 / 8	3 / 3	4 / 12		
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 3	0 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8	3 / 3	3 / 12		

CURRENT SERVICES & PROFILE

Current Name: West Coast Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

XPERT FERTILITY CARE OF CALIFORNIA MINH N. HO, MD, FACOG FOUNTAIN VALLEY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Minh N. Ho, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	10%	Uterine factor	3%	Multiple Factors: Female factors only 0% Female & male factors 20%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	13%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	0%	
				Endometriosis	0%	Unknown factor	23%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 30 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		7	2	5	3	4
Percentage of cancellations before retrieval (%)		0 / 7	0 / 2	0 / 5	0 / 3	0 / 4
Number of transfers		7	2	4	3	4
Average number of embryos transferred		2.3	3.0	2.8	3.3	3.5
Percentage of elective single embryo transfers (eSET) (%)		0 / 6	0 / 2	0 / 4	0 / 3	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		6 / 7	1 / 2	2 / 5	1 / 3	0 / 4
Percentage of cycles resulting in live births (%)		4 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Percentage of cycles resulting in singleton live births (%)		4 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Percentage of cycles resulting in twin live births (%)		0 / 7	0 / 2	0 / 5	0 / 3	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		4 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		6 / 16	1 / 6	2 / 11	1 / 10	0 / 14
Percentage of transfers resulting in pregnancies (%)		6 / 7	1 / 2	2 / 4	1 / 3	0 / 4
Percentage of transfers resulting in live births (%)		4 / 7	0 / 2	2 / 4	1 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)		4 / 7	0 / 2	2 / 4	1 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)		0 / 7	0 / 2	0 / 4	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 7	0 / 2	2 / 4	1 / 3	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles		2	1	1	1	0
Number of transfers		2	1	1	1	0
Estimated average number of transfers per retrieval		1.0	1.0	1.0		
Average number of embryos transferred		2.5	3.0	3.0	4.0	
Percentage of embryos transferred resulting in implantation (%)		1 / 5	0 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in pregnancies (%)		1 / 2	0 / 1	1 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 2	0 / 1	0 / 1	0 / 1	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		0	0	0	0	0
		0	0	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		2	0	2	0	
Number of transfers		1	0	2	0	
Average number of embryos transferred		4.0		3.5		
Percentage of embryos transferred resulting in implantation (%)		2 / 4		2 / 7		
Percentage of transfers resulting in pregnancies (%)		1 / 1		2 / 2		
Percentage of transfers resulting in live births (%)		1 / 1		1 / 2		
Percentage of transfers resulting in singleton live births (%)		1 / 1		1 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 1		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 1		1 / 2		

CURRENT SERVICES & PROFILE		Current Name: Xpert Fertility Care of California, Minh N. Ho, MD, FACOG					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH FREMONT, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lisa Farah-Eways, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	7%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 19%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	14%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	11%	
				Endometriosis	1%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,262
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	268	184	136	66	41
Percentage of cancellations before retrieval (%)	7.8	3.8	9.6	16.7	17.1
Number of transfers	220	163	96	46	29
Average number of embryos transferred	1.2	1.4	1.9	2.2	2.4
Percentage of elective single embryo transfers (eSET) (%)	75.7	57.0	15.4	2.8	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	54.1	46.7	35.3	30.3	19.5
Percentage of cycles resulting in live births (%)	47.4	34.2	27.9	21.2	19.5
Percentage of cycles resulting in singleton live births (%)	43.3	31.0	23.5	16.7	17.1
Percentage of cycles resulting in twin live births (%)	4.1	3.3	4.4	4.5	2.4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	38.8	27.2	22.1	13.6	9.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	59.5	40.9	31.6	25.3	12.9
Percentage of transfers resulting in pregnancies (%)	65.9	52.8	50.0	43.5	27.6
Percentage of transfers resulting in live births (%)	57.7	38.7	39.6	30.4	27.6
Percentage of transfers resulting in singleton live births (%)	52.7	35.0	33.3	23.9	24.1
Percentage of transfers resulting in twin live births (%)	5.0	3.7	6.3	6.5	3.4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.3	30.7	31.3	19.6	13.8
Frozen Embryos from Nondonor Eggs					
Number of cycles	120	107	84	25	14
Number of transfers	118	106	77	23	13
Estimated average number of transfers per retrieval	1.6	1.5	1.1	0.7	1.9
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	66.2	53.5	58.2	53.8	5 / 13
Percentage of transfers resulting in pregnancies (%)	70.3	60.4	67.5	56.5	7 / 13
Percentage of transfers resulting in live births (%)	63.6	54.7	53.2	52.2	4 / 13
Percentage of transfers resulting in singleton live births (%)	56.8	49.1	49.4	47.8	4 / 13
Percentage of transfers resulting in twin live births (%)	6.8	5.7	2.6	4.3	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	51.7	41.5	44.2	43.5	4 / 13
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	40	49	30	7
	5	2	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	27	0	24	1	
Number of transfers	26	0	22	1	
Average number of embryos transferred	1.0		1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	92.6		81.8	1 / 1	
Percentage of transfers resulting in pregnancies (%)	92.3		81.8	1 / 1	
Percentage of transfers resulting in live births (%)	88.5		54.5	1 / 1	
Percentage of transfers resulting in singleton live births (%)	84.6		40.9	1 / 1	
Percentage of transfers resulting in twin live births (%)	3.8		13.6	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	69.2		31.8	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARE FERTILITY GLENDALE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rudy Quintero, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	23%	Uterine factor	<1%	Multiple Factors: Female factors only 13% Female & male factors 2%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	7%	Male factor	19%	
Used gestational carrier	5%			Diminished ovarian reserve	27%	Other factor	28%	
				Endometriosis	1%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 421
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	22	18	8	15
Percentage of cancellations before retrieval (%)	2 / 19	18.2	2 / 18	1 / 8	5 / 15
Number of transfers	9	8	6	4	5
Average number of embryos transferred	1.6	1.9	2.3	2.0	2.6
Percentage of elective single embryo transfers (eSET) (%)	1 / 6	0 / 7	0 / 6	0 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 19	18.2	1 / 18	0 / 8	0 / 15
Percentage of cycles resulting in live births (%)	4 / 19	18.2	1 / 18	0 / 8	0 / 15
Percentage of cycles resulting in singleton live births (%)	3 / 19	9.1	1 / 18	0 / 8	0 / 15
Percentage of cycles resulting in twin live births (%)	1 / 19	9.1	0 / 18	0 / 8	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 19	9.1	1 / 18	0 / 8	0 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 14	6 / 15	1 / 14	0 / 8	0 / 13
Percentage of transfers resulting in pregnancies (%)	5 / 9	4 / 8	1 / 6	0 / 4	0 / 5
Percentage of transfers resulting in live births (%)	4 / 9	4 / 8	1 / 6	0 / 4	0 / 5
Percentage of transfers resulting in singleton live births (%)	3 / 9	2 / 8	1 / 6	0 / 4	0 / 5
Percentage of transfers resulting in twin live births (%)	1 / 9	2 / 8	0 / 6	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	2 / 8	1 / 6	0 / 4	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	40	37	11	12
Number of transfers	59	36	28	10	11
Estimated average number of transfers per retrieval	1.1	1.3	0.6	0.7	0.7
Average number of embryos transferred	1.7	1.6	1.6	1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	47.4	38.9	46.7	5 / 16	2 / 19
Percentage of transfers resulting in pregnancies (%)	64.4	55.6	64.3	5 / 10	2 / 11
Percentage of transfers resulting in live births (%)	52.5	38.9	50.0	5 / 10	2 / 11
Percentage of transfers resulting in singleton live births (%)	39.0	27.8	39.3	5 / 10	2 / 11
Percentage of transfers resulting in twin live births (%)	13.6	11.1	10.7	0 / 10	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.9	27.8	39.3	4 / 10	1 / 11
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	48	24	42	13	15
	11	7	11	2	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	6	14	0	
Number of transfers	1	4	13	0	
Average number of embryos transferred	2.0	1.3	1.4		
Percentage of embryos transferred resulting in implantation (%)		1 / 4	10 / 18		
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 4	7 / 13		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 4	6 / 13		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 4	3 / 13		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 4	3 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 4	2 / 13		

CURRENT SERVICES & PROFILE

Current Name: CARE Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

MARIN FERTILITY CENTER GREENBRAE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter S. Uzelac, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	18%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 18%
Unstimulated	0%	PGD/PGS	48%	Ovulatory dysfunction	18%	Male factor	34%	
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	19%	
				Endometriosis	10%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 316
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	7	4	2	4
Percentage of cancellations before retrieval (%)	0 / 14	0 / 7	0 / 4	0 / 2	0 / 4
Number of transfers	6	3	3	1	2
Average number of embryos transferred	1.5	2.7	2.0	2.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 6	1 / 3	0 / 2	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	1 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 14	0 / 7	0 / 4	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 9	1 / 8	1 / 6	0 / 2	0 / 8
Percentage of transfers resulting in pregnancies (%)	2 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	1 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 3	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	47	33	17	13	3
Number of transfers	44	32	15	13	3
Estimated average number of transfers per retrieval	1.1	0.7	0.6	0.4	0.1
Average number of embryos transferred	1.4	1.2	1.5	1.2	3.3
Percentage of embryos transferred resulting in implantation (%)	57.4	51.5	43.5	7 / 12	0 / 10
Percentage of transfers resulting in pregnancies (%)	65.9	56.3	8 / 15	10 / 13	0 / 3
Percentage of transfers resulting in live births (%)	50.0	46.9	8 / 15	6 / 13	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.9	40.6	8 / 15	6 / 13	0 / 3
Percentage of transfers resulting in twin live births (%)	9.1	6.3	0 / 15	0 / 13	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	21.9	8 / 15	6 / 13	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	33	42	25	34	22
	3	6	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	1	13	0	
Number of transfers	2	1	12	0	
Average number of embryos transferred	1.5	1.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	2 / 3	1 / 1	4 / 18		
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1	5 / 12		
Percentage of transfers resulting in live births (%)	2 / 2	1 / 1	2 / 12		
Percentage of transfers resulting in singleton live births (%)	2 / 2	1 / 1	2 / 12		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 2	0 / 1	2 / 12		

CURRENT SERVICES & PROFILE

Current Name: Marin Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY MEDICAL CENTER, INC. IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lawrence B. Werlin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	7%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 8%
Unstimulated	0%	PGD/PGS	47%	Ovulatory dysfunction	6%	Male factor	21%	
Used gestational carrier	6%			Diminished ovarian reserve	42%	Other factor	18%	
				Endometriosis	2%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 371
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	16	8	10	2	1
Percentage of cancellations before retrieval (%)	0 / 16	2 / 8	8 / 10	0 / 2	0 / 1
Number of transfers	4	3	0	1	0
Average number of embryos transferred	2.3	2.3		2.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 3		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 16	2 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	1 / 16	2 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 16	1 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 16	1 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 16	1 / 8	0 / 10	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 9	3 / 7		0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	1 / 4	2 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 3		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	1 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	51	29	20	5	2
Number of transfers	47	26	19	5	2
Estimated average number of transfers per retrieval	0.5	0.6	0.5	0.7	0.2
Average number of embryos transferred	1.8	1.7	1.7	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	21.4	34.9	28.1	1 / 6	2 / 2
Percentage of transfers resulting in pregnancies (%)	36.2	53.8	9 / 19	1 / 5	2 / 2
Percentage of transfers resulting in live births (%)	21.3	38.5	6 / 19	0 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	19.1	34.6	6 / 19	0 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	2.1	3.8	0 / 19	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.1	19.2	5 / 19	0 / 5	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	91	45	39	7	9
	64	6	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	25	3	
Number of transfers	6	0	24	3	
Average number of embryos transferred	2.2		1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 13		27.3	2 / 6	
Percentage of transfers resulting in pregnancies (%)	3 / 6		41.7	2 / 3	
Percentage of transfers resulting in live births (%)	3 / 6		29.2	2 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 6		20.8	2 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 6		8.3	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6		16.7	2 / 3	

CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Medical Center, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SOUTHERN CALIFORNIA IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ilene E. Hatch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	16%	Uterine factor	9%	Multiple Factors: Female factors only 23% Female & male factors 19%
Unstimulated	0%	PGD/PGS	51%	Ovulatory dysfunction	18%	Male factor	28%	
Used gestational carrier	4%			Diminished ovarian reserve	43%	Other factor	20%	
				Endometriosis	10%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 231
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	6	6	4	2
Percentage of cancellations before retrieval (%)	1 / 7	0 / 6	1 / 6	1 / 4	1 / 2
Number of transfers	1	3	1	1	1
Average number of embryos transferred	1.0	2.0	4.0	3.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 1	0 / 2	0 / 1	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 7	2 / 6	1 / 6	0 / 4	1 / 2
Percentage of cycles resulting in live births (%)	1 / 7	2 / 6	0 / 6	0 / 4	1 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 7	1 / 6	0 / 6	0 / 4	1 / 2
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 6	0 / 6	0 / 4	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 7	1 / 6	0 / 6	0 / 4	1 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1	5 / 6	1 / 4	0 / 3	1 / 3
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 3	1 / 1	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	1 / 1	2 / 3	0 / 1	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 3	0 / 1	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	1 / 3	0 / 1	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	27	21	18	5
Number of transfers	26	25	18	17	5
Estimated average number of transfers per retrieval	1.0	1.1	0.9	0.9	0.6
Average number of embryos transferred	1.2	1.3	1.2	1.2	1.6
Percentage of embryos transferred resulting in implantation (%)	79.3	69.0	63.6	10 / 19	3 / 8
Percentage of transfers resulting in pregnancies (%)	76.9	76.0	13 / 18	10 / 17	3 / 5
Percentage of transfers resulting in live births (%)	65.4	68.0	12 / 18	9 / 17	2 / 5
Percentage of transfers resulting in singleton live births (%)	53.8	56.0	11 / 18	8 / 17	2 / 5
Percentage of transfers resulting in twin live births (%)	11.5	12.0	1 / 18	1 / 17	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	53.8	56.0	10 / 18	6 / 17	2 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	22	16	19	8
	2	4	2	3	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	16	3	
Number of transfers	0	0	15	3	
Average number of embryos transferred			1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)			14 / 18	2 / 4	
Percentage of transfers resulting in pregnancies (%)			12 / 15	2 / 3	
Percentage of transfers resulting in live births (%)			10 / 15	2 / 3	
Percentage of transfers resulting in singleton live births (%)			8 / 15	2 / 3	
Percentage of transfers resulting in twin live births (%)			2 / 15	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			7 / 15	2 / 3	

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Southern California

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HOPE IVF AND FERTILITY CENTER
IRVINE, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LIFE IVF CENTER IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Frank D. Yelian, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	100%	Tubal factor	11%	Uterine factor	15%	Multiple Factors: Female factors only 26% Female & male factors 26%
Unstimulated	75%	PGD/PGS	53%	Ovulatory dysfunction	8%	Male factor	29%	
Used gestational carrier	17%			Diminished ovarian reserve	50%	Other factor	20%	
				Endometriosis	14%	Unknown factor	27%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,991
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	4	5	5	2	4
Percentage of cancellations before retrieval (%)	0 / 4	0 / 5	0 / 5	0 / 2	0 / 4
Number of transfers	4	5	5	2	4
Average number of embryos transferred	1.3	1.0	1.2	1.0	1.3
Percentage of elective single embryo transfers (eSET) (%)	0 / 1		0 / 1		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 4	1 / 5	1 / 5	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 5	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	1 / 5	0 / 5	0 / 2	0 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 5	1 / 5	0 / 2	0 / 4
Percentage of transfers resulting in live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	104	137	63	100
Number of transfers	104	104	135	63	99
Estimated average number of transfers per retrieval	0.4	0.4	0.3	0.2	0.1
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.3
Percentage of embryos transferred resulting in implantation (%)	64.2	60.5	52.0	51.5	23.1
Percentage of transfers resulting in pregnancies (%)	71.2	65.4	58.5	58.7	28.3
Percentage of transfers resulting in live births (%)	62.5	56.7	48.9	42.9	21.2
Percentage of transfers resulting in singleton live births (%)	57.7	51.9	46.7	41.3	16.2
Percentage of transfers resulting in twin live births (%)	4.8	4.8	2.2	1.6	5.1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	53.8	46.2	40.0	33.3	15.2
Number of Egg or Embryo Banking Cycles					
	297	290	480	370	944
Number of fertility preservation cycles	6	5	8	6	13
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	80	2	
Number of transfers	0	0	80	2	
Average number of embryos transferred			1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)			57.6	1 / 2	
Percentage of transfers resulting in pregnancies (%)			66.3	1 / 2	
Percentage of transfers resulting in live births (%)			55.0	0 / 2	
Percentage of transfers resulting in singleton live births (%)			47.5	0 / 2	
Percentage of transfers resulting in twin live births (%)			7.5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			37.5	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Life IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE FERTILITY CENTER LINFERTILITY FAMILY FOUNDATION IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James P. Lin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	98%	Tubal factor	6%	Uterine factor	4%	Multiple Factors: Female factors only 10% Female & male factors 5%
Unstimulated	11%	PGD/PGS	61%	Ovulatory dysfunction	3%	Male factor	25%	
Used gestational carrier	6%			Diminished ovarian reserve	35%	Other factor	22%	
				Endometriosis	1%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 819
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	8	8	2	2
Percentage of cancellations before retrieval (%)	0 / 14	0 / 8	0 / 8	0 / 2	1 / 2
Number of transfers	14	8	7	2	1
Average number of embryos transferred	1.7	1.8	1.6	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 14	1 / 7	0 / 4	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 14	6 / 8	2 / 8	1 / 2	0 / 2
Percentage of cycles resulting in live births (%)	8 / 14	2 / 8	1 / 8	1 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	5 / 14	2 / 8	1 / 8	1 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 14	0 / 8	0 / 8	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4 / 14	1 / 8	0 / 8	1 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.8	5 / 12	2 / 11	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	8 / 14	6 / 8	2 / 7	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	8 / 14	2 / 8	1 / 7	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 14	2 / 8	1 / 7	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 8	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 14	1 / 8	0 / 7	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	126	77	41	15	14
Number of transfers	126	77	41	15	14
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.4	0.2
Average number of embryos transferred	1.5	1.6	1.5	1.3	1.9
Percentage of embryos transferred resulting in implantation (%)	57.6	47.0	43.3	5 / 17	48.1
Percentage of transfers resulting in pregnancies (%)	63.5	59.7	63.4	7 / 15	10 / 14
Percentage of transfers resulting in live births (%)	54.8	50.6	51.2	5 / 15	5 / 14
Percentage of transfers resulting in singleton live births (%)	38.1	41.6	48.8	5 / 15	4 / 14
Percentage of transfers resulting in twin live births (%)	15.1	9.1	2.4	0 / 15	1 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	37.7	36.6	5 / 15	3 / 14
Number of Egg or Embryo Banking Cycles					
	143	92	84	40	90
Number of fertility preservation cycles	1	2	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	1	54	0	
Number of transfers	3	1	54	0	
Average number of embryos transferred	2.0	1.0	1.4		
Percentage of embryos transferred resulting in implantation (%)	3 / 4		59.7		
Percentage of transfers resulting in pregnancies (%)	3 / 3	0 / 1	70.4		
Percentage of transfers resulting in live births (%)	2 / 3	0 / 1	53.7		
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1	44.4		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 1	9.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 1	40.7		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Fertility Center, LinFertility Family Foundation

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LA JOLLA IVF
LA JOLLA, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

REPRODUCTIVE PARTNERS FERTILITY CENTER-SAN DIEGO LA JOLLA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by V. Gabriel Garzo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	6%	Uterine factor	4%	Multiple Factors: Female factors only 2% Female & male factors 2%
Unstimulated	0%	PGD/PGS	53%	Ovulatory dysfunction	7%	Male factor	26%	
Used gestational carrier	4%			Diminished ovarian reserve	27%	Other factor	16%	
				Endometriosis	4%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 900
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	56	50	23	26
Percentage of cancellations before retrieval (%)	9.2	12.5	30.0	17.4	42.3
Number of transfers	0	1	0	0	0
Average number of embryos transferred		1.0			
Percentage of elective single embryo transfers (eSET) (%)		1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0.0	1.8	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	0.0	1.8	0.0	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in twin live births (%)	0.0	1.8	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0.0	0.0	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		2 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 1			
Percentage of transfers resulting in live births (%)		1 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		1 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	142	106	92	48	24
Number of transfers	120	87	81	38	18
Estimated average number of transfers per retrieval	1.3	1.2	1.2	1.0	0.6
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	72.6	62.8	60.5	39.5	11 / 18
Percentage of transfers resulting in pregnancies (%)	75.8	63.2	64.2	47.4	10 / 18
Percentage of transfers resulting in live births (%)	63.3	50.6	48.1	34.2	8 / 18
Percentage of transfers resulting in singleton live births (%)	60.8	46.0	46.9	34.2	8 / 18
Percentage of transfers resulting in twin live births (%)	2.5	4.6	1.2	0.0	0 / 18
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	58.3	41.4	42.0	34.2	6 / 18
Number of Egg or Embryo Banking Cycles					
	36	48	35	24	28
Number of fertility preservation cycles	23	27	16	4	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	69	3	
Number of transfers	3	0	53	3	
Average number of embryos transferred	1.0		1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 3		70.0	2 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 3		69.8	2 / 3	
Percentage of transfers resulting in live births (%)	2 / 3		52.8	2 / 3	
Percentage of transfers resulting in singleton live births (%)	2 / 3		52.8	2 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 3		0.0	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		37.7	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Partners Fertility Center-San Diego

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ACACIO FERTILITY CENTER
LAGUNA NIGUEL, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John D. Jacobson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	18%	Uterine factor	17%	Multiple Factors: Female factors only 22% Female & male factors 35%
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	28%	Male factor	43%	
Used gestational carrier	3%			Diminished ovarian reserve	46%	Other factor	12%	
				Endometriosis	13%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 312
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	63	43	30	12	4
Percentage of cancellations before retrieval (%)	1.6	16.3	23.3	3 / 12	2 / 4
Number of transfers	48	31	14	6	1
Average number of embryos transferred	2.0	2.1	2.1	2.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	6.3	6.9	4 / 11	0 / 6	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.0	41.9	10.0	1 / 12	0 / 4
Percentage of cycles resulting in live births (%)	39.7	30.2	3.3	1 / 12	0 / 4
Percentage of cycles resulting in singleton live births (%)	27.0	27.9	3.3	1 / 12	0 / 4
Percentage of cycles resulting in twin live births (%)	12.7	2.3	0.0	0 / 12	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.4	25.6	0.0	1 / 12	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.7	28.8	10.3	1 / 16	0 / 3
Percentage of transfers resulting in pregnancies (%)	60.4	58.1	3 / 14	1 / 6	0 / 1
Percentage of transfers resulting in live births (%)	52.1	41.9	1 / 14	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.4	38.7	1 / 14	1 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	16.7	3.2	0 / 14	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	35.5	0 / 14	1 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	25	24	5	3
Number of transfers	38	20	20	4	3
Estimated average number of transfers per retrieval	1.5	1.0	1.5	0.6	1.0
Average number of embryos transferred	1.8	2.0	2.2	2.0	2.7
Percentage of embryos transferred resulting in implantation (%)	34.8	30.8	19.0	1 / 8	0 / 8
Percentage of transfers resulting in pregnancies (%)	55.3	55.0	40.0	1 / 4	0 / 3
Percentage of transfers resulting in live births (%)	42.1	50.0	10.0	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.2	45.0	10.0	1 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	7.9	5.0	0.0	0 / 4	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	40.0	10.0	1 / 4	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	12	5	4	2
	5	7	3	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	11	11	
Number of transfers	3	0	11	9	
Average number of embryos transferred	1.7		1.8	2.4	
Percentage of embryos transferred resulting in implantation (%)	5 / 5		5.0	18.2	
Percentage of transfers resulting in pregnancies (%)	3 / 3		1 / 11	4 / 9	
Percentage of transfers resulting in live births (%)	1 / 3		1 / 11	1 / 9	
Percentage of transfers resulting in singleton live births (%)	1 / 3		1 / 11	1 / 9	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 11	0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		1 / 11	1 / 9	

CURRENT SERVICES & PROFILE

Current Name: Loma Linda University Center for Fertility and IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA FERTILITY PARTNERS LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard P. Marrs, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	9%	Uterine factor	32%	Multiple Factors: Female factors only 40% Female & male factors 23%
Unstimulated	0%	PGD/PGS	44%	Ovulatory dysfunction	5%	Male factor	26%	
Used gestational carrier	33%			Diminished ovarian reserve	50%	Other factor	66%	
				Endometriosis	8%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,372
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	46	47	42	42	54
Percentage of cancellations before retrieval (%)	15.2	19.1	38.1	50.0	53.7
Number of transfers	26	22	10	8	10
Average number of embryos transferred	1.5	1.4	1.7	1.8	1.4
Percentage of elective single embryo transfers (eSET) (%)	35.0	7 / 16	2 / 7	0 / 5	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.4	12.8	9.5	2.4	9.3
Percentage of cycles resulting in live births (%)	26.1	8.5	7.1	2.4	7.4
Percentage of cycles resulting in singleton live births (%)	19.6	4.3	4.8	2.4	7.4
Percentage of cycles resulting in twin live births (%)	6.5	4.3	2.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.2	4.3	4.8	2.4	5.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.2	32.3	5 / 17	1 / 14	5 / 14
Percentage of transfers resulting in pregnancies (%)	53.8	27.3	4 / 10	1 / 8	5 / 10
Percentage of transfers resulting in live births (%)	46.2	18.2	3 / 10	1 / 8	4 / 10
Percentage of transfers resulting in singleton live births (%)	34.6	9.1	2 / 10	1 / 8	4 / 10
Percentage of transfers resulting in twin live births (%)	11.5	9.1	1 / 10	0 / 8	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.9	9.1	2 / 10	1 / 8	3 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	74	69	90	41	71
Number of transfers	62	61	69	34	57
Estimated average number of transfers per retrieval	0.7	0.6	0.6	0.3	0.4
Average number of embryos transferred	1.3	1.3	1.4	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	58.8	44.7	43.0	51.2	41.7
Percentage of transfers resulting in pregnancies (%)	62.9	52.5	53.6	61.8	57.9
Percentage of transfers resulting in live births (%)	58.1	44.3	40.6	58.8	52.6
Percentage of transfers resulting in singleton live births (%)	48.4	41.0	33.3	58.8	49.1
Percentage of transfers resulting in twin live births (%)	9.7	3.3	7.2	0.0	3.5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.5	34.4	31.9	50.0	43.9
Number of Egg or Embryo Banking Cycles					
	83	96	114	115	153
Number of fertility preservation cycles	15	25	11	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	38	4	183	9	
Number of transfers	25	4	159	7	
Average number of embryos transferred	1.7	1.5	1.4	1.7	
Percentage of embryos transferred resulting in implantation (%)	54.8	2 / 6	52.6	5 / 10	
Percentage of transfers resulting in pregnancies (%)	68.0	1 / 4	61.6	5 / 7	
Percentage of transfers resulting in live births (%)	68.0	1 / 4	54.7	3 / 7	
Percentage of transfers resulting in singleton live births (%)	48.0	0 / 4	45.9	2 / 7	
Percentage of transfers resulting in twin live births (%)	20.0	1 / 4	7.5	1 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.0	0 / 4	34.0	0 / 7	

CURRENT SERVICES & PROFILE

Current Name: California Fertility Partners

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CEDARS SINAI MEDICAL CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE
LOS ANGELES, CALIFORNIA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Margareta D. Pisarska, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	16%	Uterine factor	22%	Multiple Factors: Female factors only 13% Female & male factors 33%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	8%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	54%	Other factor	18%	
				Endometriosis	2%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 125
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	4	8	5	10	2
Percentage of cancellations before retrieval (%)	0 / 4	2 / 8	0 / 5	3 / 10	1 / 2
Number of transfers	3	3	3	5	1
Average number of embryos transferred	1.3	1.3	1.3	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 3	2 / 3	1 / 2	1 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 4	3 / 8	1 / 5	1 / 10	0 / 2
Percentage of cycles resulting in live births (%)	1 / 4	2 / 8	1 / 5	1 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 4	2 / 8	0 / 5	1 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 8	1 / 5	0 / 10	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 4	2 / 8	0 / 5	1 / 10	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 4	3 / 4	2 / 4	1 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 3	3 / 3	1 / 3	1 / 5	0 / 1
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	1 / 3	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 3	0 / 3	1 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3	1 / 3	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	2 / 3	0 / 3	1 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	2	8	1	2
Number of transfers	12	2	8	1	2
Estimated average number of transfers per retrieval	0.5	0.2	0.5	0.1	2.0
Average number of embryos transferred	1.1	1.5	1.1	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	6 / 13	1 / 3	5 / 9	2 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	6 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	6 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 2	0 / 8	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	11	16	13	0
	9	4	7	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	0	2	0	
Number of transfers	5	0	2	0	
Average number of embryos transferred	1.2		1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 6		1 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 5		2 / 2		
Percentage of transfers resulting in live births (%)	2 / 5		1 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 5		1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Joshua J. Berger, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	6%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors 4%
Unstimulated	5%	PGD/PGS	49%	Ovulatory dysfunction	3%	Male factor	19%	
Used gestational carrier	1%			Diminished ovarian reserve	48%	Other factor	12%	
				Endometriosis	3%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 306
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	10	6	2	6
Percentage of cancellations before retrieval (%)	0 / 8	0 / 10	1 / 6	1 / 2	1 / 6
Number of transfers	3	4	2	1	2
Average number of embryos transferred	2.3	1.8	1.5	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 8	1 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in live births (%)	3 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in singleton live births (%)	0 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in twin live births (%)	3 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 7	1 / 7	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	3 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	44	21	15	5	3
Number of transfers	44	19	14	5	3
Estimated average number of transfers per retrieval	1.4	0.7	0.7	0.4	0.1
Average number of embryos transferred	1.7	1.6	1.5	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	49.3	48.4	42.9	5 / 8	2 / 4
Percentage of transfers resulting in pregnancies (%)	61.4	14 / 19	9 / 14	3 / 5	2 / 3
Percentage of transfers resulting in live births (%)	54.5	12 / 19	8 / 14	3 / 5	2 / 3
Percentage of transfers resulting in singleton live births (%)	38.6	11 / 19	8 / 14	1 / 5	2 / 3
Percentage of transfers resulting in twin live births (%)	13.6	1 / 19	0 / 14	2 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.1	10 / 19	8 / 14	1 / 5	2 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	28	24	20	12	26
	4	9	2	6	9
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	1	66	0	
Number of transfers	2	1	65	0	
Average number of embryos transferred	1.5	2.0	1.9		
Percentage of embryos transferred resulting in implantation (%)	2 / 3	3 / 2	46.7		
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1	63.1		
Percentage of transfers resulting in live births (%)	2 / 2	1 / 1	61.5		
Percentage of transfers resulting in singleton live births (%)	2 / 2	0 / 1	38.5		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	23.1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 2	0 / 1	26.2		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: CHA Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CMD FERTILITY LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Catherine M. DeUgarte, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	6%	Uterine factor	<1%	Multiple Factors: Female factors only 15% Female & male factors 9%
Unstimulated	0%	PGD/PGS	62%	Ovulatory dysfunction	11%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	36%	
				Endometriosis	0%	Unknown factor	23%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 203
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	8	16	5	4
Percentage of cancellations before retrieval (%)	0 / 3	0 / 8	0 / 16	0 / 5	0 / 4
Number of transfers	3	7	12	1	2
Average number of embryos transferred	1.7	1.3	1.5	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	1 / 3	1 / 7		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 3	2 / 8	5 / 16	0 / 5	0 / 4
Percentage of cycles resulting in live births (%)	1 / 3	1 / 8	4 / 16	0 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	0 / 3	1 / 8	4 / 16	0 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 8	0 / 16	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 8	4 / 16	0 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	2 / 9	5 / 18	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 7	5 / 12	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	1 / 3	1 / 7	4 / 12	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 7	4 / 12	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 7	0 / 12	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 7	4 / 12	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	19	19	3	2
Number of transfers	21	19	18	3	2
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.3	0.2
Average number of embryos transferred	1.2	1.3	1.3	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	52.0	58.3	47.6	4 / 4	2 / 2
Percentage of transfers resulting in pregnancies (%)	57.1	11 / 19	10 / 18	3 / 3	2 / 2
Percentage of transfers resulting in live births (%)	52.4	11 / 19	7 / 18	3 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	47.6	8 / 19	5 / 18	2 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	4.8	3 / 19	2 / 18	1 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.9	4 / 19	5 / 18	2 / 3	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	21	29	9	10
	12	12	18	7	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	7	0	
Number of transfers	3	0	7	0	
Average number of embryos transferred	1.7		1.7		
Percentage of embryos transferred resulting in implantation (%)	1 / 5		7 / 12		
Percentage of transfers resulting in pregnancies (%)	1 / 3		4 / 7		
Percentage of transfers resulting in live births (%)	1 / 3		4 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 3		3 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 3		1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		3 / 7		

CURRENT SERVICES & PROFILE

Current Name: CMD Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LA IVF CLINIC
LOS ANGELES, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

PACIFIC FERTILITY CENTER-LOS ANGELES LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vicken Sahakian, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	89%	Tubal factor	5%	Uterine factor	3%	Multiple Factors: Female factors only 3% Female & male factors 3%
Unstimulated	0%	PGD/PGS	73%	Ovulatory dysfunction	1%	Male factor	21%	
Used gestational carrier	24%			Diminished ovarian reserve	5%	Other factor	41%	
				Endometriosis	2%	Unknown factor	28%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 366
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	2	3	2	2
Percentage of cancellations before retrieval (%)	0 / 3	0 / 2	0 / 3	0 / 2	0 / 2
Number of transfers	3	1	2	2	2
Average number of embryos transferred	2.0	2.0	1.0	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 1		0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3	0 / 2	1 / 3	2 / 2	1 / 2
Percentage of cycles resulting in live births (%)	1 / 3	0 / 2	1 / 3	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 3	0 / 2	1 / 3	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 2	0 / 3	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 2	1 / 3	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 4	0 / 2	1 / 2	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 3	0 / 1	1 / 2	2 / 2	1 / 2
Percentage of transfers resulting in live births (%)	1 / 3	0 / 1	1 / 2	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1	1 / 2	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 1	1 / 2	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	36	9	4	5
Number of transfers	51	34	9	4	5
Estimated average number of transfers per retrieval	0.8	0.6	0.3	0.3	0.2
Average number of embryos transferred	1.6	1.6	1.7	1.5	1.2
Percentage of embryos transferred resulting in implantation (%)	51.9	51.9	4 / 11	1 / 3	2 / 6
Percentage of transfers resulting in pregnancies (%)	68.6	67.6	5 / 9	2 / 4	2 / 5
Percentage of transfers resulting in live births (%)	51.0	58.8	2 / 9	1 / 4	2 / 5
Percentage of transfers resulting in singleton live births (%)	37.3	44.1	2 / 9	1 / 4	2 / 5
Percentage of transfers resulting in twin live births (%)	13.7	14.7	0 / 9	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	17.6	20.6	1 / 9	1 / 4	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	60	57	28	15	27
	3	10	1	3	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	52	0	
Number of transfers	3	0	47	0	
Average number of embryos transferred	1.7		1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 5		54.4		
Percentage of transfers resulting in pregnancies (%)	1 / 3		66.0		
Percentage of transfers resulting in live births (%)	1 / 3		48.9		
Percentage of transfers resulting in singleton live births (%)	1 / 3		34.0		
Percentage of transfers resulting in twin live births (%)	0 / 3		14.9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		2.1		

CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center-Los Angeles

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCLA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kathleen M. Brennan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	<1%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 10%
Unstimulated	0%	PGD/PGS	37%	Ovulatory dysfunction	21%	Male factor	23%	
Used gestational carrier	2%			Diminished ovarian reserve	2%	Other factor	38%	
				Endometriosis	11%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 232
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	2	5	2	4
Percentage of cancellations before retrieval (%)		1 / 2	2 / 5	0 / 2	0 / 4
Number of transfers	0	0	3	2	4
Average number of embryos transferred			1.7	1.5	2.8
Percentage of elective single embryo transfers (eSET) (%)			1 / 3	0 / 1	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		0 / 2	2 / 5	0 / 2	1 / 4
Percentage of cycles resulting in live births (%)		0 / 2	1 / 5	0 / 2	1 / 4
Percentage of cycles resulting in singleton live births (%)		0 / 2	1 / 5	0 / 2	1 / 4
Percentage of cycles resulting in twin live births (%)		0 / 2	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 2	1 / 5	0 / 2	1 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			2 / 5	0 / 3	1 / 11
Percentage of transfers resulting in pregnancies (%)			2 / 3	0 / 2	1 / 4
Percentage of transfers resulting in live births (%)			1 / 3	0 / 2	1 / 4
Percentage of transfers resulting in singleton live births (%)			1 / 3	0 / 2	1 / 4
Percentage of transfers resulting in twin live births (%)			0 / 3	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 3	0 / 2	1 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	21	10	6	5
Number of transfers	48	16	9	6	5
Estimated average number of transfers per retrieval	1.3	0.7	0.5	0.3	0.3
Average number of embryos transferred	1.1	1.3	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	61.5	8 / 19	6 / 10	4 / 7	1 / 7
Percentage of transfers resulting in pregnancies (%)	66.7	7 / 16	7 / 9	3 / 6	1 / 5
Percentage of transfers resulting in live births (%)	56.3	6 / 16	6 / 9	3 / 6	1 / 5
Percentage of transfers resulting in singleton live births (%)	54.2	5 / 16	6 / 9	2 / 6	1 / 5
Percentage of transfers resulting in twin live births (%)	2.1	1 / 16	0 / 9	1 / 6	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.9	4 / 16	6 / 9	2 / 6	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	24	17	20	16
	1	12	2	6	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	9	0	
Number of transfers	0	0	9	0	
Average number of embryos transferred			1.1		
Percentage of embryos transferred resulting in implantation (%)			5 / 10		
Percentage of transfers resulting in pregnancies (%)			5 / 9		
Percentage of transfers resulting in live births (%)			5 / 9		
Percentage of transfers resulting in singleton live births (%)			5 / 9		
Percentage of transfers resulting in twin live births (%)			0 / 9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			4 / 9		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: UCLA Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

USC FERTILITY LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard J. Paulson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	6%	Uterine factor	6%	Multiple Factors: Female factors only 14% Female & male factors 38%
Unstimulated	<1%	PGD/PGS	10%	Ovulatory dysfunction	11%	Male factor	43%	
Used gestational carrier	3%			Diminished ovarian reserve	61%	Other factor	20%	
				Endometriosis	8%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 783
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	68	85	84	53	44
Percentage of cancellations before retrieval (%)	0.0	4.7	6.0	0.0	4.5
Number of transfers	51	68	70	48	35
Average number of embryos transferred	1.8	2.3	2.7	3.3	2.9
Percentage of elective single embryo transfers (eSET) (%)	15.6	3.3	3.1	2.2	3.2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.6	35.3	39.3	26.4	9.1
Percentage of cycles resulting in live births (%)	36.8	28.2	26.2	17.0	2.3
Percentage of cycles resulting in singleton live births (%)	27.9	21.2	23.8	13.2	2.3
Percentage of cycles resulting in twin live births (%)	8.8	7.1	2.4	3.8	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.0	20.0	15.5	7.5	2.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.4	26.6	19.0	9.0	2.1
Percentage of transfers resulting in pregnancies (%)	56.9	44.1	47.1	29.2	11.4
Percentage of transfers resulting in live births (%)	49.0	35.3	31.4	18.8	2.9
Percentage of transfers resulting in singleton live births (%)	37.3	26.5	28.6	14.6	2.9
Percentage of transfers resulting in twin live births (%)	11.8	8.8	2.9	4.2	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	25.0	18.6	8.3	2.9
Frozen Embryos from Nondonor Eggs					
Number of cycles	49	29	25	11	19
Number of transfers	48	29	25	10	19
Estimated average number of transfers per retrieval	0.6	0.3	0.3	0.3	0.8
Average number of embryos transferred	1.7	1.6	2.1	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	38.8	34.1	30.4	2 / 18	17.1
Percentage of transfers resulting in pregnancies (%)	56.3	51.7	64.0	2 / 10	6 / 19
Percentage of transfers resulting in live births (%)	50.0	31.0	36.0	2 / 10	4 / 19
Percentage of transfers resulting in singleton live births (%)	39.6	31.0	32.0	2 / 10	3 / 19
Percentage of transfers resulting in twin live births (%)	10.4	0.0	4.0	0 / 10	1 / 19
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	31.0	32.0	1 / 10	2 / 19
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	65	71	63	33	18
	63	63	56	28	13
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	24	14	21	0	
Number of transfers	17	14	21	0	
Average number of embryos transferred	1.6	1.9	1.6		
Percentage of embryos transferred resulting in implantation (%)	61.5	23.8	52.9		
Percentage of transfers resulting in pregnancies (%)	12 / 17	7 / 14	66.7		
Percentage of transfers resulting in live births (%)	7 / 17	3 / 14	57.1		
Percentage of transfers resulting in singleton live births (%)	4 / 17	2 / 14	42.9		
Percentage of transfers resulting in twin live births (%)	2 / 17	1 / 14	14.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 17	1 / 14	38.1		

CURRENT SERVICES & PROFILE

Current Name: USC Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CARE FOR THE BAY AREA
LOS GATOS, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

INNOVATIVE FERTILITY CENTER MANHATTAN BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark J. Rispler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	98%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 0%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	0%	Male factor	15%	
Used gestational carrier	2%			Diminished ovarian reserve	11%	Other factor	57%	
				Endometriosis	0%	Unknown factor	28%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 133
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	0	0	0
Percentage of cancellations before retrieval (%)		0 / 1			
Number of transfers	0	1	0	0	0
Average number of embryos transferred		1.0			
Percentage of elective single embryo transfers (eSET) (%)		1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		1 / 1			
Percentage of cycles resulting in live births (%)		1 / 1			
Percentage of cycles resulting in singleton live births (%)		1 / 1			
Percentage of cycles resulting in twin live births (%)		0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		1 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 1			
Percentage of transfers resulting in live births (%)		1 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	8	14	3	3
Number of transfers	11	8	14	3	3
Estimated average number of transfers per retrieval	0.7	0.4	0.5	0.3	0.2
Average number of embryos transferred	1.3	1.3	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	10 / 14	6 / 10	43.5	0 / 4	3 / 6
Percentage of transfers resulting in pregnancies (%)	9 / 11	6 / 8	9 / 14	0 / 3	2 / 3
Percentage of transfers resulting in live births (%)	9 / 11	6 / 8	8 / 14	0 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	8 / 11	6 / 8	7 / 14	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 8	1 / 14	0 / 3	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 11	5 / 8	7 / 14	0 / 3	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	16	18	28	10	14
	13	15	24	7	11
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	4	0	
Number of transfers	3	0	4	0	
Average number of embryos transferred	2.0		1.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 6		3 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 3		3 / 4		
Percentage of transfers resulting in live births (%)	2 / 3		2 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 3		2 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3		2 / 4		

CURRENT SERVICES & PROFILE

Current Name: Innovative Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY AND GYNECOLOGY CENTER MONTEREY BAY IVF MONTEREY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Edward J. Ramirez, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	87%	Tubal factor	21%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	35%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	28%	
				Endometriosis	1%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				20%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 107 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	18	11	10	8	2	
Percentage of cancellations before retrieval (%)	0 / 18	0 / 11	2 / 10	1 / 8	0 / 2	
Number of transfers	18	9	6	3	1	
Average number of embryos transferred	1.7	2.1	3.7	3.3	3.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 14	2 / 9	0 / 5	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	7 / 18	4 / 11	2 / 10	0 / 8	0 / 2	
Percentage of cycles resulting in live births (%)	5 / 18	3 / 11	2 / 10	0 / 8	0 / 2	
Percentage of cycles resulting in singleton live births (%)	3 / 18	3 / 11	1 / 10	0 / 8	0 / 2	
Percentage of cycles resulting in twin live births (%)	2 / 18	0 / 11	1 / 10	0 / 8	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 18	2 / 11	1 / 10	0 / 8	0 / 2	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 19	13.6	0 / 10	0 / 3	
Percentage of transfers resulting in pregnancies (%)	7 / 18	4 / 9	2 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	5 / 18	3 / 9	2 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 18	3 / 9	1 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 18	0 / 9	1 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 18	2 / 9	1 / 6	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	11	4	3	1	
Number of transfers	9	11	4	3	1	
Estimated average number of transfers per retrieval	0.9	1.0	0.6	1.5	1.0	
Average number of embryos transferred	1.7	1.6	1.0	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	7 / 15	6 / 18	2 / 4	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 9	5 / 11	2 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 9	4 / 11	2 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 9	3 / 11	2 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 9	1 / 11	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	3 / 11	2 / 4	0 / 3	0 / 1	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	5	6	5	2	0	
	1	2	0	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	10	0	1	0		
Number of transfers	9	0	1	0		
Average number of embryos transferred	1.8		2.0			
Percentage of embryos transferred resulting in implantation (%)	6 / 15		0 / 2			
Percentage of transfers resulting in pregnancies (%)	6 / 9		0 / 1			
Percentage of transfers resulting in live births (%)	5 / 9		0 / 1			
Percentage of transfers resulting in singleton live births (%)	4 / 9		0 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 9		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 9		0 / 1			

CURRENT SERVICES & PROFILE		Current Name: The Fertility and Gynecology Center, Monterey Bay IVF					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOVA IN VITRO FERTILIZATION MOUNTAIN VIEW, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard J. Schmidt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	24%	Tubal factor	13%	Uterine factor	6%	Multiple Factors: Female factors only 27% Female & male factors 12%
Unstimulated	0%	PGD/PGS	39%	Ovulatory dysfunction	20%	Male factor	17%	
Used gestational carrier	2%			Diminished ovarian reserve	51%	Other factor	13%	
				Endometriosis	18%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 702
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	26	17	20	7	6
Percentage of cancellations before retrieval (%)	3.8	0 / 17	10.0	0 / 7	0 / 6
Number of transfers	2	1	2	0	2
Average number of embryos transferred	2.0	1.0	2.5		4.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2		0 / 2		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7.7	0 / 17	10.0	0 / 7	1 / 6
Percentage of cycles resulting in live births (%)	7.7	0 / 17	10.0	0 / 7	1 / 6
Percentage of cycles resulting in singleton live births (%)	7.7	0 / 17	10.0	0 / 7	1 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0 / 17	0.0	0 / 7	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 17	5.0	0 / 7	1 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 4	0 / 1	2 / 5		1 / 8
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1	2 / 2		1 / 2
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1	2 / 2		1 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 2	0 / 1	2 / 2		1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 1	1 / 2		1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	74	53	27	16
Number of transfers	73	74	53	27	16
Estimated average number of transfers per retrieval	0.8	0.7	0.5	0.6	0.3
Average number of embryos transferred	1.6	1.4	1.9	2.9	4.4
Percentage of embryos transferred resulting in implantation (%)	45.6	57.4	35.7	18.8	3.1
Percentage of transfers resulting in pregnancies (%)	60.3	71.6	56.6	59.3	4 / 16
Percentage of transfers resulting in live births (%)	53.4	63.5	49.1	33.3	1 / 16
Percentage of transfers resulting in singleton live births (%)	43.8	56.8	39.6	33.3	1 / 16
Percentage of transfers resulting in twin live births (%)	9.6	6.8	9.4	0.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.7	51.4	34.0	22.2	1 / 16
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	73	98	91	42	45
	44	55	57	28	27
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	27	0	
Number of transfers	7	0	27	0	
Average number of embryos transferred	1.6		1.6		
Percentage of embryos transferred resulting in implantation (%)	2 / 11		41.9		
Percentage of transfers resulting in pregnancies (%)	2 / 7		66.7		
Percentage of transfers resulting in live births (%)	1 / 7		55.6		
Percentage of transfers resulting in singleton live births (%)	1 / 7		55.6		
Percentage of transfers resulting in twin live births (%)	0 / 7		0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7		48.1		

CURRENT SERVICES & PROFILE

Current Name: Nova In Vitro Fertilization

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CCRM OC FERTILITY-FASHION ISLAND NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sharon E. Moayeri, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	4%	Uterine factor	6%	Multiple Factors: Female factors only 3% Female & male factors 8%
Unstimulated	0%	PGD/PGS	80%	Ovulatory dysfunction	1%	Male factor	34%	
Used gestational carrier	2%			Diminished ovarian reserve	0%	Other factor	24%	
				Endometriosis	1%	Unknown factor	40%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 219
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	5	1	1	0	0
Percentage of cancellations before retrieval (%)	0 / 5	0 / 1	0 / 1		
Number of transfers	1	0	0	0	0
Average number of embryos transferred	1.0				
Percentage of elective single embryo transfers (eSET) (%)	1 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in live births (%)	1 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 5	0 / 1	0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1				
Percentage of transfers resulting in live births (%)	1 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1				
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	15	20	5	3
Number of transfers	41	15	20	5	3
Estimated average number of transfers per retrieval	1.1	0.5	0.7	0.4	0.2
Average number of embryos transferred	1.2	1.1	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	63.3	13 / 17	72.7	5 / 6	3 / 4
Percentage of transfers resulting in pregnancies (%)	65.9	11 / 15	80.0	4 / 5	3 / 3
Percentage of transfers resulting in live births (%)	53.7	11 / 15	75.0	3 / 5	2 / 3
Percentage of transfers resulting in singleton live births (%)	43.9	10 / 15	70.0	2 / 5	2 / 3
Percentage of transfers resulting in twin live births (%)	9.8	1 / 15	5.0	1 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.7	8 / 15	45.0	1 / 5	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	31	28	30	14	17
	8	14	18	9	10
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	7	0	
Number of transfers	0	0	7	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			7 / 7		
Percentage of transfers resulting in pregnancies (%)			7 / 7		
Percentage of transfers resulting in live births (%)			6 / 7		
Percentage of transfers resulting in singleton live births (%)			6 / 7		
Percentage of transfers resulting in twin live births (%)			0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			2 / 7		

CURRENT SERVICES & PROFILE

Current Name: CCRM OC Fertility-Fashion Island

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ORANGE COUNTY NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel A. Potter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	7%	Uterine factor	9%	Multiple Factors: Female factors only 14% Female & male factors 26%
Unstimulated	0%	PGD/PGS	73%	Ovulatory dysfunction	12%	Male factor	42%	
Used gestational carrier	7%			Diminished ovarian reserve	31%	Other factor	43%	
				Endometriosis	3%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,058
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	215	105	110	42	40
Percentage of cancellations before retrieval (%)	1.4	1.0	10.0	9.5	17.5
Number of transfers	130	58	58	16	6
Average number of embryos transferred	1.3	1.2	1.3	1.4	1.3
Percentage of elective single embryo transfers (eSET) (%)	67.0	69.8	56.8	2 / 8	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.4	40.0	34.5	19.0	5.0
Percentage of cycles resulting in live births (%)	37.7	35.2	30.0	19.0	2.5
Percentage of cycles resulting in singleton live births (%)	32.6	25.7	27.3	19.0	2.5
Percentage of cycles resulting in twin live births (%)	5.1	8.6	2.7	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.3	19.0	22.7	16.7	2.5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	62.1	73.5	55.1	34.8	2 / 8
Percentage of transfers resulting in pregnancies (%)	68.5	72.4	65.5	8 / 16	2 / 6
Percentage of transfers resulting in live births (%)	62.3	63.8	56.9	8 / 16	1 / 6
Percentage of transfers resulting in singleton live births (%)	53.8	46.6	51.7	8 / 16	1 / 6
Percentage of transfers resulting in twin live births (%)	8.5	15.5	5.2	0 / 16	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.5	34.5	43.1	7 / 16	1 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	117	66	37	18	29
Number of transfers	112	65	36	15	23
Estimated average number of transfers per retrieval	1.1	1.0	0.8	0.4	1.2
Average number of embryos transferred	1.3	1.3	1.2	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	67.1	64.6	54.8	10 / 19	48.1
Percentage of transfers resulting in pregnancies (%)	78.6	70.8	63.9	9 / 15	69.6
Percentage of transfers resulting in live births (%)	69.6	61.5	55.6	7 / 15	47.8
Percentage of transfers resulting in singleton live births (%)	59.8	47.7	50.0	5 / 15	47.8
Percentage of transfers resulting in twin live births (%)	8.9	13.8	5.6	2 / 15	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.5	41.5	44.4	4 / 15	30.4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	49	38	31	23	17
	7	7	7	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	68	3	34	13	
Number of transfers	46	3	34	13	
Average number of embryos transferred	1.4	2.3	1.2	1.2	
Percentage of embryos transferred resulting in implantation (%)	71.0	2 / 5	66.7	13 / 15	
Percentage of transfers resulting in pregnancies (%)	84.8	3 / 3	73.5	11 / 13	
Percentage of transfers resulting in live births (%)	73.9	2 / 3	61.8	11 / 13	
Percentage of transfers resulting in singleton live births (%)	58.7	2 / 3	52.9	9 / 13	
Percentage of transfers resulting in twin live births (%)	15.2	0 / 3	8.8	2 / 13	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.7	2 / 3	41.2	6 / 13	

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Orange County

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWPORT FERTILITY CENTER NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark T. Kan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	18%	Tubal factor	6%	Uterine factor	18%	Multiple Factors: Female factors only 43% Female & male factors 16%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	11%	Male factor	24%	
Used gestational carrier	3%			Diminished ovarian reserve	49%	Other factor	58%	
				Endometriosis	11%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 241
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	38	35	19	16
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0 / 19	0 / 16
Number of transfers	19	13	13	7	5
Average number of embryos transferred	1.5	1.3	1.5	1.6	1.6
Percentage of elective single embryo transfers (eSET) (%)	4 / 12	1 / 5	1 / 7	0 / 4	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.2	21.1	25.7	3 / 19	2 / 16
Percentage of cycles resulting in live births (%)	18.4	18.4	20.0	2 / 19	2 / 16
Percentage of cycles resulting in singleton live births (%)	18.4	15.8	17.1	2 / 19	2 / 16
Percentage of cycles resulting in twin live births (%)	0.0	2.6	2.9	0 / 19	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	15.8	14.3	2 / 19	2 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.8	9 / 17	9 / 17	3 / 11	2 / 8
Percentage of transfers resulting in pregnancies (%)	13 / 19	8 / 13	9 / 13	3 / 7	2 / 5
Percentage of transfers resulting in live births (%)	7 / 19	7 / 13	7 / 13	2 / 7	2 / 5
Percentage of transfers resulting in singleton live births (%)	7 / 19	6 / 13	6 / 13	2 / 7	2 / 5
Percentage of transfers resulting in twin live births (%)	0 / 19	1 / 13	1 / 13	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 19	6 / 13	5 / 13	2 / 7	2 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	14	8	0	0
Number of transfers	11	14	8	0	0
Estimated average number of transfers per retrieval	1.2	0.8	0.7	0.0	0.0
Average number of embryos transferred	1.5	1.5	1.3		
Percentage of embryos transferred resulting in implantation (%)	15 / 17	75.0	6 / 8		
Percentage of transfers resulting in pregnancies (%)	10 / 11	12 / 14	7 / 8		
Percentage of transfers resulting in live births (%)	9 / 11	10 / 14	6 / 8		
Percentage of transfers resulting in singleton live births (%)	4 / 11	7 / 14	6 / 8		
Percentage of transfers resulting in twin live births (%)	5 / 11	3 / 14	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 11	7 / 14	6 / 8		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	14	9	11	8
	5	13	9	7	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	11	0	
Number of transfers	4	0	11	0	
Average number of embryos transferred	1.3		1.1		
Percentage of embryos transferred resulting in implantation (%)	3 / 5		6 / 10		
Percentage of transfers resulting in pregnancies (%)	3 / 4		7 / 11		
Percentage of transfers resulting in live births (%)	3 / 4		5 / 11		
Percentage of transfers resulting in singleton live births (%)	3 / 4		5 / 11		
Percentage of transfers resulting in twin live births (%)	0 / 4		0 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 4		5 / 11		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: CCRM OC Fertility-Jamboree

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE SPECIALTY MEDICAL CENTER
NEWPORT BEACH, CALIFORNIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert E. Anderson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	11%	Uterine factor	6%	Multiple Factors: Female factors only 34% Female & male factors 21%
Unstimulated	0%	PGD/PGS	80%	Ovulatory dysfunction	9%	Male factor	30%	
Used gestational carrier	6%			Diminished ovarian reserve	38%	Other factor	66%	
				Endometriosis	5%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 773
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	6	11	12	10
Percentage of cancellations before retrieval (%)	1 / 7	2 / 6	7 / 11	3 / 12	8 / 10
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in live births (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in singleton live births (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	124	92	74	24	17
Number of transfers	115	88	67	24	17
Estimated average number of transfers per retrieval	1.4	1.0	0.8	0.6	0.5
Average number of embryos transferred	1.0	1.0	1.0	1.0	1.1
Percentage of embryos transferred resulting in implantation (%)	72.1	66.7	75.0	68.2	7 / 16
Percentage of transfers resulting in pregnancies (%)	72.2	68.2	74.6	66.7	9 / 17
Percentage of transfers resulting in live births (%)	67.8	61.4	65.7	58.3	7 / 17
Percentage of transfers resulting in singleton live births (%)	67.0	61.4	62.7	54.2	7 / 17
Percentage of transfers resulting in twin live births (%)	0.9	0.0	3.0	4.2	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	60.0	54.5	50.7	54.2	7 / 17
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	84	85	82	41	35
	8	11	3	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	56	6	
Number of transfers	0	0	47	4	
Average number of embryos transferred			1.0	1.3	
Percentage of embryos transferred resulting in implantation (%)			54.3	4 / 5	
Percentage of transfers resulting in pregnancies (%)			55.3	3 / 4	
Percentage of transfers resulting in live births (%)			48.9	3 / 4	
Percentage of transfers resulting in singleton live births (%)			48.9	2 / 4	
Percentage of transfers resulting in twin live births (%)			0.0	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			38.3	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Southern California Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LANE FERTILITY INSTITUTE NOVATO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Danielle E. Lane, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	20%	Tubal factor	4%	Uterine factor	0%	Multiple Factors: Female factors only 15% Female & male factors 7%
Unstimulated	0%	PGD/PGS	57%	Ovulatory dysfunction	7%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	28%	
				Endometriosis	4%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 134
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	1	1	1
Percentage of cancellations before retrieval (%)			0 / 1	0 / 1	1 / 1
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)			0 / 1	0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	7	11	3	2
Number of transfers	13	7	10	1	2
Estimated average number of transfers per retrieval	0.4	0.7	0.4	0.1	0.3
Average number of embryos transferred	1.4	1.6	1.6	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	12 / 18	5 / 11	7 / 16	0 / 1	1 / 4
Percentage of transfers resulting in pregnancies (%)	11 / 13	4 / 7	6 / 10	0 / 1	1 / 2
Percentage of transfers resulting in live births (%)	8 / 13	4 / 7	4 / 10	0 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	8 / 13	3 / 7	3 / 10	0 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 13	1 / 7	1 / 10	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 13	1 / 7	3 / 10	0 / 1	1 / 2
Number of Egg or Embryo Banking Cycles					
	31	10	28	11	8
Number of fertility preservation cycles	29	10	28	11	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	5	0	
Number of transfers	1	0	5	0	
Average number of embryos transferred	1.0		1.2		
Percentage of embryos transferred resulting in implantation (%)	1 / 1		2 / 6		
Percentage of transfers resulting in pregnancies (%)	1 / 1		2 / 5		
Percentage of transfers resulting in live births (%)	1 / 1		2 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 1		2 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		2 / 5		

CURRENT SERVICES & PROFILE

Current Name: Lane Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN REPRODUCTIVE CENTERS PALM SPRINGS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Maher A. Abdallah, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	95%	Tubal factor	18%	Uterine factor	9%	Multiple Factors: Female factors only 16% Female & male factors 16%
Unstimulated	3%	PGD/PGS	40%	Ovulatory dysfunction	8%	Male factor	32%	
Used gestational carrier	1%			Diminished ovarian reserve	43%	Other factor	14%	
				Endometriosis	7%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 219
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	64	28	35	11	3
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0 / 11	0 / 3
Number of transfers	50	24	25	7	0
Average number of embryos transferred	1.9	1.8	1.8	2.1	
Percentage of elective single embryo transfers (eSET) (%)	2.3	0 / 17	0 / 17	0 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	46.4	14.3	2 / 11	0 / 3
Percentage of cycles resulting in live births (%)	31.3	42.9	14.3	2 / 11	0 / 3
Percentage of cycles resulting in singleton live births (%)	18.8	32.1	14.3	2 / 11	0 / 3
Percentage of cycles resulting in twin live births (%)	12.5	10.7	0.0	0 / 11	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.8	25.0	11.4	1 / 11	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.5	38.6	10.9	2 / 15	
Percentage of transfers resulting in pregnancies (%)	46.0	54.2	20.0	2 / 7	
Percentage of transfers resulting in live births (%)	40.0	50.0	20.0	2 / 7	
Percentage of transfers resulting in singleton live births (%)	24.0	37.5	20.0	2 / 7	
Percentage of transfers resulting in twin live births (%)	16.0	12.5	0.0	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.0	29.2	16.0	1 / 7	
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	9	3	1	1
Number of transfers	20	9	3	0	1
Estimated average number of transfers per retrieval	1.6	0.8	0.6	0.0	0.3
Average number of embryos transferred	1.9	1.8	1.7		2.0
Percentage of embryos transferred resulting in implantation (%)	48.6	5 / 16	0 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	60.0	5 / 9	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	60.0	5 / 9	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	5 / 9	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	20.0	0 / 9	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	4 / 9	0 / 3		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	12	4	2	4
	0	0	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	4	2	
Number of transfers	4	0	4	1	
Average number of embryos transferred	1.8		2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 7		2 / 8	0 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 4		2 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 4		1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 4		1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4		0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4		1 / 4	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: American Reproductive Centers

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAY IVF CENTER PALO ALTO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Francis Polansky, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	22%	Uterine factor	7%	Multiple Factors: Female factors only 11% Female & male factors 37%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	22%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	6%	
				Endometriosis	1%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 201
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	21	30	9	1
Percentage of cancellations before retrieval (%)	10.5	0.0	13.3	0 / 9	0 / 1
Number of transfers	17	9	10	4	0
Average number of embryos transferred	1.6	1.6	1.6	1.3	
Percentage of elective single embryo transfers (eSET) (%)	5 / 14	4 / 9	5 / 10	3 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.3	19.0	13.3	0 / 9	0 / 1
Percentage of cycles resulting in live births (%)	26.3	19.0	6.7	0 / 9	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.7	14.3	6.7	0 / 9	0 / 1
Percentage of cycles resulting in twin live births (%)	2.6	4.8	0.0	0 / 9	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	9.5	3.3	0 / 9	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.3	5 / 14	4 / 16	0 / 5	
Percentage of transfers resulting in pregnancies (%)	10 / 17	4 / 9	4 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	10 / 17	4 / 9	2 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	9 / 17	3 / 9	2 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 9	0 / 10	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 17	2 / 9	1 / 10	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	27	23	22	7	3
Number of transfers	27	23	22	7	3
Estimated average number of transfers per retrieval	1.2	2.1	1.2	1.8	3.0
Average number of embryos transferred	1.4	1.6	1.7	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	57.6	42.4	33.3	1 / 13	1 / 5
Percentage of transfers resulting in pregnancies (%)	70.4	60.9	50.0	1 / 7	1 / 3
Percentage of transfers resulting in live births (%)	51.9	43.5	40.9	0 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.7	30.4	31.8	0 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	11.1	13.0	9.1	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	30.4	13.6	0 / 7	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	2	5	1	0
	0	0	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	2	0	
Number of transfers	1	1	2	0	
Average number of embryos transferred	1.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1		2 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	2 / 2		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	2 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	2 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1	2 / 2		

CURRENT SERVICES & PROFILE

Current Name: Bay IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STANFORD MEDICINE FERTILITY & REPRODUCTIVE HEALTH PALO ALTO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Valerie L. Baker, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	4%	Uterine factor	<1%	
Unstimulated	<1%	PGD/PGS	44%	Ovulatory dysfunction	8%	Male factor	66%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	22%	
				Endometriosis	6%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				41%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 1,339 (includes 9 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	112	98	114	75	65	
Percentage of cancellations before retrieval (%)	5.4	3.1	10.5	20.0	32.3	
Number of transfers	41	36	31	17	7	
Average number of embryos transferred	1.3	1.4	1.7	2.4	3.3	
Percentage of elective single embryo transfers (eSET) (%)	62.1	46.4	4 / 19	0 / 14	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	13.4	11.2	5.3	4.0	0.0	
Percentage of cycles resulting in live births (%)	12.5	10.2	3.5	1.3	0.0	
Percentage of cycles resulting in singleton live births (%)	12.5	9.2	3.5	1.3	0.0	
Percentage of cycles resulting in twin live births (%)	0.0	1.0	0.0	0.0	0.0	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.8	8.2	3.5	1.3	0.0	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	27.5	25.5	9.6	5.4	0.0	
Percentage of transfers resulting in pregnancies (%)	36.6	30.6	19.4	3 / 17	0 / 7	
Percentage of transfers resulting in live births (%)	34.1	27.8	12.9	1 / 17	0 / 7	
Percentage of transfers resulting in singleton live births (%)	34.1	25.0	12.9	1 / 17	0 / 7	
Percentage of transfers resulting in twin live births (%)	0.0	2.8	0.0	0 / 17	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.8	22.2	12.9	1 / 17	0 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	149	110	87	30	35	
Number of transfers	125	93	72	24	26	
Estimated average number of transfers per retrieval	0.7	0.6	0.5	0.5	0.9	
Average number of embryos transferred	1.1	1.0	1.2	1.3	1.5	
Percentage of embryos transferred resulting in implantation (%)	53.5	48.9	39.0	40.0	21.9	
Percentage of transfers resulting in pregnancies (%)	57.6	48.4	44.4	45.8	42.3	
Percentage of transfers resulting in live births (%)	48.0	45.2	33.3	45.8	19.2	
Percentage of transfers resulting in singleton live births (%)	46.4	41.9	29.2	41.7	19.2	
Percentage of transfers resulting in twin live births (%)	1.6	3.2	4.2	4.2	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.6	36.6	27.8	33.3	15.4	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	120	114	104	47	23	
	72	81	64	22	9	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	18	1	19	9		
Number of transfers	13	1	17	8		
Average number of embryos transferred	1.3	1.0	1.2	1.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 17	1 / 1	30.0	5 / 8		
Percentage of transfers resulting in pregnancies (%)	7 / 13	1 / 1	7 / 17	5 / 8		
Percentage of transfers resulting in live births (%)	7 / 13	1 / 1	6 / 17	5 / 8		
Percentage of transfers resulting in singleton live births (%)	4 / 13	1 / 1	6 / 17	5 / 8		
Percentage of transfers resulting in twin live births (%)	3 / 13	0 / 1	0 / 17	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13	1 / 1	5 / 17	4 / 8		

CURRENT SERVICES & PROFILE		Current Name: Stanford Medicine Fertility & Reproductive Health					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-PASADENA PASADENA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John G. Wilcox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	3%	Uterine factor	5%	Multiple Factors: Female factors only 7% Female & male factors 5%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	3%	Male factor	14%	
Used gestational carrier	20%			Diminished ovarian reserve	39%	Other factor	34%	
				Endometriosis	2%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,327
(includes 11 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	193	121	106	47	109
Percentage of cancellations before retrieval (%)	5.7	8.3	14.2	25.5	39.4
Number of transfers	88	64	39	17	9
Average number of embryos transferred	1.8	1.7	1.8	1.8	2.3
Percentage of elective single embryo transfers (eSET) (%)	20.0	26.8	16.7	3 / 13	0 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.4	29.8	12.3	8.5	0.9
Percentage of cycles resulting in live births (%)	21.8	25.6	10.4	6.4	0.0
Percentage of cycles resulting in singleton live births (%)	17.1	17.4	9.4	6.4	0.0
Percentage of cycles resulting in twin live births (%)	4.7	8.3	0.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.0	16.5	7.5	4.3	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.2	44.1	20.9	11.1	0 / 17
Percentage of transfers resulting in pregnancies (%)	53.4	56.3	33.3	4 / 17	1 / 9
Percentage of transfers resulting in live births (%)	47.7	48.4	28.2	3 / 17	0 / 9
Percentage of transfers resulting in singleton live births (%)	37.5	32.8	25.6	3 / 17	0 / 9
Percentage of transfers resulting in twin live births (%)	10.2	15.6	2.6	0 / 17	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.0	31.3	20.5	2 / 17	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	337	209	131	64	87
Number of transfers	294	182	110	45	46
Estimated average number of transfers per retrieval	0.7	0.6	0.4	0.3	0.1
Average number of embryos transferred	1.5	1.5	1.4	1.2	1.7
Percentage of embryos transferred resulting in implantation (%)	46.3	46.3	37.0	52.0	23.9
Percentage of transfers resulting in pregnancies (%)	61.2	63.2	47.3	64.4	41.3
Percentage of transfers resulting in live births (%)	51.4	55.5	40.0	53.3	32.6
Percentage of transfers resulting in singleton live births (%)	42.9	50.0	31.8	51.1	28.3
Percentage of transfers resulting in twin live births (%)	8.2	5.5	8.2	2.2	4.3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.7	40.1	30.0	40.0	17.4
Number of Egg or Embryo Banking Cycles					
	355	263	261	167	324
Number of fertility preservation cycles	33	31	20	11	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	159	2	361	20	
Number of transfers	49	2	348	20	
Average number of embryos transferred	1.8	1.5	1.4	1.4	
Percentage of embryos transferred resulting in implantation (%)	63.8	0 / 1	42.7	39.3	
Percentage of transfers resulting in pregnancies (%)	81.6	1 / 2	54.6	40.0	
Percentage of transfers resulting in live births (%)	75.5	0 / 2	44.8	40.0	
Percentage of transfers resulting in singleton live births (%)	49.0	0 / 2	37.1	25.0	
Percentage of transfers resulting in twin live births (%)	26.5	0 / 2	7.8	15.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.8	0 / 2	25.6	20.0	

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Pasadena

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-BEVERLY HILLS, REDONDO BEACH & WESTMINSTER REDONDO BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Bill Yee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	5%	Uterine factor	4%	Multiple Factors: Female factors only 6% Female & male factors 4%
Unstimulated	3%	PGD/PGS	31%	Ovulatory dysfunction	7%	Male factor	16%	
Used gestational carrier	3%			Diminished ovarian reserve	26%	Other factor	32%	
				Endometriosis	3%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,953
(includes 15 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	51	71	96	79	58
Percentage of cancellations before retrieval (%)	13.7	31.0	36.5	26.6	25.9
Number of transfers	26	30	29	27	16
Average number of embryos transferred	1.7	2.3	2.5	3.0	3.9
Percentage of elective single embryo transfers (eSET) (%)	34.8	0.0	8.0	0.0	0 / 15
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.4	15.5	9.4	13.9	5.2
Percentage of cycles resulting in live births (%)	25.5	12.7	4.2	7.6	3.4
Percentage of cycles resulting in singleton live births (%)	21.6	12.7	4.2	7.6	3.4
Percentage of cycles resulting in twin live births (%)	3.9	0.0	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.6	9.9	2.1	5.1	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.2	16.7	10.9	10.4	6.5
Percentage of transfers resulting in pregnancies (%)	57.7	36.7	31.0	40.7	3 / 16
Percentage of transfers resulting in live births (%)	50.0	30.0	13.8	22.2	2 / 16
Percentage of transfers resulting in singleton live births (%)	42.3	30.0	13.8	22.2	2 / 16
Percentage of transfers resulting in twin live births (%)	7.7	0.0	0.0	0.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.6	23.3	6.9	14.8	2 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	225	189	155	61	37
Number of transfers	196	171	133	54	32
Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.4	0.5
Average number of embryos transferred	1.3	1.4	1.4	1.7	1.8
Percentage of embryos transferred resulting in implantation (%)	56.1	52.6	35.9	33.0	17.0
Percentage of transfers resulting in pregnancies (%)	64.3	62.6	52.6	53.7	34.4
Percentage of transfers resulting in live births (%)	55.1	55.6	39.8	38.9	21.9
Percentage of transfers resulting in singleton live births (%)	48.0	48.5	39.1	35.2	21.9
Percentage of transfers resulting in twin live births (%)	6.6	6.4	0.8	3.7	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.3	42.1	33.1	29.6	21.9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	194	193	208	118	64
	37	50	56	11	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	38	86	5	
Number of transfers	5	34	74	4	
Average number of embryos transferred	1.2	1.5	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 5	48.9	44.7	2 / 8	
Percentage of transfers resulting in pregnancies (%)	5 / 5	64.7	54.1	2 / 4	
Percentage of transfers resulting in live births (%)	4 / 5	50.0	37.8	2 / 4	
Percentage of transfers resulting in singleton live births (%)	4 / 5	41.2	32.4	2 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 5	8.8	5.4	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 5	35.3	24.3	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Partners-Beverly Hills, Redondo Beach & Westminster

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael Murray, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	15%	Uterine factor	6%	Multiple Factors: Female factors only 18% Female & male factors 36%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	16%	Male factor	49%	
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	28%	
				Endometriosis	12%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 734
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	152	61	59	24	16
Percentage of cancellations before retrieval (%)	3.9	6.6	11.9	8.3	3 / 16
Number of transfers	110	43	38	13	9
Average number of embryos transferred	1.7	1.7	2.1	2.5	1.7
Percentage of elective single embryo transfers (eSET) (%)	22.1	15.2	9.1	2 / 10	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.5	29.5	25.4	25.0	2 / 16
Percentage of cycles resulting in live births (%)	31.6	23.0	16.9	4.2	2 / 16
Percentage of cycles resulting in singleton live births (%)	27.0	16.4	16.9	0.0	2 / 16
Percentage of cycles resulting in twin live births (%)	4.6	6.6	0.0	4.2	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.3	14.8	11.9	0.0	2 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.7	29.0	18.6	18.8	2 / 15
Percentage of transfers resulting in pregnancies (%)	49.1	41.9	39.5	6 / 13	2 / 9
Percentage of transfers resulting in live births (%)	43.6	32.6	26.3	1 / 13	2 / 9
Percentage of transfers resulting in singleton live births (%)	37.3	23.3	26.3	0 / 13	2 / 9
Percentage of transfers resulting in twin live births (%)	6.4	9.3	0.0	1 / 13	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.4	20.9	18.4	0 / 13	2 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	106	53	49	13	7
Number of transfers	105	53	49	13	7
Estimated average number of transfers per retrieval	1.4	1.2	1.1	0.6	0.9
Average number of embryos transferred	1.6	1.6	1.5	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	50.6	39.2	45.8	4 / 12	6 / 8
Percentage of transfers resulting in pregnancies (%)	60.0	54.7	55.1	6 / 13	7 / 7
Percentage of transfers resulting in live births (%)	52.4	45.3	49.0	4 / 13	5 / 7
Percentage of transfers resulting in singleton live births (%)	38.1	37.7	40.8	4 / 13	5 / 7
Percentage of transfers resulting in twin live births (%)	14.3	7.5	8.2	0 / 13	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.3	34.0	26.5	4 / 13	5 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	29	30	34	14	8
	2	4	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	39	0	33	7	
Number of transfers	35	0	33	7	
Average number of embryos transferred	1.6		1.5	1.7	
Percentage of embryos transferred resulting in implantation (%)	52.9		50.0	5 / 12	
Percentage of transfers resulting in pregnancies (%)	68.6		54.5	3 / 7	
Percentage of transfers resulting in live births (%)	54.3		42.4	3 / 7	
Percentage of transfers resulting in singleton live births (%)	40.0		30.3	1 / 7	
Percentage of transfers resulting in twin live births (%)	14.3		12.1	2 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.4		30.3	1 / 7	

CURRENT SERVICES & PROFILE

Current Name: Northern California Fertility Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO SACRAMENTO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sae Sohn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	10%	Uterine factor	6%	Multiple Factors: Female factors only 8% Female & male factors 17%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	19%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	9%	
				Endometriosis	6%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 656
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	239	104	91	26	13
Percentage of cancellations before retrieval (%)	1.3	5.8	11.0	0.0	0 / 13
Number of transfers	198	91	74	24	13
Average number of embryos transferred	1.3	1.5	1.8	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	58.0	38.6	11.5	0 / 18	3 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	49.0	49.0	38.5	42.3	3 / 13
Percentage of cycles resulting in live births (%)	39.3	38.5	30.8	30.8	1 / 13
Percentage of cycles resulting in singleton live births (%)	34.7	33.7	25.3	30.8	1 / 13
Percentage of cycles resulting in twin live births (%)	4.6	4.8	5.5	0.0	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.0	27.9	19.8	30.8	1 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.2	45.1	32.1	25.5	15.4
Percentage of transfers resulting in pregnancies (%)	59.1	56.0	47.3	45.8	3 / 13
Percentage of transfers resulting in live births (%)	47.5	44.0	37.8	33.3	1 / 13
Percentage of transfers resulting in singleton live births (%)	41.9	38.5	31.1	33.3	1 / 13
Percentage of transfers resulting in twin live births (%)	5.6	5.5	6.8	0.0	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.4	31.9	24.3	33.3	1 / 13
Frozen Embryos from Nondonor Eggs					
Number of cycles	69	39	23	2	2
Number of transfers	66	39	21	2	2
Estimated average number of transfers per retrieval	1.1	1.7	1.4	0.5	0.7
Average number of embryos transferred	1.3	1.3	1.5	1.0	2.5
Percentage of embryos transferred resulting in implantation (%)	58.3	63.3	45.2	1 / 1	1 / 5
Percentage of transfers resulting in pregnancies (%)	62.1	74.4	66.7	2 / 2	1 / 2
Percentage of transfers resulting in live births (%)	48.5	61.5	66.7	1 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	42.4	56.4	66.7	1 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	6.1	5.1	0.0	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.4	48.7	52.4	1 / 2	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	15	6	9	3	1
	3	0	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	7	0	
Number of transfers	7	0	7	0	
Average number of embryos transferred	1.3		1.3		
Percentage of embryos transferred resulting in implantation (%)	6 / 9		5 / 9		
Percentage of transfers resulting in pregnancies (%)	5 / 7		4 / 7		
Percentage of transfers resulting in live births (%)	5 / 7		2 / 7		
Percentage of transfers resulting in singleton live births (%)	5 / 7		1 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 7		1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 7		0 / 7		

CURRENT SERVICES & PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health-Sacramento

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS MEDICAL GROUP SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Arlene J. Morales, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	14%	Uterine factor	9%	Multiple Factors: Female factors only 7% Female & male factors 23%
Unstimulated	0%	PGD/PGS	34%	Ovulatory dysfunction	12%	Male factor	43%	
Used gestational carrier	3%			Diminished ovarian reserve	41%	Other factor	8%	
				Endometriosis	4%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 529
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	31	26	17	11	3
Percentage of cancellations before retrieval (%)	9.7	26.9	4 / 17	5 / 11	2 / 3
Number of transfers	9	8	5	3	1
Average number of embryos transferred	1.3	1.8	2.0	1.7	4.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	2 / 7	0 / 4	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	9.7	19.2	1 / 17	0 / 11	0 / 3
Percentage of cycles resulting in live births (%)	9.7	15.4	1 / 17	0 / 11	0 / 3
Percentage of cycles resulting in singleton live births (%)	6.5	15.4	0 / 17	0 / 11	0 / 3
Percentage of cycles resulting in twin live births (%)	3.2	0.0	1 / 17	0 / 11	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	15.4	0 / 17	0 / 11	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 12	4 / 11	2 / 10	0 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 9	5 / 8	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	3 / 9	4 / 8	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 9	4 / 8	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 8	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 9	4 / 8	0 / 5	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	92	58	32	7	3
Number of transfers	92	58	30	7	3
Estimated average number of transfers per retrieval	1.2	1.1	0.6	0.4	0.3
Average number of embryos transferred	1.2	1.3	1.3	1.0	1.3
Percentage of embryos transferred resulting in implantation (%)	49.0	34.7	33.3	4 / 7	1 / 2
Percentage of transfers resulting in pregnancies (%)	56.5	41.4	33.3	4 / 7	2 / 3
Percentage of transfers resulting in live births (%)	47.8	34.5	23.3	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	44.6	34.5	16.7	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	3.3	0.0	6.7	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.1	31.0	16.7	2 / 7	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	51	42	46	20	8
	4	11	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	12	48	11	
Number of transfers	8	11	48	11	
Average number of embryos transferred	1.1	1.4	1.3	1.5	
Percentage of embryos transferred resulting in implantation (%)	5 / 9	6 / 15	43.5	7 / 17	
Percentage of transfers resulting in pregnancies (%)	4 / 8	6 / 11	54.2	5 / 11	
Percentage of transfers resulting in live births (%)	2 / 8	6 / 11	35.4	5 / 11	
Percentage of transfers resulting in singleton live births (%)	1 / 8	6 / 11	31.3	5 / 11	
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 11	4.2	0 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	5 / 11	25.0	5 / 11	

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists Medical Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HANABUSA IVF SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lyndon Chang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	15%	Uterine factor	6%	Multiple Factors: Female factors only 31% Female & male factors 4%
Unstimulated	20%	PGD/PGS	52%	Ovulatory dysfunction	4%	Male factor	10%	
Used gestational carrier	23%			Diminished ovarian reserve	22%	Other factor	69%	
				Endometriosis	0%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 311
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	1	4	8	10
Percentage of cancellations before retrieval (%)	0 / 1	0 / 1	0 / 4	2 / 8	1 / 10
Number of transfers	1	1	1	2	3
Average number of embryos transferred	1.0	2.0	1.0	1.5	1.7
Percentage of elective single embryo transfers (eSET) (%)	1 / 1	0 / 1		0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1	1 / 1	0 / 4	0 / 8	2 / 10
Percentage of cycles resulting in live births (%)	0 / 1	1 / 1	0 / 4	0 / 8	1 / 10
Percentage of cycles resulting in singleton live births (%)	0 / 1	1 / 1	0 / 4	0 / 8	1 / 10
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1	0 / 4	0 / 8	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 1	0 / 4	0 / 8	1 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 2	0 / 1	0 / 3	1 / 3
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	0 / 1	0 / 2	2 / 3
Percentage of transfers resulting in live births (%)	0 / 1	1 / 1	0 / 1	0 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1	0 / 1	0 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 1	0 / 1	0 / 2	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	8	11	7	6
Number of transfers	11	7	7	7	3
Estimated average number of transfers per retrieval	0.8	0.3	0.2	0.1	0.0
Average number of embryos transferred	1.1	1.1	1.0	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 11	4 / 8	4 / 6	2 / 8	1 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 11	4 / 7	4 / 7	2 / 7	2 / 3
Percentage of transfers resulting in live births (%)	2 / 11	4 / 7	3 / 7	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 11	4 / 7	2 / 7	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 7	1 / 7	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 11	3 / 7	1 / 7	2 / 7	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	14	21	41	59	93
	2	3	4	4	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	12	0	
Number of transfers	0	0	12	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			6 / 11		
Percentage of transfers resulting in pregnancies (%)			7 / 12		
Percentage of transfers resulting in live births (%)			6 / 12		
Percentage of transfers resulting in singleton live births (%)			6 / 12		
Percentage of transfers resulting in twin live births (%)			0 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			5 / 12		

CURRENT SERVICES & PROFILE

Current Name: Hanabusa IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NAVAL MEDICAL CENTER SAN DIEGO INFERTILITY CLINIC SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Larry R. Laufer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	99%	Tubal factor	23%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 2%
Unstimulated	2%	PGD/PGS	4%	Ovulatory dysfunction	18%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	6%	Other factor	8%	
				Endometriosis	8%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 266
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	62	30	19	8	0
Percentage of cancellations before retrieval (%)	1.6	0.0	1 / 19	0 / 8	
Number of transfers	34	22	9	3	0
Average number of embryos transferred	1.4	1.7	1.8	2.3	
Percentage of elective single embryo transfers (eSET) (%)	51.6	27.3	1 / 8	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.9	40.0	4 / 19	0 / 8	
Percentage of cycles resulting in live births (%)	24.2	23.3	2 / 19	0 / 8	
Percentage of cycles resulting in singleton live births (%)	19.4	20.0	1 / 19	0 / 8	
Percentage of cycles resulting in twin live births (%)	4.8	3.3	1 / 19	0 / 8	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	19.4	16.7	1 / 19	0 / 8	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.2	36.8	5 / 16	0 / 7	
Percentage of transfers resulting in pregnancies (%)	61.8	54.5	4 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	44.1	31.8	2 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	35.3	27.3	1 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	8.8	4.5	1 / 9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.3	22.7	1 / 9	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	92	34	10	4	3
Number of transfers	89	33	9	3	3
Estimated average number of transfers per retrieval	3.7	3.7	3.0	3.0	
Average number of embryos transferred	1.4	1.4	1.7	1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	46.8	52.2	10 / 15	2 / 5	3 / 5
Percentage of transfers resulting in pregnancies (%)	55.1	54.5	8 / 9	2 / 3	2 / 3
Percentage of transfers resulting in live births (%)	38.2	39.4	7 / 9	2 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	32.6	33.3	5 / 9	2 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	5.6	6.1	2 / 9	0 / 3	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.6	21.2	4 / 9	2 / 3	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	1	
Number of transfers	0	0	1	1	
Average number of embryos transferred			1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)			1 / 1	0 / 1	
Percentage of transfers resulting in live births (%)			0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)			0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)			0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Naval Medical Center San Diego Infertility Clinic

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCES MEDICAL CENTER SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Samuel H. Wood, MD, PhD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	2%	Uterine factor	9%	Multiple Factors: Female factors only 4% Female & male factors 11%
Unstimulated	0%	PGD/PGS	92%	Ovulatory dysfunction	4%	Male factor	22%	
Used gestational carrier	44%			Diminished ovarian reserve	6%	Other factor	68%	
				Endometriosis	0%	Unknown factor	7%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 432 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		2	0	3	3	3
Percentage of cancellations before retrieval (%)		0 / 2		0 / 3	1 / 3	1 / 3
Number of transfers		0	0	1	0	1
Average number of embryos transferred				2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)				0 / 1		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		0 / 2		1 / 3	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)		0 / 2		1 / 3	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)		0 / 2		1 / 3	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)		0 / 2		0 / 3	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 2		1 / 3	0 / 3	0 / 3
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)				2 / 2		0 / 2
Percentage of transfers resulting in pregnancies (%)				1 / 1		0 / 1
Percentage of transfers resulting in live births (%)				1 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)				1 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)				0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				1 / 1		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles		46	22	17	9	6
Number of transfers		46	22	17	9	5
Estimated average number of transfers per retrieval		0.6	0.5	0.4	0.3	0.1
Average number of embryos transferred		1.6	1.4	1.5	1.0	1.4
Percentage of embryos transferred resulting in implantation (%)		31.4	66.7	30.4	5 / 8	1 / 7
Percentage of transfers resulting in pregnancies (%)		43.5	72.7	7 / 17	5 / 9	1 / 5
Percentage of transfers resulting in live births (%)		34.8	59.1	4 / 17	3 / 9	0 / 5
Percentage of transfers resulting in singleton live births (%)		32.6	40.9	4 / 17	3 / 9	0 / 5
Percentage of transfers resulting in twin live births (%)		2.2	18.2	0 / 17	0 / 9	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		19.6	31.8	4 / 17	3 / 9	0 / 5
Number of Egg or Embryo Banking Cycles						
		71	48	45	35	75
Number of fertility preservation cycles		2	4	1	1	8
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		3	3	38	0	
Number of transfers		3	0	37	0	
Average number of embryos transferred		2.0		1.4		
Percentage of embryos transferred resulting in implantation (%)		2 / 6		44.0		
Percentage of transfers resulting in pregnancies (%)		1 / 3		45.9		
Percentage of transfers resulting in live births (%)		0 / 3		40.5		
Percentage of transfers resulting in singleton live births (%)		0 / 3		35.1		
Percentage of transfers resulting in twin live births (%)		0 / 3		5.4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 3		27.0		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Sciences Medical Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SAN DIEGO FERTILITY CENTER SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sandy Chuan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	10%	Uterine factor	19%	Multiple Factors: Female factors only 31% Female & male factors 26%
Unstimulated	3%	PGD/PGS	38%	Ovulatory dysfunction	19%	Male factor	32%	
Used gestational carrier	16%			Diminished ovarian reserve	64%	Other factor	26%	
				Endometriosis	8%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,749
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	39	63	33	23
Percentage of cancellations before retrieval (%)	13.2	15.4	25.4	18.2	26.1
Number of transfers	20	20	20	5	1
Average number of embryos transferred	1.7	2.0	1.7	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 17	0 / 17	2 / 14	2 / 5	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10.5	15.4	12.7	0.0	0.0
Percentage of cycles resulting in live births (%)	9.2	12.8	7.9	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	7.9	10.3	7.9	0.0	0.0
Percentage of cycles resulting in twin live births (%)	1.3	2.6	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	6.6	10.3	4.8	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.4	18.9	28.1	0 / 10	0 / 3
Percentage of transfers resulting in pregnancies (%)	40.0	30.0	40.0	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	35.0	25.0	25.0	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.0	20.0	25.0	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	5.0	5.0	0.0	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	20.0	15.0	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	207	104	95	33	17
Number of transfers	187	95	79	32	14
Estimated average number of transfers per retrieval	1.0	0.7	0.6	0.4	0.1
Average number of embryos transferred	1.6	1.5	1.6	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	41.9	39.2	37.1	23.9	5 / 18
Percentage of transfers resulting in pregnancies (%)	53.5	48.4	53.2	34.4	5 / 14
Percentage of transfers resulting in live births (%)	42.8	43.2	43.0	28.1	2 / 14
Percentage of transfers resulting in singleton live births (%)	33.7	36.8	35.4	25.0	2 / 14
Percentage of transfers resulting in twin live births (%)	9.1	6.3	7.6	3.1	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.8	30.5	30.4	18.8	2 / 14
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	148	126	105	64	109
	17	17	11	9	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	90	5	396	13	
Number of transfers	70	3	355	12	
Average number of embryos transferred	1.7	1.7	1.6	1.8	
Percentage of embryos transferred resulting in implantation (%)	54.5	3 / 5	36.5	7 / 18	
Percentage of transfers resulting in pregnancies (%)	65.7	2 / 3	50.1	7 / 12	
Percentage of transfers resulting in live births (%)	57.1	1 / 3	39.4	5 / 12	
Percentage of transfers resulting in singleton live births (%)	32.9	0 / 3	29.0	4 / 12	
Percentage of transfers resulting in twin live births (%)	24.3	1 / 3	10.4	1 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	0 / 3	22.5	4 / 12	

CURRENT SERVICES & PROFILE

Current Name: San Diego Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LAUREL FERTILITY CARE SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Collin B. Smikle, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	12%	Uterine factor	10%	Multiple Factors: Female factors only 8% Female & male factors 11%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	22%	Male factor	24%	
Used gestational carrier	3%			Diminished ovarian reserve	20%	Other factor	8%	
				Endometriosis	4%	Unknown factor	23%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 322
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	37	14	7	7	5
Percentage of cancellations before retrieval (%)	0.0	0 / 14	1 / 7	1 / 7	0 / 5
Number of transfers	32	10	5	4	4
Average number of embryos transferred	1.5	1.8	2.0	2.5	3.8
Percentage of elective single embryo transfers (eSET) (%)	43.3	1 / 9	0 / 5	1 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.5	6 / 14	0 / 7	1 / 7	0 / 5
Percentage of cycles resulting in live births (%)	32.4	4 / 14	0 / 7	1 / 7	0 / 5
Percentage of cycles resulting in singleton live births (%)	29.7	3 / 14	0 / 7	1 / 7	0 / 5
Percentage of cycles resulting in twin live births (%)	2.7	1 / 14	0 / 7	0 / 7	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.3	2 / 14	0 / 7	1 / 7	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.7	7 / 16	0 / 10	1 / 10	0 / 15
Percentage of transfers resulting in pregnancies (%)	46.9	6 / 10	0 / 5	1 / 4	0 / 4
Percentage of transfers resulting in live births (%)	37.5	4 / 10	0 / 5	1 / 4	0 / 4
Percentage of transfers resulting in singleton live births (%)	34.4	3 / 10	0 / 5	1 / 4	0 / 4
Percentage of transfers resulting in twin live births (%)	3.1	1 / 10	0 / 5	0 / 4	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.1	2 / 10	0 / 5	1 / 4	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	52	32	30	15	4
Number of transfers	49	28	29	14	3
Estimated average number of transfers per retrieval	1.4	1.0	0.8	1.3	1.0
Average number of embryos transferred	1.5	1.5	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	57.1	45.0	45.5	8 / 17	2 / 4
Percentage of transfers resulting in pregnancies (%)	63.3	53.6	51.7	8 / 14	2 / 3
Percentage of transfers resulting in live births (%)	53.1	46.4	34.5	7 / 14	1 / 3
Percentage of transfers resulting in singleton live births (%)	34.7	35.7	31.0	7 / 14	1 / 3
Percentage of transfers resulting in twin live births (%)	16.3	10.7	3.4	0 / 14	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.6	32.1	27.6	4 / 14	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	20	26	35	8	3
	6	10	13	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	3	18	2	
Number of transfers	3	3	17	2	
Average number of embryos transferred	2.0	2.3	1.2	1.5	
Percentage of embryos transferred resulting in implantation (%)	0 / 4	3 / 7	10 / 19	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 3	9 / 17	1 / 2	
Percentage of transfers resulting in live births (%)	0 / 3	2 / 3	7 / 17	0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 3	5 / 17	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 3	2 / 17	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 3	4 / 17	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Laurel Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Philip E. Chenette, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	35%	Tubal factor	5%	Uterine factor	11%	Multiple Factors: Female factors only 20% Female & male factors 19%
Unstimulated	0%	PGD/PGS	61%	Ovulatory dysfunction	14%	Male factor	27%	
Used gestational carrier	6%			Diminished ovarian reserve	51%	Other factor	22%	
				Endometriosis	7%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,056
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	28	23	37	35	32
Percentage of cancellations before retrieval (%)	14.3	43.5	45.9	28.6	46.9
Number of transfers	20	8	9	9	5
Average number of embryos transferred	1.2	1.3	1.8	2.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	80.0	5 / 7	1 / 7	1 / 7	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.7	8.7	13.5	5.7	6.3
Percentage of cycles resulting in live births (%)	28.6	4.3	5.4	0.0	6.3
Percentage of cycles resulting in singleton live births (%)	28.6	0.0	5.4	0.0	6.3
Percentage of cycles resulting in twin live births (%)	0.0	4.3	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.6	0.0	5.4	0.0	6.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.4	3 / 10	3 / 13	12.0	2 / 10
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 8	5 / 9	2 / 9	2 / 5
Percentage of transfers resulting in live births (%)	40.0	1 / 8	2 / 9	0 / 9	2 / 5
Percentage of transfers resulting in singleton live births (%)	40.0	0 / 8	2 / 9	0 / 9	2 / 5
Percentage of transfers resulting in twin live births (%)	0.0	1 / 8	0 / 9	0 / 9	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	0 / 8	2 / 9	0 / 9	2 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	177	160	166	74	43
Number of transfers	168	146	158	69	40
Estimated average number of transfers per retrieval	0.7	0.6	0.6	0.6	0.4
Average number of embryos transferred	1.0	1.0	1.0	1.1	1.1
Percentage of embryos transferred resulting in implantation (%)	62.0	64.7	54.8	51.4	41.5
Percentage of transfers resulting in pregnancies (%)	60.7	64.4	57.6	56.5	47.5
Percentage of transfers resulting in live births (%)	55.4	53.4	53.2	44.9	30.0
Percentage of transfers resulting in singleton live births (%)	51.2	50.0	52.5	42.0	30.0
Percentage of transfers resulting in twin live births (%)	4.2	3.4	0.6	2.9	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.8	46.6	46.8	39.1	30.0
Number of Egg or Embryo Banking Cycles					
	214	243	274	113	105
Number of fertility preservation cycles	107	148	136	33	16
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	26	288	2	
Number of transfers	11	26	264	2	
Average number of embryos transferred	1.1	1.3	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 11	40.6	46.7	1 / 2	
Percentage of transfers resulting in pregnancies (%)	7 / 11	46.2	51.5	1 / 2	
Percentage of transfers resulting in live births (%)	5 / 11	38.5	39.8	1 / 2	
Percentage of transfers resulting in singleton live births (%)	5 / 11	30.8	37.9	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 11	7.7	1.9	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	26.9	29.9	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPRING FERTILITY SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nam D. Tran, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	11%	Uterine factor	7%	Multiple Factors: Female factors only 2% Female & male factors 7%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	2%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	0%	Other factor	42%	
				Endometriosis	7%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 218
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	6	6	5	4
Percentage of cancellations before retrieval (%)	0 / 6	1 / 6	0 / 6	0 / 5	0 / 4
Number of transfers	4	5	4	3	1
Average number of embryos transferred	1.5	2.4	2.5	5.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 4	0 / 5	0 / 3	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Percentage of cycles resulting in live births (%)	3 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	2 / 6	0 / 6	0 / 6	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 6	4 / 12	0 / 10	1 / 15	0 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	3 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 4	0 / 5	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	8	5	1	2
Number of transfers	11	8	5	1	2
Estimated average number of transfers per retrieval	0.1	0.2	0.2	0.1	0.2
Average number of embryos transferred	1.0	1.4	1.0	4.0	4.5
Percentage of embryos transferred resulting in implantation (%)	5 / 11	5 / 11	4 / 5	0 / 4	0 / 9
Percentage of transfers resulting in pregnancies (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 8	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	79	40	26	9	9
	66	35	20	7	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	0	0	
Number of transfers	1	0	0	0	
Average number of embryos transferred	1.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1				
Percentage of transfers resulting in live births (%)	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1				

CURRENT SERVICES & PROFILE

Current Name: Spring Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCSF CENTER FOR REPRODUCTIVE HEALTH SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Marcelle I. Cedars, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 6% Female & male factors 6%
Unstimulated	<1%	PGD/PGS	17%	Ovulatory dysfunction	5%	Male factor	16%	
Used gestational carrier	3%			Diminished ovarian reserve	48%	Other factor	15%	
				Endometriosis	3%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,612
(includes 16 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	191	172	272	162	99
Percentage of cancellations before retrieval (%)	11.5	16.9	19.9	23.5	27.3
Number of transfers	134	113	164	84	52
Average number of embryos transferred	1.4	1.6	2.5	3.4	3.9
Percentage of elective single embryo transfers (eSET) (%)	59.7	40.0	6.2	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.7	35.5	27.6	13.6	7.1
Percentage of cycles resulting in live births (%)	34.0	28.5	19.9	8.6	4.0
Percentage of cycles resulting in singleton live births (%)	31.4	23.3	15.4	8.0	3.0
Percentage of cycles resulting in twin live births (%)	2.6	5.2	4.0	0.6	1.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.2	19.2	13.2	5.6	2.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.5	41.2	22.4	8.4	4.2
Percentage of transfers resulting in pregnancies (%)	55.2	54.0	45.7	26.2	13.5
Percentage of transfers resulting in live births (%)	48.5	43.4	32.9	16.7	7.7
Percentage of transfers resulting in singleton live births (%)	44.8	35.4	25.6	15.5	5.8
Percentage of transfers resulting in twin live births (%)	3.7	8.0	6.7	1.2	1.9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.8	29.2	22.0	10.7	3.8
Frozen Embryos from Nondonor Eggs					
Number of cycles	137	152	198	94	74
Number of transfers	130	136	186	82	66
Estimated average number of transfers per retrieval	0.5	0.5	0.7	0.6	0.7
Average number of embryos transferred	1.3	1.4	1.5	1.8	3.6
Percentage of embryos transferred resulting in implantation (%)	54.4	46.4	38.7	30.8	10.9
Percentage of transfers resulting in pregnancies (%)	61.5	57.4	54.3	56.1	37.9
Percentage of transfers resulting in live births (%)	52.3	46.3	47.3	46.3	25.8
Percentage of transfers resulting in singleton live births (%)	45.4	41.2	44.1	45.1	24.2
Percentage of transfers resulting in twin live births (%)	6.9	5.1	3.2	1.2	1.5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.2	33.1	36.6	35.4	19.7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	203	220	224	117	75
	126	150	98	29	24
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	63	17	121	5	
Number of transfers	48	16	119	5	
Average number of embryos transferred	1.2	1.2	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	64.7	7 / 18	50.4	2 / 5	
Percentage of transfers resulting in pregnancies (%)	70.8	8 / 16	55.5	2 / 5	
Percentage of transfers resulting in live births (%)	56.3	6 / 16	43.7	2 / 5	
Percentage of transfers resulting in singleton live births (%)	50.0	6 / 16	39.5	2 / 5	
Percentage of transfers resulting in twin live births (%)	6.3	0 / 16	4.2	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	5 / 16	30.3	2 / 5	

CURRENT SERVICES & PROFILE

Current Name: UCSF Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 2 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PALO ALTO MEDICAL FOUNDATION FERTILITY PHYSICIANS
OF NORTHERN CALIFORNIA
SAN JOSE, CALIFORNIA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by G. David Adamson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 17%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	12%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	35%	Other factor	13%	
				Endometriosis	9%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 891
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	103	92	86	63	46
Percentage of cancellations before retrieval (%)	5.8	8.7	16.3	27.0	32.6
Number of transfers	64	70	62	39	22
Average number of embryos transferred	1.2	1.5	2.1	2.6	3.4
Percentage of elective single embryo transfers (eSET) (%)	77.0	49.3	20.7	2.9	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.2	35.9	32.6	9.5	4.3
Percentage of cycles resulting in live births (%)	26.2	28.3	16.3	9.5	0.0
Percentage of cycles resulting in singleton live births (%)	23.3	25.0	15.1	6.3	0.0
Percentage of cycles resulting in twin live births (%)	2.9	3.3	1.2	3.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	20.7	15.1	4.8	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.8	33.0	23.1	7.9	1.4
Percentage of transfers resulting in pregnancies (%)	45.3	47.1	45.2	15.4	9.1
Percentage of transfers resulting in live births (%)	42.2	37.1	22.6	15.4	0.0
Percentage of transfers resulting in singleton live births (%)	37.5	32.9	21.0	10.3	0.0
Percentage of transfers resulting in twin live births (%)	4.7	4.3	1.6	5.1	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.7	27.1	21.0	7.7	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	100	88	68	25	23
Number of transfers	99	86	66	25	23
Estimated average number of transfers per retrieval	1.2	1.5	1.1	1.3	1.2
Average number of embryos transferred	1.2	1.3	1.5	1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	47.7	37.4	33.3	26.8	11.4
Percentage of transfers resulting in pregnancies (%)	54.5	46.5	43.9	36.0	30.4
Percentage of transfers resulting in live births (%)	42.4	40.7	40.9	36.0	13.0
Percentage of transfers resulting in singleton live births (%)	39.4	39.5	37.9	28.0	13.0
Percentage of transfers resulting in twin live births (%)	3.0	1.2	3.0	8.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.3	31.4	34.8	24.0	4.3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	39	26	42	14	13
	19	15	18	4	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	23	5	30	3	
Number of transfers	20	5	30	3	
Average number of embryos transferred	1.1	1.0	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	52.4	3 / 4	26.5	3 / 3	
Percentage of transfers resulting in pregnancies (%)	60.0	4 / 5	30.0	2 / 3	
Percentage of transfers resulting in live births (%)	45.0	3 / 5	23.3	1 / 3	
Percentage of transfers resulting in singleton live births (%)	45.0	3 / 5	23.3	1 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 5	0.0	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	3 / 5	16.7	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Palo Alto Medical Foundation Fertility Physicians of Northern California

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALEX STEINLEITNER, MD, INC. SAN LUIS OBISPO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Alex J. Steinleitner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	44%	Tubal factor	10%	Uterine factor	7%	Multiple Factors: Female factors only 4% Female & male factors 16%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	13%	Male factor	50%	
Used gestational carrier	3%			Diminished ovarian reserve	10%	Other factor	11%	
				Endometriosis	5%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 241
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	16	8	9	6
Percentage of cancellations before retrieval (%)	11.1	2 / 16	3 / 8	3 / 9	4 / 6
Number of transfers	20	9	2	5	2
Average number of embryos transferred	1.8	1.9	1.5	3.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	30.0	1 / 9	0 / 1	0 / 5	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	19.4	4 / 16	1 / 8	2 / 9	1 / 6
Percentage of cycles resulting in live births (%)	19.4	3 / 16	1 / 8	1 / 9	1 / 6
Percentage of cycles resulting in singleton live births (%)	19.4	1 / 16	1 / 8	0 / 9	1 / 6
Percentage of cycles resulting in twin live births (%)	0.0	2 / 16	0 / 8	1 / 9	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.1	1 / 16	0 / 8	0 / 9	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.9	5 / 15	1 / 3	3 / 15	1 / 8
Percentage of transfers resulting in pregnancies (%)	35.0	4 / 9	1 / 2	2 / 5	1 / 2
Percentage of transfers resulting in live births (%)	35.0	3 / 9	1 / 2	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	35.0	1 / 9	1 / 2	0 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	0.0	2 / 9	0 / 2	1 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	1 / 9	0 / 2	0 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	39	5	7	2
Number of transfers	30	36	3	6	2
Estimated average number of transfers per retrieval	0.9	2.3	0.3	1.5	0.3
Average number of embryos transferred	1.6	1.9	1.3	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	24.4	19.0	0 / 4	0 / 17	0 / 6
Percentage of transfers resulting in pregnancies (%)	36.7	33.3	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	30.0	22.2	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	26.7	19.4	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	3.3	2.8	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	13.3	5.6	0 / 3	0 / 6	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	12	9	1	7
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	14	4	
Number of transfers	5	0	11	4	
Average number of embryos transferred	2.0		1.6	2.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 10		7 / 18	6 / 10	
Percentage of transfers resulting in pregnancies (%)	1 / 5		5 / 11	4 / 4	
Percentage of transfers resulting in live births (%)	1 / 5		5 / 11	4 / 4	
Percentage of transfers resulting in singleton live births (%)	1 / 5		3 / 11	2 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 5		2 / 11	2 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		3 / 11	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Alex Steinleitner, MD, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA SAN RAMON, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Louis N. Weckstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	12%	Uterine factor	6%	Multiple Factors: Female factors only 27% Female & male factors 19%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	16%	Male factor	27%	
Used gestational carrier	5%			Diminished ovarian reserve	36%	Other factor	44%	
				Endometriosis	7%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,073
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	255	137	100	32	12
Percentage of cancellations before retrieval (%)	11.0	8.8	35.0	31.3	1 / 12
Number of transfers	155	83	38	12	5
Average number of embryos transferred	1.3	1.4	1.8	1.9	3.0
Percentage of elective single embryo transfers (eSET) (%)	72.5	56.6	10.0	0 / 10	1 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.4	36.5	19.0	12.5	2 / 12
Percentage of cycles resulting in live births (%)	34.1	29.2	14.0	12.5	1 / 12
Percentage of cycles resulting in singleton live births (%)	31.0	27.0	11.0	12.5	1 / 12
Percentage of cycles resulting in twin live births (%)	3.1	2.2	3.0	0.0	0 / 12
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.9	22.6	11.0	12.5	1 / 12
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	56.5	47.6	28.1	21.7	1 / 13
Percentage of transfers resulting in pregnancies (%)	63.2	60.2	50.0	4 / 12	2 / 5
Percentage of transfers resulting in live births (%)	56.1	48.2	36.8	4 / 12	1 / 5
Percentage of transfers resulting in singleton live births (%)	51.0	44.6	28.9	4 / 12	1 / 5
Percentage of transfers resulting in twin live births (%)	5.2	3.6	7.9	0 / 12	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.4	37.3	28.9	4 / 12	1 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	335	222	171	70	38
Number of transfers	297	204	146	51	26
Estimated average number of transfers per retrieval	1.4	1.2	0.9	0.7	0.7
Average number of embryos transferred	1.2	1.3	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	63.5	60.2	65.5	61.0	47.1
Percentage of transfers resulting in pregnancies (%)	69.4	68.1	74.0	62.7	61.5
Percentage of transfers resulting in live births (%)	59.9	59.3	64.4	56.9	42.3
Percentage of transfers resulting in singleton live births (%)	54.2	52.5	61.0	51.0	34.6
Percentage of transfers resulting in twin live births (%)	5.4	6.9	3.4	5.9	7.7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.8	45.1	51.4	41.2	34.6
Number of Egg or Embryo Banking Cycles					
	116	119	135	70	30
Number of fertility preservation cycles	23	24	18	9	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	76	13	131	4	
Number of transfers	68	12	102	3	
Average number of embryos transferred	1.1	1.6	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	69.4	10 / 19	61.0	1 / 4	
Percentage of transfers resulting in pregnancies (%)	72.1	9 / 12	69.6	1 / 3	
Percentage of transfers resulting in live births (%)	61.8	8 / 12	60.8	1 / 3	
Percentage of transfers resulting in singleton live births (%)	57.4	7 / 12	53.9	1 / 3	
Percentage of transfers resulting in twin live births (%)	4.4	1 / 12	6.9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.6	7 / 12	43.1	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of the San Francisco Bay Area

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA BARBARA FERTILITY CENTER SANTA BARBARA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by René B. Allen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	5%	Uterine factor	10%	Multiple Factors: Female factors only 15% Female & male factors 10%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	3%	Male factor	21%	
Used gestational carrier	1%			Diminished ovarian reserve	43%	Other factor	26%	
				Endometriosis	0%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 163
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	45	25	18	7	34
Percentage of cancellations before retrieval (%)	0.0	8.0	2 / 18	1 / 7	14.7
Number of transfers	42	21	15	5	24
Average number of embryos transferred	1.5	2.0	2.5	2.2	2.2
Percentage of elective single embryo transfers (eSET) (%)	30.3	1 / 18	0 / 11	0 / 4	2 / 15
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.0	32.0	7 / 18	3 / 7	11.8
Percentage of cycles resulting in live births (%)	33.3	28.0	4 / 18	1 / 7	8.8
Percentage of cycles resulting in singleton live births (%)	24.4	24.0	2 / 18	1 / 7	8.8
Percentage of cycles resulting in twin live births (%)	8.9	4.0	2 / 18	0 / 7	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.4	20.0	1 / 18	1 / 7	8.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.4	22.0	26.5	3 / 7	7.7
Percentage of transfers resulting in pregnancies (%)	42.9	38.1	7 / 15	3 / 5	16.7
Percentage of transfers resulting in live births (%)	35.7	33.3	4 / 15	1 / 5	12.5
Percentage of transfers resulting in singleton live births (%)	26.2	28.6	2 / 15	1 / 5	12.5
Percentage of transfers resulting in twin live births (%)	9.5	4.8	2 / 15	0 / 5	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.2	23.8	1 / 15	1 / 5	12.5
Frozen Embryos from Nondonor Eggs					
Number of cycles	2	0	3	0	0
Number of transfers	2	0	2	0	0
Estimated average number of transfers per retrieval	0.2	0.0	0.5	0.0	0.0
Average number of embryos transferred	1.5		1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 3		1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 2		1 / 2		
Percentage of transfers resulting in live births (%)	1 / 2		1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 2		1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		1 / 2		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	3	4	2	2
	4	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	6	0	
Number of transfers	3	0	6	0	
Average number of embryos transferred	1.7		1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 5		3 / 6		
Percentage of transfers resulting in pregnancies (%)	2 / 3		4 / 6		
Percentage of transfers resulting in live births (%)	2 / 3		3 / 6		
Percentage of transfers resulting in singleton live births (%)	1 / 3		3 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 3		0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		2 / 6		

CURRENT SERVICES & PROFILE

Current Name: Santa Barbara Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA FERTILITY SANTA MONICA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John K. Jain, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	>99%	Tubal factor	1%	Uterine factor	0%	Multiple Factors: Female factors only 14% Female & male factors 3%
Unstimulated	0%	PGD/PGS	30%	Ovulatory dysfunction	0%	Male factor	4%	
Used gestational carrier	14%			Diminished ovarian reserve	14%	Other factor	96%	
				Endometriosis	<1%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 254
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	1	0	0
Percentage of cancellations before retrieval (%)			0 / 1		
Number of transfers	0	0	1	0	0
Average number of embryos transferred			1.0		
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			1 / 1		
Percentage of cycles resulting in live births (%)			1 / 1		
Percentage of cycles resulting in singleton live births (%)			1 / 1		
Percentage of cycles resulting in twin live births (%)			0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			1 / 1		
Percentage of transfers resulting in pregnancies (%)			1 / 1		
Percentage of transfers resulting in live births (%)			1 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	4	6	4	2
Number of transfers	9	4	6	4	2
Estimated average number of transfers per retrieval	0.8	0.3	0.3	0.3	0.1
Average number of embryos transferred	1.0	1.5	1.7	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	7 / 8	4 / 6	7 / 10	4 / 6	1 / 4
Percentage of transfers resulting in pregnancies (%)	8 / 9	3 / 4	5 / 6	3 / 4	1 / 2
Percentage of transfers resulting in live births (%)	7 / 9	3 / 4	3 / 6	3 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 9	2 / 4	3 / 6	2 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 9	1 / 4	0 / 6	1 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 9	2 / 4	3 / 6	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	14	22	15	38
	6	10	15	6	10
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	29	10	89	0	
Number of transfers	29	10	89	0	
Average number of embryos transferred	1.1	1.6	1.1		
Percentage of embryos transferred resulting in implantation (%)	82.8	6 / 16	78.0		
Percentage of transfers resulting in pregnancies (%)	89.7	5 / 10	83.1		
Percentage of transfers resulting in live births (%)	65.5	5 / 10	77.5		
Percentage of transfers resulting in singleton live births (%)	65.5	4 / 10	73.0		
Percentage of transfers resulting in twin live births (%)	0.0	1 / 10	4.5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	55.2	4 / 10	57.3		

CURRENT SERVICES & PROFILE

Current Name: Santa Monica Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA UCLA GYN SUBSPECIALTIES GROUP SANTA MONICA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ingrid A. Rodi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 15%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	28%	Male factor	21%	
Used gestational carrier	2%			Diminished ovarian reserve	12%	Other factor	34%	
				Endometriosis	4%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 226
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	15	11	12	5	4
Percentage of cancellations before retrieval (%)	1 / 15	1 / 11	4 / 12	2 / 5	2 / 4
Number of transfers	2	3	5	0	1
Average number of embryos transferred	1.5	2.3	2.2		2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	0 / 3	0 / 5		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 15	1 / 11	3 / 12	0 / 5	0 / 4
Percentage of cycles resulting in live births (%)	1 / 15	1 / 11	2 / 12	0 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	0 / 15	0 / 11	2 / 12	0 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 15	1 / 11	0 / 12	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 15	0 / 11	2 / 12	0 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 3	2 / 7	2 / 9		0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 3	3 / 5		0 / 1
Percentage of transfers resulting in live births (%)	1 / 2	1 / 3	2 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 3	2 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 2	1 / 3	0 / 5		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 3	2 / 5		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	22	11	3	2
Number of transfers	28	20	8	3	2
Estimated average number of transfers per retrieval	0.7	0.5	0.3	0.4	0.7
Average number of embryos transferred	1.1	1.2	1.1	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	53.6	39.1	6 / 9	1 / 4	2 / 3
Percentage of transfers resulting in pregnancies (%)	64.3	45.0	5 / 8	1 / 3	2 / 2
Percentage of transfers resulting in live births (%)	46.4	40.0	5 / 8	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	46.4	40.0	4 / 8	1 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0.0	1 / 8	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	30.0	3 / 8	1 / 3	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	33	33	28	5	3
	12	21	10	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	4	2	
Number of transfers	0	0	4	2	
Average number of embryos transferred			1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)			2 / 4	1 / 3	
Percentage of transfers resulting in pregnancies (%)			2 / 4	1 / 2	
Percentage of transfers resulting in live births (%)			2 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)			2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)			0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 4	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Santa Monica UCLA GYN Subspecialties Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC. SANTA ROSA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	19%	Uterine factor	1%	Multiple Factors: Female factors only 21% Female & male factors 25%
Unstimulated	1%	PGD/PGS	7%	Ovulatory dysfunction	10%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	60%	Other factor	6%	
				Endometriosis	7%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 188
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	19	13	12	2
Percentage of cancellations before retrieval (%)	10.0	0 / 19	1 / 13	6 / 12	0 / 2
Number of transfers	32	17	9	5	2
Average number of embryos transferred	1.9	2.4	2.9	2.6	4.0
Percentage of elective single embryo transfers (eSET) (%)	12.9	2 / 16	0 / 9	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.5	9 / 19	5 / 13	1 / 12	1 / 2
Percentage of cycles resulting in live births (%)	40.0	7 / 19	3 / 13	1 / 12	1 / 2
Percentage of cycles resulting in singleton live births (%)	15.0	5 / 19	2 / 13	1 / 12	1 / 2
Percentage of cycles resulting in twin live births (%)	25.0	2 / 19	1 / 13	0 / 12	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.0	4 / 19	2 / 13	1 / 12	1 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.3	31.7	21.7	1 / 13	1 / 8
Percentage of transfers resulting in pregnancies (%)	53.1	9 / 17	5 / 9	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	50.0	7 / 17	3 / 9	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	18.8	5 / 17	2 / 9	1 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	31.3	2 / 17	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.8	4 / 17	2 / 9	1 / 5	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	17	8	2	6
Number of transfers	22	16	8	2	5
Estimated average number of transfers per retrieval	1.5	2.3	1.3	0.3	0.7
Average number of embryos transferred	1.8	2.6	2.3	2.5	3.6
Percentage of embryos transferred resulting in implantation (%)	40.5	23.1	6 / 18	0 / 5	0 / 18
Percentage of transfers resulting in pregnancies (%)	54.5	6 / 16	5 / 8	0 / 2	0 / 5
Percentage of transfers resulting in live births (%)	45.5	4 / 16	5 / 8	0 / 2	0 / 5
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 16	4 / 8	0 / 2	0 / 5
Percentage of transfers resulting in twin live births (%)	18.2	2 / 16	1 / 8	0 / 2	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.7	2 / 16	4 / 8	0 / 2	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	3	4	6	5
	2	2	1	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	0	8	5	
Number of transfers	7	0	8	4	
Average number of embryos transferred	1.9		1.8	1.5	
Percentage of embryos transferred resulting in implantation (%)	6 / 13		5 / 12	2 / 6	
Percentage of transfers resulting in pregnancies (%)	4 / 7		5 / 8	1 / 4	
Percentage of transfers resulting in live births (%)	4 / 7		4 / 8	1 / 4	
Percentage of transfers resulting in singleton live births (%)	2 / 7		4 / 8	0 / 4	
Percentage of transfers resulting in twin live births (%)	2 / 7		0 / 8	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 7		3 / 8	0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Associates Medical Group, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**VALLEY CENTER FOR REPRODUCTIVE HEALTH, INC.
TINA KOOPERSMITH, MD
SHERMAN OAKS, CALIFORNIA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Tina B. Koopersmith, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	14%	Uterine factor	11%	Multiple Factors: Female factors only 14% Female & male factors 13%
Unstimulated	0%	PGD/PGS	43%	Ovulatory dysfunction	16%	Male factor	29%	
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	18%	
				Endometriosis	10%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 101
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	4	3	2	4
Percentage of cancellations before retrieval (%)	0 / 6	0 / 4	0 / 3	0 / 2	1 / 4
Number of transfers	3	2	3	1	2
Average number of embryos transferred	1.3	1.0	2.0	2.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	2 / 2	0 / 3	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 6	1 / 4	0 / 3	1 / 2	0 / 4
Percentage of cycles resulting in live births (%)	2 / 6	1 / 4	0 / 3	1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 6	1 / 4	0 / 3	1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 6	0 / 4	0 / 3	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 4	0 / 3	1 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 2	0 / 6	1 / 2	0 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 2	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	2 / 3	1 / 2	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 2	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 2	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 2	0 / 3	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	8	10	4	1
Number of transfers	13	8	10	4	1
Estimated average number of transfers per retrieval	0.9	1.1	1.0	0.5	0.3
Average number of embryos transferred	1.2	1.5	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	10 / 15	7 / 12	3 / 14	3 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	9 / 13	6 / 8	3 / 10	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	8 / 13	6 / 8	3 / 10	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 13	5 / 8	3 / 10	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 8	0 / 10	1 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 13	5 / 8	2 / 10	1 / 4	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	5	10	8	3
	1	2	5	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	6	0	
Number of transfers	0	0	6	0	
Average number of embryos transferred			1.2		
Percentage of embryos transferred resulting in implantation (%)			4 / 7		
Percentage of transfers resulting in pregnancies (%)			4 / 6		
Percentage of transfers resulting in live births (%)			4 / 6		
Percentage of transfers resulting in singleton live births (%)			4 / 6		
Percentage of transfers resulting in twin live births (%)			0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			4 / 6		

CURRENT SERVICES & PROFILE

Current Name: Valley Center for Reproductive Health, Inc., West Coast Women's Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH CENTER FOR FERTILITY
TARZANA, CALIFORNIA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael Vermesh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	4%	Uterine factor	1%	Multiple Factors: Female factors only 14% Female & male factors 15%
Unstimulated	11%	PGD/PGS	41%	Ovulatory dysfunction	4%	Male factor	25%	
Used gestational carrier	3%			Diminished ovarian reserve	46%	Other factor	42%	
				Endometriosis	<1%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 345
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	11	15	13	29
Percentage of cancellations before retrieval (%)	0.0	0 / 11	1 / 15	0 / 13	3.4
Number of transfers	22	9	9	12	19
Average number of embryos transferred	1.8	1.9	1.6	2.2	1.9
Percentage of elective single embryo transfers (eSET) (%)	19.0	1 / 9	2 / 7	0 / 10	1 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.3	4 / 11	3 / 15	2 / 13	10.3
Percentage of cycles resulting in live births (%)	40.0	4 / 11	2 / 15	2 / 13	6.9
Percentage of cycles resulting in singleton live births (%)	23.3	3 / 11	1 / 15	2 / 13	6.9
Percentage of cycles resulting in twin live births (%)	13.3	1 / 11	1 / 15	0 / 13	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.7	2 / 11	1 / 15	2 / 13	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	64.7	5 / 17	4 / 14	11.5	5.7
Percentage of transfers resulting in pregnancies (%)	72.7	4 / 9	3 / 9	2 / 12	3 / 19
Percentage of transfers resulting in live births (%)	54.5	4 / 9	2 / 9	2 / 12	2 / 19
Percentage of transfers resulting in singleton live births (%)	31.8	3 / 9	1 / 9	2 / 12	2 / 19
Percentage of transfers resulting in twin live births (%)	18.2	1 / 9	1 / 9	0 / 12	0 / 19
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.7	2 / 9	1 / 9	2 / 12	1 / 19
Frozen Embryos from Nondonor Eggs					
Number of cycles	35	14	13	13	4
Number of transfers	35	14	13	13	4
Estimated average number of transfers per retrieval	0.8	0.8	0.4	0.6	0.1
Average number of embryos transferred	1.5	1.4	1.5	1.8	2.8
Percentage of embryos transferred resulting in implantation (%)	49.1	60.0	8 / 17	37.5	0 / 11
Percentage of transfers resulting in pregnancies (%)	65.7	10 / 14	9 / 13	7 / 13	0 / 4
Percentage of transfers resulting in live births (%)	45.7	9 / 14	8 / 13	6 / 13	0 / 4
Percentage of transfers resulting in singleton live births (%)	40.0	7 / 14	8 / 13	4 / 13	0 / 4
Percentage of transfers resulting in twin live births (%)	5.7	2 / 14	0 / 13	2 / 13	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.3	6 / 14	8 / 13	4 / 13	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	35	17	32	18	29
	9	8	17	9	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	0	26	0	
Number of transfers	3	0	26	0	
Average number of embryos transferred	2.0		1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 6		58.5		
Percentage of transfers resulting in pregnancies (%)	3 / 3		65.4		
Percentage of transfers resulting in live births (%)	2 / 3		57.7		
Percentage of transfers resulting in singleton live births (%)	2 / 3		30.8		
Percentage of transfers resulting in twin live births (%)	0 / 3		26.9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3		30.8		

CURRENT SERVICES & PROFILE

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TREE OF LIFE CENTER FOR FERTILITY SNUNIT BEN-OZER, MD TARZANA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Snunit Ben-Ozer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	11%	Uterine factor	6%	Multiple Factors: Female factors only 11% Female & male factors 33%
Unstimulated	0%	PGD/PGS	67%	Ovulatory dysfunction	11%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	28%	
				Endometriosis	0%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 45
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	1	0
Percentage of cancellations before retrieval (%)				0 / 1	
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)				0 / 1	
Percentage of cycles resulting in live births (%)				0 / 1	
Percentage of cycles resulting in singleton live births (%)				0 / 1	
Percentage of cycles resulting in twin live births (%)				0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)				0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	7	4	1	0
Number of transfers	4	7	4	1	0
Estimated average number of transfers per retrieval	0.6	1.2	0.4	1.0	0.0
Average number of embryos transferred	1.5	1.7	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 6	7 / 12	3 / 7	3 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 4	5 / 7	2 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	4 / 4	4 / 7	2 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4	2 / 7	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 4	2 / 7	1 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4	2 / 7	1 / 4	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	6	10	1	3
	5	4	4	0	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	0	
Number of transfers	0	0	1	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)				1 / 1	
Percentage of transfers resulting in live births (%)				0 / 1	
Percentage of transfers resulting in singleton live births (%)				0 / 1	
Percentage of transfers resulting in twin live births (%)				0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Tree of Life Center for Fertility, Snunit Ben-Ozer, MD

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA THOUSAND OAKS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gary Hubert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	7%	Uterine factor	5%	Multiple Factors: Female factors only 13% Female & male factors 13%
Unstimulated	0%	PGD/PGS	69%	Ovulatory dysfunction	9%	Male factor	22%	
Used gestational carrier	11%			Diminished ovarian reserve	62%	Other factor	17%	
				Endometriosis	5%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,233
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	20	26	18	34
Percentage of cancellations before retrieval (%)	1 / 14	0.0	15.4	5 / 18	20.6
Number of transfers	4	0	0	1	3
Average number of embryos transferred	1.3			3.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 1			0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 14	0.0	0.0	0 / 18	5.9
Percentage of cycles resulting in live births (%)	1 / 14	0.0	0.0	0 / 18	2.9
Percentage of cycles resulting in singleton live births (%)	1 / 14	0.0	0.0	0 / 18	2.9
Percentage of cycles resulting in twin live births (%)	0 / 14	0.0	0.0	0 / 18	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 14	0.0	0.0	0 / 18	2.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5			0 / 3	2 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 4			0 / 1	2 / 3
Percentage of transfers resulting in live births (%)	1 / 4			0 / 1	1 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 4			0 / 1	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4			0 / 1	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	134	145	101	72	28
Number of transfers	128	131	91	67	26
Estimated average number of transfers per retrieval	1.2	1.1	0.8	0.8	0.3
Average number of embryos transferred	1.2	1.3	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	62.6	60.1	57.8	38.2	43.3
Percentage of transfers resulting in pregnancies (%)	66.4	69.5	67.0	47.8	50.0
Percentage of transfers resulting in live births (%)	57.8	55.7	56.0	34.3	34.6
Percentage of transfers resulting in singleton live births (%)	50.8	48.9	53.8	34.3	30.8
Percentage of transfers resulting in twin live births (%)	6.3	6.9	2.2	0.0	3.8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.3	41.2	39.6	23.9	19.2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	108	117	111	75	79
	12	18	11	4	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	3	134	8	
Number of transfers	2	1	124	7	
Average number of embryos transferred	1.5	1.0	1.3	1.1	
Percentage of embryos transferred resulting in implantation (%)	1 / 3	0 / 1	58.0	6 / 8	
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 1	66.1	5 / 7	
Percentage of transfers resulting in live births (%)	1 / 2	0 / 1	50.8	5 / 7	
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1	43.5	4 / 7	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	7.3	1 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	0 / 1	29.0	4 / 7	

CURRENT SERVICES & PROFILE

Current Name: Fertility and Surgical Associates of California

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rifaat Salem, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	15%	Uterine factor	7%	Multiple Factors: Female factors only 18% Female & male factors 12%
Unstimulated	4%	PGD/PGS	31%	Ovulatory dysfunction	20%	Male factor	35%	
Used gestational carrier	1%			Diminished ovarian reserve	28%	Other factor	18%	
				Endometriosis	6%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 310
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	40	36	20	19
Percentage of cancellations before retrieval (%)	3.2	10.0	13.9	25.0	2 / 19
Number of transfers	91	35	29	12	16
Average number of embryos transferred	1.8	2.0	2.2	2.7	2.4
Percentage of elective single embryo transfers (eSET) (%)	3.9	6.5	0.0	0 / 11	0 / 13
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	61.1	42.5	44.4	15.0	4 / 19
Percentage of cycles resulting in live births (%)	56.8	40.0	30.6	10.0	1 / 19
Percentage of cycles resulting in singleton live births (%)	33.7	32.5	27.8	10.0	1 / 19
Percentage of cycles resulting in twin live births (%)	23.2	7.5	2.8	0.0	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.4	30.0	25.0	10.0	1 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.3	35.8	29.7	6.9	10.3
Percentage of transfers resulting in pregnancies (%)	63.7	48.6	55.2	3 / 12	4 / 16
Percentage of transfers resulting in live births (%)	59.3	45.7	37.9	2 / 12	1 / 16
Percentage of transfers resulting in singleton live births (%)	35.2	37.1	34.5	2 / 12	1 / 16
Percentage of transfers resulting in twin live births (%)	24.2	8.6	3.4	0 / 12	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	34.3	31.0	2 / 12	1 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	13	10	5	4
Number of transfers	16	13	7	3	2
Estimated average number of transfers per retrieval	1.1	1.0	1.0	0.4	0.2
Average number of embryos transferred	2.1	1.8	2.0	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)	30.3	33.3	1 / 14	2 / 8	1 / 4
Percentage of transfers resulting in pregnancies (%)	7 / 16	8 / 13	1 / 7	2 / 3	1 / 2
Percentage of transfers resulting in live births (%)	6 / 16	5 / 13	1 / 7	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 16	5 / 13	1 / 7	2 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 13	0 / 7	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 16	3 / 13	1 / 7	2 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	10	4	8	11
	4	6	2	6	8
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	2	0	
Number of transfers	4	0	2	0	
Average number of embryos transferred	2.0		2.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 8		3 / 5		
Percentage of transfers resulting in pregnancies (%)	3 / 4		2 / 2		
Percentage of transfers resulting in live births (%)	3 / 4		2 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 4		1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 4		1 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4		1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Pacific Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER TORRANCE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Omid A. Khorram, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	43%	Tubal factor	22%	Uterine factor	<1%	
Unstimulated	1%	PGD/PGS	9%	Ovulatory dysfunction	11%	Male factor	18%	
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	16%	
				Endometriosis	3%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				3%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 229
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	41	31	41	19	6
Percentage of cancellations before retrieval (%)	0.0	6.5	7.3	1 / 19	0 / 6
Number of transfers	31	24	29	15	6
Average number of embryos transferred	2.1	2.3	2.3	2.5	2.7
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 11	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.1	38.7	29.3	1 / 19	0 / 6
Percentage of cycles resulting in live births (%)	34.1	32.3	26.8	0 / 19	0 / 6
Percentage of cycles resulting in singleton live births (%)	14.6	25.8	17.1	0 / 19	0 / 6
Percentage of cycles resulting in twin live births (%)	17.1	6.5	9.8	0 / 19	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.8	6.5	9.8	0 / 19	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	57.4	25.9	25.8	2.7	0 / 16
Percentage of transfers resulting in pregnancies (%)	74.2	50.0	41.4	1 / 15	0 / 6
Percentage of transfers resulting in live births (%)	45.2	41.7	37.9	0 / 15	0 / 6
Percentage of transfers resulting in singleton live births (%)	19.4	33.3	24.1	0 / 15	0 / 6
Percentage of transfers resulting in twin live births (%)	22.6	8.3	13.8	0 / 15	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	12.9	8.3	13.8	0 / 15	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	8	14	5	3
Number of transfers	23	8	14	5	3
Estimated average number of transfers per retrieval	1.4	1.3	1.8	1.3	1.5
Average number of embryos transferred	2.3	2.4	2.4	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)	46.3	6 / 16	22.6	2 / 14	1 / 7
Percentage of transfers resulting in pregnancies (%)	60.9	5 / 8	6 / 14	2 / 5	1 / 3
Percentage of transfers resulting in live births (%)	39.1	4 / 8	3 / 14	1 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	8.7	2 / 8	2 / 14	1 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	30.4	2 / 8	1 / 14	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4.3	1 / 8	2 / 14	0 / 5	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	2	2	3	2
	4	1	2	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	1	8	1	
Number of transfers	9	1	8	1	
Average number of embryos transferred	2.2	2.0	2.4	3.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	1 / 2	6 / 14	1 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 9	1 / 1	6 / 8	1 / 1	
Percentage of transfers resulting in live births (%)	5 / 9	1 / 1	3 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 9	1 / 1	2 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	3 / 9	0 / 1	1 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 9	1 / 1	1 / 8	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: University Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH REPRODUCTIVE FERTILITY CENTER WEST HOLLYWOOD, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Peyman Saadat, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	10%	Uterine factor	5%	
Unstimulated	2%	PGD/PGS	8%	Ovulatory dysfunction	9%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	37%	
				Endometriosis	4%	Unknown factor	5%	
						Multiple Factors:		
						Female factors only	12%	
						Female & male factors	25%	
2016 ART SUCCESS RATES ^{c,d}				Total number of cycles ^d : 752 (includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient							
	<35	35–37	38–40	41–42	>42			
Fresh Embryos from Fresh Nondonor Eggs								
Number of cycles	24	25	35	21	24			
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0.0	0.0			
Number of transfers	22	23	25	14	16			
Average number of embryos transferred	2.1	2.0	2.4	3.1	2.4			
Percentage of elective single embryo transfers (eSET) (%)	0.0	5.0	0.0	0 / 12	2 / 14			
Outcomes per Cycle								
Percentage of cycles resulting in pregnancies (%)	58.3	48.0	31.4	19.0	12.5			
Percentage of cycles resulting in live births (%)	45.8	24.0	22.9	4.8	8.3			
Percentage of cycles resulting in singleton live births (%)	33.3	16.0	17.1	4.8	8.3			
Percentage of cycles resulting in twin live births (%)	8.3	8.0	5.7	0.0	0.0			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.2	16.0	11.4	0.0	4.2			
Outcomes per Transfer								
Percentage of embryos transferred resulting in implantation (%)	44.4	34.1	20.4	9.8	5.3			
Percentage of transfers resulting in pregnancies (%)	63.6	52.2	44.0	4 / 14	3 / 16			
Percentage of transfers resulting in live births (%)	50.0	26.1	32.0	1 / 14	2 / 16			
Percentage of transfers resulting in singleton live births (%)	36.4	17.4	24.0	1 / 14	2 / 16			
Percentage of transfers resulting in twin live births (%)	9.1	8.7	8.0	0 / 14	0 / 16			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	17.4	16.0	0 / 14	1 / 16			
Frozen Embryos from Nondonor Eggs								
Number of cycles	104	70	63	26	11			
Number of transfers	104	70	62	26	10			
Estimated average number of transfers per retrieval	1.2	0.9	0.8	0.6	0.2			
Average number of embryos transferred	1.8	1.8	2.1	1.7	2.8			
Percentage of embryos transferred resulting in implantation (%)	49.7	38.3	30.7	24.4	21.4			
Percentage of transfers resulting in pregnancies (%)	62.5	54.3	54.8	42.3	6 / 10			
Percentage of transfers resulting in live births (%)	53.8	42.9	41.9	30.8	5 / 10			
Percentage of transfers resulting in singleton live births (%)	36.5	31.4	35.5	30.8	5 / 10			
Percentage of transfers resulting in twin live births (%)	17.3	11.4	6.5	0.0	0 / 10			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.8	28.6	32.3	26.9	3 / 10			
Number of Egg or Embryo Banking Cycles								
	84	73	74	43	40			
Number of fertility preservation cycles	23	20	25	14	9			
Donor Eggs^f								
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos				
Number of cycles	7	1	21	0				
Number of transfers	7	1	21	0				
Average number of embryos transferred	1.7	2.0	1.8					
Percentage of embryos transferred resulting in implantation (%)	7 / 10	0 / 2	45.5					
Percentage of transfers resulting in pregnancies (%)	5 / 7	0 / 1	57.1					
Percentage of transfers resulting in live births (%)	3 / 7	0 / 1	38.1					
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 1	14.3					
Percentage of transfers resulting in twin live births (%)	2 / 7	0 / 1	23.8					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	0 / 1	9.5					
CURRENT SERVICES & PROFILE				Current Name: California Center for Reproductive Health, Reproductive Fertility Center				
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes	
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes	

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & FERTILITY CENTER COLORADO SPRINGS, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul C. Magarelli, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	5%	Tubal factor	22%	Uterine factor	0%	Multiple Factors: Female factors only 7% Female & male factors 17%
Unstimulated	0%	PGD/PGS	63%	Ovulatory dysfunction	12%	Male factor	48%	
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	13%	
				Endometriosis	7%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 490
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	1	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 1			
Number of transfers	1	1	0	0	0
Average number of embryos transferred	2.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1	0 / 1			
Percentage of cycles resulting in live births (%)	1 / 1	0 / 1			
Percentage of cycles resulting in singleton live births (%)	1 / 1	0 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 1			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	127	43	20	8	3
Number of transfers	126	42	20	8	3
Estimated average number of transfers per retrieval	0.9	0.7	0.6	0.4	0.2
Average number of embryos transferred	1.5	1.4	1.6	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	36.4	49.1	35.7	4 / 10	0 / 4
Percentage of transfers resulting in pregnancies (%)	52.4	61.9	50.0	4 / 8	0 / 3
Percentage of transfers resulting in live births (%)	36.5	52.4	35.0	3 / 8	0 / 3
Percentage of transfers resulting in singleton live births (%)	29.4	45.2	25.0	2 / 8	0 / 3
Percentage of transfers resulting in twin live births (%)	6.3	7.1	10.0	1 / 8	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.8	35.7	15.0	1 / 8	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	138	59	33	22	14
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	14	5	
Number of transfers	0	1	14	5	
Average number of embryos transferred		2.0	1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)		1 / 2	7 / 19	1 / 9	
Percentage of transfers resulting in pregnancies (%)		1 / 1	6 / 14	1 / 5	
Percentage of transfers resulting in live births (%)		1 / 1	5 / 14	1 / 5	
Percentage of transfers resulting in singleton live births (%)		1 / 1	4 / 14	1 / 5	
Percentage of transfers resulting in twin live births (%)		0 / 1	1 / 14	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	4 / 14	1 / 5	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: HQA Fertility Centers

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO
DENVER, COLORADO**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Edward H. Illions, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	12%	Uterine factor	4%	Multiple Factors: Female factors only 21% Female & male factors 22%
Unstimulated	0%	PGD/PGS	34%	Ovulatory dysfunction	14%	Male factor	32%	
Used gestational carrier	6%			Diminished ovarian reserve	41%	Other factor	39%	
				Endometriosis	5%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}		Total number of cycles ^d : 248 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		29	7	0	1	0
Percentage of cancellations before retrieval (%)		0.0	1 / 7		1 / 1	
Number of transfers		10	4	0	0	0
Average number of embryos transferred		1.6	2.0			
Percentage of elective single embryo transfers (eSET) (%)		3 / 9	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		10.3	3 / 7		0 / 1	
Percentage of cycles resulting in live births (%)		3.4	3 / 7		0 / 1	
Percentage of cycles resulting in singleton live births (%)		0.0	3 / 7		0 / 1	
Percentage of cycles resulting in twin live births (%)		3.4	0 / 7		0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0.0	3 / 7		0 / 1	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		4 / 16	3 / 8			
Percentage of transfers resulting in pregnancies (%)		3 / 10	3 / 4			
Percentage of transfers resulting in live births (%)		1 / 10	3 / 4			
Percentage of transfers resulting in singleton live births (%)		0 / 10	3 / 4			
Percentage of transfers resulting in twin live births (%)		1 / 10	0 / 4			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 10	3 / 4			
Frozen Embryos from Nondonor Eggs						
Number of cycles		56	25	17	8	0
Number of transfers		54	25	16	8	0
Estimated average number of transfers per retrieval		1.0	1.2	1.3	4.0	
Average number of embryos transferred		1.2	1.4	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)		55.6	21.2	9 / 19	3 / 9	
Percentage of transfers resulting in pregnancies (%)		66.7	36.0	10 / 16	4 / 8	
Percentage of transfers resulting in live births (%)		59.3	20.0	9 / 16	3 / 8	
Percentage of transfers resulting in singleton live births (%)		57.4	20.0	9 / 16	3 / 8	
Percentage of transfers resulting in twin live births (%)		1.9	0.0	0 / 16	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		46.3	20.0	5 / 16	2 / 8	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		36	17	12	2	0
		10	5	1	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		1	9	25	3	
Number of transfers		0	9	25	3	
Average number of embryos transferred			1.6	1.2	1.7	
Percentage of embryos transferred resulting in implantation (%)			2 / 14	30.8	2 / 5	
Percentage of transfers resulting in pregnancies (%)			2 / 9	44.0	2 / 3	
Percentage of transfers resulting in live births (%)			2 / 9	32.0	2 / 3	
Percentage of transfers resulting in singleton live births (%)			2 / 9	32.0	2 / 3	
Percentage of transfers resulting in twin live births (%)			0 / 9	0.0	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			2 / 9	16.0	2 / 3	

CURRENT SERVICES & PROFILE		Current Name: Advanced Reproductive Medicine, University of Colorado					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO REPRODUCTIVE ENDOCRINOLOGY DENVER, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Susan W. Trout, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	13%	Tubal factor	17%	Uterine factor	3%	Multiple Factors: Female factors only 17% Female & male factors 13%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	25%	Male factor	32%	
Used gestational carrier	6%			Diminished ovarian reserve	37%	Other factor	7%	
				Endometriosis	3%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 99
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	21	15	7	3	1
Percentage of cancellations before retrieval (%)	0.0	1 / 15	0 / 7	1 / 3	0 / 1
Number of transfers	14	9	3	1	0
Average number of embryos transferred	1.5	1.8	2.0	1.0	
Percentage of elective single embryo transfers (eSET) (%)	5 / 12	0 / 7	0 / 2		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	9.5	1 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	9.5	1 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	4.8	1 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	4.8	0 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4.8	1 / 15	0 / 7	0 / 3	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	14.3	1 / 16	0 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 14	1 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 14	1 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 14	1 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 14	1 / 9	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	8	7	4	1
Number of transfers	7	7	6	3	1
Estimated average number of transfers per retrieval	1.4	1.2	2.0	0.8	
Average number of embryos transferred	1.6	1.6	1.5	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 11	4 / 11	2 / 9	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 7	4 / 7	2 / 6	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	2 / 7	2 / 7	2 / 6	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 7	2 / 7	2 / 6	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 7	0 / 6	1 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	2 / 7	1 / 6	0 / 3	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	2	0	3	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	4	5	
Number of transfers	2	0	3	5	
Average number of embryos transferred	2.0		1.0	1.8	
Percentage of embryos transferred resulting in implantation (%)	4 / 4		1 / 3	3 / 9	
Percentage of transfers resulting in pregnancies (%)	2 / 2		1 / 3	3 / 5	
Percentage of transfers resulting in live births (%)	1 / 2		1 / 3	3 / 5	
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 3	3 / 5	
Percentage of transfers resulting in twin live births (%)	1 / 2		0 / 3	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		1 / 3	2 / 5	

CURRENT SERVICES & PROFILE

Current Name: Colorado Reproductive Endocrinology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DENVER FERTILITY-ALBRECHT WOMEN'S CARE ENGLEWOOD, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Bruce H. Albrecht, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}			
IVF	100%	With ICSI	77%	Tubal factor	16%	Uterine factor	2%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	16%	Male factor	31%
Used gestational carrier	2%			Diminished ovarian reserve	48%	Other factor	10%
				Endometriosis	7%	Unknown factor	5%
						Multiple Factors:	
						Female factors only	14%
						Female & male factors	18%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 151 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	23	15	14	6	0	
Percentage of cancellations before retrieval (%)	4.3	3 / 15	4 / 14	2 / 6		
Number of transfers	12	5	6	3	0	
Average number of embryos transferred	1.8	1.6	1.8	2.0		
Percentage of elective single embryo transfers (eSET) (%)	2 / 10	0 / 3	0 / 5	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	43.5	4 / 15	3 / 14	1 / 6		
Percentage of cycles resulting in live births (%)	34.8	3 / 15	2 / 14	0 / 6		
Percentage of cycles resulting in singleton live births (%)	26.1	3 / 15	2 / 14	0 / 6		
Percentage of cycles resulting in twin live births (%)	8.7	0 / 15	0 / 14	0 / 6		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.1	3 / 15	2 / 14	0 / 6		
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	61.9	3 / 7	2 / 9	0 / 4		
Percentage of transfers resulting in pregnancies (%)	10 / 12	4 / 5	3 / 6	1 / 3		
Percentage of transfers resulting in live births (%)	8 / 12	3 / 5	2 / 6	0 / 3		
Percentage of transfers resulting in singleton live births (%)	6 / 12	3 / 5	2 / 6	0 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 5	0 / 6	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 12	3 / 5	2 / 6	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	26	12	10	0	2	
Number of transfers	25	10	10	0	2	
Estimated average number of transfers per retrieval	1.7	1.4	5.0		0.7	
Average number of embryos transferred	1.4	1.5	1.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	38.7	4 / 13	3 / 8		1 / 2	
Percentage of transfers resulting in pregnancies (%)	52.0	4 / 10	5 / 10		1 / 2	
Percentage of transfers resulting in live births (%)	36.0	3 / 10	2 / 10		1 / 2	
Percentage of transfers resulting in singleton live births (%)	32.0	2 / 10	2 / 10		1 / 2	
Percentage of transfers resulting in twin live births (%)	4.0	1 / 10	0 / 10		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.0	2 / 10	2 / 10		1 / 2	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	7	4	2	0	3	
	1	0	0	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	10	1	15	0		
Number of transfers	9	1	13	0		
Average number of embryos transferred	1.0	1.0	1.2			
Percentage of embryos transferred resulting in implantation (%)	2 / 7	0 / 1	2 / 16			
Percentage of transfers resulting in pregnancies (%)	4 / 9	0 / 1	2 / 13			
Percentage of transfers resulting in live births (%)	2 / 9	0 / 1	2 / 13			
Percentage of transfers resulting in singleton live births (%)	2 / 9	0 / 1	2 / 13			
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 1	0 / 13			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9	0 / 1	1 / 13			

CURRENT SERVICES & PROFILE		Current Name: Denver Fertility-Albrecht Women's Care					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kevin E. Bachus, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	89%	Tubal factor	22%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 16%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	6%	
				Endometriosis	9%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 99
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	16	9	2	0
Percentage of cancellations before retrieval (%)	4.2	0 / 16	0 / 9	0 / 2	
Number of transfers	21	16	8	2	0
Average number of embryos transferred	1.9	2.1	2.8	3.5	
Percentage of elective single embryo transfers (eSET) (%)	1 / 19	0 / 16	0 / 8	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	54.2	6 / 16	4 / 9	0 / 2	
Percentage of cycles resulting in live births (%)	54.2	6 / 16	2 / 9	0 / 2	
Percentage of cycles resulting in singleton live births (%)	33.3	4 / 16	1 / 9	0 / 2	
Percentage of cycles resulting in twin live births (%)	20.8	1 / 16	1 / 9	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	33.3	2 / 16	1 / 9	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.7	26.5	4 / 19	0 / 7	
Percentage of transfers resulting in pregnancies (%)	61.9	6 / 16	4 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	61.9	6 / 16	2 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	38.1	4 / 16	1 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	23.8	1 / 16	1 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	2 / 16	1 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	11	7	1	1
Number of transfers	14	11	7	1	1
Estimated average number of transfers per retrieval	3.5	2.2	2.3	0.5	
Average number of embryos transferred	1.8	1.6	1.9	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	28.0	8 / 18	7 / 12	0 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	5 / 14	6 / 11	5 / 7	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	3 / 14	4 / 11	4 / 7	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 14	2 / 11	3 / 7	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 14	2 / 11	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 14	2 / 11	3 / 7	0 / 1	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	4	0	
Number of transfers	9	0	4	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	13 / 18		3 / 8		
Percentage of transfers resulting in pregnancies (%)	8 / 9		2 / 4		
Percentage of transfers resulting in live births (%)	8 / 9		1 / 4		
Percentage of transfers resulting in singleton live births (%)	3 / 9		0 / 4		
Percentage of transfers resulting in twin live births (%)	5 / 9		1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 9		0 / 4		

CURRENT SERVICES & PROFILE

Current Name: Rocky Mountain Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS REPRODUCTIVE ASSOCIATES OF COLORADO LITTLETON, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Mark R. Bush, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	98%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 27% Female & male factors 33%
Unstimulated	0%	PGD/PGS	86%	Ovulatory dysfunction	19%	Male factor	43%	
Used gestational carrier	4%			Diminished ovarian reserve	40%	Other factor	48%	
				Endometriosis	5%	Unknown factor	8%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 1,143 (includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	13	4	2	2	0	
Percentage of cancellations before retrieval (%)	1 / 13	0 / 4	0 / 2	0 / 2		
Number of transfers	10	2	1	2	0	
Average number of embryos transferred	1.4	2.0	1.0	1.5		
Percentage of elective single embryo transfers (eSET) (%)	5 / 9	0 / 2	1 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	6 / 13	2 / 4	1 / 2	0 / 2		
Percentage of cycles resulting in live births (%)	6 / 13	2 / 4	1 / 2	0 / 2		
Percentage of cycles resulting in singleton live births (%)	5 / 13	2 / 4	1 / 2	0 / 2		
Percentage of cycles resulting in twin live births (%)	1 / 13	0 / 4	0 / 2	0 / 2		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4 / 13	1 / 4	1 / 2	0 / 2		
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	7 / 14	2 / 4	1 / 1	0 / 3		
Percentage of transfers resulting in pregnancies (%)	6 / 10	2 / 2	1 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	6 / 10	2 / 2	1 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 10	2 / 2	1 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 2	0 / 1	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 10	1 / 2	1 / 1	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	240	109	71	22	8	
Number of transfers	239	106	71	22	8	
Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.6	0.2	
Average number of embryos transferred	1.2	1.2	1.1	1.1	1.1	
Percentage of embryos transferred resulting in implantation (%)	73.8	74.6	67.1	100.0	5 / 9	
Percentage of transfers resulting in pregnancies (%)	74.9	77.4	70.4	90.9	4 / 8	
Percentage of transfers resulting in live births (%)	68.2	64.2	62.0	86.4	3 / 8	
Percentage of transfers resulting in singleton live births (%)	58.2	55.7	59.2	68.2	2 / 8	
Percentage of transfers resulting in twin live births (%)	9.2	7.5	2.8	18.2	1 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	51.0	38.7	47.9	59.1	2 / 8	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	248	138	118	34	35	
	3	2	4	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	0	9	85	3		
Number of transfers	0	9	82	3		
Average number of embryos transferred		1.1	1.1	1.0		
Percentage of embryos transferred resulting in implantation (%)		7 / 8	66.7	0 / 3		
Percentage of transfers resulting in pregnancies (%)		9 / 9	68.3	0 / 3		
Percentage of transfers resulting in live births (%)		5 / 9	61.0	0 / 3		
Percentage of transfers resulting in singleton live births (%)		5 / 9	57.3	0 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 9	2.4	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 9	34.1	0 / 3		

CURRENT SERVICES & PROFILE		Current Name: Conceptions Reproductive Associates of Colorado					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE LONE TREE, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William B. Schoolcraft, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	5%	Uterine factor	11%	Multiple Factors: Female factors only 22% Female & male factors 15%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	14%	Male factor	22%	
Used gestational carrier	4%			Diminished ovarian reserve	49%	Other factor	21%	
				Endometriosis	9%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,740
(includes 42 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	66	62	43	63
Percentage of cancellations before retrieval (%)	10.4	28.8	29.0	41.9	23.8
Number of transfers	38	13	5	0	0
Average number of embryos transferred	1.6	1.8	1.6		
Percentage of elective single embryo transfers (eSET) (%)	39.5	2 / 11	1 / 4		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.6	15.2	6.5	0.0	0.0
Percentage of cycles resulting in live births (%)	20.9	10.6	4.8	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	16.5	9.1	4.8	0.0	0.0
Percentage of cycles resulting in twin live births (%)	4.3	1.5	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	13.9	6.1	4.8	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.3	9 / 19	4 / 8		
Percentage of transfers resulting in pregnancies (%)	68.4	10 / 13	4 / 5		
Percentage of transfers resulting in live births (%)	63.2	7 / 13	3 / 5		
Percentage of transfers resulting in singleton live births (%)	50.0	6 / 13	3 / 5		
Percentage of transfers resulting in twin live births (%)	13.2	1 / 13	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.1	4 / 13	3 / 5		
Frozen Embryos from Nondonor Eggs					
Number of cycles	474	357	307	159	113
Number of transfers	462	350	299	149	102
Estimated average number of transfers per retrieval	1.0	1.0	0.7	0.6	0.5
Average number of embryos transferred	1.3	1.3	1.3	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	66.4	65.5	72.8	59.3	55.9
Percentage of transfers resulting in pregnancies (%)	73.8	72.0	78.6	64.4	60.8
Percentage of transfers resulting in live births (%)	63.9	62.9	68.2	57.0	54.9
Percentage of transfers resulting in singleton live births (%)	50.0	50.6	52.8	48.3	43.1
Percentage of transfers resulting in twin live births (%)	13.4	12.0	13.7	8.7	10.8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.9	43.4	46.2	38.3	40.2
Number of Egg or Embryo Banking Cycles					
	408	344	403	242	222
Number of fertility preservation cycles	90	86	104	72	81
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	67	23	215	15	
Number of transfers	36	15	215	15	
Average number of embryos transferred	1.5	1.7	1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)	71.4	66.7	58.6	55.6	
Percentage of transfers resulting in pregnancies (%)	83.3	10 / 15	71.6	10 / 15	
Percentage of transfers resulting in live births (%)	69.4	7 / 15	57.2	8 / 15	
Percentage of transfers resulting in singleton live births (%)	52.8	4 / 15	46.5	4 / 15	
Percentage of transfers resulting in twin live births (%)	16.7	3 / 15	10.7	4 / 15	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	2 / 15	39.5	4 / 15	

CURRENT SERVICES & PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN FERTILITY CENTER PARKER, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Deborah L. Smith, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	97%	Tubal factor	20%	Uterine factor	<1%	Multiple Factors: Female factors only 14% Female & male factors 5%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	10%	Male factor	28%	
Used gestational carrier	3%			Diminished ovarian reserve	40%	Other factor	10%	
				Endometriosis	7%	Unknown factor	4%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 144 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	32	18	8	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 18	0 / 8	0 / 1	
Number of transfers	31	15	7	0	0
Average number of embryos transferred	1.9	1.9	1.9		
Percentage of elective single embryo transfers (eSET) (%)	7.1	2 / 15	0 / 4		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	9 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in live births (%)	40.6	8 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in singleton live births (%)	34.4	7 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in twin live births (%)	6.3	1 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.3	7 / 18	0 / 8	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.1	33.3	0 / 13		
Percentage of transfers resulting in pregnancies (%)	51.6	9 / 15	0 / 7		
Percentage of transfers resulting in live births (%)	41.9	8 / 15	0 / 7		
Percentage of transfers resulting in singleton live births (%)	35.5	7 / 15	0 / 7		
Percentage of transfers resulting in twin live births (%)	6.5	1 / 15	0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.3	7 / 15	0 / 7		
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	19	3	2	0
Number of transfers	15	18	3	2	0
Estimated average number of transfers per retrieval	1.0	1.6	0.6	1.0	0.0
Average number of embryos transferred	1.6	1.7	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	65.4	1 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	9 / 15	16 / 18	3 / 3	1 / 2	
Percentage of transfers resulting in live births (%)	8 / 15	12 / 18	0 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	5 / 15	9 / 18	0 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	3 / 15	3 / 18	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 15	8 / 18	0 / 3	1 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	6	4	1	1
	0	1	2	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	1	7	0	
Number of transfers	8	1	6	0	
Average number of embryos transferred	1.8	2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)	10 / 14	1 / 2	2 / 8		
Percentage of transfers resulting in pregnancies (%)	7 / 8	1 / 1	2 / 6		
Percentage of transfers resulting in live births (%)	6 / 8	1 / 1	1 / 6		
Percentage of transfers resulting in singleton live births (%)	3 / 8	1 / 1	1 / 6		
Percentage of transfers resulting in twin live births (%)	3 / 8	0 / 1	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8	1 / 1	1 / 6		

CURRENT SERVICES & PROFILE		Current Name: Rocky Mountain Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CT FERTILITY BRIDGEPORT, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Melvin H. Thornton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	31%	Tubal factor	<1%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 4%
Unstimulated	3%	PGD/PGS	40%	Ovulatory dysfunction	3%	Male factor	7%	
Used gestational carrier	68%			Diminished ovarian reserve	28%	Other factor	71%	
				Endometriosis	<1%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 632
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	16	11	6	8
Percentage of cancellations before retrieval (%)	2 / 18	5 / 16	2 / 11	4 / 6	1 / 8
Number of transfers	15	9	8	1	6
Average number of embryos transferred	1.7	1.8	2.0	2.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	4 / 15	3 / 8	0 / 7	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Percentage of cycles resulting in live births (%)	1 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Percentage of cycles resulting in singleton live births (%)	1 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Percentage of cycles resulting in twin live births (%)	0 / 18	0 / 16	0 / 11	0 / 6	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11.5	1 / 16	2 / 16	0 / 2	0 / 10
Percentage of transfers resulting in pregnancies (%)	3 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Percentage of transfers resulting in live births (%)	1 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Percentage of transfers resulting in singleton live births (%)	1 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 9	0 / 8	0 / 1	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	15	12	7	3
Number of transfers	13	15	11	6	3
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.4	0.1
Average number of embryos transferred	1.5	1.5	1.5	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	3 / 18	30.4	1 / 15	4 / 12	0 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 13	6 / 15	2 / 11	3 / 6	0 / 3
Percentage of transfers resulting in live births (%)	2 / 13	4 / 15	1 / 11	2 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 13	4 / 15	1 / 11	2 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 13	0 / 15	0 / 11	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 13	3 / 15	0 / 11	2 / 6	0 / 3
Number of Egg or Embryo Banking Cycles					
	17	23	20	14	39
Number of fertility preservation cycles	2	1	2	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	102	22	269	15	
Number of transfers	84	17	227	14	
Average number of embryos transferred	1.7	3.1	1.5	2.1	
Percentage of embryos transferred resulting in implantation (%)	44.8	7.1	28.7	10.3	
Percentage of transfers resulting in pregnancies (%)	54.8	5 / 17	38.8	3 / 14	
Percentage of transfers resulting in live births (%)	34.5	2 / 17	25.6	2 / 14	
Percentage of transfers resulting in singleton live births (%)	19.0	1 / 17	21.1	2 / 14	
Percentage of transfers resulting in twin live births (%)	14.3	1 / 17	4.0	0 / 14	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	14.3	1 / 17	18.9	1 / 14	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: CT Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE SERVICES FARMINGTON, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John C. Nulsen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	68%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 10% Female & male factors 14%
Unstimulated	2%	PGD/PGS	9%	Ovulatory dysfunction	15%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	24%	
				Endometriosis	8%	Unknown factor	22%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,553
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	400	178	154	67	37
Percentage of cancellations before retrieval (%)	11.3	14.0	25.3	35.8	29.7
Number of transfers	291	128	89	33	21
Average number of embryos transferred	1.3	1.7	2.0	2.5	2.1
Percentage of elective single embryo transfers (eSET) (%)	61.0	22.7	8.2	3.6	1 / 15
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.3	40.4	24.7	16.4	8.1
Percentage of cycles resulting in live births (%)	37.8	33.7	17.5	7.5	2.7
Percentage of cycles resulting in singleton live births (%)	33.3	25.8	12.3	7.5	2.7
Percentage of cycles resulting in twin live births (%)	4.3	7.9	5.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.5	19.1	10.4	4.5	2.7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.7	40.7	27.5	13.2	4.8
Percentage of transfers resulting in pregnancies (%)	60.8	56.3	42.7	33.3	14.3
Percentage of transfers resulting in live births (%)	51.9	46.9	30.3	15.2	4.8
Percentage of transfers resulting in singleton live births (%)	45.7	35.9	21.3	15.2	4.8
Percentage of transfers resulting in twin live births (%)	5.8	10.9	9.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.8	26.6	18.0	9.1	4.8
Frozen Embryos from Nondonor Eggs					
Number of cycles	213	104	61	27	10
Number of transfers	198	97	55	27	8
Estimated average number of transfers per retrieval	1.3	1.3	0.9	0.5	0.4
Average number of embryos transferred	1.4	1.4	1.4	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	61.0	55.3	60.0	43.2	2 / 11
Percentage of transfers resulting in pregnancies (%)	68.2	66.0	72.7	63.0	2 / 8
Percentage of transfers resulting in live births (%)	61.1	57.7	56.4	33.3	2 / 8
Percentage of transfers resulting in singleton live births (%)	47.5	44.3	50.9	33.3	2 / 8
Percentage of transfers resulting in twin live births (%)	13.6	13.4	5.5	0.0	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.9	40.2	45.5	25.9	2 / 8
Number of Egg or Embryo Banking Cycles					
	58	36	45	50	17
Number of fertility preservation cycles	2	1	1	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	45	22	18	
Number of transfers	5	43	21	16	
Average number of embryos transferred	1.2	1.5	1.2	1.5	
Percentage of embryos transferred resulting in implantation (%)	2 / 5	48.4	42.3	37.5	
Percentage of transfers resulting in pregnancies (%)	3 / 5	58.1	42.9	8 / 16	
Percentage of transfers resulting in live births (%)	2 / 5	51.2	42.9	7 / 16	
Percentage of transfers resulting in singleton live births (%)	2 / 5	44.2	33.3	6 / 16	
Percentage of transfers resulting in twin live births (%)	0 / 5	7.0	9.5	1 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	39.5	33.3	6 / 16	

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Services

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREENWICH FERTILITY AND IVF CENTER, PC GREENWICH, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Barry R. Witt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	33%	Tubal factor	4%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 8%
Unstimulated	0%	PGD/PGS	34%	Ovulatory dysfunction	10%	Male factor	18%	
Used gestational carrier	3%			Diminished ovarian reserve	38%	Other factor	15%	
				Endometriosis	2%	Unknown factor	29%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 602
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	68	39	42	19	22
Percentage of cancellations before retrieval (%)	5.9	10.3	19.0	3 / 19	22.7
Number of transfers	50	30	19	4	7
Average number of embryos transferred	1.2	1.3	1.6	2.0	1.4
Percentage of elective single embryo transfers (eSET) (%)	80.5	56.5	2 / 11	0 / 4	1 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	35.9	19.0	1 / 19	18.2
Percentage of cycles resulting in live births (%)	30.9	28.2	11.9	0 / 19	18.2
Percentage of cycles resulting in singleton live births (%)	30.9	25.6	11.9	0 / 19	18.2
Percentage of cycles resulting in twin live births (%)	0.0	2.6	0.0	0 / 19	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.9	20.5	9.5	0 / 19	18.2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.1	35.9	19.2	0 / 6	4 / 10
Percentage of transfers resulting in pregnancies (%)	50.0	46.7	8 / 19	1 / 4	4 / 7
Percentage of transfers resulting in live births (%)	42.0	36.7	5 / 19	0 / 4	4 / 7
Percentage of transfers resulting in singleton live births (%)	42.0	33.3	5 / 19	0 / 4	4 / 7
Percentage of transfers resulting in twin live births (%)	0.0	3.3	0 / 19	0 / 4	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.0	26.7	4 / 19	0 / 4	4 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	91	64	32	10	6
Number of transfers	85	58	27	7	6
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.3	0.5
Average number of embryos transferred	1.2	1.1	1.0	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	59.4	63.9	65.4	4 / 8	3 / 6
Percentage of transfers resulting in pregnancies (%)	62.4	63.8	66.7	4 / 7	3 / 6
Percentage of transfers resulting in live births (%)	52.9	51.7	51.9	3 / 7	2 / 6
Percentage of transfers resulting in singleton live births (%)	45.9	41.4	51.9	3 / 7	2 / 6
Percentage of transfers resulting in twin live births (%)	7.1	10.3	0.0	0 / 7	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.2	34.5	44.4	3 / 7	1 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	54	51	43	26	11
	10	2	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	16	7	0	
Number of transfers	1	16	7	0	
Average number of embryos transferred	2.0	1.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	9 / 15	3 / 7		
Percentage of transfers resulting in pregnancies (%)	0 / 1	9 / 16	3 / 7		
Percentage of transfers resulting in live births (%)	0 / 1	7 / 16	3 / 7		
Percentage of transfers resulting in singleton live births (%)	0 / 1	6 / 16	3 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 16	0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	6 / 16	2 / 7		

CURRENT SERVICES & PROFILE

Current Name: Greenwich Fertility and IVF Center, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

YALE FERTILITY CENTER NEW HAVEN, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Pasquale Patrizio, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	12%	Uterine factor	8%	Multiple Factors: Female factors only 14% Female & male factors 10%
Unstimulated	<1%	PGD/PGS	12%	Ovulatory dysfunction	13%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	17%	
				Endometriosis	5%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 719
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	130	74	66	45	32
Percentage of cancellations before retrieval (%)	11.5	16.2	12.1	40.0	31.3
Number of transfers	87	46	44	14	18
Average number of embryos transferred	1.4	1.7	2.0	2.1	2.3
Percentage of elective single embryo transfers (eSET) (%)	52.4	31.1	8.1	0 / 11	0 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.5	31.1	36.4	8.9	12.5
Percentage of cycles resulting in live births (%)	36.9	25.7	28.8	6.7	3.1
Percentage of cycles resulting in singleton live births (%)	28.5	21.6	24.2	4.4	3.1
Percentage of cycles resulting in twin live births (%)	8.5	4.1	4.5	2.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.8	20.3	24.2	4.4	3.1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.0	41.8	34.1	16.7	9.8
Percentage of transfers resulting in pregnancies (%)	62.1	50.0	54.5	4 / 14	4 / 18
Percentage of transfers resulting in live births (%)	55.2	41.3	43.2	3 / 14	1 / 18
Percentage of transfers resulting in singleton live births (%)	42.5	34.8	36.4	2 / 14	1 / 18
Percentage of transfers resulting in twin live births (%)	12.6	6.5	6.8	1 / 14	0 / 18
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.6	32.6	36.4	2 / 14	1 / 18
Frozen Embryos from Nondonor Eggs					
Number of cycles	78	35	50	15	7
Number of transfers	78	34	49	15	7
Estimated average number of transfers per retrieval	0.9	0.9	0.9	0.5	0.6
Average number of embryos transferred	1.5	1.6	1.6	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	48.7	44.9	46.7	33.3	3 / 12
Percentage of transfers resulting in pregnancies (%)	59.0	64.7	55.1	9 / 15	3 / 7
Percentage of transfers resulting in live births (%)	50.0	50.0	44.9	6 / 15	3 / 7
Percentage of transfers resulting in singleton live births (%)	38.5	41.2	30.6	5 / 15	3 / 7
Percentage of transfers resulting in twin live births (%)	11.5	8.8	14.3	1 / 15	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	38.2	24.5	5 / 15	3 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	50	24	40	23	8
	25	11	0	5	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	18	0	18	4	
Number of transfers	16	0	17	4	
Average number of embryos transferred	1.4		1.5	1.3	
Percentage of embryos transferred resulting in implantation (%)	70.0		36.0	2 / 4	
Percentage of transfers resulting in pregnancies (%)	14 / 16		7 / 17	3 / 4	
Percentage of transfers resulting in live births (%)	11 / 16		6 / 17	2 / 4	
Percentage of transfers resulting in singleton live births (%)	10 / 16		4 / 17	2 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 16		2 / 17	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 16		4 / 17	2 / 4	

CURRENT SERVICES & PROFILE

Current Name: Yale Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT NORWALK, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark P. Leondires, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	8%	Uterine factor	9%	Multiple Factors: Female factors only 30% Female & male factors 18%
Unstimulated	2%	PGD/PGS	33%	Ovulatory dysfunction	16%	Male factor	25%	
Used gestational carrier	7%			Diminished ovarian reserve	40%	Other factor	49%	
				Endometriosis	5%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,535
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	127	66	86	53	47
Percentage of cancellations before retrieval (%)	7.1	6.1	31.4	34.0	36.2
Number of transfers	83	42	25	19	9
Average number of embryos transferred	1.7	1.6	1.5	1.6	1.4
Percentage of elective single embryo transfers (eSET) (%)	28.9	25.0	5 / 18	1 / 13	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.9	28.8	10.5	22.6	2.1
Percentage of cycles resulting in live births (%)	26.8	24.2	8.1	18.9	0.0
Percentage of cycles resulting in singleton live births (%)	20.5	18.2	8.1	17.0	0.0
Percentage of cycles resulting in twin live births (%)	6.3	6.1	0.0	1.9	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.9	15.2	5.8	15.1	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.1	33.3	21.6	41.4	1 / 13
Percentage of transfers resulting in pregnancies (%)	45.8	45.2	36.0	12 / 19	1 / 9
Percentage of transfers resulting in live births (%)	41.0	38.1	28.0	10 / 19	0 / 9
Percentage of transfers resulting in singleton live births (%)	31.3	28.6	28.0	9 / 19	0 / 9
Percentage of transfers resulting in twin live births (%)	9.6	9.5	0.0	1 / 19	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.9	23.8	20.0	8 / 19	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	214	141	118	32	13
Number of transfers	185	124	94	29	10
Estimated average number of transfers per retrieval	1.0	0.9	0.5	0.5	0.2
Average number of embryos transferred	1.4	1.3	1.3	1.2	1.2
Percentage of embryos transferred resulting in implantation (%)	63.8	55.0	41.5	52.9	5 / 12
Percentage of transfers resulting in pregnancies (%)	69.2	63.7	47.9	65.5	5 / 10
Percentage of transfers resulting in live births (%)	58.4	46.8	40.4	51.7	4 / 10
Percentage of transfers resulting in singleton live births (%)	44.3	37.9	33.0	48.3	4 / 10
Percentage of transfers resulting in twin live births (%)	13.0	8.9	7.4	3.4	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.5	32.3	25.5	41.4	4 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	122	117	153	55	50
	11	19	20	5	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	24	14	103	0	
Number of transfers	21	11	84	0	
Average number of embryos transferred	1.7	1.8	1.3		
Percentage of embryos transferred resulting in implantation (%)	48.5	30.0	55.0		
Percentage of transfers resulting in pregnancies (%)	71.4	5 / 11	58.3		
Percentage of transfers resulting in live births (%)	52.4	5 / 11	51.2		
Percentage of transfers resulting in singleton live births (%)	47.6	4 / 11	39.3		
Percentage of transfers resulting in twin live births (%)	4.8	1 / 11	11.9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	4 / 11	31.0		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Connecticut

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gad Lavy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	2%	Uterine factor	<1%	Multiple Factors: Female factors only 1% Female & male factors 2%
Unstimulated	0%	PGD/PGS	39%	Ovulatory dysfunction	0%	Male factor	5%	
Used gestational carrier	43%			Diminished ovarian reserve	10%	Other factor	15%	
				Endometriosis	0%	Unknown factor	71%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 423
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	12	17	7	3
Percentage of cancellations before retrieval (%)	0 / 18	0 / 12	0 / 17	0 / 7	0 / 3
Number of transfers	18	12	17	7	3
Average number of embryos transferred	1.8	2.2	2.1	3.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 17	0 / 12	0 / 13	0 / 7	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	12 / 18	5 / 12	3 / 17	1 / 7	1 / 3
Percentage of cycles resulting in live births (%)	9 / 18	5 / 12	2 / 17	1 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	7 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 18	1 / 12	0 / 17	1 / 7	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	6 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.9	23.1	6.1	9.5	0 / 2
Percentage of transfers resulting in pregnancies (%)	12 / 18	5 / 12	3 / 17	1 / 7	1 / 3
Percentage of transfers resulting in live births (%)	9 / 18	5 / 12	2 / 17	1 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	7 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 18	1 / 12	0 / 17	1 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	36	18	24	10	8
Number of transfers	31	16	22	9	6
Estimated average number of transfers per retrieval	0.8	0.5	0.4	0.8	0.1
Average number of embryos transferred	1.6	1.9	1.5	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	46.8	61.5	36.7	4 / 13	2 / 8
Percentage of transfers resulting in pregnancies (%)	67.7	14 / 16	50.0	3 / 9	3 / 6
Percentage of transfers resulting in live births (%)	58.1	12 / 16	36.4	3 / 9	2 / 6
Percentage of transfers resulting in singleton live births (%)	51.6	9 / 16	27.3	2 / 9	2 / 6
Percentage of transfers resulting in twin live births (%)	6.5	2 / 16	9.1	1 / 9	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.7	8 / 16	27.3	1 / 9	2 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	28	44	12	41
	4	8	6	1	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	10	51	35	
Number of transfers	8	9	51	29	
Average number of embryos transferred	1.9	1.8	1.5	1.4	
Percentage of embryos transferred resulting in implantation (%)	8 / 15	5 / 16	53.6	21.1	
Percentage of transfers resulting in pregnancies (%)	5 / 8	4 / 9	64.7	34.5	
Percentage of transfers resulting in live births (%)	4 / 8	3 / 9	56.9	27.6	
Percentage of transfers resulting in singleton live births (%)	2 / 8	3 / 9	41.2	27.6	
Percentage of transfers resulting in twin live births (%)	2 / 8	0 / 9	15.7	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	3 / 9	35.3	20.7	

CURRENT SERVICES & PROFILE

Current Name: New England Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Frances W. Ginsburg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	40%	Tubal factor	30%	Uterine factor	20%	Multiple Factors: Female factors only 30% Female & male factors 20%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	0%	
				Endometriosis	0%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 11
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	5	1	0	0
Percentage of cancellations before retrieval (%)	0 / 3	2 / 5	0 / 1		
Number of transfers	3	3	1	0	0
Average number of embryos transferred	2.0	2.0	1.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 3	2 / 5	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 3	2 / 5	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 3	2 / 5	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 5	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 3	2 / 5	0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	2 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)	3 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	2 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	0	0	0	0
Number of transfers	1	0	0	0	0
Estimated average number of transfers per retrieval				0.0	
Average number of embryos transferred	2.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 2				
Percentage of transfers resulting in pregnancies (%)	1 / 1				
Percentage of transfers resulting in live births (%)	1 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1				
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	1	0
	0	0	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE TRUMBULL, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Andrew J. Levi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	6%	Uterine factor	<1%	Multiple Factors: Female factors only 3% Female & male factors 6%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	2%	Male factor	23%	
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	5%	
				Endometriosis	6%	Unknown factor	47%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 222
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	44	28	29	13	9
Percentage of cancellations before retrieval (%)	6.8	14.3	17.2	3 / 13	6 / 9
Number of transfers	30	15	15	8	3
Average number of embryos transferred	1.2	1.5	1.6	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	11 / 18	3 / 10	0 / 9	0 / 6	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	17.9	10.3	1 / 13	1 / 9
Percentage of cycles resulting in live births (%)	50.0	14.3	10.3	1 / 13	0 / 9
Percentage of cycles resulting in singleton live births (%)	38.6	10.7	6.9	1 / 13	0 / 9
Percentage of cycles resulting in twin live births (%)	9.1	3.6	3.4	0 / 13	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.3	10.7	6.9	1 / 13	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	78.4	31.8	16.7	1 / 14	0 / 4
Percentage of transfers resulting in pregnancies (%)	73.3	5 / 15	3 / 15	1 / 8	1 / 3
Percentage of transfers resulting in live births (%)	73.3	4 / 15	3 / 15	1 / 8	0 / 3
Percentage of transfers resulting in singleton live births (%)	56.7	3 / 15	2 / 15	1 / 8	0 / 3
Percentage of transfers resulting in twin live births (%)	13.3	1 / 15	1 / 15	0 / 8	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	3 / 15	2 / 15	1 / 8	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	18	7	8	2	3
Number of transfers	17	6	7	2	3
Estimated average number of transfers per retrieval	1.4	0.9	0.4	0.2	0.3
Average number of embryos transferred	1.2	1.5	1.4	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	70.0	5 / 7	5 / 10	1 / 4	1 / 4
Percentage of transfers resulting in pregnancies (%)	12 / 17	5 / 6	5 / 7	1 / 2	1 / 3
Percentage of transfers resulting in live births (%)	9 / 17	4 / 6	4 / 7	1 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	8 / 17	3 / 6	4 / 7	1 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 6	0 / 7	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 17	2 / 6	3 / 7	1 / 2	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	6	10	4	10
	0	0	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	26	0	
Number of transfers	0	0	25	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			65.4		
Percentage of transfers resulting in pregnancies (%)			64.0		
Percentage of transfers resulting in live births (%)			52.0		
Percentage of transfers resulting in singleton live births (%)			48.0		
Percentage of transfers resulting in twin live births (%)			4.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			44.0		

CURRENT SERVICES & PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA NEWARK, DELAWARE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeffrey B. Russell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	42%	Uterine factor	1%	Multiple Factors: Female factors only 29% Female & male factors 2%
Unstimulated	0%	PGD/PGS	63%	Ovulatory dysfunction	5%	Male factor	10%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	27%	
				Endometriosis	26%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 335
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	54	26	21	8	10
Percentage of cancellations before retrieval (%)	5.6	0.0	14.3	0 / 8	2 / 10
Number of transfers	0	2	0	0	0
Average number of embryos transferred		1.5			
Percentage of elective single embryo transfers (eSET) (%)		1 / 2			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in live births (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in singleton live births (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0.0	0.0	0 / 8	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 3			
Percentage of transfers resulting in pregnancies (%)		0 / 2			
Percentage of transfers resulting in live births (%)		0 / 2			
Percentage of transfers resulting in singleton live births (%)		0 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of cycles	68	36	26	3	0
Number of transfers	67	32	24	3	0
Estimated average number of transfers per retrieval	1.1	1.3	1.0	0.4	0.0
Average number of embryos transferred	1.2	1.2	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	51.3	45.5	30.4	1 / 3	
Percentage of transfers resulting in pregnancies (%)	56.7	56.3	45.8	1 / 3	
Percentage of transfers resulting in live births (%)	38.8	31.3	20.8	1 / 3	
Percentage of transfers resulting in singleton live births (%)	31.3	31.3	20.8	1 / 3	
Percentage of transfers resulting in twin live births (%)	7.5	0.0	0.0	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.4	18.8	12.5	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	14	8	12	4	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	16	28	
Number of transfers	0	0	16	26	
Average number of embryos transferred			1.1	1.1	
Percentage of embryos transferred resulting in implantation (%)			9 / 17	60.0	
Percentage of transfers resulting in pregnancies (%)			8 / 16	69.2	
Percentage of transfers resulting in live births (%)			6 / 16	38.5	
Percentage of transfers resulting in singleton live births (%)			5 / 16	38.5	
Percentage of transfers resulting in twin live births (%)			1 / 16	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			5 / 16	26.9	

CURRENT SERVICES & PROFILE

Current Name: Delaware Institute for Reproductive Medicine, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ASSOCIATES OF DELAWARE NEWARK, DELAWARE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ronald F. Feinberg, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	40%	Uterine factor	56%	Multiple Factors: Female factors only 41% Female & male factors 42%
Unstimulated	0%	PGD/PGS	36%	Ovulatory dysfunction	26%	Male factor	46%	
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	28%	
				Endometriosis	38%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 724
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	66	12	24	10	7
Percentage of cancellations before retrieval (%)	21.2	1 / 12	50.0	4 / 10	3 / 7
Number of transfers	32	5	4	1	1
Average number of embryos transferred	1.0	1.2	1.0	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	96.7	4 / 5	4 / 4		1 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.3	2 / 12	4.2	0 / 10	1 / 7
Percentage of cycles resulting in live births (%)	25.8	2 / 12	4.2	0 / 10	0 / 7
Percentage of cycles resulting in singleton live births (%)	25.8	2 / 12	4.2	0 / 10	0 / 7
Percentage of cycles resulting in twin live births (%)	0.0	0 / 12	0.0	0 / 10	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.2	2 / 12	4.2	0 / 10	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	54.5	2 / 6	1 / 4	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	56.3	2 / 5	1 / 4	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	53.1	2 / 5	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	53.1	2 / 5	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 5	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	50.0	2 / 5	1 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	164	74	67	6	8
Number of transfers	154	72	63	6	8
Estimated average number of transfers per retrieval	1.1	2.2	1.2	0.5	1.1
Average number of embryos transferred	1.0	1.0	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	61.5	55.4	39.7	2 / 6	5 / 8
Percentage of transfers resulting in pregnancies (%)	63.6	56.9	46.0	2 / 6	5 / 8
Percentage of transfers resulting in live births (%)	51.9	47.2	31.7	1 / 6	4 / 8
Percentage of transfers resulting in singleton live births (%)	50.0	47.2	31.7	1 / 6	4 / 8
Percentage of transfers resulting in twin live births (%)	1.9	0.0	0.0	0 / 6	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.5	36.1	27.0	1 / 6	4 / 8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	106	28	44	11	7
	1	1	1	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	23	55	7	
Number of transfers	3	19	50	7	
Average number of embryos transferred	1.0	1.0	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	7 / 18	48.0	2 / 6	
Percentage of transfers resulting in pregnancies (%)	3 / 3	8 / 19	48.0	3 / 7	
Percentage of transfers resulting in live births (%)	3 / 3	7 / 19	36.0	2 / 7	
Percentage of transfers resulting in singleton live births (%)	3 / 3	7 / 19	36.0	2 / 7	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 19	0.0	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 3	5 / 19	36.0	2 / 7	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Associates of Delaware

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA FERTILITY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Safa Rifka, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	53%	Tubal factor	5%	Uterine factor	6%	Multiple Factors: Female factors only 14% Female & male factors 13%
Unstimulated	2%	PGD/PGS	16%	Ovulatory dysfunction	9%	Male factor	27%	
Used gestational carrier	5%			Diminished ovarian reserve	20%	Other factor	56%	
				Endometriosis	4%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 840
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	85	103	90	68	79
Percentage of cancellations before retrieval (%)	4.7	6.8	5.6	8.8	20.3
Number of transfers	67	65	52	37	37
Average number of embryos transferred	1.5	1.6	1.6	2.1	1.9
Percentage of elective single embryo transfers (eSET) (%)	31.0	9.5	16.7	3.8	4.3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.3	19.4	11.1	7.4	7.6
Percentage of cycles resulting in live births (%)	32.9	16.5	11.1	4.4	6.3
Percentage of cycles resulting in singleton live births (%)	28.2	14.6	11.1	4.4	3.8
Percentage of cycles resulting in twin live births (%)	4.7	1.9	0.0	0.0	2.5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	11.7	8.9	1.5	1.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.7	21.0	12.2	5.4	11.4
Percentage of transfers resulting in pregnancies (%)	44.8	30.8	19.2	13.5	16.2
Percentage of transfers resulting in live births (%)	41.8	26.2	19.2	8.1	13.5
Percentage of transfers resulting in singleton live births (%)	35.8	23.1	19.2	8.1	8.1
Percentage of transfers resulting in twin live births (%)	6.0	3.1	0.0	0.0	5.4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.8	18.5	15.4	2.7	2.7
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	47	41	13	11
Number of transfers	35	40	35	12	11
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.4	0.4
Average number of embryos transferred	1.2	1.3	1.3	1.3	1.1
Percentage of embryos transferred resulting in implantation (%)	43.6	25.0	42.9	4 / 15	5 / 12
Percentage of transfers resulting in pregnancies (%)	48.6	30.0	57.1	3 / 12	5 / 11
Percentage of transfers resulting in live births (%)	37.1	17.5	37.1	3 / 12	5 / 11
Percentage of transfers resulting in singleton live births (%)	31.4	15.0	34.3	2 / 12	5 / 11
Percentage of transfers resulting in twin live births (%)	5.7	2.5	2.9	1 / 12	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	15.0	28.6	2 / 12	5 / 11
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	45	42	61	25	21
	24	18	34	9	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	5	42	4	
Number of transfers	5	4	38	4	
Average number of embryos transferred	1.4	2.0	1.5	2.3	
Percentage of embryos transferred resulting in implantation (%)	2 / 7	1 / 8	28.1	2 / 9	
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 4	36.8	1 / 4	
Percentage of transfers resulting in live births (%)	2 / 5	1 / 4	26.3	1 / 4	
Percentage of transfers resulting in singleton live births (%)	2 / 5	1 / 4	23.7	0 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4	2.6	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	1 / 4	13.2	0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Columbia Fertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David Frankfurter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	2%	Uterine factor	0%	Multiple Factors: Female factors only 2% Female & male factors 6%
Unstimulated	<1%	PGD/PGS	16%	Ovulatory dysfunction	4%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	20%	
				Endometriosis	<1%	Unknown factor	32%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 479
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	26	30	31	18	6
Percentage of cancellations before retrieval (%)	15.4	36.7	25.8	4 / 18	3 / 6
Number of transfers	16	10	17	10	3
Average number of embryos transferred	1.4	1.6	2.0	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	3 / 10	4 / 9	0 / 12	0 / 6	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	11.5	10.0	6.5	2 / 18	0 / 6
Percentage of cycles resulting in live births (%)	11.5	6.7	6.5	0 / 18	0 / 6
Percentage of cycles resulting in singleton live births (%)	11.5	6.7	3.2	0 / 18	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0.0	3.2	0 / 18	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.5	6.7	0.0	0 / 18	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	13.0	2 / 13	8.8	1 / 18	0 / 7
Percentage of transfers resulting in pregnancies (%)	3 / 16	3 / 10	2 / 17	2 / 10	0 / 3
Percentage of transfers resulting in live births (%)	3 / 16	2 / 10	2 / 17	0 / 10	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 16	2 / 10	1 / 17	0 / 10	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 10	1 / 17	0 / 10	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 16	2 / 10	0 / 17	0 / 10	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	47	57	49	22	10
Number of transfers	44	49	42	17	7
Estimated average number of transfers per retrieval	1.1	0.7	0.9	0.7	0.9
Average number of embryos transferred	1.2	1.2	1.4	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	35.3	48.3	32.7	17.6	5 / 14
Percentage of transfers resulting in pregnancies (%)	40.9	51.0	47.6	7 / 17	4 / 7
Percentage of transfers resulting in live births (%)	34.1	49.0	35.7	5 / 17	2 / 7
Percentage of transfers resulting in singleton live births (%)	34.1	42.9	35.7	5 / 17	1 / 7
Percentage of transfers resulting in twin live births (%)	0.0	6.1	0.0	0 / 17	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	42.9	33.3	5 / 17	1 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	28	64	40	18	7
	5	22	5	3	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	4	15	0	
Number of transfers	0	3	10	0	
Average number of embryos transferred		1.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		2 / 3	2 / 13		
Percentage of transfers resulting in pregnancies (%)		2 / 3	2 / 10		
Percentage of transfers resulting in live births (%)		2 / 3	1 / 10		
Percentage of transfers resulting in singleton live births (%)		2 / 3	1 / 10		
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 10		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 3	1 / 10		

CURRENT SERVICES & PROFILE

Current Name: George Washington University Medical Faculty Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JAMES A. SIMON, MD, PC WASHINGTON, DISTRICT OF COLUMBIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James A. Simon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	50%	Tubal factor	0%	Uterine factor	50%	Multiple Factors: Female factors only 0% Female & male factors 100%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	100%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	1	0	0
Percentage of cancellations before retrieval (%)	0 / 1		0 / 1		
Number of transfers	1	0	1	0	0
Average number of embryos transferred	2.0		1.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of cycles resulting in live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: James A. Simon, MD, PC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOCAFERTILITY BOCA RATON, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Moshe (Maurice) R. Peress, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	20%	Tubal factor	3%	Uterine factor	9%	
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	13%	Male factor	33%	
Used gestational carrier	12%			Diminished ovarian reserve	58%	Other factor	25%	
				Endometriosis	6%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				20%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 198 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		25	13	15	4	4
Percentage of cancellations before retrieval (%)		4.0	1 / 13	0 / 15	0 / 4	0 / 4
Number of transfers		6	3	4	1	1
Average number of embryos transferred		1.3	1.3	2.0	3.0	3.0
Percentage of elective single embryo transfers (eSET) (%)		3 / 5	1 / 2	0 / 3	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		12.0	1 / 13	2 / 15	0 / 4	0 / 4
Percentage of cycles resulting in live births (%)		8.0	1 / 13	1 / 15	0 / 4	0 / 4
Percentage of cycles resulting in singleton live births (%)		4.0	1 / 13	1 / 15	0 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)		4.0	0 / 13	0 / 15	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		4.0	1 / 13	1 / 15	0 / 4	0 / 4
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		4 / 8	1 / 4	2 / 8	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)		3 / 6	1 / 3	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		2 / 6	1 / 3	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		1 / 6	1 / 3	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		1 / 6	0 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 6	1 / 3	1 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles		24	15	13	7	5
Number of transfers		22	13	13	6	4
Estimated average number of transfers per retrieval		1.3	1.1	0.9	1.2	0.3
Average number of embryos transferred		1.3	1.4	1.3	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)		53.6	6 / 17	6 / 17	2 / 11	0 / 6
Percentage of transfers resulting in pregnancies (%)		63.6	6 / 13	6 / 13	2 / 6	0 / 4
Percentage of transfers resulting in live births (%)		59.1	5 / 13	5 / 13	2 / 6	0 / 4
Percentage of transfers resulting in singleton live births (%)		50.0	4 / 13	5 / 13	2 / 6	0 / 4
Percentage of transfers resulting in twin live births (%)		9.1	1 / 13	0 / 13	0 / 6	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		36.4	3 / 13	5 / 13	1 / 6	0 / 4
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		7	6	10	2	8
		7	6	10	2	8
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		11	0	28	0	
Number of transfers		10	0	23	0	
Average number of embryos transferred		1.6		1.6		
Percentage of embryos transferred resulting in implantation (%)		10 / 16		44.4		
Percentage of transfers resulting in pregnancies (%)		7 / 10		56.5		
Percentage of transfers resulting in live births (%)		6 / 10		43.5		
Percentage of transfers resulting in singleton live births (%)		3 / 10		26.1		
Percentage of transfers resulting in twin live births (%)		3 / 10		17.4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 10		17.4		

CURRENT SERVICES & PROFILE		Current Name: BocaFertility					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark S. Denker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	18%	Uterine factor	9%	Multiple Factors: Female factors only 16% Female & male factors 38%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	14%	Male factor	49%	
Used gestational carrier	14%			Diminished ovarian reserve	52%	Other factor	19%	
				Endometriosis	8%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 157
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	34	20	8	5	1
Percentage of cancellations before retrieval (%)	8.8	5.0	0 / 8	0 / 5	0 / 1
Number of transfers	22	13	8	4	1
Average number of embryos transferred	1.5	1.8	2.0	1.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 18	1 / 11	0 / 5	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.4	25.0	3 / 8	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	29.4	25.0	2 / 8	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.5	20.0	2 / 8	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	2.9	5.0	0 / 8	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.6	15.0	2 / 8	0 / 5	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.2	25.0	3 / 16	0 / 5	0 / 3
Percentage of transfers resulting in pregnancies (%)	45.5	5 / 13	3 / 8	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	45.5	5 / 13	2 / 8	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.4	4 / 13	2 / 8	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	4.5	1 / 13	0 / 8	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.3	3 / 13	2 / 8	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	3	6	1	0
Number of transfers	7	3	5	1	0
Estimated average number of transfers per retrieval	0.7	0.4	0.8	1.0	0.0
Average number of embryos transferred	1.6	2.0	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 11	3 / 6	2 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 7	2 / 3	1 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 7	1 / 3	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 3	1 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7	0 / 3	0 / 5	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	7	5	1	8
	2	5	1	1	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	19	1	23	0	
Number of transfers	16	0	22	0	
Average number of embryos transferred	1.5		1.6		
Percentage of embryos transferred resulting in implantation (%)	58.3		37.1		
Percentage of transfers resulting in pregnancies (%)	11 / 16		45.5		
Percentage of transfers resulting in live births (%)	10 / 16		45.5		
Percentage of transfers resulting in singleton live births (%)	7 / 16		31.8		
Percentage of transfers resulting in twin live births (%)	3 / 16		13.6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 16		22.7		

CURRENT SERVICES & PROFILE

Current Name: Palm Beach Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

POLCZ FERTILITY CENTER BOYNTON BEACH, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Tibor E. Polcz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	50%	Tubal factor	29%	Uterine factor	7%	Multiple Factors: Female factors only 14% Female & male factors 36%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	7%	
				Endometriosis	7%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 14
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	3	4	0	0
Percentage of cancellations before retrieval (%)	0 / 7	0 / 3	0 / 4		
Number of transfers	7	3	4	0	0
Average number of embryos transferred	2.3	2.3	2.3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 7	0 / 2	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 7	2 / 3	3 / 4		
Percentage of cycles resulting in live births (%)	4 / 7	1 / 3	2 / 4		
Percentage of cycles resulting in singleton live births (%)	3 / 7	0 / 3	2 / 4		
Percentage of cycles resulting in twin live births (%)	1 / 7	1 / 3	0 / 4		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 7	0 / 3	2 / 4		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 16	4 / 7	3 / 9		
Percentage of transfers resulting in pregnancies (%)	6 / 7	2 / 3	3 / 4		
Percentage of transfers resulting in live births (%)	4 / 7	1 / 3	2 / 4		
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	2 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 7	1 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7	0 / 3	2 / 4		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Polcz Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA FERTILITY INSTITUTE CLEARWATER, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark D. Sanchez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	17%	Uterine factor	2%	Multiple Factors: Female factors only 18% Female & male factors 34%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	22%	Male factor	52%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	29%	
				Endometriosis	8%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 228
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	57	24	26	5	1
Percentage of cancellations before retrieval (%)	0.0	16.7	11.5	1 / 5	0 / 1
Number of transfers	55	18	20	3	1
Average number of embryos transferred	1.6	1.8	1.9	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	25.6	0 / 13	0 / 14	1 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.1	29.2	30.8	1 / 5	0 / 1
Percentage of cycles resulting in live births (%)	36.8	20.8	23.1	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	31.6	12.5	23.1	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	5.3	8.3	0.0	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.8	12.5	23.1	0 / 5	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.1	23.3	19.4	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.6	7 / 18	40.0	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	38.2	5 / 18	30.0	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	32.7	3 / 18	30.0	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	5.5	2 / 18	0.0	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.9	3 / 18	30.0	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	15	13	4	0
Number of transfers	42	13	12	4	0
Estimated average number of transfers per retrieval	2.5	3.3	6.0	4.0	
Average number of embryos transferred	1.7	1.8	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	35.8	26.1	16.7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	45.2	6 / 13	3 / 12	1 / 4	
Percentage of transfers resulting in live births (%)	38.1	4 / 13	3 / 12	1 / 4	
Percentage of transfers resulting in singleton live births (%)	21.4	4 / 13	2 / 12	1 / 4	
Percentage of transfers resulting in twin live births (%)	16.7	0 / 13	1 / 12	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	14.3	3 / 13	1 / 12	0 / 4	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	3	1	0	0
	2	1	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	4	18	0	
Number of transfers	3	3	14	0	
Average number of embryos transferred	2.0	1.7	1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 4	2 / 5	40.9		
Percentage of transfers resulting in pregnancies (%)	2 / 3	2 / 3	8 / 14		
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	8 / 14		
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 3	8 / 14		
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3	0 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	2 / 3	7 / 14		

CURRENT SERVICES & PROFILE

Current Name: Florida Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FLORIDA FERTILITY CENTER, PA FORT MYERS, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jacob L. Glock, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	49%	Tubal factor	22%	Uterine factor	22%	Multiple Factors: Female factors only 17% Female & male factors 6%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	14%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	5%	
				Endometriosis	6%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 84
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	5	5	6	4
Percentage of cancellations before retrieval (%)	0 / 13	0 / 5	0 / 5	1 / 6	0 / 4
Number of transfers	12	5	4	5	3
Average number of embryos transferred	2.0	1.8	1.8	1.4	2.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 3	0 / 2	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 13	3 / 5	0 / 5	0 / 6	1 / 4
Percentage of cycles resulting in live births (%)	5 / 13	3 / 5	0 / 5	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	3 / 13	3 / 5	0 / 5	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	2 / 13	0 / 5	0 / 5	0 / 6	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 13	1 / 5	0 / 5	0 / 6	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.2	3 / 9	0 / 7	0 / 7	1 / 8
Percentage of transfers resulting in pregnancies (%)	5 / 12	3 / 5	0 / 4	0 / 5	1 / 3
Percentage of transfers resulting in live births (%)	5 / 12	3 / 5	0 / 4	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 12	3 / 5	0 / 4	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 5	0 / 4	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 12	1 / 5	0 / 4	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	7	12	7	4
Number of transfers	12	6	9	5	2
Estimated average number of transfers per retrieval	6.0		4.5	1.0	
Average number of embryos transferred	2.3	2.5	2.6	2.2	1.0
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 15	21.7	1 / 11	0 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 12	2 / 6	4 / 9	1 / 5	0 / 2
Percentage of transfers resulting in live births (%)	7 / 12	2 / 6	4 / 9	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 12	0 / 6	3 / 9	1 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 12	2 / 6	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 12	0 / 6	0 / 9	0 / 5	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	1	4	0
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	1	0	
Number of transfers	3	0	1	0	
Average number of embryos transferred	2.3		2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 7		1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 3		1 / 1		
Percentage of transfers resulting in live births (%)	1 / 3		1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 3		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Southwest Florida Fertility Center, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA
EMBRYO DONATION INTERNATIONAL, PL
FORT MYERS, FLORIDA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Craig R. Sweet, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	17%	Uterine factor	2%	Multiple Factors: Female factors only 18% Female & male factors 10%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	9%	Male factor	16%	
Used gestational carrier	8%			Diminished ovarian reserve	50%	Other factor	12%	
				Endometriosis	24%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 179
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	17	9	4	0
Percentage of cancellations before retrieval (%)	0.0	2 / 17	1 / 9	0 / 4	
Number of transfers	34	14	7	2	0
Average number of embryos transferred	2.0	2.1	2.7	2.5	
Percentage of elective single embryo transfers (eSET) (%)	21.2	2 / 14	0 / 7	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.5	10 / 17	2 / 9	2 / 4	
Percentage of cycles resulting in live births (%)	42.5	7 / 17	1 / 9	1 / 4	
Percentage of cycles resulting in singleton live births (%)	27.5	4 / 17	1 / 9	1 / 4	
Percentage of cycles resulting in twin live births (%)	15.0	3 / 17	0 / 9	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.5	4 / 17	1 / 9	1 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.6	44.8	2 / 19	2 / 5	
Percentage of transfers resulting in pregnancies (%)	55.9	10 / 14	2 / 7	2 / 2	
Percentage of transfers resulting in live births (%)	50.0	7 / 14	1 / 7	1 / 2	
Percentage of transfers resulting in singleton live births (%)	32.4	4 / 14	1 / 7	1 / 2	
Percentage of transfers resulting in twin live births (%)	17.6	3 / 14	0 / 7	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.5	4 / 14	1 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	9	3	0	0
Number of transfers	15	5	3	0	0
Estimated average number of transfers per retrieval	1.3	0.8	0.8	0.0	0.0
Average number of embryos transferred	2.0	1.6	1.7		
Percentage of embryos transferred resulting in implantation (%)	32.1	1 / 8	1 / 5		
Percentage of transfers resulting in pregnancies (%)	9 / 15	1 / 5	1 / 3		
Percentage of transfers resulting in live births (%)	7 / 15	1 / 5	1 / 3		
Percentage of transfers resulting in singleton live births (%)	6 / 15	1 / 5	1 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 5	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 15	1 / 5	1 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	4	2	1	2
	0	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	15	41	
Number of transfers	11	0	14	39	
Average number of embryos transferred	1.9		2.2	2.5	
Percentage of embryos transferred resulting in implantation (%)	33.3		24.1	31.5	
Percentage of transfers resulting in pregnancies (%)	5 / 11		7 / 14	59.0	
Percentage of transfers resulting in live births (%)	3 / 11		2 / 14	38.5	
Percentage of transfers resulting in singleton live births (%)	2 / 11		2 / 14	20.5	
Percentage of transfers resulting in twin live births (%)	1 / 11		0 / 14	15.4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 11		1 / 14	17.9	

CURRENT SERVICES & PROFILE

Current Name: Specialists in Reproductive Medicine and Surgery, PA, Embryo Donation International, PL

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UF HEALTH REPRODUCTIVE MEDICINE AT SPRINGHILL GAINESVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Alice S. Rhoton-Vlasak, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	7%	Uterine factor	5%	Multiple Factors: Female factors only 8% Female & male factors 20%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	22%	Male factor	41%	
Used gestational carrier	1%			Diminished ovarian reserve	22%	Other factor	13%	
				Endometriosis	12%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 94
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	21	14	9	2	3
Percentage of cancellations before retrieval (%)	4.8	1 / 14	2 / 9	0 / 2	0 / 3
Number of transfers	13	9	5	2	2
Average number of embryos transferred	1.4	2.3	2.8	2.5	4.0
Percentage of elective single embryo transfers (eSET) (%)	8 / 12	1 / 9	0 / 5	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.8	4 / 14	2 / 9	1 / 2	1 / 3
Percentage of cycles resulting in live births (%)	23.8	4 / 14	2 / 9	1 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	19.0	4 / 14	2 / 9	1 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	4.8	0 / 14	0 / 9	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	19.0	4 / 14	1 / 9	1 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 18	19.0	2 / 14	1 / 5	1 / 8
Percentage of transfers resulting in pregnancies (%)	5 / 13	4 / 9	2 / 5	1 / 2	1 / 2
Percentage of transfers resulting in live births (%)	5 / 13	4 / 9	2 / 5	1 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 13	4 / 9	2 / 5	1 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 9	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 13	4 / 9	1 / 5	1 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	7	3	0	1
Number of transfers	17	7	3	0	1
Estimated average number of transfers per retrieval	1.5	1.8	1.5		
Average number of embryos transferred	1.5	1.7	2.3		1.0
Percentage of embryos transferred resulting in implantation (%)	60.0	7 / 12	3 / 7		1 / 1
Percentage of transfers resulting in pregnancies (%)	12 / 17	5 / 7	2 / 3		1 / 1
Percentage of transfers resulting in live births (%)	11 / 17	5 / 7	2 / 3		1 / 1
Percentage of transfers resulting in singleton live births (%)	8 / 17	4 / 7	1 / 3		1 / 1
Percentage of transfers resulting in twin live births (%)	3 / 17	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 17	4 / 7	1 / 3		1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	2	1	0	0
	3	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	3	7	0	
Number of transfers	0	3	7	0	
Average number of embryos transferred		1.7	1.3		
Percentage of embryos transferred resulting in implantation (%)		3 / 5	5 / 9		
Percentage of transfers resulting in pregnancies (%)		2 / 3	4 / 7		
Percentage of transfers resulting in live births (%)		2 / 3	4 / 7		
Percentage of transfers resulting in singleton live births (%)		1 / 3	4 / 7		
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 3	3 / 7		

CURRENT SERVICES & PROFILE

Current Name: UF Health Reproductive Medicine at Springhill

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASSISTED FERTILITY PROGRAM JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Marwan M. Shaykh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	14%	Uterine factor	3%	Multiple Factors: Female factors only 10% Female & male factors 17%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	22%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	14%	
				Endometriosis	4%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 112
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	8	12	4	0
Percentage of cancellations before retrieval (%)	3.7	0 / 8	2 / 12	0 / 4	
Number of transfers	13	5	8	2	0
Average number of embryos transferred	2.4	2.4	2.1	4.0	
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	0 / 4	1 / 6	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.2	2 / 8	2 / 12	1 / 4	
Percentage of cycles resulting in live births (%)	18.5	1 / 8	0 / 12	1 / 4	
Percentage of cycles resulting in singleton live births (%)	14.8	0 / 8	0 / 12	1 / 4	
Percentage of cycles resulting in twin live births (%)	3.7	1 / 8	0 / 12	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.1	0 / 8	0 / 12	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.0	2 / 10	1 / 16	1 / 8	
Percentage of transfers resulting in pregnancies (%)	6 / 13	2 / 5	2 / 8	1 / 2	
Percentage of transfers resulting in live births (%)	5 / 13	1 / 5	0 / 8	1 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 13	0 / 5	0 / 8	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 5	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13	0 / 5	0 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	28	1	5	1	2
Number of transfers	26	1	5	1	2
Estimated average number of transfers per retrieval	2.0	1.0	1.3	1.0	2.0
Average number of embryos transferred	1.8	2.0	2.2	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	23.3	1 / 2	3 / 11		0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	1 / 1	2 / 5	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	30.8	1 / 1	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	30.8	1 / 1	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 1	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	11.5	0 / 1	0 / 5	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	1	4	1	
Number of transfers	12	1	4	1	
Average number of embryos transferred	1.8	2.0	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 18	2 / 2	1 / 6	1 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 12	1 / 1	1 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	2 / 12	1 / 1	0 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 1	0 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 1	0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 12	1 / 1	0 / 4	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Assisted Fertility Program

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROWN FERTILITY JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Samuel E. Brown, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	96%	Tubal factor	18%	Uterine factor	4%	Multiple Factors: Female factors only 30% Female & male factors 12%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	20%	Male factor	21%	
Used gestational carrier	3%			Diminished ovarian reserve	42%	Other factor	18%	
				Endometriosis	23%	Unknown factor	6%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 609 (includes 9 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		144	66	44	16	8
Percentage of cancellations before retrieval (%)		8.3	9.1	4.5	0 / 16	0 / 8
Number of transfers		108	48	29	6	7
Average number of embryos transferred		1.3	2.0	1.9	2.8	2.4
Percentage of elective single embryo transfers (eSET) (%)		68.9	17.0	13.8	0 / 6	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		36.8	39.4	20.5	0 / 16	3 / 8
Percentage of cycles resulting in live births (%)		32.6	33.3	15.9	0 / 16	1 / 8
Percentage of cycles resulting in singleton live births (%)		28.5	19.7	13.6	0 / 16	1 / 8
Percentage of cycles resulting in twin live births (%)		4.2	13.6	2.3	0 / 16	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		28.5	18.2	13.6	0 / 16	1 / 8
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		41.8	37.5	17.3	0 / 17	2 / 13
Percentage of transfers resulting in pregnancies (%)		49.1	54.2	31.0	0 / 6	3 / 7
Percentage of transfers resulting in live births (%)		43.5	45.8	24.1	0 / 6	1 / 7
Percentage of transfers resulting in singleton live births (%)		38.0	27.1	20.7	0 / 6	1 / 7
Percentage of transfers resulting in twin live births (%)		5.6	18.8	3.4	0 / 6	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		38.0	25.0	20.7	0 / 6	1 / 7
Frozen Embryos from Nondonor Eggs						
Number of cycles		110	52	46	14	5
Number of transfers		109	52	46	14	3
Estimated average number of transfers per retrieval		2.1	2.7	2.3	2.0	1.5
Average number of embryos transferred		1.9	2.0	2.1	1.8	2.7
Percentage of embryos transferred resulting in implantation (%)		28.4	21.4	23.2	28.0	0 / 8
Percentage of transfers resulting in pregnancies (%)		43.1	30.8	37.0	6 / 14	0 / 3
Percentage of transfers resulting in live births (%)		33.9	26.9	21.7	5 / 14	0 / 3
Percentage of transfers resulting in singleton live births (%)		22.9	21.2	17.4	5 / 14	0 / 3
Percentage of transfers resulting in twin live births (%)		11.0	5.8	4.3	0 / 14	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		22.0	19.2	15.2	5 / 14	0 / 3
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		2	0	0	0	0
		2	0	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		24	4	56	9	
Number of transfers		21	2	50	9	
Average number of embryos transferred		1.5	2.0	1.9	2.1	
Percentage of embryos transferred resulting in implantation (%)		51.6	0 / 4	31.1	4 / 19	
Percentage of transfers resulting in pregnancies (%)		57.1	0 / 2	44.0	3 / 9	
Percentage of transfers resulting in live births (%)		52.4	0 / 2	34.0	1 / 9	
Percentage of transfers resulting in singleton live births (%)		33.3	0 / 2	22.0	1 / 9	
Percentage of transfers resulting in twin live births (%)		19.0	0 / 2	12.0	0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		28.6	0 / 2	18.0	1 / 9	

CURRENT SERVICES & PROFILE		Current Name: Brown Fertility					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kevin L. Winslow, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	3%	Multiple Factors: Female factors only 13% Female & male factors 23%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	15%	Male factor	46%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	16%	
				Endometriosis	13%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,096
(includes 8 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	121	37	23	9	2
Percentage of cancellations before retrieval (%)	5.8	2.7	8.7	0 / 9	0 / 2
Number of transfers	26	20	9	7	1
Average number of embryos transferred	1.6	1.5	1.4	1.9	3.0
Percentage of elective single embryo transfers (eSET) (%)	39.1	5 / 15	1 / 5	1 / 6	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.2	18.9	8.7	2 / 9	0 / 2
Percentage of cycles resulting in live births (%)	12.4	16.2	4.3	0 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	9.9	13.5	4.3	0 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	2.5	2.7	0.0	0 / 9	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.1	13.5	4.3	0 / 9	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.8	30.0	2 / 13	2 / 13	0 / 3
Percentage of transfers resulting in pregnancies (%)	61.5	35.0	2 / 9	2 / 7	0 / 1
Percentage of transfers resulting in live births (%)	57.7	30.0	1 / 9	0 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	46.2	25.0	1 / 9	0 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	11.5	5.0	0 / 9	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.3	25.0	1 / 9	0 / 7	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	283	117	59	27	9
Number of transfers	274	108	51	22	8
Estimated average number of transfers per retrieval	1.3	1.5	1.4	0.7	1.0
Average number of embryos transferred	1.4	1.4	1.6	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	50.8	43.3	34.6	33.3	3 / 16
Percentage of transfers resulting in pregnancies (%)	60.6	48.1	43.1	50.0	3 / 8
Percentage of transfers resulting in live births (%)	51.1	38.0	39.2	40.9	2 / 8
Percentage of transfers resulting in singleton live births (%)	39.1	32.4	27.5	36.4	2 / 8
Percentage of transfers resulting in twin live births (%)	12.0	4.6	11.8	4.5	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.6	27.8	23.5	31.8	1 / 8
Number of Egg or Embryo Banking Cycles					
	124	52	29	26	8
Number of fertility preservation cycles	41	6	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	40	56	65	
Number of transfers	0	33	48	62	
Average number of embryos transferred		1.4	1.2	1.6	
Percentage of embryos transferred resulting in implantation (%)		34.9	42.9	45.2	
Percentage of transfers resulting in pregnancies (%)		45.5	50.0	54.8	
Percentage of transfers resulting in live births (%)		39.4	37.5	43.5	
Percentage of transfers resulting in singleton live births (%)		36.4	35.4	33.9	
Percentage of transfers resulting in twin live births (%)		3.0	2.1	9.7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		30.3	27.1	25.8	

CURRENT SERVICES & PROFILE

Current Name: Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	29%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	11%	Male factor	8%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	5%	
				Endometriosis	36%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 310
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	69	32	17	10	4
Percentage of cancellations before retrieval (%)	11.6	15.6	3 / 17	1 / 10	0 / 4
Number of transfers	42	18	9	6	0
Average number of embryos transferred	1.5	1.4	1.4	1.7	
Percentage of elective single embryo transfers (eSET) (%)	38.2	4 / 12	2 / 6	1 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.4	28.1	3 / 17	1 / 10	0 / 4
Percentage of cycles resulting in live births (%)	27.5	25.0	2 / 17	0 / 10	0 / 4
Percentage of cycles resulting in singleton live births (%)	18.8	18.8	2 / 17	0 / 10	0 / 4
Percentage of cycles resulting in twin live births (%)	8.7	6.3	0 / 17	0 / 10	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.4	15.6	2 / 17	0 / 10	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.3	46.2	3 / 13	1 / 10	
Percentage of transfers resulting in pregnancies (%)	50.0	9 / 18	3 / 9	1 / 6	
Percentage of transfers resulting in live births (%)	45.2	8 / 18	2 / 9	0 / 6	
Percentage of transfers resulting in singleton live births (%)	31.0	6 / 18	2 / 9	0 / 6	
Percentage of transfers resulting in twin live births (%)	14.3	2 / 18	0 / 9	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	5 / 18	2 / 9	0 / 6	
Frozen Embryos from Nondonor Eggs					
Number of cycles	38	22	15	5	1
Number of transfers	37	21	14	4	1
Estimated average number of transfers per retrieval	1.0	0.9	0.9	0.4	0.5
Average number of embryos transferred	1.4	1.6	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	5.8	21.2	0 / 18	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	8.1	33.3	1 / 14	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	8.1	19.0	0 / 14	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	8.1	14.3	0 / 14	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	4.8	0 / 14	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8.1	14.3	0 / 14	2 / 4	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	17	9	8	2
	6	6	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	20	2	21	1	
Number of transfers	17	2	21	1	
Average number of embryos transferred	1.3	1.5	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	33.3	2 / 3	19.2	1 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 17	1 / 2	28.6	1 / 1	
Percentage of transfers resulting in live births (%)	6 / 17	1 / 2	23.8	1 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 17	0 / 2	23.8	1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 2	0.0	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 17	0 / 2	23.8	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Jacksonville Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE
LUTZ, FLORIDA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

**FERTILITY CENTER OF ORLANDO
MAITLAND, FLORIDA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

IVF FLORIDA REPRODUCTIVE ASSOCIATES MARGATE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David I. Hoffman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	18%	Uterine factor	5%	Multiple Factors: Female factors only 14% Female & male factors 12%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	15%	Male factor	30%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	20%	
				Endometriosis	8%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,493
(includes 16 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	242	124	174	66	35
Percentage of cancellations before retrieval (%)	4.5	10.5	16.1	15.2	14.3
Number of transfers	158	94	115	42	20
Average number of embryos transferred	1.6	1.9	2.4	3.0	2.6
Percentage of elective single embryo transfers (eSET) (%)	39.2	9.3	1.0	0.0	0 / 14
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.7	37.9	15.5	12.1	0.0
Percentage of cycles resulting in live births (%)	23.6	33.1	12.1	10.6	0.0
Percentage of cycles resulting in singleton live births (%)	19.4	25.8	8.6	10.6	0.0
Percentage of cycles resulting in twin live births (%)	4.1	7.3	3.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.4	21.8	5.7	10.6	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.9	32.4	11.6	8.7	0.0
Percentage of transfers resulting in pregnancies (%)	42.4	50.0	23.5	19.0	0.0
Percentage of transfers resulting in live births (%)	36.1	43.6	18.3	16.7	0.0
Percentage of transfers resulting in singleton live births (%)	29.7	34.0	13.0	16.7	0.0
Percentage of transfers resulting in twin live births (%)	6.3	9.6	5.2	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.6	28.7	8.7	16.7	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	213	85	86	32	29
Number of transfers	209	84	83	30	23
Estimated average number of transfers per retrieval	1.2	1.0	0.8	0.8	0.9
Average number of embryos transferred	1.3	1.4	1.6	1.4	1.9
Percentage of embryos transferred resulting in implantation (%)	46.0	36.4	37.4	28.9	11.6
Percentage of transfers resulting in pregnancies (%)	55.0	46.4	50.6	40.0	21.7
Percentage of transfers resulting in live births (%)	45.0	33.3	39.8	26.7	13.0
Percentage of transfers resulting in singleton live births (%)	38.8	27.4	33.7	23.3	13.0
Percentage of transfers resulting in twin live births (%)	6.2	6.0	6.0	3.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.1	25.0	31.3	16.7	13.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	78	49	63	29	21
	22	16	14	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	18	84	49	0	
Number of transfers	13	72	46	0	
Average number of embryos transferred	1.5	1.7	1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 19	31.3	50.8		
Percentage of transfers resulting in pregnancies (%)	3 / 13	47.2	60.9		
Percentage of transfers resulting in live births (%)	3 / 13	38.9	52.2		
Percentage of transfers resulting in singleton live births (%)	3 / 13	33.3	43.5		
Percentage of transfers resulting in twin live births (%)	0 / 13	5.6	8.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 13	27.8	37.0		

CURRENT SERVICES & PROFILE

Current Name: IVF Florida Reproductive Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIERA FERTILITY CENTER MELBOURNE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Diran J. Chamoun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	43%	Tubal factor	16%	Uterine factor	7%	Multiple Factors: Female factors only 18% Female & male factors 32%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	21%	Male factor	52%	
Used gestational carrier	2%			Diminished ovarian reserve	46%	Other factor	12%	
				Endometriosis	6%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 77
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	25	8	8	2	3
Percentage of cancellations before retrieval (%)	12.0	0 / 8	2 / 8	0 / 2	0 / 3
Number of transfers	13	4	5	1	2
Average number of embryos transferred	1.8	1.5	2.6	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 2	0 / 5		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.0	1 / 8	1 / 8	1 / 2	0 / 3
Percentage of cycles resulting in live births (%)	20.0	0 / 8	1 / 8	1 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	12.0	0 / 8	1 / 8	1 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	8.0	0 / 8	0 / 8	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4.0	0 / 8	1 / 8	1 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	0 / 4	1 / 13	1 / 1	0 / 4
Percentage of transfers resulting in pregnancies (%)	8 / 13	1 / 4	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	5 / 13	0 / 4	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 13	0 / 4	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 13	0 / 4	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 13	0 / 4	1 / 5	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	5	0	0	0
Number of transfers	5	4	0	0	0
Estimated average number of transfers per retrieval	0.8	0.6	0.0		
Average number of embryos transferred	1.6	1.5			
Percentage of embryos transferred resulting in implantation (%)	3 / 8	1 / 6			
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 4			
Percentage of transfers resulting in live births (%)	2 / 5	0 / 4			
Percentage of transfers resulting in singleton live births (%)	2 / 5	0 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	0 / 4			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	5	1	0	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	7	0	
Number of transfers	5	0	7	0	
Average number of embryos transferred	1.2		1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 5		2 / 10		
Percentage of transfers resulting in pregnancies (%)	2 / 5		2 / 7		
Percentage of transfers resulting in live births (%)	1 / 5		0 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 5		0 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5		0 / 7		

CURRENT SERVICES & PROFILE

Current Name: Viera Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS FLORIDA: CENTER FOR FERTILITY AND GENETICS MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Armando E. Hernandez-Rey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	25%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 7%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	5%	Male factor	19%	
Used gestational carrier	<1%			Diminished ovarian reserve	52%	Other factor	17%	
				Endometriosis	8%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 257
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	48	27	37	16	10
Percentage of cancellations before retrieval (%)	6.3	25.9	8.1	4 / 16	0 / 10
Number of transfers	26	12	20	9	6
Average number of embryos transferred	2.0	1.8	1.9	2.0	2.2
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 11	1 / 17	0 / 8	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.8	18.5	13.5	1 / 16	2 / 10
Percentage of cycles resulting in live births (%)	18.8	18.5	8.1	1 / 16	0 / 10
Percentage of cycles resulting in singleton live births (%)	14.6	18.5	5.4	1 / 16	0 / 10
Percentage of cycles resulting in twin live births (%)	4.2	0.0	2.7	0 / 16	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.5	14.8	5.4	1 / 16	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.4	22.7	13.9	1 / 18	1 / 11
Percentage of transfers resulting in pregnancies (%)	38.5	5 / 12	25.0	1 / 9	2 / 6
Percentage of transfers resulting in live births (%)	34.6	5 / 12	15.0	1 / 9	0 / 6
Percentage of transfers resulting in singleton live births (%)	26.9	5 / 12	10.0	1 / 9	0 / 6
Percentage of transfers resulting in twin live births (%)	7.7	0 / 12	5.0	0 / 9	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.1	4 / 12	10.0	1 / 9	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	7	16	5	1
Number of transfers	22	7	14	5	1
Estimated average number of transfers per retrieval	0.9	0.5	0.6	1.0	1.0
Average number of embryos transferred	1.9	1.9	1.7	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	30.8	4 / 11	29.2	4 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	45.5	5 / 7	6 / 14	3 / 5	0 / 1
Percentage of transfers resulting in live births (%)	40.9	3 / 7	5 / 14	3 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.3	3 / 7	5 / 14	2 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	13.6	0 / 7	0 / 14	1 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.3	3 / 7	5 / 14	1 / 5	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	10	17	3	0
	4	6	4	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	22	2	2	0	
Number of transfers	18	2	2	0	
Average number of embryos transferred	1.7	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	83.9	2 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	17 / 18	1 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	17 / 18	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	10 / 18	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	7 / 18	1 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 18	0 / 2	0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Conceptions Florida: Center for Fertility and Genetics

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & IVF CENTER OF MIAMI, INC. MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael H. Jacobs, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	10%	Uterine factor	9%	Multiple Factors: Female factors only 31% Female & male factors 22%
Unstimulated	2%	PGD/PGS	40%	Ovulatory dysfunction	15%	Male factor	30%	
Used gestational carrier	7%			Diminished ovarian reserve	33%	Other factor	63%	
				Endometriosis	6%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 688
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	41	27	40	11	22
Percentage of cancellations before retrieval (%)	14.6	7.4	22.5	2 / 11	22.7
Number of transfers	15	8	14	2	7
Average number of embryos transferred	1.9	1.5	2.1	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	2 / 14	2 / 6	0 / 11	1 / 2	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.6	11.1	15.0	1 / 11	0.0
Percentage of cycles resulting in live births (%)	12.2	11.1	10.0	1 / 11	0.0
Percentage of cycles resulting in singleton live births (%)	9.8	7.4	7.5	1 / 11	0.0
Percentage of cycles resulting in twin live births (%)	2.4	3.7	2.5	0 / 11	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	7.3	7.4	7.5	1 / 11	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.1	5 / 12	25.0	1 / 4	0 / 16
Percentage of transfers resulting in pregnancies (%)	6 / 15	3 / 8	6 / 14	1 / 2	0 / 7
Percentage of transfers resulting in live births (%)	5 / 15	3 / 8	4 / 14	1 / 2	0 / 7
Percentage of transfers resulting in singleton live births (%)	4 / 15	2 / 8	3 / 14	1 / 2	0 / 7
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 8	1 / 14	0 / 2	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 15	2 / 8	3 / 14	1 / 2	0 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	115	75	44	24	26
Number of transfers	106	72	41	23	25
Estimated average number of transfers per retrieval	1.2	1.2	0.9	0.8	0.7
Average number of embryos transferred	1.4	1.6	1.5	1.3	1.7
Percentage of embryos transferred resulting in implantation (%)	48.4	50.9	45.2	46.7	31.0
Percentage of transfers resulting in pregnancies (%)	57.5	55.6	53.7	56.5	40.0
Percentage of transfers resulting in live births (%)	45.3	50.0	53.7	47.8	24.0
Percentage of transfers resulting in singleton live births (%)	35.8	34.7	41.5	43.5	16.0
Percentage of transfers resulting in twin live births (%)	9.4	15.3	12.2	4.3	8.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	27.8	29.3	43.5	12.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	68	52	41	26	34
	9	6	3	4	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	4	20	9	
Number of transfers	6	3	20	9	
Average number of embryos transferred	2.0	2.0	1.6	1.9	
Percentage of embryos transferred resulting in implantation (%)	6 / 12	4 / 6	76.7	8 / 15	
Percentage of transfers resulting in pregnancies (%)	3 / 6	2 / 3	95.0	7 / 9	
Percentage of transfers resulting in live births (%)	3 / 6	1 / 3	70.0	5 / 9	
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 3	50.0	3 / 9	
Percentage of transfers resulting in twin live births (%)	2 / 6	1 / 3	20.0	2 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 3	45.0	3 / 9	

CURRENT SERVICES & PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MIAMI INFERTILITY CENTER MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

FLORIDA

2016 ART CYCLE PROFILE

Data verified by George R. Attia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	28%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 8%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	<1%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	29%	Other factor	5%	
				Endometriosis	<1%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 255
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	36	29	8	8
Percentage of cancellations before retrieval (%)	10.5	5.6	6.9	1 / 8	2 / 8
Number of transfers	32	32	26	7	5
Average number of embryos transferred	2.0	2.0	2.2	1.9	3.2
Percentage of elective single embryo transfers (eSET) (%)	6.7	7.1	4.2	0 / 4	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.3	27.8	31.0	3 / 8	1 / 8
Percentage of cycles resulting in live births (%)	52.6	19.4	10.3	3 / 8	0 / 8
Percentage of cycles resulting in singleton live births (%)	26.3	16.7	10.3	3 / 8	0 / 8
Percentage of cycles resulting in twin live births (%)	23.7	2.8	0.0	0 / 8	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.8	13.9	10.3	2 / 8	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.4	17.7	19.6	3 / 13	2 / 16
Percentage of transfers resulting in pregnancies (%)	65.6	31.3	34.6	3 / 7	1 / 5
Percentage of transfers resulting in live births (%)	62.5	21.9	11.5	3 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	31.3	18.8	11.5	3 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	28.1	3.1	0.0	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.8	15.6	11.5	2 / 7	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	17	13	5	5
Number of transfers	22	15	12	3	5
Estimated average number of transfers per retrieval	0.7	0.8	0.7	0.3	1.0
Average number of embryos transferred	1.8	1.6	1.8	2.3	2.2
Percentage of embryos transferred resulting in implantation (%)	56.4	41.7	7 / 19	3 / 7	2 / 11
Percentage of transfers resulting in pregnancies (%)	72.7	8 / 15	5 / 12	3 / 3	2 / 5
Percentage of transfers resulting in live births (%)	50.0	6 / 15	4 / 12	3 / 3	2 / 5
Percentage of transfers resulting in singleton live births (%)	40.9	4 / 15	1 / 12	3 / 3	2 / 5
Percentage of transfers resulting in twin live births (%)	9.1	2 / 15	3 / 12	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.4	2 / 15	1 / 12	3 / 3	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	12	13	9	4
	10	4	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	5	0	0	
Number of transfers	0	5	0	0	
Average number of embryos transferred		1.8			
Percentage of embryos transferred resulting in implantation (%)		5 / 9			
Percentage of transfers resulting in pregnancies (%)		3 / 5			
Percentage of transfers resulting in live births (%)		3 / 5			
Percentage of transfers resulting in singleton live births (%)		1 / 5			
Percentage of transfers resulting in twin live births (%)		2 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 5			

CURRENT SERVICES & PROFILE

Current Name: University of Miami Infertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE, PA ORLANDO, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randall A. Loy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 11% Female & male factors 7%
Unstimulated	2%	PGD/PGS	19%	Ovulatory dysfunction	35%	Male factor	16%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	14%	
				Endometriosis	11%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,416
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	79	71	43	27
Percentage of cancellations before retrieval (%)	5.8	21.5	25.4	27.9	33.3
Number of transfers	19	11	9	5	2
Average number of embryos transferred	1.2	1.5	1.6	2.4	3.5
Percentage of elective single embryo transfers (eSET) (%)	7 / 11	2 / 8	1 / 4	0 / 4	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5.8	6.3	5.6	0.0	0.0
Percentage of cycles resulting in live births (%)	5.0	5.1	4.2	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	5.0	5.1	2.8	0.0	0.0
Percentage of cycles resulting in twin live births (%)	0.0	0.0	1.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3.6	3.8	1.4	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.4	5 / 17	4 / 11	0 / 12	0 / 7
Percentage of transfers resulting in pregnancies (%)	8 / 19	5 / 11	4 / 9	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	7 / 19	4 / 11	3 / 9	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 19	4 / 11	2 / 9	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 11	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 19	3 / 11	1 / 9	0 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	233	141	120	32	11
Number of transfers	203	122	104	26	7
Estimated average number of transfers per retrieval	0.8	1.4	1.0	0.6	0.4
Average number of embryos transferred	1.3	1.3	1.3	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	47.7	42.6	35.7	35.1	1 / 8
Percentage of transfers resulting in pregnancies (%)	57.6	54.9	45.2	46.2	2 / 7
Percentage of transfers resulting in live births (%)	46.8	45.1	29.8	42.3	0 / 7
Percentage of transfers resulting in singleton live births (%)	42.4	42.6	26.0	34.6	0 / 7
Percentage of transfers resulting in twin live births (%)	4.4	2.5	3.8	7.7	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.4	36.9	21.2	26.9	0 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	163	66	80	40	19
	10	10	17	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	57	87	0	
Number of transfers	1	27	65	0	
Average number of embryos transferred	2.0	2.1	1.3		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	18.9	46.9		
Percentage of transfers resulting in pregnancies (%)	0 / 1	44.4	60.0		
Percentage of transfers resulting in live births (%)	0 / 1	33.3	47.7		
Percentage of transfers resulting in singleton live births (%)	0 / 1	33.3	43.1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0.0	4.6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	29.6	32.3		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE ORLANDO, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

FLORIDA

2016 ART CYCLE PROFILE

Data verified by Fernando L. Gomez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	36%	Uterine factor	0%	Multiple Factors: Female factors only 55% Female & male factors 13%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	81%	Male factor	13%	
Used gestational carrier	15%			Diminished ovarian reserve	17%	Other factor	62%	
				Endometriosis	6%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 56
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	6	10	1	2
Percentage of cancellations before retrieval (%)	0 / 13	0 / 6	0 / 10	0 / 1	0 / 2
Number of transfers	11	4	7	0	2
Average number of embryos transferred	2.0	2.0	2.0		3.5
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 4	0 / 5		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 13	0 / 6	2 / 10	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	3 / 13	0 / 6	2 / 10	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	0 / 13	0 / 6	1 / 10	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 13	0 / 6	1 / 10	0 / 1	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 13	0 / 6	0 / 10	0 / 1	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.0	0 / 8	3 / 14		0 / 7
Percentage of transfers resulting in pregnancies (%)	5 / 11	0 / 4	2 / 7		0 / 2
Percentage of transfers resulting in live births (%)	3 / 11	0 / 4	2 / 7		0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 11	0 / 4	1 / 7		0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 11	0 / 4	1 / 7		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 11	0 / 4	0 / 7		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	2	0	0	0
Number of transfers	5	2	0	0	0
Estimated average number of transfers per retrieval	1.0	1.0	0.0	0.0	
Average number of embryos transferred	2.2	2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 11	2 / 4			
Percentage of transfers resulting in pregnancies (%)	1 / 5	2 / 2			
Percentage of transfers resulting in live births (%)	1 / 5	2 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	0 / 2			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	0	2	3	0
	1	0	0	3	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	1	3	
Number of transfers	3	0	1	3	
Average number of embryos transferred	2.0		2.0	2.3	
Percentage of embryos transferred resulting in implantation (%)	3 / 6		0 / 2	1 / 7	
Percentage of transfers resulting in pregnancies (%)	3 / 3		0 / 1	1 / 3	
Percentage of transfers resulting in live births (%)	3 / 3		0 / 1	0 / 3	
Percentage of transfers resulting in singleton live births (%)	3 / 3		0 / 1	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 1	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		0 / 1	0 / 3	

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW LEADERS IN FERTILITY & ENDOCRINOLOGY, LLC PENSACOLA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Barry A. Ripps, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	21%	Uterine factor	<1%	
Unstimulated	<1%	PGD/PGS	4%	Ovulatory dysfunction	10%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	3%	
				Endometriosis	13%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				11%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 251 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		101	37	23	12	10
Percentage of cancellations before retrieval (%)		7.9	10.8	26.1	5 / 12	1 / 10
Number of transfers		89	29	13	5	5
Average number of embryos transferred		1.5	1.7	1.8	1.8	1.4
Percentage of elective single embryo transfers (eSET) (%)		35.7	14.3	1 / 9	0 / 4	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		45.5	51.4	21.7	0 / 12	0 / 10
Percentage of cycles resulting in live births (%)		38.6	40.5	17.4	0 / 12	0 / 10
Percentage of cycles resulting in singleton live births (%)		30.7	27.0	17.4	0 / 12	0 / 10
Percentage of cycles resulting in twin live births (%)		7.9	13.5	0.0	0 / 12	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		25.7	27.0	17.4	0 / 12	0 / 10
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		41.5	47.9	26.1	0 / 9	0 / 7
Percentage of transfers resulting in pregnancies (%)		51.7	65.5	5 / 13	0 / 5	0 / 5
Percentage of transfers resulting in live births (%)		43.8	51.7	4 / 13	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births (%)		34.8	34.5	4 / 13	0 / 5	0 / 5
Percentage of transfers resulting in twin live births (%)		9.0	17.2	0 / 13	0 / 5	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		29.2	34.5	4 / 13	0 / 5	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles		29	7	3	0	1
Number of transfers		29	7	3	0	1
Estimated average number of transfers per retrieval		1.6	1.2	1.0		1.0
Average number of embryos transferred		1.7	1.6	1.3		1.0
Percentage of embryos transferred resulting in implantation (%)		46.5	3 / 11	0 / 4		1 / 1
Percentage of transfers resulting in pregnancies (%)		55.2	3 / 7	0 / 3		1 / 1
Percentage of transfers resulting in live births (%)		44.8	3 / 7	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)		24.1	3 / 7	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)		20.7	0 / 7	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		20.7	3 / 7	0 / 3		0 / 1
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		6	3	3	0	1
		1	1	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		0	15	0	0	
Number of transfers		0	10	0	0	
Average number of embryos transferred			1.6			
Percentage of embryos transferred resulting in implantation (%)			8 / 16			
Percentage of transfers resulting in pregnancies (%)			7 / 10			
Percentage of transfers resulting in live births (%)			7 / 10			
Percentage of transfers resulting in singleton live births (%)			6 / 10			
Percentage of transfers resulting in twin live births (%)			1 / 10			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			5 / 10			

CURRENT SERVICES & PROFILE		Current Name: New Leaders in Fertility & Endocrinology, LLC					
Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & GENETICS PLANTATION, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mick Abaé, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	36%	Uterine factor	34%	Multiple Factors: Female factors only 19% Female & male factors 64%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	15%	Male factor	72%	
Used gestational carrier	1%			Diminished ovarian reserve	44%	Other factor	16%	
				Endometriosis	22%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 212
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	19	23	7	1
Percentage of cancellations before retrieval (%)	8.3	1 / 19	0.0	0 / 7	0 / 1
Number of transfers	24	15	18	5	0
Average number of embryos transferred	1.5	1.4	1.7	1.8	
Percentage of elective single embryo transfers (eSET) (%)	7 / 19	2 / 8	1 / 13	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.6	5 / 19	21.7	1 / 7	0 / 1
Percentage of cycles resulting in live births (%)	16.7	5 / 19	13.0	0 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	11.1	5 / 19	13.0	0 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	5.6	0 / 19	0.0	0 / 7	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.1	5 / 19	13.0	0 / 7	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	23.8	20.0	1 / 9	
Percentage of transfers resulting in pregnancies (%)	45.8	5 / 15	5 / 18	1 / 5	
Percentage of transfers resulting in live births (%)	25.0	5 / 15	3 / 18	0 / 5	
Percentage of transfers resulting in singleton live births (%)	16.7	5 / 15	3 / 18	0 / 5	
Percentage of transfers resulting in twin live births (%)	8.3	0 / 15	0 / 18	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	16.7	5 / 15	3 / 18	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of cycles	27	20	14	5	2
Number of transfers	27	19	14	4	2
Estimated average number of transfers per retrieval	1.0	2.1	0.7	0.6	1.0
Average number of embryos transferred	1.3	1.6	1.3	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	25.7	36.7	9 / 18	1 / 7	0 / 3
Percentage of transfers resulting in pregnancies (%)	33.3	9 / 19	8 / 14	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	25.9	7 / 19	7 / 14	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.9	7 / 19	7 / 14	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 19	0 / 14	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.9	6 / 19	4 / 14	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	4	18	6	2
	3	0	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	7	0	
Number of transfers	10	0	7	0	
Average number of embryos transferred	1.6		1.4		
Percentage of embryos transferred resulting in implantation (%)	5 / 16		5 / 10		
Percentage of transfers resulting in pregnancies (%)	4 / 10		4 / 7		
Percentage of transfers resulting in live births (%)	3 / 10		4 / 7		
Percentage of transfers resulting in singleton live births (%)	2 / 10		4 / 7		
Percentage of transfers resulting in twin live births (%)	1 / 10		0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 10		4 / 7		

CURRENT SERVICES & PROFILE

Current Name: Fertility & Genetics

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER & APPLIED GENETICS OF FLORIDA SARASOTA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Julio E. Pabon, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	97%	Tubal factor	7%	Uterine factor	8%	Multiple Factors: Female factors only 64% Female & male factors 26%
Unstimulated	0%	PGD/PGS	92%	Ovulatory dysfunction	6%	Male factor	28%	
Used gestational carrier	8%			Diminished ovarian reserve	63%	Other factor	93%	
				Endometriosis	15%	Unknown factor	2%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 210 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		2	1	1	0	0
Percentage of cancellations before retrieval (%)		0 / 2	0 / 1	0 / 1		
Number of transfers		0	1	1	0	0
Average number of embryos transferred			1.0	2.0		
Percentage of elective single embryo transfers (eSET) (%)				0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		0 / 2	0 / 1	1 / 1		
Percentage of cycles resulting in live births (%)		0 / 2	0 / 1	1 / 1		
Percentage of cycles resulting in singleton live births (%)		0 / 2	0 / 1	1 / 1		
Percentage of cycles resulting in twin live births (%)		0 / 2	0 / 1	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 2	0 / 1	1 / 1		
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)			0 / 1	2 / 2		
Percentage of transfers resulting in pregnancies (%)			0 / 1	1 / 1		
Percentage of transfers resulting in live births (%)			0 / 1	1 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1	1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles		31	18	16	5	1
Number of transfers		30	14	15	3	1
Estimated average number of transfers per retrieval		0.8	0.6	0.4	0.3	0.1
Average number of embryos transferred		1.1	1.2	1.0	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)		56.3	10 / 16	6 / 14	2 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)		60.0	10 / 14	7 / 15	2 / 3	1 / 1
Percentage of transfers resulting in live births (%)		53.3	9 / 14	5 / 15	2 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)		53.3	8 / 14	5 / 15	2 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)		0.0	1 / 14	0 / 15	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		43.3	8 / 14	5 / 15	1 / 3	0 / 1
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		38	23	34	11	15
		0	2	0	2	1
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		0	0	13	1	
Number of transfers		0	0	12	1	
Average number of embryos transferred				1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)				11 / 12	1 / 1	
Percentage of transfers resulting in pregnancies (%)				11 / 12	1 / 1	
Percentage of transfers resulting in live births (%)				8 / 12	1 / 1	
Percentage of transfers resulting in singleton live births (%)				8 / 12	1 / 1	
Percentage of transfers resulting in twin live births (%)				0 / 12	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				8 / 12	1 / 1	

CURRENT SERVICES & PROFILE		Current Name: Fertility Center & Applied Genetics of Florida					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Juergen Eisermann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	14%	Uterine factor	3%	Multiple Factors: Female factors only 18% Female & male factors 31%
Unstimulated	<1%	PGD/PGS	16%	Ovulatory dysfunction	16%	Male factor	42%	
Used gestational carrier	1%			Diminished ovarian reserve	39%	Other factor	29%	
				Endometriosis	12%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,432
(includes 12 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	224	110	107	79	14
Percentage of cancellations before retrieval (%)	8.9	10.9	22.4	31.6	3 / 14
Number of transfers	115	46	55	25	4
Average number of embryos transferred	1.6	1.7	1.7	1.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	33.0	23.1	4.7	0 / 18	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.5	27.3	19.6	2.5	1 / 14
Percentage of cycles resulting in live births (%)	25.0	24.5	12.1	1.3	0 / 14
Percentage of cycles resulting in singleton live births (%)	16.5	17.3	8.4	1.3	0 / 14
Percentage of cycles resulting in twin live births (%)	7.6	7.3	3.7	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.2	15.5	6.5	1.3	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.4	51.3	24.4	2.4	0 / 6
Percentage of transfers resulting in pregnancies (%)	57.4	65.2	38.2	8.0	1 / 4
Percentage of transfers resulting in live births (%)	48.7	58.7	23.6	4.0	0 / 4
Percentage of transfers resulting in singleton live births (%)	32.2	41.3	16.4	4.0	0 / 4
Percentage of transfers resulting in twin live births (%)	14.8	17.4	7.3	0.0	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.6	37.0	12.7	4.0	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	189	96	90	41	23
Number of transfers	181	88	86	37	22
Estimated average number of transfers per retrieval	1.1	0.8	0.7	0.8	1.7
Average number of embryos transferred	1.4	1.5	1.5	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	62.2	59.4	55.5	30.6	62.1
Percentage of transfers resulting in pregnancies (%)	72.4	73.9	70.9	48.6	68.2
Percentage of transfers resulting in live births (%)	64.1	62.5	54.7	32.4	59.1
Percentage of transfers resulting in singleton live births (%)	50.3	50.0	41.9	32.4	50.0
Percentage of transfers resulting in twin live births (%)	13.8	12.5	12.8	0.0	9.1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.6	45.5	34.9	32.4	40.9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	94	69	93	37	11
	29	24	28	5	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	90	44	0	
Number of transfers	6	67	42	0	
Average number of embryos transferred	1.5	1.5	1.4		
Percentage of embryos transferred resulting in implantation (%)	6 / 9	63.6	61.8		
Percentage of transfers resulting in pregnancies (%)	5 / 6	79.1	69.0		
Percentage of transfers resulting in live births (%)	5 / 6	62.7	50.0		
Percentage of transfers resulting in singleton live births (%)	4 / 6	46.3	35.7		
Percentage of transfers resulting in twin live births (%)	1 / 6	16.4	14.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 6	40.3	26.2		

CURRENT SERVICES & PROFILE

Current Name: IVFMD/South Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE REPRODUCTIVE MEDICINE GROUP TAMPA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Timothy R. Yeko, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	20%	Uterine factor	3%	Multiple Factors: Female factors only 10% Female & male factors 14%
Unstimulated	0%	PGD/PGS	54%	Ovulatory dysfunction	14%	Male factor	38%	
Used gestational carrier	2%			Diminished ovarian reserve	14%	Other factor	16%	
				Endometriosis	9%	Unknown factor	14%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 950 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		50	17	9	9	3
Percentage of cancellations before retrieval (%)		10.0	4 / 17	5 / 9	3 / 9	3 / 3
Number of transfers		33	9	0	1	0
Average number of embryos transferred		1.2	1.7		3.0	
Percentage of elective single embryo transfers (eSET) (%)		80.0	3 / 9		0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		40.0	4 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)		36.0	4 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)		36.0	3 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)		0.0	1 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		26.0	2 / 17	0 / 9	0 / 9	0 / 3
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		51.4	5 / 15		0 / 3	
Percentage of transfers resulting in pregnancies (%)		60.6	4 / 9		0 / 1	
Percentage of transfers resulting in live births (%)		54.5	4 / 9		0 / 1	
Percentage of transfers resulting in singleton live births (%)		54.5	3 / 9		0 / 1	
Percentage of transfers resulting in twin live births (%)		0.0	1 / 9		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		39.4	2 / 9		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles		191	100	71	19	4
Number of transfers		182	97	65	17	3
Estimated average number of transfers per retrieval		1.0	1.0	0.9	0.4	0.1
Average number of embryos transferred		1.2	1.2	1.1	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)		62.3	63.6	58.9	9 / 19	2 / 3
Percentage of transfers resulting in pregnancies (%)		64.8	67.0	61.5	9 / 17	2 / 3
Percentage of transfers resulting in live births (%)		56.6	60.8	52.3	6 / 17	2 / 3
Percentage of transfers resulting in singleton live births (%)		48.9	55.7	50.8	6 / 17	2 / 3
Percentage of transfers resulting in twin live births (%)		7.7	5.2	1.5	0 / 17	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		44.0	46.4	43.1	5 / 17	2 / 3
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		162	89	74	42	23
		3	4	1	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		19	0	68	0	
Number of transfers		13	0	64	0	
Average number of embryos transferred		1.2		1.2		
Percentage of embryos transferred resulting in implantation (%)		12 / 15		44.3		
Percentage of transfers resulting in pregnancies (%)		11 / 13		50.0		
Percentage of transfers resulting in live births (%)		9 / 13		43.8		
Percentage of transfers resulting in singleton live births (%)		8 / 13		40.6		
Percentage of transfers resulting in twin live births (%)		1 / 13		3.1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		6 / 13		34.4		

CURRENT SERVICES & PROFILE		Current Name: The Reproductive Medicine Group					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Shayne M. Plosker, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	15%	Uterine factor	6%	
Unstimulated	<1%	PGD/PGS	7%	Ovulatory dysfunction	7%	Male factor	46%	
Used gestational carrier	7%			Diminished ovarian reserve	31%	Other factor	8%	
				Endometriosis	6%	Unknown factor	15%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				22%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 423
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	48	34	27	6
Percentage of cancellations before retrieval (%)	6.3	6.3	5.9	7.4	1 / 6
Number of transfers	77	38	29	17	5
Average number of embryos transferred	1.7	2.1	2.6	3.1	3.6
Percentage of elective single embryo transfers (eSET) (%)	28.8	15.8	0.0	0 / 15	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	37.9	35.4	29.4	7.4	0 / 6
Percentage of cycles resulting in live births (%)	36.8	31.3	20.6	3.7	0 / 6
Percentage of cycles resulting in singleton live births (%)	28.4	25.0	14.7	3.7	0 / 6
Percentage of cycles resulting in twin live births (%)	8.4	4.2	5.9	0.0	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.2	25.0	14.7	0.0	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.4	27.5	17.1	3.8	0 / 18
Percentage of transfers resulting in pregnancies (%)	46.8	44.7	34.5	2 / 17	0 / 5
Percentage of transfers resulting in live births (%)	45.5	39.5	24.1	1 / 17	0 / 5
Percentage of transfers resulting in singleton live births (%)	35.1	31.6	17.2	1 / 17	0 / 5
Percentage of transfers resulting in twin live births (%)	10.4	5.3	6.9	0 / 17	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	31.6	17.2	0 / 17	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	52	30	18	11	7
Number of transfers	48	27	15	8	7
Estimated average number of transfers per retrieval	0.9	1.0	1.7	0.9	3.5
Average number of embryos transferred	1.6	1.5	1.5	1.6	1.9
Percentage of embryos transferred resulting in implantation (%)	52.6	53.7	27.3	2 / 13	2 / 13
Percentage of transfers resulting in pregnancies (%)	58.3	70.4	4 / 15	2 / 8	1 / 7
Percentage of transfers resulting in live births (%)	56.3	55.6	3 / 15	2 / 8	0 / 7
Percentage of transfers resulting in singleton live births (%)	33.3	48.1	2 / 15	2 / 8	0 / 7
Percentage of transfers resulting in twin live births (%)	22.9	7.4	1 / 15	0 / 8	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.2	44.4	2 / 15	0 / 8	0 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	34	14	8	7	2
	19	6	2	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	3	20	0	
Number of transfers	5	3	16	0	
Average number of embryos transferred	1.8	2.0	1.6		
Percentage of embryos transferred resulting in implantation (%)	6 / 9	0 / 6	40.0		
Percentage of transfers resulting in pregnancies (%)	4 / 5	0 / 3	7 / 16		
Percentage of transfers resulting in live births (%)	4 / 5	0 / 3	5 / 16		
Percentage of transfers resulting in singleton live births (%)	3 / 5	0 / 3	4 / 16		
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 3	1 / 16		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 5	0 / 3	4 / 16		

CURRENT SERVICES & PROFILE

Current Name: University of South Florida IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

F.I.R.S.T. FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES WESTON, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Minna R. Selub, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	7%	Uterine factor	25%	Multiple Factors: Female factors only 18% Female & male factors 39%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	21%	Male factor	43%	
Used gestational carrier	7%			Diminished ovarian reserve	50%	Other factor	16%	
				Endometriosis	5%	Unknown factor	2%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 47 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		10	5	3	1	0
Percentage of cancellations before retrieval (%)		0 / 10	0 / 5	0 / 3	0 / 1	
Number of transfers		9	3	3	1	0
Average number of embryos transferred		1.7	2.0	1.3	2.0	
Percentage of elective single embryo transfers (eSET) (%)		1 / 7	0 / 3	1 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		1 / 10	1 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)		1 / 10	1 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)		0 / 10	0 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)		1 / 10	1 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 10	0 / 5	0 / 3	0 / 1	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		2 / 15	2 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)		1 / 9	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)		1 / 9	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 9	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 9	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 9	0 / 3	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles		2	1	4	0	0
Number of transfers		2	1	3	0	0
Estimated average number of transfers per retrieval		1.0	1.0	0.8	0.0	
Average number of embryos transferred		1.5	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		1 / 3	1 / 1	2 / 6		
Percentage of transfers resulting in pregnancies (%)		1 / 2	1 / 1	1 / 3		
Percentage of transfers resulting in live births (%)		1 / 2	1 / 1	1 / 3		
Percentage of transfers resulting in singleton live births (%)		1 / 2	1 / 1	0 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 1	1 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 2	1 / 1	0 / 3		
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		0	1	1	1	0
		0	1	1	1	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		11	0	7	0	
Number of transfers		11	0	7	0	
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation (%)		20.0		2 / 13		
Percentage of transfers resulting in pregnancies (%)		4 / 11		2 / 7		
Percentage of transfers resulting in live births (%)		4 / 11		1 / 7		
Percentage of transfers resulting in singleton live births (%)		4 / 11		1 / 7		
Percentage of transfers resulting in twin live births (%)		0 / 11		0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 11		1 / 7		

CURRENT SERVICES & PROFILE		Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE SPECIALISTS, LLC WINTER PARK, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	28%	Tubal factor	25%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	0%	
				Endometriosis	22%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 42
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	6	4	2	0
Percentage of cancellations before retrieval (%)	1 / 8	2 / 6	0 / 4	0 / 2	
Number of transfers	4	1	1	1	0
Average number of embryos transferred	1.3	2.0	1.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	4	0	0
Number of transfers	1	2	3	0	0
Estimated average number of transfers per retrieval	0.5	0.4	1.0		0.0
Average number of embryos transferred	2.0	1.5	1.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	2 / 3	0 / 5		
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 2	0 / 3		
Percentage of transfers resulting in live births (%)	0 / 1	1 / 2	0 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 2	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 2	0 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	2	1	0	2
	1	2	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	9	0	
Number of transfers	0	0	8	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 8		
Percentage of transfers resulting in pregnancies (%)			1 / 8		
Percentage of transfers resulting in live births (%)			0 / 8		
Percentage of transfers resulting in singleton live births (%)			0 / 8		
Percentage of transfers resulting in twin live births (%)			0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 8		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Specialists, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE THE IVF CENTER WINTER PARK, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Mark P. Trolice, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 12% Female & male factors 18%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	28%	Male factor	32%	
Used gestational carrier	7%			Diminished ovarian reserve	25%	Other factor	14%	
				Endometriosis	9%	Unknown factor	12%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 270 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	36	21	15	4	1	
Percentage of cancellations before retrieval (%)	5.6	4.8	1 / 15	0 / 4	0 / 1	
Number of transfers	6	1	1	1	1	
Average number of embryos transferred	1.0	1.0	1.0	2.0	1.0	
Percentage of elective single embryo transfers (eSET) (%)	5 / 5	1 / 1		0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	8.3	0.0	0 / 15	1 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	8.3	0.0	0 / 15	0 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	8.3	0.0	0 / 15	0 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0 / 15	0 / 4	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.3	0.0	0 / 15	0 / 4	0 / 1	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	3 / 6	0 / 1	0 / 1	2 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 6	0 / 1	0 / 1	1 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 6	0 / 1	0 / 1	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	62	35	35	4	2	
Number of transfers	57	35	31	4	2	
Estimated average number of transfers per retrieval	1.4	1.5	1.8	1.0	2.0	
Average number of embryos transferred	1.2	1.2	1.6	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	55.6	39.5	18.0	3 / 8	0 / 4	
Percentage of transfers resulting in pregnancies (%)	59.6	48.6	19.4	3 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	49.1	42.9	16.1	2 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	43.9	42.9	6.5	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	5.3	0.0	9.7	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.9	40.0	6.5	2 / 4	0 / 2	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	13	4	6	2	1	
	2	0	0	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	3	1	24	1		
Number of transfers	1	1	23	1		
Average number of embryos transferred	1.0	1.0	1.1	1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 1	1 / 1	54.2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1	56.5	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1	1 / 1	47.8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 1	47.8	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0.0	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	1 / 1	47.8	0 / 1		

CURRENT SERVICES & PROFILE		Current Name: Fertility CARE, The IVF Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James P. Toner, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 6%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	16%	Male factor	17%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	22%	
				Endometriosis	4%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,270
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	193	82	73	35	27
Percentage of cancellations before retrieval (%)	5.7	17.1	27.4	22.9	25.9
Number of transfers	129	33	21	5	4
Average number of embryos transferred	1.1	1.5	1.9	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	84.7	42.3	0 / 15	0 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.6	19.5	13.7	2.9	0.0
Percentage of cycles resulting in live births (%)	26.9	15.9	8.2	2.9	0.0
Percentage of cycles resulting in singleton live births (%)	25.9	14.6	6.8	2.9	0.0
Percentage of cycles resulting in twin live births (%)	1.0	1.2	1.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.8	13.4	6.8	2.9	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.2	35.6	28.9	1 / 10	0 / 12
Percentage of transfers resulting in pregnancies (%)	48.8	48.5	47.6	1 / 5	0 / 4
Percentage of transfers resulting in live births (%)	40.3	39.4	28.6	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births (%)	38.8	36.4	23.8	1 / 5	0 / 4
Percentage of transfers resulting in twin live births (%)	1.6	3.0	4.8	0 / 5	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.1	33.3	23.8	1 / 5	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	204	107	68	18	8
Number of transfers	196	97	62	18	5
Estimated average number of transfers per retrieval	1.4	1.1	0.7	0.5	1.0
Average number of embryos transferred	1.2	1.1	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	52.9	58.8	54.4	11 / 19	2 / 7
Percentage of transfers resulting in pregnancies (%)	56.6	62.9	54.8	11 / 18	2 / 5
Percentage of transfers resulting in live births (%)	44.9	51.5	38.7	7 / 18	2 / 5
Percentage of transfers resulting in singleton live births (%)	39.8	49.5	33.9	6 / 18	2 / 5
Percentage of transfers resulting in twin live births (%)	4.1	2.1	4.8	1 / 18	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.7	44.3	30.6	5 / 18	1 / 5
Number of Egg or Embryo Banking Cycles					
	76	79	81	35	4
Number of fertility preservation cycles	12	15	9	4	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	47	125	1	
Number of transfers	5	43	108	1	
Average number of embryos transferred	1.4	1.0	1.1	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 7	53.3	49.1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 5	55.8	51.9	1 / 1	
Percentage of transfers resulting in live births (%)	2 / 5	48.8	40.7	1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 5	48.8	39.8	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 5	0.0	0.9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	34.9	33.3	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EMORY REPRODUCTIVE CENTER ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jennifer F. Kawwass, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	24%	Uterine factor	10%	Multiple Factors: Female factors only 24% Female & male factors 21%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	17%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	15%	
				Endometriosis	12%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 488
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	118	67	53	23	22
Percentage of cancellations before retrieval (%)	6.8	7.5	9.4	13.0	22.7
Number of transfers	97	54	45	16	13
Average number of embryos transferred	1.5	1.8	2.6	2.8	2.1
Percentage of elective single embryo transfers (eSET) (%)	51.7	16.3	7.3	0 / 13	2 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.9	50.7	32.1	39.1	18.2
Percentage of cycles resulting in live births (%)	51.7	44.8	24.5	26.1	18.2
Percentage of cycles resulting in singleton live births (%)	44.1	32.8	17.0	26.1	18.2
Percentage of cycles resulting in twin live births (%)	7.6	11.9	7.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	36.4	26.9	13.2	21.7	18.2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	56.5	44.2	21.7	26.7	14.8
Percentage of transfers resulting in pregnancies (%)	68.0	63.0	37.8	9 / 16	4 / 13
Percentage of transfers resulting in live births (%)	62.9	55.6	28.9	6 / 16	4 / 13
Percentage of transfers resulting in singleton live births (%)	53.6	40.7	20.0	6 / 16	4 / 13
Percentage of transfers resulting in twin live births (%)	9.3	14.8	8.9	0 / 16	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.3	33.3	15.6	5 / 16	4 / 13
Frozen Embryos from Nondonor Eggs					
Number of cycles	43	25	23	11	3
Number of transfers	41	20	22	9	2
Estimated average number of transfers per retrieval	0.8	0.7	0.8	0.9	0.4
Average number of embryos transferred	1.4	1.6	2.0	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	42.6	48.4	22.5	4 / 17	1 / 4
Percentage of transfers resulting in pregnancies (%)	53.7	60.0	36.4	5 / 9	1 / 2
Percentage of transfers resulting in live births (%)	39.0	55.0	31.8	3 / 9	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.7	45.0	22.7	3 / 9	0 / 2
Percentage of transfers resulting in twin live births (%)	7.3	10.0	9.1	0 / 9	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.7	35.0	9.1	2 / 9	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	29	17	18	4	2
	23	16	6	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	5	11	0	
Number of transfers	11	5	10	0	
Average number of embryos transferred	1.1	1.4	1.3		
Percentage of embryos transferred resulting in implantation (%)	7 / 11	3 / 7	8 / 11		
Percentage of transfers resulting in pregnancies (%)	7 / 11	3 / 5	9 / 10		
Percentage of transfers resulting in live births (%)	6 / 11	2 / 5	7 / 10		
Percentage of transfers resulting in singleton live births (%)	5 / 11	2 / 5	7 / 10		
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 5	0 / 10		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 11	1 / 5	4 / 10		

CURRENT SERVICES & PROFILE

Current Name: Emory Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGIA REPRODUCTIVE SPECIALISTS, LLC

ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark Perloe, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	52%	Tubal factor	26%	Uterine factor	5%	Multiple Factors: Female factors only 23% Female & male factors 20%
Unstimulated	0%	PGD/PGS	43%	Ovulatory dysfunction	26%	Male factor	28%	
Used gestational carrier	4%			Diminished ovarian reserve	38%	Other factor	17%	
				Endometriosis	8%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 581
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	44	28	11	7	4
Percentage of cancellations before retrieval (%)	6.8	21.4	1 / 11	2 / 7	1 / 4
Number of transfers	31	11	7	4	2
Average number of embryos transferred	1.2	1.5	2.0	2.3	2.5
Percentage of elective single embryo transfers (eSET) (%)	74.1	2 / 7	0 / 6	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.5	7.1	3 / 11	1 / 7	0 / 4
Percentage of cycles resulting in live births (%)	34.1	7.1	1 / 11	1 / 7	0 / 4
Percentage of cycles resulting in singleton live births (%)	34.1	3.6	1 / 11	1 / 7	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	3.6	0 / 11	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.5	0.0	1 / 11	1 / 7	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	56.8	4 / 16	3 / 14	1 / 9	0 / 5
Percentage of transfers resulting in pregnancies (%)	64.5	2 / 11	3 / 7	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	48.4	2 / 11	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	48.4	1 / 11	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	1 / 11	0 / 7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.9	0 / 11	1 / 7	1 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	67	67	13	10
Number of transfers	99	62	62	10	9
Estimated average number of transfers per retrieval	1.4	1.3	1.6	0.6	0.6
Average number of embryos transferred	1.1	1.3	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	56.3	44.2	50.7	3 / 7	4 / 12
Percentage of transfers resulting in pregnancies (%)	60.6	48.4	58.1	6 / 10	4 / 9
Percentage of transfers resulting in live births (%)	44.4	40.3	45.2	3 / 10	3 / 9
Percentage of transfers resulting in singleton live births (%)	41.4	32.3	43.5	3 / 10	3 / 9
Percentage of transfers resulting in twin live births (%)	3.0	8.1	1.6	0 / 10	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.4	29.0	35.5	2 / 10	2 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	57	38	37	17	15
	3	2	3	5	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	19	27	10	
Number of transfers	3	14	26	10	
Average number of embryos transferred	1.3	1.1	1.2	1.5	
Percentage of embryos transferred resulting in implantation (%)	3 / 4	9 / 14	48.1	5 / 15	
Percentage of transfers resulting in pregnancies (%)	3 / 3	10 / 14	50.0	4 / 10	
Percentage of transfers resulting in live births (%)	3 / 3	7 / 14	38.5	4 / 10	
Percentage of transfers resulting in singleton live births (%)	3 / 3	7 / 14	30.8	4 / 10	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 14	7.7	0 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 3	5 / 14	30.8	3 / 10	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Shady Grove Fertility-Atlanta

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE BIOLOGY ASSOCIATES ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel B. Shapiro, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 20% Female & male factors 20%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	10%	Male factor	30%	
Used gestational carrier	4%			Diminished ovarian reserve	51%	Other factor	30%	
				Endometriosis	5%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,094
(includes 20 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	92	49	37	10	15
Percentage of cancellations before retrieval (%)	9.8	32.7	18.9	1 / 10	6 / 15
Number of transfers	77	27	22	7	4
Average number of embryos transferred	1.2	1.6	2.0	2.1	3.0
Percentage of elective single embryo transfers (eSET) (%)	76.7	37.5	2 / 19	1 / 6	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.1	18.4	21.6	2 / 10	1 / 15
Percentage of cycles resulting in live births (%)	32.6	14.3	18.9	2 / 10	1 / 15
Percentage of cycles resulting in singleton live births (%)	31.5	14.3	16.2	1 / 10	1 / 15
Percentage of cycles resulting in twin live births (%)	1.1	0.0	2.7	1 / 10	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.3	8.2	16.2	1 / 10	1 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.2	20.0	23.3	3 / 15	1 / 12
Percentage of transfers resulting in pregnancies (%)	46.8	33.3	36.4	2 / 7	1 / 4
Percentage of transfers resulting in live births (%)	39.0	25.9	31.8	2 / 7	1 / 4
Percentage of transfers resulting in singleton live births (%)	37.7	25.9	27.3	1 / 7	1 / 4
Percentage of transfers resulting in twin live births (%)	1.3	0.0	4.5	1 / 7	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.8	14.8	27.3	1 / 7	1 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	329	184	146	58	34
Number of transfers	323	179	142	55	33
Estimated average number of transfers per retrieval	0.8	1.1	1.0	1.2	1.7
Average number of embryos transferred	1.3	1.3	1.6	1.9	1.5
Percentage of embryos transferred resulting in implantation (%)	55.1	53.2	40.1	25.5	22.9
Percentage of transfers resulting in pregnancies (%)	64.4	63.7	62.0	45.5	39.4
Percentage of transfers resulting in live births (%)	50.5	50.8	45.8	32.7	24.2
Percentage of transfers resulting in singleton live births (%)	42.7	44.7	41.5	29.1	24.2
Percentage of transfers resulting in twin live births (%)	7.7	5.6	4.2	3.6	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.5	36.3	35.9	21.8	24.2
Number of Egg or Embryo Banking Cycles					
	387	149	126	40	17
Number of fertility preservation cycles	37	48	22	7	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	175	177	49	
Number of transfers	0	172	170	49	
Average number of embryos transferred		1.1	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)		56.3	45.8	47.5	
Percentage of transfers resulting in pregnancies (%)		59.3	54.1	51.0	
Percentage of transfers resulting in live births (%)		48.3	45.9	44.9	
Percentage of transfers resulting in singleton live births (%)		44.8	43.5	34.7	
Percentage of transfers resulting in twin live births (%)		3.5	2.4	10.2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		37.2	38.2	30.6	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Biology Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES

AUGUSTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Larisa Gavrilova-Jordan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	34%	Uterine factor	6%	Multiple Factors: Female factors only 25% Female & male factors 16%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	14%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	7%	
				Endometriosis	20%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 119
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	44	13	9	6	3
Percentage of cancellations before retrieval (%)	6.8	1 / 13	1 / 9	0 / 6	1 / 3
Number of transfers	36	12	7	4	2
Average number of embryos transferred	1.6	1.8	2.4	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	42.4	2 / 11	1 / 7	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	59.1	8 / 13	2 / 9	3 / 6	0 / 3
Percentage of cycles resulting in live births (%)	50.0	6 / 13	2 / 9	3 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	40.9	3 / 13	0 / 9	3 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	6.8	3 / 13	2 / 9	0 / 6	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	36.4	2 / 13	0 / 9	2 / 6	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	57.4	10 / 19	4 / 17	3 / 9	0 / 6
Percentage of transfers resulting in pregnancies (%)	72.2	8 / 12	2 / 7	3 / 4	0 / 2
Percentage of transfers resulting in live births (%)	61.1	6 / 12	2 / 7	3 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 12	0 / 7	3 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	8.3	3 / 12	2 / 7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.4	2 / 12	0 / 7	2 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	5	4	3	1
Number of transfers	21	5	4	3	1
Estimated average number of transfers per retrieval	1.9	2.5	0.7	1.5	
Average number of embryos transferred	1.9	1.4	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	62.9	2 / 7	2 / 7	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	76.2	2 / 5	2 / 4	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	52.4	2 / 5	1 / 4	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	19.0	2 / 5	1 / 4	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	33.3	0 / 5	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	9.5	2 / 5	1 / 4	0 / 3	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	2	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	3	0	1	
Number of transfers	0	2	0	1	
Average number of embryos transferred		1.5		1.0	
Percentage of embryos transferred resulting in implantation (%)		1 / 3		1 / 1	
Percentage of transfers resulting in pregnancies (%)		1 / 2		1 / 1	
Percentage of transfers resulting in live births (%)		1 / 2		1 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 2		1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 2		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 2		1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Infertility Associates

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SERVY MASSEY FERTILITY INSTITUTE SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY AUGUSTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Edouard J. Servy, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	50%	Tubal factor	14%	Uterine factor	4%	Multiple Factors: Female factors only 11% Female & male factors 15%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	13%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	17%	
				Endometriosis	6%	Unknown factor	5%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 388 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		93	68	56	22	39
Percentage of cancellations before retrieval (%)		7.5	10.3	14.3	13.6	10.3
Number of transfers		68	50	40	14	30
Average number of embryos transferred		1.8	2.0	2.0	2.0	1.9
Percentage of elective single embryo transfers (eSET) (%)		5.0	4.5	3.0	0 / 12	1 / 19
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		38.7	22.1	33.9	27.3	15.4
Percentage of cycles resulting in live births (%)		34.4	16.2	17.9	22.7	12.8
Percentage of cycles resulting in singleton live births (%)		30.1	10.3	12.5	18.2	10.3
Percentage of cycles resulting in twin live births (%)		4.3	4.4	5.4	4.5	2.6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		22.6	7.4	8.9	18.2	10.3
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		33.1	20.2	26.7	26.9	12.5
Percentage of transfers resulting in pregnancies (%)		52.9	30.0	47.5	6 / 14	20.0
Percentage of transfers resulting in live births (%)		47.1	22.0	25.0	5 / 14	16.7
Percentage of transfers resulting in singleton live births (%)		41.2	14.0	17.5	4 / 14	13.3
Percentage of transfers resulting in twin live births (%)		5.9	6.0	7.5	1 / 14	3.3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		30.9	10.0	12.5	4 / 14	13.3
Frozen Embryos from Nondonor Eggs						
Number of cycles		27	26	7	5	2
Number of transfers		27	25	7	5	2
Estimated average number of transfers per retrieval		1.2	2.1	1.0	1.0	2.0
Average number of embryos transferred		1.7	1.7	1.9	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)		45.2	40.5	5 / 12	2 / 8	0 / 4
Percentage of transfers resulting in pregnancies (%)		55.6	48.0	5 / 7	2 / 5	0 / 2
Percentage of transfers resulting in live births (%)		29.6	36.0	3 / 7	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)		18.5	24.0	3 / 7	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)		11.1	8.0	0 / 7	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		14.8	16.0	3 / 7	2 / 5	0 / 2
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		8	4	4	1	0
		3	2	1	1	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		7	4	15	0	
Number of transfers		7	4	15	0	
Average number of embryos transferred		1.6	1.8	1.8		
Percentage of embryos transferred resulting in implantation (%)		3 / 9	3 / 7	48.1		
Percentage of transfers resulting in pregnancies (%)		3 / 7	2 / 4	10 / 15		
Percentage of transfers resulting in live births (%)		2 / 7	2 / 4	8 / 15		
Percentage of transfers resulting in singleton live births (%)		1 / 7	1 / 4	5 / 15		
Percentage of transfers resulting in twin live births (%)		1 / 7	1 / 4	3 / 15		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 7	1 / 4	4 / 15		

CURRENT SERVICES & PROFILE		Current Name: Servy Massey Fertility Institute, Servy Institute for Reproductive Endocrinology					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC COLUMBUS, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Prakash J. Thiruppathi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	87%	Tubal factor	42%	Uterine factor	19%	Multiple Factors: Female factors only 27% Female & male factors 67%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	89%	Male factor	67%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	6%	
				Endometriosis	24%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 138
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	61	8	11	4	1
Percentage of cancellations before retrieval (%)	13.1	2 / 8	1 / 11	2 / 4	0 / 1
Number of transfers	43	5	8	1	1
Average number of embryos transferred	1.9	1.4	1.8	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	10.3	1 / 3	0 / 6	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	37.7	0 / 8	4 / 11	1 / 4	0 / 1
Percentage of cycles resulting in live births (%)	29.5	0 / 8	3 / 11	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.3	0 / 8	3 / 11	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	8.2	0 / 8	0 / 11	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.4	0 / 8	3 / 11	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.8	0 / 7	3 / 12	1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	53.5	0 / 5	4 / 8	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	41.9	0 / 5	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.2	0 / 5	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	11.6	0 / 5	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.3	0 / 5	3 / 8	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	7	5	1	0
Number of transfers	26	7	4	1	0
Estimated average number of transfers per retrieval	1.5	3.5	1.0	1.0	
Average number of embryos transferred	1.9	1.7	1.8	3.0	
Percentage of embryos transferred resulting in implantation (%)	31.3	4 / 10	3 / 5	2 / 3	
Percentage of transfers resulting in pregnancies (%)	46.2	4 / 7	3 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	38.5	3 / 7	2 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	26.9	2 / 7	1 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	11.5	1 / 7	1 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.2	1 / 7	1 / 4	1 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	0	3	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	1	2	
Number of transfers	3	0	1	2	
Average number of embryos transferred	2.0		2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 6		0 / 2	2 / 4	
Percentage of transfers resulting in pregnancies (%)	3 / 3		0 / 1	2 / 2	
Percentage of transfers resulting in live births (%)	3 / 3		0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 3		0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	3 / 3		0 / 1	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		0 / 1	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Columbus Center for Reproductive Endocrinology and Infertility, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE SAVANNAH, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Patrick L. Blohm, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	14%	Uterine factor	<1%	Multiple Factors: Female factors only 11% Female & male factors 30%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	11%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	37%	Other factor	12%	
				Endometriosis	13%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 203
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	74	31	17	8	1
Percentage of cancellations before retrieval (%)	5.4	12.9	4 / 17	2 / 8	0 / 1
Number of transfers	70	27	13	6	1
Average number of embryos transferred	1.9	1.9	2.0	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	3.0	0.0	0 / 13	0 / 6	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	66.2	58.1	3 / 17	3 / 8	0 / 1
Percentage of cycles resulting in live births (%)	58.1	48.4	1 / 17	3 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.8	35.5	0 / 17	3 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	23.0	12.9	1 / 17	0 / 8	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.4	35.5	0 / 17	2 / 8	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	55.6	46.0	12.5	3 / 12	0 / 2
Percentage of transfers resulting in pregnancies (%)	70.0	66.7	3 / 13	3 / 6	0 / 1
Percentage of transfers resulting in live births (%)	61.4	55.6	1 / 13	3 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.7	40.7	0 / 13	3 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	24.3	14.8	1 / 13	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	40.7	0 / 13	2 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	15	6	4	5
Number of transfers	22	15	5	4	5
Estimated average number of transfers per retrieval	1.5	3.8	2.5	4.0	
Average number of embryos transferred	1.8	1.5	1.4	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	17.9	23.8	0 / 7	1 / 4	0 / 9
Percentage of transfers resulting in pregnancies (%)	31.8	5 / 15	0 / 5	2 / 4	0 / 5
Percentage of transfers resulting in live births (%)	27.3	3 / 15	0 / 5	1 / 4	0 / 5
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 15	0 / 5	1 / 4	0 / 5
Percentage of transfers resulting in twin live births (%)	0.0	1 / 15	0 / 5	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.3	2 / 15	0 / 5	1 / 4	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	15	1	1	0	
Number of transfers	15	1	1	0	
Average number of embryos transferred	1.9	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	72.4	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	14 / 15	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	14 / 15	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	7 / 15	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	7 / 15	0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 15	0 / 1	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: The Georgia Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER OF HAWAII HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christopher T. Huang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	17%	Uterine factor	0%	Multiple Factors: Female factors only <1% Female & male factors 30%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	0%	Male factor	82%	
Used gestational carrier	2%			Diminished ovarian reserve	13%	Other factor	10%	
				Endometriosis	9%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 225
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	14	14	10	8
Percentage of cancellations before retrieval (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in live births (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in singleton live births (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in twin live births (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	37	19	24	16	10
Number of transfers	34	18	21	14	10
Estimated average number of transfers per retrieval	1.1	1.5	1.2	1.2	1.7
Average number of embryos transferred	1.2	1.8	2.0	2.2	3.2
Percentage of embryos transferred resulting in implantation (%)	52.5	31.0	39.5	21.4	0.0
Percentage of transfers resulting in pregnancies (%)	64.7	8 / 18	61.9	6 / 14	1 / 10
Percentage of transfers resulting in live births (%)	52.9	5 / 18	57.1	4 / 14	0 / 10
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 18	52.4	4 / 14	0 / 10
Percentage of transfers resulting in twin live births (%)	2.9	2 / 18	4.8	0 / 14	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.1	3 / 18	42.9	2 / 14	0 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	2	8	5	0
	0	0	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	1	10	0	
Number of transfers	0	1	8	0	
Average number of embryos transferred		2.0	1.4		
Percentage of embryos transferred resulting in implantation (%)		0 / 2	5 / 10		
Percentage of transfers resulting in pregnancies (%)		0 / 1	4 / 8		
Percentage of transfers resulting in live births (%)		0 / 1	2 / 8		
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 8		
Percentage of transfers resulting in twin live births (%)		0 / 1	2 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	0 / 8		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Center of Hawaii

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC. HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John L. Frattarelli, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	23%	Uterine factor	2%	Multiple Factors: Female factors only 3% Female & male factors 34%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	10%	Male factor	69%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	3%	
				Endometriosis	8%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 470
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	49	29	14	7	4
Percentage of cancellations before retrieval (%)	4.1	0.0	1 / 14	0 / 7	1 / 4
Number of transfers	13	4	4	3	3
Average number of embryos transferred	1.5	1.8	2.3	1.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 11	0 / 3	0 / 4	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.3	6.9	2 / 14	1 / 7	0 / 4
Percentage of cycles resulting in live births (%)	12.2	6.9	1 / 14	1 / 7	0 / 4
Percentage of cycles resulting in singleton live births (%)	10.2	3.4	1 / 14	1 / 7	0 / 4
Percentage of cycles resulting in twin live births (%)	2.0	3.4	0 / 14	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.2	0.0	1 / 14	1 / 7	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.0	3 / 7	2 / 9	1 / 4	0 / 6
Percentage of transfers resulting in pregnancies (%)	7 / 13	2 / 4	2 / 4	1 / 3	0 / 3
Percentage of transfers resulting in live births (%)	6 / 13	2 / 4	1 / 4	1 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	5 / 13	1 / 4	1 / 4	1 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 4	0 / 4	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 13	0 / 4	1 / 4	1 / 3	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	88	46	34	9	6
Number of transfers	88	46	34	9	6
Estimated average number of transfers per retrieval	1.2	1.2	1.0	0.8	0.8
Average number of embryos transferred	1.5	1.5	1.6	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	52.8	47.0	50.0	6 / 10	2 / 7
Percentage of transfers resulting in pregnancies (%)	61.4	60.9	70.6	7 / 9	3 / 6
Percentage of transfers resulting in live births (%)	46.6	43.5	61.8	4 / 9	2 / 6
Percentage of transfers resulting in singleton live births (%)	33.0	32.6	50.0	4 / 9	2 / 6
Percentage of transfers resulting in twin live births (%)	12.5	10.9	11.8	0 / 9	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	30.4	41.2	4 / 9	1 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	58	25	30	11	8
	58	25	30	11	8
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	13	13	24	2	
Number of transfers	0	13	24	2	
Average number of embryos transferred		1.4	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)		10 / 18	63.3	3 / 3	
Percentage of transfers resulting in pregnancies (%)		8 / 13	83.3	2 / 2	
Percentage of transfers resulting in live births (%)		7 / 13	62.5	2 / 2	
Percentage of transfers resulting in singleton live births (%)		5 / 13	62.5	1 / 2	
Percentage of transfers resulting in twin live births (%)		2 / 13	0.0	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 13	50.0	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF HAWAII HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Benton H. Chun, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	94%	Tubal factor	15%	Uterine factor	2%	Multiple Factors: Female factors only 10% Female & male factors 77%
Unstimulated	3%	PGD/PGS	5%	Ovulatory dysfunction	26%	Male factor	86%	
Used gestational carrier	<1%			Diminished ovarian reserve	50%	Other factor	19%	
				Endometriosis	36%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 183
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	22	25	29	11	12
Percentage of cancellations before retrieval (%)	9.1	12.0	13.8	1 / 11	1 / 12
Number of transfers	11	9	14	7	9
Average number of embryos transferred	1.5	1.9	2.1	2.7	4.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 11	1 / 9	1 / 12	1 / 6	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.3	28.0	24.1	2 / 11	4 / 12
Percentage of cycles resulting in live births (%)	22.7	24.0	17.2	1 / 11	3 / 12
Percentage of cycles resulting in singleton live births (%)	13.6	16.0	6.9	1 / 11	3 / 12
Percentage of cycles resulting in twin live births (%)	9.1	8.0	10.3	0 / 11	0 / 12
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.1	16.0	6.9	1 / 11	3 / 12
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	8 / 16	9 / 17	33.3	2 / 19	9.1
Percentage of transfers resulting in pregnancies (%)	6 / 11	7 / 9	7 / 14	2 / 7	4 / 9
Percentage of transfers resulting in live births (%)	5 / 11	6 / 9	5 / 14	1 / 7	3 / 9
Percentage of transfers resulting in singleton live births (%)	3 / 11	4 / 9	2 / 14	1 / 7	3 / 9
Percentage of transfers resulting in twin live births (%)	2 / 11	2 / 9	3 / 14	0 / 7	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 11	4 / 9	2 / 14	1 / 7	3 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	11	17	4	2
Number of transfers	23	10	17	4	1
Estimated average number of transfers per retrieval	3.8	1.4	1.1	2.0	0.3
Average number of embryos transferred	1.2	1.8	1.9	1.8	5.0
Percentage of embryos transferred resulting in implantation (%)	54.5	9 / 18	22.6	0 / 4	1 / 5
Percentage of transfers resulting in pregnancies (%)	69.6	6 / 10	8 / 17	2 / 4	1 / 1
Percentage of transfers resulting in live births (%)	47.8	6 / 10	6 / 17	0 / 4	1 / 1
Percentage of transfers resulting in singleton live births (%)	43.5	3 / 10	6 / 17	0 / 4	1 / 1
Percentage of transfers resulting in twin live births (%)	4.3	3 / 10	0 / 17	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.8	1 / 10	4 / 17	0 / 4	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	6	1	3
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	13	0	
Number of transfers	0	0	13	0	
Average number of embryos transferred			1.4		
Percentage of embryos transferred resulting in implantation (%)			10 / 18		
Percentage of transfers resulting in pregnancies (%)			10 / 13		
Percentage of transfers resulting in live births (%)			10 / 13		
Percentage of transfers resulting in singleton live births (%)			10 / 13		
Percentage of transfers resulting in twin live births (%)			0 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			7 / 13		

CURRENT SERVICES & PROFILE

Current Name: IVF Hawaii

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

PACIFIC IN VITRO FERTILIZATION INSTITUTE HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Thomas S. Kosasa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	14%	Uterine factor	1%	Multiple Factors: Female factors only 7% Female & male factors 39%
Unstimulated	1%	PGD/PGS	8%	Ovulatory dysfunction	5%	Male factor	51%	
Used gestational carrier	2%			Diminished ovarian reserve	43%	Other factor	5%	
				Endometriosis	36%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 509
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	37	25	27	21
Percentage of cancellations before retrieval (%)	7.1	5.4	12.0	7.4	9.5
Number of transfers	19	18	12	15	13
Average number of embryos transferred	2.0	2.5	2.6	2.5	2.6
Percentage of elective single embryo transfers (eSET) (%)	1 / 16	0 / 17	0 / 10	0 / 13	0 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	11.9	13.5	8.0	7.4	4.8
Percentage of cycles resulting in live births (%)	11.9	10.8	4.0	3.7	4.8
Percentage of cycles resulting in singleton live births (%)	9.5	8.1	4.0	3.7	4.8
Percentage of cycles resulting in twin live births (%)	2.4	2.7	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	7.1	5.4	4.0	3.7	4.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	18.4	12.2	3.6	2.8	2.9
Percentage of transfers resulting in pregnancies (%)	5 / 19	5 / 18	2 / 12	2 / 15	1 / 13
Percentage of transfers resulting in live births (%)	5 / 19	4 / 18	1 / 12	1 / 15	1 / 13
Percentage of transfers resulting in singleton live births (%)	4 / 19	3 / 18	1 / 12	1 / 15	1 / 13
Percentage of transfers resulting in twin live births (%)	1 / 19	1 / 18	0 / 12	0 / 15	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 19	2 / 18	1 / 12	1 / 15	1 / 13
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	35	24	15	11
Number of transfers	38	33	20	13	10
Estimated average number of transfers per retrieval	2.1	1.8	1.8	1.2	2.5
Average number of embryos transferred	1.9	2.0	2.0	2.2	2.5
Percentage of embryos transferred resulting in implantation (%)	53.0	34.3	25.6	7.7	5 / 19
Percentage of transfers resulting in pregnancies (%)	68.4	48.5	40.0	3 / 13	5 / 10
Percentage of transfers resulting in live births (%)	52.6	36.4	35.0	1 / 13	3 / 10
Percentage of transfers resulting in singleton live births (%)	28.9	24.2	25.0	1 / 13	2 / 10
Percentage of transfers resulting in twin live births (%)	21.1	12.1	10.0	0 / 13	1 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.7	21.2	20.0	1 / 13	1 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	3	4	4	0
	1	1	1	4	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	87	3	126	1	
Number of transfers	79	3	115	1	
Average number of embryos transferred	1.8	1.7	1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	55.7	2 / 3	32.5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	68.4	2 / 3	47.0	0 / 1	
Percentage of transfers resulting in live births (%)	64.6	0 / 3	41.7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	44.3	0 / 3	33.9	0 / 1	
Percentage of transfers resulting in twin live births (%)	19.0	0 / 3	7.8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.9	0 / 3	26.1	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Pacific In Vitro Fertilization Institute

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE TRIPLER AMC, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nia R. Middleton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	36%	Uterine factor	0%	Multiple Factors: Female factors only 8% Female & male factors 27%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	14%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	14%	
				Endometriosis	7%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 128
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	9	5	4	0
Percentage of cancellations before retrieval (%)	3.4	2 / 9	0 / 5	0 / 4	
Number of transfers	25	5	5	4	0
Average number of embryos transferred	2.1	2.2	2.0	2.3	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 5	0 / 3	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.2	2 / 9	1 / 5	2 / 4	
Percentage of cycles resulting in live births (%)	44.8	2 / 9	1 / 5	1 / 4	
Percentage of cycles resulting in singleton live births (%)	34.5	1 / 9	1 / 5	0 / 4	
Percentage of cycles resulting in twin live births (%)	10.3	1 / 9	0 / 5	1 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.0	1 / 9	1 / 5	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.1	3 / 11	1 / 10	3 / 9	
Percentage of transfers resulting in pregnancies (%)	64.0	2 / 5	1 / 5	2 / 4	
Percentage of transfers resulting in live births (%)	52.0	2 / 5	1 / 5	1 / 4	
Percentage of transfers resulting in singleton live births (%)	40.0	1 / 5	1 / 5	0 / 4	
Percentage of transfers resulting in twin live births (%)	12.0	1 / 5	0 / 5	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.0	1 / 5	1 / 5	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	18	11	6	3	1
Number of transfers	18	10	3	2	1
Estimated average number of transfers per retrieval	0.8	1.0	0.5	0.5	0.5
Average number of embryos transferred	1.7	1.5	1.7	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	63.3	8 / 13	3 / 5	4 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	14 / 18	7 / 10	2 / 3	2 / 2	0 / 1
Percentage of transfers resulting in live births (%)	13 / 18	5 / 10	2 / 3	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	9 / 18	4 / 10	2 / 3	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	4 / 18	1 / 10	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 18	3 / 10	1 / 3	0 / 2	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	20	8	6	4	2
	19	8	5	4	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	2	0	
Number of transfers	0	0	2	0	
Average number of embryos transferred			1.5		
Percentage of embryos transferred resulting in implantation (%)			1 / 1		
Percentage of transfers resulting in pregnancies (%)			2 / 2		
Percentage of transfers resulting in live births (%)			1 / 2		
Percentage of transfers resulting in singleton live births (%)			1 / 2		
Percentage of transfers resulting in twin live births (%)			0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Tripler Army Medical Center IVF Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IDAHO CENTER FOR REPRODUCTIVE MEDICINE BOISE, IDAHO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Cristin C. Slater, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	11%	Uterine factor	5%	Multiple Factors: Female factors only 5% Female & male factors 7%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	10%	Male factor	25%	
Used gestational carrier	24%			Diminished ovarian reserve	24%	Other factor	20%	
				Endometriosis	6%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 582
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	79	23	17	5	5
Percentage of cancellations before retrieval (%)	8.9	13.0	3 / 17	1 / 5	1 / 5
Number of transfers	47	8	6	1	1
Average number of embryos transferred	1.7	1.8	2.3	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	23.8	0 / 6	1 / 6	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.7	21.7	2 / 17	0 / 5	0 / 5
Percentage of cycles resulting in live births (%)	31.6	17.4	1 / 17	0 / 5	0 / 5
Percentage of cycles resulting in singleton live births (%)	17.7	8.7	1 / 17	0 / 5	0 / 5
Percentage of cycles resulting in twin live births (%)	13.9	8.7	0 / 17	0 / 5	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.7	4.3	1 / 17	0 / 5	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	51.3	7 / 14	1 / 11	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	61.7	5 / 8	2 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	53.2	4 / 8	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.8	2 / 8	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	23.4	2 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.8	1 / 8	1 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	95	41	28	8	9
Number of transfers	89	37	27	7	5
Estimated average number of transfers per retrieval	1.4	0.8	0.7	0.7	0.2
Average number of embryos transferred	1.5	1.6	1.4	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	48.5	53.6	56.4	3 / 10	3 / 6
Percentage of transfers resulting in pregnancies (%)	64.0	64.9	63.0	3 / 7	4 / 5
Percentage of transfers resulting in live births (%)	56.2	45.9	55.6	3 / 7	1 / 5
Percentage of transfers resulting in singleton live births (%)	46.1	32.4	37.0	3 / 7	1 / 5
Percentage of transfers resulting in twin live births (%)	10.1	10.8	18.5	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.4	27.0	33.3	3 / 7	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	41	35	35	10	24
	1	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	22	1	93	11	
Number of transfers	16	1	92	11	
Average number of embryos transferred	1.6	2.0	1.5	1.8	
Percentage of embryos transferred resulting in implantation (%)	57.7	0 / 2	51.1	50.0	
Percentage of transfers resulting in pregnancies (%)	10 / 16	0 / 1	62.0	8 / 11	
Percentage of transfers resulting in live births (%)	8 / 16	0 / 1	55.4	5 / 11	
Percentage of transfers resulting in singleton live births (%)	4 / 16	0 / 1	42.4	3 / 11	
Percentage of transfers resulting in twin live births (%)	4 / 16	0 / 1	13.0	2 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 16	0 / 1	37.0	2 / 11	

CURRENT SERVICES & PROFILE

Current Name: Idaho Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Zvi Binor, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	10%	Uterine factor	2%	Multiple Factors: Female factors only 17% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	45%	Male factor	19%	
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	11%	
				Endometriosis	19%	Unknown factor	3%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 157 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		54	29	24	13	2
Percentage of cancellations before retrieval (%)		0.0	6.9	12.5	7 / 13	0 / 2
Number of transfers		48	23	19	6	1
Average number of embryos transferred		2.0	2.0	1.8	2.2	1.0
Percentage of elective single embryo transfers (eSET) (%)		2.2	0 / 18	0 / 15	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		42.6	13.8	8.3	0 / 13	0 / 2
Percentage of cycles resulting in live births (%)		33.3	3.4	0.0	0 / 13	0 / 2
Percentage of cycles resulting in singleton live births (%)		27.8	0.0	0.0	0 / 13	0 / 2
Percentage of cycles resulting in twin live births (%)		5.6	3.4	0.0	0 / 13	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		25.9	0.0	0.0	0 / 13	0 / 2
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		31.8	9.3	0.0	0 / 13	0 / 1
Percentage of transfers resulting in pregnancies (%)		47.9	17.4	2 / 19	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)		37.5	4.3	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)		31.3	0.0	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)		6.3	4.3	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		29.2	0.0	0 / 19	0 / 6	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles		14	8	5	2	0
Number of transfers		14	8	5	1	0
Estimated average number of transfers per retrieval		1.6	4.0	1.3	0.5	
Average number of embryos transferred		1.7	2.1	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)		0.0	2 / 15	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)		1 / 14	2 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)		0 / 14	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 14	0 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 14	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 14	0 / 8	0 / 5	0 / 1	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		0	0	0	0	0
		0	0	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		0	0	5	0	
Number of transfers		0	0	5	0	
Average number of embryos transferred				1.8		
Percentage of embryos transferred resulting in implantation (%)				6 / 9		
Percentage of transfers resulting in pregnancies (%)				5 / 5		
Percentage of transfers resulting in live births (%)				2 / 5		
Percentage of transfers resulting in singleton live births (%)				1 / 5		
Percentage of transfers resulting in twin live births (%)				1 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				1 / 5		

CURRENT SERVICES & PROFILE		Current Name: Rush-Copley Center for Reproductive Health					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF ILLINOIS-RIVER NORTH IVF CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christopher Sipe, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	5%	Uterine factor	3%	Multiple Factors: Female factors only 12% Female & male factors 11%
Unstimulated	<1%	PGD/PGS	12%	Ovulatory dysfunction	19%	Male factor	24%	
Used gestational carrier	3%			Diminished ovarian reserve	29%	Other factor	28%	
				Endometriosis	5%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,263
(includes 8 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	634	342	310	158	117
Percentage of cancellations before retrieval (%)	9.0	16.1	19.7	34.8	34.2
Number of transfers	479	229	188	79	41
Average number of embryos transferred	1.4	1.6	1.9	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	60.5	37.4	8.8	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.7	31.6	29.7	12.0	3.4
Percentage of cycles resulting in live births (%)	37.5	23.4	21.9	5.1	1.7
Percentage of cycles resulting in singleton live births (%)	33.6	17.5	19.0	4.4	1.7
Percentage of cycles resulting in twin live births (%)	3.9	5.8	2.9	0.6	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.5	16.1	14.8	3.8	0.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.7	36.7	28.7	10.2	3.8
Percentage of transfers resulting in pregnancies (%)	57.8	47.2	48.9	24.1	9.8
Percentage of transfers resulting in live births (%)	49.7	34.9	36.2	10.1	4.9
Percentage of transfers resulting in singleton live births (%)	44.5	26.2	31.4	8.9	4.9
Percentage of transfers resulting in twin live births (%)	5.2	8.7	4.8	1.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.0	24.0	24.5	7.6	2.4
Frozen Embryos from Nondonor Eggs					
Number of cycles	436	284	166	82	41
Number of transfers	411	256	158	73	37
Estimated average number of transfers per retrieval	1.5	1.3	0.8	0.8	0.6
Average number of embryos transferred	1.3	1.3	1.4	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	47.7	43.0	27.1	41.7	22.6
Percentage of transfers resulting in pregnancies (%)	55.2	50.4	41.1	50.7	29.7
Percentage of transfers resulting in live births (%)	45.5	40.6	25.3	41.1	24.3
Percentage of transfers resulting in singleton live births (%)	40.9	36.7	24.1	37.0	21.6
Percentage of transfers resulting in twin live births (%)	4.6	3.5	1.3	4.1	2.7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	32.4	20.9	35.6	18.9
Number of Egg or Embryo Banking Cycles					
	113	122	134	68	44
Number of fertility preservation cycles	43	53	45	11	8
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	48	44	110	2	
Number of transfers	32	34	97	2	
Average number of embryos transferred	1.4	3.1	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	63.6	18.4	37.5	0 / 3	
Percentage of transfers resulting in pregnancies (%)	65.6	47.1	50.5	0 / 2	
Percentage of transfers resulting in live births (%)	59.4	41.2	36.1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	40.6	29.4	30.9	0 / 2	
Percentage of transfers resulting in twin live births (%)	15.6	11.8	5.2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	20.6	26.8	0 / 2	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Fertility Centers of Illinois-River North IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR HUMAN REPRODUCTION (IHR) CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David P. Cohen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	58%	Tubal factor	10%	Uterine factor	7%	Multiple Factors: Female factors only 9% Female & male factors 21%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	20%	Male factor	30%	
Used gestational carrier	3%			Diminished ovarian reserve	38%	Other factor	7%	
				Endometriosis	4%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 691
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	19	15	21	28
Percentage of cancellations before retrieval (%)	0.0	3 / 19	4 / 15	47.6	46.4
Number of transfers	22	13	7	8	10
Average number of embryos transferred	1.3	1.6	2.4	1.8	2.2
Percentage of elective single embryo transfers (eSET) (%)	71.4	4 / 12	0 / 7	1 / 6	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.6	8 / 19	2 / 15	4.8	7.1
Percentage of cycles resulting in live births (%)	29.6	6 / 19	2 / 15	0.0	3.6
Percentage of cycles resulting in singleton live births (%)	29.6	4 / 19	2 / 15	0.0	3.6
Percentage of cycles resulting in twin live births (%)	0.0	2 / 19	0 / 15	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	4 / 19	2 / 15	0.0	3.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.6	9 / 19	2 / 17	1 / 14	13.6
Percentage of transfers resulting in pregnancies (%)	36.4	8 / 13	2 / 7	1 / 8	2 / 10
Percentage of transfers resulting in live births (%)	36.4	6 / 13	2 / 7	0 / 8	1 / 10
Percentage of transfers resulting in singleton live births (%)	36.4	4 / 13	2 / 7	0 / 8	1 / 10
Percentage of transfers resulting in twin live births (%)	0.0	2 / 13	0 / 7	0 / 8	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	4 / 13	2 / 7	0 / 8	1 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	112	39	53	20	13
Number of transfers	98	33	40	17	8
Estimated average number of transfers per retrieval	1.0	0.6	0.6	0.3	0.2
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	54.9	36.8	43.5	9 / 19	1 / 10
Percentage of transfers resulting in pregnancies (%)	58.2	45.5	52.5	9 / 17	2 / 8
Percentage of transfers resulting in live births (%)	44.9	33.3	37.5	6 / 17	0 / 8
Percentage of transfers resulting in singleton live births (%)	39.8	30.3	32.5	6 / 17	0 / 8
Percentage of transfers resulting in twin live births (%)	4.1	3.0	5.0	0 / 17	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.7	24.2	30.0	6 / 17	0 / 8
Number of Egg or Embryo Banking Cycles					
	87	45	61	50	49
Number of fertility preservation cycles	1	4	9	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	37	3	
Number of transfers	5	0	34	3	
Average number of embryos transferred	1.6		1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 8		43.9	0 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 5		58.8	0 / 3	
Percentage of transfers resulting in live births (%)	1 / 5		41.2	0 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 5		38.2	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 5		2.9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		32.4	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Institute for Human Reproduction (IHR)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWESTERN FERTILITY AND REPRODUCTIVE MEDICINE CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mary Ellen Pavone, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}					
IVF	100%	With ICSI	77%	Tubal factor	6%	Uterine factor	2%	Multiple Factors:	
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	9%	Male factor	24%	Female factors only	4%
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	15%	Female & male factors	8%
				Endometriosis	2%	Unknown factor	26%		

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,261
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	236	146	112	70	30
Percentage of cancellations before retrieval (%)	5.5	7.5	19.6	10.0	10.0
Number of transfers	198	122	81	58	23
Average number of embryos transferred	1.5	1.7	2.3	2.9	2.7
Percentage of elective single embryo transfers (eSET) (%)	49.2	33.3	4.2	0.0	1 / 17
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.5	33.6	23.2	14.3	10.0
Percentage of cycles resulting in live births (%)	39.0	27.4	19.6	11.4	6.7
Percentage of cycles resulting in singleton live births (%)	35.2	24.7	16.1	8.6	6.7
Percentage of cycles resulting in twin live births (%)	3.8	2.1	3.6	2.9	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.8	24.0	15.2	8.6	3.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.6	26.2	16.5	6.4	3.6
Percentage of transfers resulting in pregnancies (%)	49.5	40.2	32.1	17.2	13.0
Percentage of transfers resulting in live births (%)	46.5	32.8	27.2	13.8	8.7
Percentage of transfers resulting in singleton live births (%)	41.9	29.5	22.2	10.3	8.7
Percentage of transfers resulting in twin live births (%)	4.5	2.5	4.9	3.4	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	28.7	21.0	10.3	4.3
Frozen Embryos from Nondonor Eggs					
Number of cycles	155	89	58	14	13
Number of transfers	142	83	50	13	11
Estimated average number of transfers per retrieval	1.0	0.9	0.7	0.5	0.6
Average number of embryos transferred	1.3	1.4	1.3	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	55.7	42.1	45.2	4 / 16	7 / 15
Percentage of transfers resulting in pregnancies (%)	66.2	54.2	58.0	4 / 13	8 / 11
Percentage of transfers resulting in live births (%)	58.5	49.4	42.0	3 / 13	6 / 11
Percentage of transfers resulting in singleton live births (%)	51.4	43.4	38.0	3 / 13	6 / 11
Percentage of transfers resulting in twin live births (%)	7.0	6.0	4.0	0 / 13	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.1	37.3	34.0	3 / 13	6 / 11
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	103	60	58	22	18
	62	29	30	5	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	39	0	34	0	
Number of transfers	29	0	33	0	
Average number of embryos transferred	1.2		1.2		
Percentage of embryos transferred resulting in implantation (%)	58.8		52.6		
Percentage of transfers resulting in pregnancies (%)	69.0		54.5		
Percentage of transfers resulting in live births (%)	51.7		45.5		
Percentage of transfers resulting in singleton live births (%)	51.7		36.4		
Percentage of transfers resulting in twin live births (%)	0.0		9.1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.8		21.2		

CURRENT SERVICES & PROFILE

Current Name: Northwestern Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF CHICAGO MEDICINE CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Helen Kim, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	30%	Uterine factor	5%	Multiple Factors: Female factors only 14% Female & male factors 12%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	9%	Male factor	18%	
Used gestational carrier	2%			Diminished ovarian reserve	14%	Other factor	26%	
				Endometriosis	7%	Unknown factor	20%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 155
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	25	18	23	12	4
Percentage of cancellations before retrieval (%)	8.0	2 / 18	17.4	2 / 12	1 / 4
Number of transfers	10	10	12	6	3
Average number of embryos transferred	1.4	1.8	1.8	2.0	3.7
Percentage of elective single embryo transfers (eSET) (%)	5 / 9	1 / 9	1 / 10	0 / 5	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	16.0	6 / 18	21.7	2 / 12	0 / 4
Percentage of cycles resulting in live births (%)	16.0	4 / 18	17.4	1 / 12	0 / 4
Percentage of cycles resulting in singleton live births (%)	16.0	3 / 18	17.4	1 / 12	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	1 / 18	0.0	0 / 12	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.0	3 / 18	13.0	1 / 12	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 14	6 / 17	27.3	1 / 10	0 / 11
Percentage of transfers resulting in pregnancies (%)	4 / 10	6 / 10	5 / 12	2 / 6	0 / 3
Percentage of transfers resulting in live births (%)	4 / 10	4 / 10	4 / 12	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 10	3 / 10	4 / 12	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 10	1 / 10	0 / 12	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 10	3 / 10	3 / 12	1 / 6	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	13	9	3	3
Number of transfers	23	12	8	3	3
Estimated average number of transfers per retrieval	1.4	1.7	0.6	0.6	
Average number of embryos transferred	1.4	1.6	1.6	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	53.3	10 / 19	7 / 13	4 / 5	2 / 4
Percentage of transfers resulting in pregnancies (%)	65.2	7 / 12	7 / 8	3 / 3	2 / 3
Percentage of transfers resulting in live births (%)	26.1	6 / 12	6 / 8	3 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	17.4	5 / 12	6 / 8	2 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	8.7	1 / 12	0 / 8	1 / 3	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	13.0	4 / 12	6 / 8	2 / 3	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	3	9	0	0
	4	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	2	1	
Number of transfers	0	0	2	1	
Average number of embryos transferred			1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 2	2 / 2	
Percentage of transfers resulting in pregnancies (%)			1 / 2	1 / 1	
Percentage of transfers resulting in live births (%)			1 / 2	1 / 1	
Percentage of transfers resulting in singleton live births (%)			1 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)			0 / 2	1 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 2	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: University of Chicago Medicine Center for Reproductive Medicine and Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Humberto Scoccia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	26%	Uterine factor	14%	Multiple Factors: Female factors only 22% Female & male factors 20%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	13%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	13%	
				Endometriosis	9%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 223
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	60	25	42	19	20
Percentage of cancellations before retrieval (%)	10.0	8.0	11.9	8 / 19	45.0
Number of transfers	40	19	33	7	6
Average number of embryos transferred	1.7	2.0	2.5	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	26.3	2 / 16	0.0	0 / 4	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.0	32.0	23.8	1 / 19	5.0
Percentage of cycles resulting in live births (%)	28.3	28.0	19.0	1 / 19	5.0
Percentage of cycles resulting in singleton live births (%)	25.0	28.0	16.7	1 / 19	5.0
Percentage of cycles resulting in twin live births (%)	3.3	0.0	2.4	0 / 19	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.3	20.0	16.7	1 / 19	5.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.9	23.7	13.6	1 / 16	1 / 15
Percentage of transfers resulting in pregnancies (%)	52.5	8 / 19	30.3	1 / 7	1 / 6
Percentage of transfers resulting in live births (%)	42.5	7 / 19	24.2	1 / 7	1 / 6
Percentage of transfers resulting in singleton live births (%)	37.5	7 / 19	21.2	1 / 7	1 / 6
Percentage of transfers resulting in twin live births (%)	5.0	0 / 19	3.0	0 / 7	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.5	5 / 19	21.2	1 / 7	1 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	7	9	1	2
Number of transfers	25	7	9	1	2
Estimated average number of transfers per retrieval	2.1	1.0	1.5		
Average number of embryos transferred	1.4	1.4	2.1	1.0	3.5
Percentage of embryos transferred resulting in implantation (%)	38.9	5 / 10	5 / 19		0 / 7
Percentage of transfers resulting in pregnancies (%)	44.0	4 / 7	4 / 9	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	40.0	4 / 7	4 / 9	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.0	3 / 7	4 / 9	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	1 / 7	0 / 9	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.0	2 / 7	4 / 9	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	1	0	0
	1	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	5	0	
Number of transfers	5	0	4	0	
Average number of embryos transferred	1.4		1.3		
Percentage of embryos transferred resulting in implantation (%)	4 / 7		3 / 5		
Percentage of transfers resulting in pregnancies (%)	3 / 5		3 / 4		
Percentage of transfers resulting in live births (%)	3 / 5		3 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 5		3 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 5		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5		1 / 4		

CURRENT SERVICES & PROFILE

Current Name: University of Illinois at Chicago IVF Program

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CONSULTANTS CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mary W. Molo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	93%	Tubal factor	33%	Uterine factor	44%	Multiple Factors: Female factors only 35% Female & male factors 52%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	48%	Male factor	54%	
Used gestational carrier	<1%			Diminished ovarian reserve	39%	Other factor	40%	
				Endometriosis	15%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 300
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	28	25	27	18	16
Percentage of cancellations before retrieval (%)	3.6	4.0	7.4	1 / 18	4 / 16
Number of transfers	18	23	22	10	9
Average number of embryos transferred	1.6	1.9	1.8	1.9	2.1
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	13.6	1 / 17	0 / 7	1 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.0	52.0	33.3	1 / 18	1 / 16
Percentage of cycles resulting in live births (%)	21.4	40.0	18.5	1 / 18	1 / 16
Percentage of cycles resulting in singleton live births (%)	21.4	36.0	14.8	1 / 18	1 / 16
Percentage of cycles resulting in twin live births (%)	0.0	4.0	3.7	0 / 18	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.4	28.0	14.8	1 / 18	1 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	24.1	31.8	25.0	1 / 19	1 / 19
Percentage of transfers resulting in pregnancies (%)	7 / 18	56.5	40.9	1 / 10	1 / 9
Percentage of transfers resulting in live births (%)	6 / 18	43.5	22.7	1 / 10	1 / 9
Percentage of transfers resulting in singleton live births (%)	6 / 18	39.1	18.2	1 / 10	1 / 9
Percentage of transfers resulting in twin live births (%)	0 / 18	4.3	4.5	0 / 10	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 18	30.4	18.2	1 / 10	1 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	26	21	3	5
Number of transfers	46	25	18	3	5
Estimated average number of transfers per retrieval	1.6	1.1	2.3	0.3	0.5
Average number of embryos transferred	1.9	1.7	1.7	1.7	2.6
Percentage of embryos transferred resulting in implantation (%)	24.7	20.9	30.0	0 / 5	1 / 13
Percentage of transfers resulting in pregnancies (%)	41.3	32.0	9 / 18	0 / 3	1 / 5
Percentage of transfers resulting in live births (%)	23.9	20.0	6 / 18	0 / 3	1 / 5
Percentage of transfers resulting in singleton live births (%)	21.7	20.0	5 / 18	0 / 3	1 / 5
Percentage of transfers resulting in twin live births (%)	2.2	0.0	1 / 18	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	13.0	16.0	3 / 18	0 / 3	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	17	5	9	6
	5	1	2	5	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	8	0	
Number of transfers	7	0	6	0	
Average number of embryos transferred	2.1		1.8		
Percentage of embryos transferred resulting in implantation (%)	4 / 15		2 / 11		
Percentage of transfers resulting in pregnancies (%)	4 / 7		2 / 6		
Percentage of transfers resulting in live births (%)	4 / 7		2 / 6		
Percentage of transfers resulting in singleton live births (%)	4 / 7		2 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 7		0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7		2 / 6		

CURRENT SERVICES & PROFILE

Current Name: Women's Health Consultants

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF CREST HILL, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Scott Springer, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	99%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 13%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	34%	Other factor	15%	
				Endometriosis	5%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 205
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	10	10	12	2	0
Percentage of cancellations before retrieval (%)	0 / 10	0 / 10	0 / 12	0 / 2	
Number of transfers	9	10	12	1	0
Average number of embryos transferred	1.9	1.7	1.8	3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 7	0 / 7	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 10	5 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in live births (%)	2 / 10	5 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 10	4 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 10	1 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 10	3 / 10	0 / 12	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 15	6 / 17	0.0	0 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 9	5 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 9	5 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 9	4 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	1 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9	3 / 10	0 / 12	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	69	14	5	3	5
Number of transfers	68	13	5	3	5
Estimated average number of transfers per retrieval	1.3	1.0	0.6	0.6	1.7
Average number of embryos transferred	1.3	1.4	1.6	2.0	1.2
Percentage of embryos transferred resulting in implantation (%)	38.1	5 / 17	0 / 8	1 / 6	1 / 6
Percentage of transfers resulting in pregnancies (%)	42.6	6 / 13	0 / 5	1 / 3	1 / 5
Percentage of transfers resulting in live births (%)	36.8	5 / 13	0 / 5	1 / 3	1 / 5
Percentage of transfers resulting in singleton live births (%)	32.4	5 / 13	0 / 5	1 / 3	1 / 5
Percentage of transfers resulting in twin live births (%)	4.4	0 / 13	0 / 5	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.9	5 / 13	0 / 5	0 / 3	0 / 5
Number of Egg or Embryo Banking Cycles					
	49	11	6	4	3
Number of fertility preservation cycles	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	1	0	
Number of transfers	1	0	1	0	
Average number of embryos transferred	1.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 1		0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Health/Joliet IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Amos E. Madanes, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}			
IVF	100%	With ICSI	50%	Tubal factor	31%	Uterine factor	14%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	26%
Used gestational carrier	2%			Diminished ovarian reserve	25%	Other factor	10%
				Endometriosis	4%	Unknown factor	3%
				Multiple Factors: 6%			
				Female factors only 16%			
				Female & male factors 16%			

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 176 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		51	29	20	11	13
Percentage of cancellations before retrieval (%)		7.8	17.2	20.0	2 / 11	0 / 13
Number of transfers		47	24	16	9	12
Average number of embryos transferred		2.0	2.2	2.5	2.7	3.9
Percentage of elective single embryo transfers (eSET) (%)		0.0	0.0	0 / 15	1 / 7	1 / 11
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		23.5	10.3	30.0	1 / 11	2 / 13
Percentage of cycles resulting in live births (%)		13.7	10.3	10.0	1 / 11	1 / 13
Percentage of cycles resulting in singleton live births (%)		13.7	6.9	10.0	1 / 11	1 / 13
Percentage of cycles resulting in twin live births (%)		0.0	3.4	0.0	0 / 11	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		5.9	3.4	10.0	1 / 11	0 / 13
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		11.2	7.7	16.2	4.2	2.2
Percentage of transfers resulting in pregnancies (%)		25.5	12.5	6 / 16	1 / 9	2 / 12
Percentage of transfers resulting in live births (%)		14.9	12.5	2 / 16	1 / 9	1 / 12
Percentage of transfers resulting in singleton live births (%)		14.9	8.3	2 / 16	1 / 9	1 / 12
Percentage of transfers resulting in twin live births (%)		0.0	4.2	0 / 16	0 / 9	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		6.4	4.2	2 / 16	1 / 9	0 / 12
Frozen Embryos from Nondonor Eggs						
Number of cycles		12	10	8	2	2
Number of transfers		12	10	8	2	2
Estimated average number of transfers per retrieval		2.0	2.5	2.0	0.7	
Average number of embryos transferred		1.9	2.0	2.1	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)		28.6	10.0	2 / 17	0 / 1	0 / 4
Percentage of transfers resulting in pregnancies (%)		5 / 12	1 / 10	2 / 8	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)		2 / 12	1 / 10	1 / 8	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)		2 / 12	0 / 10	1 / 8	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)		0 / 12	1 / 10	0 / 8	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 12	0 / 10	1 / 8	0 / 2	0 / 2
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		2	0	0	0	0
		0	0	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		14	0	2	0	
Number of transfers		14	0	2	0	
Average number of embryos transferred		2.1		2.0		
Percentage of embryos transferred resulting in implantation (%)		23.3		1 / 4		
Percentage of transfers resulting in pregnancies (%)		4 / 14		1 / 2		
Percentage of transfers resulting in live births (%)		4 / 14		1 / 2		
Percentage of transfers resulting in singleton live births (%)		1 / 14		1 / 2		
Percentage of transfers resulting in twin live births (%)		3 / 14		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 14		1 / 2		

CURRENT SERVICES & PROFILE		Current Name: Midwest Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CHICAGO INFERTILITY ASSOCIATES, LTD.
ELK GROVE VILLAGE, ILLINOIS**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

DAVIES FERTILITY & IVF SPECIALISTS, SC GLENVIEW, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Susan A. Davies, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	10%	Uterine factor	8%	Multiple Factors: Female factors only 10% Female & male factors 4%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	18%	Male factor	10%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	9%	
				Endometriosis	1%	Unknown factor	24%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 372
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	37	33	18	21
Percentage of cancellations before retrieval (%)	11.5	13.5	18.2	4 / 18	38.1
Number of transfers	21	17	14	3	10
Average number of embryos transferred	1.9	2.0	2.2	2.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 19	0 / 13	0 / 10	0 / 3	0 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	12.6	16.2	9.1	2 / 18	19.0
Percentage of cycles resulting in live births (%)	10.3	8.1	3.0	2 / 18	14.3
Percentage of cycles resulting in singleton live births (%)	9.2	8.1	3.0	1 / 18	9.5
Percentage of cycles resulting in twin live births (%)	1.1	0.0	0.0	1 / 18	4.8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.2	5.4	3.0	1 / 18	9.5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.5	15.2	6.9	3 / 7	18.5
Percentage of transfers resulting in pregnancies (%)	52.4	6 / 17	3 / 14	2 / 3	4 / 10
Percentage of transfers resulting in live births (%)	42.9	3 / 17	1 / 14	2 / 3	3 / 10
Percentage of transfers resulting in singleton live births (%)	38.1	3 / 17	1 / 14	1 / 3	2 / 10
Percentage of transfers resulting in twin live births (%)	4.8	0 / 17	0 / 14	1 / 3	1 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	2 / 17	1 / 14	1 / 3	2 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	64	19	13	9	2
Number of transfers	60	19	13	6	1
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.4	0.1
Average number of embryos transferred	1.6	1.5	1.6	1.7	3.0
Percentage of embryos transferred resulting in implantation (%)	48.4	50.0	52.4	2 / 10	
Percentage of transfers resulting in pregnancies (%)	61.7	12 / 19	10 / 13	2 / 6	1 / 1
Percentage of transfers resulting in live births (%)	51.7	11 / 19	8 / 13	2 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.3	10 / 19	7 / 13	2 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	8.3	1 / 19	1 / 13	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.7	9 / 19	6 / 13	2 / 6	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	8	12	11	8
	3	1	1	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	4	0	
Number of transfers	6	0	4	0	
Average number of embryos transferred	1.8		1.3		
Percentage of embryos transferred resulting in implantation (%)	9 / 11		2 / 5		
Percentage of transfers resulting in pregnancies (%)	6 / 6		1 / 4		
Percentage of transfers resulting in live births (%)	6 / 6		1 / 4		
Percentage of transfers resulting in singleton live births (%)	5 / 6		0 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 6		1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 6		0 / 4		

CURRENT SERVICES & PROFILE

Current Name: Davies Fertility & IVF Specialists, SC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard P. Sherbahn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 8%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	14%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	37%	Other factor	11%	
				Endometriosis	5%	Unknown factor	20%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 979
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	219	69	78	35	16
Percentage of cancellations before retrieval (%)	2.3	5.8	14.1	17.1	1 / 16
Number of transfers	198	57	56	23	9
Average number of embryos transferred	1.8	1.9	2.2	2.7	2.6
Percentage of elective single embryo transfers (eSET) (%)	20.4	3.9	4.1	0.0	0 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.4	44.9	32.1	20.0	1 / 16
Percentage of cycles resulting in live births (%)	48.4	36.2	20.5	14.3	1 / 16
Percentage of cycles resulting in singleton live births (%)	33.3	26.1	17.9	11.4	1 / 16
Percentage of cycles resulting in twin live births (%)	15.1	7.2	2.6	2.9	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.1	24.6	15.4	11.4	0 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.4	36.3	18.9	11.7	4.3
Percentage of transfers resulting in pregnancies (%)	59.1	54.4	44.6	30.4	1 / 9
Percentage of transfers resulting in live births (%)	53.5	43.9	28.6	21.7	1 / 9
Percentage of transfers resulting in singleton live births (%)	36.9	31.6	25.0	17.4	1 / 9
Percentage of transfers resulting in twin live births (%)	16.7	8.8	3.6	4.3	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	29.8	21.4	17.4	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	147	66	32	14	3
Number of transfers	143	63	31	13	3
Estimated average number of transfers per retrieval	1.2	1.3	0.8	1.1	0.3
Average number of embryos transferred	1.4	1.4	1.3	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	69.2	53.7	69.2	12 / 16	2 / 4
Percentage of transfers resulting in pregnancies (%)	80.4	66.7	83.9	11 / 13	2 / 3
Percentage of transfers resulting in live births (%)	67.1	57.1	74.2	10 / 13	2 / 3
Percentage of transfers resulting in singleton live births (%)	51.7	49.2	74.2	9 / 13	2 / 3
Percentage of transfers resulting in twin live births (%)	15.4	7.9	0.0	1 / 13	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.6	41.3	71.0	8 / 13	2 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	72	27	36	10	11
	3	4	3	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	41	54	48	1	
Number of transfers	40	51	48	1	
Average number of embryos transferred	1.6	1.8	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	93.5	50.5	63.0	2 / 2	
Percentage of transfers resulting in pregnancies (%)	97.5	68.6	72.9	1 / 1	
Percentage of transfers resulting in live births (%)	90.0	66.7	47.9	1 / 1	
Percentage of transfers resulting in singleton live births (%)	45.0	45.1	43.8	0 / 1	
Percentage of transfers resulting in twin live births (%)	42.5	21.6	4.2	1 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.5	43.1	33.3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF ILLINOIS-HIGHLAND PARK IVF CENTER HIGHLAND PARK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brian R. Kaplan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	4%	Uterine factor	4%	Multiple Factors: Female factors only 25% Female & male factors 23%
Unstimulated	<1%	PGD/PGS	25%	Ovulatory dysfunction	14%	Male factor	32%	
Used gestational carrier	9%			Diminished ovarian reserve	44%	Other factor	54%	
				Endometriosis	4%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,470
(includes 11 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	131	122	74	73
Percentage of cancellations before retrieval (%)	18.7	25.2	23.0	20.3	23.3
Number of transfers	60	56	41	18	16
Average number of embryos transferred	1.6	1.6	1.8	2.1	2.4
Percentage of elective single embryo transfers (eSET) (%)	38.2	15.0	6.9	0 / 14	0 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.1	18.3	10.7	4.1	2.7
Percentage of cycles resulting in live births (%)	18.7	16.0	9.0	4.1	0.0
Percentage of cycles resulting in singleton live births (%)	13.7	10.7	9.0	4.1	0.0
Percentage of cycles resulting in twin live births (%)	5.0	5.3	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.9	8.4	7.4	4.1	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.5	36.0	19.2	10.8	5.3
Percentage of transfers resulting in pregnancies (%)	46.7	42.9	31.7	3 / 18	2 / 16
Percentage of transfers resulting in live births (%)	43.3	37.5	26.8	3 / 18	0 / 16
Percentage of transfers resulting in singleton live births (%)	31.7	25.0	26.8	3 / 18	0 / 16
Percentage of transfers resulting in twin live births (%)	11.7	12.5	0.0	0 / 18	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	19.6	22.0	3 / 18	0 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	344	229	150	74	36
Number of transfers	312	200	131	64	24
Estimated average number of transfers per retrieval	1.0	0.9	0.7	0.6	0.3
Average number of embryos transferred	1.3	1.4	1.4	1.4	1.4
Percentage of embryos transferred resulting in implantation (%)	49.0	46.2	41.3	28.0	31.0
Percentage of transfers resulting in pregnancies (%)	57.7	55.5	53.4	43.8	45.8
Percentage of transfers resulting in live births (%)	48.4	47.0	41.2	31.3	33.3
Percentage of transfers resulting in singleton live births (%)	44.2	41.5	35.9	31.3	29.2
Percentage of transfers resulting in twin live births (%)	4.2	5.5	5.3	0.0	4.2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.1	37.0	32.1	26.6	20.8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	281	210	172	82	69
	49	79	44	17	15
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	44	30	188	11	
Number of transfers	33	25	170	11	
Average number of embryos transferred	1.6	1.7	1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	52.9	53.5	47.7	40.0	
Percentage of transfers resulting in pregnancies (%)	63.6	72.0	58.2	6 / 11	
Percentage of transfers resulting in live births (%)	54.5	56.0	50.6	5 / 11	
Percentage of transfers resulting in singleton live births (%)	36.4	44.0	44.7	3 / 11	
Percentage of transfers resulting in twin live births (%)	18.2	12.0	5.9	2 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	32.0	40.0	2 / 11	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Fertility Centers of Illinois-Highland Park IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael J. Hickey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	5%	Uterine factor	7%	Multiple Factors: Female factors only 9% Female & male factors 15%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	7%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	42%	
				Endometriosis	20%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 88
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	6	8	1	0
Percentage of cancellations before retrieval (%)	3 / 19	0 / 6	3 / 8	0 / 1	
Number of transfers	3	3	3	1	0
Average number of embryos transferred	2.3	2.0	2.0	1.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 19	2 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in live births (%)	1 / 19	2 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 19	1 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 19	1 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 19	1 / 6	0 / 8	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 7	3 / 6	0 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 3	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	12	8	1	1
Number of transfers	23	12	8	1	1
Estimated average number of transfers per retrieval	1.6	2.4	2.0		
Average number of embryos transferred	2.0	2.0	1.5	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	31.1	33.3	3 / 12	0 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	47.8	5 / 12	3 / 8	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	39.1	3 / 12	2 / 8	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	26.1	1 / 12	2 / 8	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	13.0	2 / 12	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	0 / 12	2 / 8	0 / 1	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	2	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	5	1	0	
Number of transfers	0	3	1	0	
Average number of embryos transferred		1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)		2 / 3	1 / 1		
Percentage of transfers resulting in live births (%)		2 / 3	1 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 3	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Hinsdale Center for Reproduction

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INVIA FERTILITY SPECIALISTS HOFFMAN ESTATES, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vishvanath C. Karande, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	5%	Uterine factor	5%	Multiple Factors: Female factors only 2% Female & male factors 4%
Unstimulated	<1%	PGD/PGS	17%	Ovulatory dysfunction	19%	Male factor	15%	
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	18%	
				Endometriosis	5%	Unknown factor	24%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 712
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	62	43	18	19
Percentage of cancellations before retrieval (%)	5.0	9.7	18.6	2 / 18	6 / 19
Number of transfers	70	32	16	7	5
Average number of embryos transferred	1.3	1.3	1.8	1.4	1.6
Percentage of elective single embryo transfers (eSET) (%)	62.7	64.0	2 / 13	0 / 2	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.5	16.1	25.6	1 / 18	1 / 19
Percentage of cycles resulting in live births (%)	30.2	14.5	14.0	1 / 18	0 / 19
Percentage of cycles resulting in singleton live births (%)	24.5	12.9	14.0	1 / 18	0 / 19
Percentage of cycles resulting in twin live births (%)	5.8	1.6	0.0	0 / 18	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.1	11.3	11.6	1 / 18	0 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	65.2	26.8	38.5	1 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	68.6	31.3	11 / 16	1 / 7	1 / 5
Percentage of transfers resulting in live births (%)	60.0	28.1	6 / 16	1 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	48.6	25.0	6 / 16	1 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	11.4	3.1	0 / 16	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	21.9	5 / 16	1 / 7	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	148	75	44	11	3
Number of transfers	148	75	44	11	3
Estimated average number of transfers per retrieval	1.8	1.4	1.4	0.9	0.6
Average number of embryos transferred	1.1	1.2	1.3	1.2	1.7
Percentage of embryos transferred resulting in implantation (%)	58.6	57.0	45.5	6 / 13	1 / 5
Percentage of transfers resulting in pregnancies (%)	60.8	65.3	47.7	6 / 11	1 / 3
Percentage of transfers resulting in live births (%)	48.6	49.3	40.9	3 / 11	1 / 3
Percentage of transfers resulting in singleton live births (%)	43.9	45.3	34.1	3 / 11	1 / 3
Percentage of transfers resulting in twin live births (%)	4.7	4.0	6.8	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.1	38.7	29.5	3 / 11	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	29	24	21	8	5
	4	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	18	0	32	13	
Number of transfers	8	0	32	13	
Average number of embryos transferred	1.3		1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 10		45.7	6 / 12	
Percentage of transfers resulting in pregnancies (%)	5 / 8		46.9	7 / 13	
Percentage of transfers resulting in live births (%)	5 / 8		43.8	6 / 13	
Percentage of transfers resulting in singleton live births (%)	5 / 8		40.6	6 / 13	
Percentage of transfers resulting in twin live births (%)	0 / 8		3.1	0 / 13	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 8		34.4	6 / 13	

CURRENT SERVICES & PROFILE

Current Name: InVia Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REENA JABAMONI, MD, SC HOFFMAN ESTATES, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Reena Jabamoni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	15%	Uterine factor	4%	Multiple Factors: Female factors only 21% Female & male factors 14%
Unstimulated	4%	PGD/PGS	8%	Ovulatory dysfunction	29%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	14%	
				Endometriosis	4%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 62
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	4	2	1	7
Percentage of cancellations before retrieval (%)	3 / 14	1 / 4	2 / 2	0 / 1	1 / 7
Number of transfers	8	3	0	1	2
Average number of embryos transferred	1.1	2.0		2.0	1.5
Percentage of elective single embryo transfers (eSET) (%)	6 / 7	0 / 3		0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 14	1 / 4	0 / 2	1 / 1	0 / 7
Percentage of cycles resulting in live births (%)	2 / 14	1 / 4	0 / 2	1 / 1	0 / 7
Percentage of cycles resulting in singleton live births (%)	1 / 14	1 / 4	0 / 2	1 / 1	0 / 7
Percentage of cycles resulting in twin live births (%)	1 / 14	0 / 4	0 / 2	0 / 1	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 14	0 / 4	0 / 2	1 / 1	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 9	1 / 6		1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	2 / 8	1 / 3		1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	2 / 8	1 / 3		1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 3		1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 3		0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 8	0 / 3		1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	4	1	0	1
Number of transfers	16	4	1	0	1
Estimated average number of transfers per retrieval	1.6	2.0	0.3	0.0	1.0
Average number of embryos transferred	1.3	1.3	1.0		2.0
Percentage of embryos transferred resulting in implantation (%)	8 / 18	3 / 5	0 / 1		0 / 2
Percentage of transfers resulting in pregnancies (%)	10 / 16	3 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	6 / 16	3 / 4	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 16	3 / 4	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 16	2 / 4	0 / 1		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	0	3	1	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	0	
Number of transfers	0	0	1	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			0 / 1		
Percentage of transfers resulting in pregnancies (%)			0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Reena Jabamoni, MD, SC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

**THE ADVANCED IVF INSTITUTE
CHARLES E. MILLER, MD, SC & ASSOCIATES
NAPERVILLE, ILLINOIS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Charles E. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	6%	Uterine factor	9%	Multiple Factors: Female factors only 9% Female & male factors 27%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	28%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	6%	
				Endometriosis	6%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 685
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	130	98	63	39	10
Percentage of cancellations before retrieval (%)	13.1	19.4	22.2	23.1	1 / 10
Number of transfers	73	54	34	23	8
Average number of embryos transferred	1.7	1.8	2.1	2.4	1.9
Percentage of elective single embryo transfers (eSET) (%)	21.9	13.6	3.6	0.0	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.0	34.7	30.2	17.9	1 / 10
Percentage of cycles resulting in live births (%)	34.6	27.6	14.3	7.7	1 / 10
Percentage of cycles resulting in singleton live births (%)	26.2	20.4	12.7	5.1	0 / 10
Percentage of cycles resulting in twin live births (%)	8.5	7.1	1.6	2.6	1 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	17.3	9.5	2.6	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.5	41.8	29.0	13.5	2 / 15
Percentage of transfers resulting in pregnancies (%)	71.2	63.0	55.9	30.4	1 / 8
Percentage of transfers resulting in live births (%)	61.6	50.0	26.5	13.0	1 / 8
Percentage of transfers resulting in singleton live births (%)	46.6	37.0	23.5	8.7	0 / 8
Percentage of transfers resulting in twin live births (%)	15.1	13.0	2.9	4.3	1 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.6	31.5	17.6	4.3	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	114	58	31	11	17
Number of transfers	112	54	31	10	14
Estimated average number of transfers per retrieval	1.4	1.5	1.2	0.8	1.6
Average number of embryos transferred	1.6	1.6	1.5	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	56.8	51.3	51.1	4 / 11	20.0
Percentage of transfers resulting in pregnancies (%)	66.1	61.1	61.3	6 / 10	5 / 14
Percentage of transfers resulting in live births (%)	56.3	53.7	54.8	4 / 10	5 / 14
Percentage of transfers resulting in singleton live births (%)	39.3	44.4	41.9	4 / 10	5 / 14
Percentage of transfers resulting in twin live births (%)	17.0	9.3	9.7	0 / 10	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.8	37.0	35.5	4 / 10	5 / 14
Number of Egg or Embryo Banking Cycles					
	45	21	18	12	9
Number of fertility preservation cycles	2	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	1	0	
Number of transfers	5	0	1	0	
Average number of embryos transferred	1.6		2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 5		1 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 5		1 / 1		
Percentage of transfers resulting in live births (%)	3 / 5		1 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 5		1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 5		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		1 / 1		

CURRENT SERVICES & PROFILE

Current Name: The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF1 NAPERVILLE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randy S. Morris, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	13%	Uterine factor	11%	Multiple Factors: Female factors only 15% Female & male factors 23%
Unstimulated	0%	PGD/PGS	43%	Ovulatory dysfunction	16%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	33%	Other factor	15%	
				Endometriosis	9%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 773
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	39	25	11	20	14
Percentage of cancellations before retrieval (%)	10.3	24.0	6 / 11	40.0	2 / 14
Number of transfers	26	13	2	6	2
Average number of embryos transferred	1.3	1.8	2.0	1.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	60.9	3 / 13	0 / 2	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.8	28.0	1 / 11	10.0	0 / 14
Percentage of cycles resulting in live births (%)	23.1	12.0	1 / 11	10.0	0 / 14
Percentage of cycles resulting in singleton live births (%)	15.4	4.0	1 / 11	10.0	0 / 14
Percentage of cycles resulting in twin live births (%)	7.7	8.0	0 / 11	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.4	4.0	1 / 11	10.0	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	5 / 15	1 / 4	2 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	46.2	7 / 13	1 / 2	2 / 6	0 / 2
Percentage of transfers resulting in live births (%)	34.6	3 / 13	1 / 2	2 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.1	1 / 13	1 / 2	2 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	11.5	2 / 13	0 / 2	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.1	1 / 13	1 / 2	2 / 6	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	183	81	50	20	9
Number of transfers	166	74	43	18	5
Estimated average number of transfers per retrieval	1.4	1.0	0.8	0.7	0.2
Average number of embryos transferred	1.2	1.2	1.1	1.2	1.8
Percentage of embryos transferred resulting in implantation (%)	58.2	60.7	69.4	66.7	2 / 9
Percentage of transfers resulting in pregnancies (%)	66.3	70.3	72.1	11 / 18	2 / 5
Percentage of transfers resulting in live births (%)	56.0	62.2	62.8	11 / 18	2 / 5
Percentage of transfers resulting in singleton live births (%)	50.6	59.5	55.8	8 / 18	2 / 5
Percentage of transfers resulting in twin live births (%)	5.4	2.7	7.0	3 / 18	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.0	45.9	44.2	8 / 18	2 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	102	62	51	22	20
	5	1	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	3	29	24	
Number of transfers	6	2	21	23	
Average number of embryos transferred	1.0	1.5	1.2	1.4	
Percentage of embryos transferred resulting in implantation (%)	6 / 6	0 / 3	56.5	54.8	
Percentage of transfers resulting in pregnancies (%)	6 / 6	0 / 2	66.7	73.9	
Percentage of transfers resulting in live births (%)	6 / 6	0 / 2	57.1	56.5	
Percentage of transfers resulting in singleton live births (%)	6 / 6	0 / 2	52.4	47.8	
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 2	4.8	8.7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 6	0 / 2	38.1	39.1	

CURRENT SERVICES & PROFILE

Current Name: IVF1

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE OAK BROOK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Elena Trukhacheva, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	11%	Uterine factor	2%	
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	22%	Male factor	15%	
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	15%	
				Endometriosis	5%	Unknown factor	24%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				8%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 1,281 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	219	112	140	58	51	
Percentage of cancellations before retrieval (%)	5.0	9.8	7.9	3.4	35.3	
Number of transfers	127	63	77	37	13	
Average number of embryos transferred	1.6	1.9	1.9	2.1	1.9	
Percentage of elective single embryo transfers (eSET) (%)	36.6	18.2	10.8	4.2	1 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	30.1	25.9	12.9	20.7	2.0	
Percentage of cycles resulting in live births (%)	26.0	18.8	10.0	10.3	0.0	
Percentage of cycles resulting in singleton live births (%)	21.9	13.4	7.1	10.3	0.0	
Percentage of cycles resulting in twin live births (%)	4.1	5.4	2.9	0.0	0.0	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.7	9.8	7.1	8.6	0.0	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	38.9	29.9	14.5	14.3	0.0	
Percentage of transfers resulting in pregnancies (%)	52.0	46.0	23.4	32.4	1 / 13	
Percentage of transfers resulting in live births (%)	44.9	33.3	18.2	16.2	0 / 13	
Percentage of transfers resulting in singleton live births (%)	37.8	23.8	13.0	16.2	0 / 13	
Percentage of transfers resulting in twin live births (%)	7.1	9.5	5.2	0.0	0 / 13	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.3	17.5	13.0	13.5	0 / 13	
Frozen Embryos from Nondonor Eggs						
Number of cycles	209	111	83	32	19	
Number of transfers	200	102	72	26	15	
Estimated average number of transfers per retrieval	1.3	1.3	0.9	1.1	1.0	
Average number of embryos transferred	1.6	1.4	1.5	1.5	1.5	
Percentage of embryos transferred resulting in implantation (%)	43.0	36.6	28.6	20.5	40.9	
Percentage of transfers resulting in pregnancies (%)	58.0	46.1	40.3	30.8	8 / 15	
Percentage of transfers resulting in live births (%)	47.5	30.4	30.6	26.9	6 / 15	
Percentage of transfers resulting in singleton live births (%)	38.5	25.5	25.0	26.9	5 / 15	
Percentage of transfers resulting in twin live births (%)	9.0	4.9	5.6	0.0	1 / 15	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.5	23.5	23.6	26.9	3 / 15	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	66	49	55	21	14	
	17	5	7	2	1	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	20	2	18	2		
Number of transfers	18	2	17	2		
Average number of embryos transferred	1.7	2.0	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)	61.3	2 / 4	43.5	0 / 3		
Percentage of transfers resulting in pregnancies (%)	12 / 18	2 / 2	9 / 17	0 / 2		
Percentage of transfers resulting in live births (%)	10 / 18	1 / 2	7 / 17	0 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 18	1 / 2	5 / 17	0 / 2		
Percentage of transfers resulting in twin live births (%)	4 / 18	0 / 2	2 / 17	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 18	1 / 2	3 / 17	0 / 2		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Medicine Institute					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DANIEL ROSTEIN, MD, SC OAK BROOK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel A. Rostein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier	33%			Diminished ovarian reserve	33%	Other factor	67%	
				Endometriosis	0%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	1	0	0
Percentage of cancellations before retrieval (%)			0 / 1		
Number of transfers	0	0	1	0	0
Average number of embryos transferred			2.0		
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			0 / 1		
Percentage of cycles resulting in live births (%)			0 / 1		
Percentage of cycles resulting in singleton live births (%)			0 / 1		
Percentage of cycles resulting in twin live births (%)			0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			0 / 2		
Percentage of transfers resulting in pregnancies (%)			0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	1	0	
Number of transfers	1	0	1	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Daniel Rostein, MD, SC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-CENTRAL ILLINOIS PEORIA, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Adelina M. Emmi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	99%	With ICSI	58%	Tubal factor	6%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	12%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	34%	
				Endometriosis	11%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 203
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	55	29	5	3	3
Percentage of cancellations before retrieval (%)	3.6	24.1	2 / 5	0 / 3	0 / 3
Number of transfers	50	19	2	2	1
Average number of embryos transferred	1.6	2.1	2.0	2.5	1.0
Percentage of elective single embryo transfers (eSET) (%)	34.1	0 / 16	0 / 2	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.1	20.7	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	25.5	10.3	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.8	10.3	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	3.6	0.0	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.8	6.9	0 / 5	0 / 3	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	21.8	11.1	0 / 4	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	32.0	6 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	28.0	3 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	24.0	3 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	4.0	0 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.0	2 / 19	0 / 2	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	47	12	12	5	1
Number of transfers	42	12	10	5	1
Estimated average number of transfers per retrieval	3.2	1.2	1.3	0.7	0.3
Average number of embryos transferred	1.3	1.4	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	26.9	2 / 17	5 / 15	2 / 10	1 / 2
Percentage of transfers resulting in pregnancies (%)	35.7	2 / 12	5 / 10	2 / 5	1 / 1
Percentage of transfers resulting in live births (%)	26.2	1 / 12	4 / 10	2 / 5	1 / 1
Percentage of transfers resulting in singleton live births (%)	23.8	1 / 12	3 / 10	2 / 5	1 / 1
Percentage of transfers resulting in twin live births (%)	2.4	0 / 12	1 / 10	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.8	1 / 12	3 / 10	2 / 5	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	6	6	5	3
	1	5	5	5	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	3	1	
Number of transfers	5	0	3	1	
Average number of embryos transferred	1.4		1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 7		2 / 2	1 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 5		3 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	2 / 5		2 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 5		2 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 5		0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		2 / 3	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Central Illinois

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER ROCKFORD, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Todd D. Deutch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	58%	Tubal factor	24%	Uterine factor	2%	Multiple Factors: Female factors only 2% Female & male factors 2%
Unstimulated	1%	PGD/PGS	5%	Ovulatory dysfunction	6%	Male factor	21%	
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	12%	
				Endometriosis	2%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 129
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	43	21	15	7	0
Percentage of cancellations before retrieval (%)	4.7	0.0	3 / 15	0 / 7	
Number of transfers	36	17	9	6	0
Average number of embryos transferred	1.7	1.9	2.1	2.0	
Percentage of elective single embryo transfers (eSET) (%)	18.8	3 / 16	0 / 8	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.9	47.6	3 / 15	1 / 7	
Percentage of cycles resulting in live births (%)	39.5	42.9	3 / 15	1 / 7	
Percentage of cycles resulting in singleton live births (%)	27.9	38.1	2 / 15	1 / 7	
Percentage of cycles resulting in twin live births (%)	11.6	4.8	1 / 15	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.3	28.6	1 / 15	0 / 7	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.3	36.4	4 / 19	1 / 12	
Percentage of transfers resulting in pregnancies (%)	50.0	10 / 17	3 / 9	1 / 6	
Percentage of transfers resulting in live births (%)	47.2	9 / 17	3 / 9	1 / 6	
Percentage of transfers resulting in singleton live births (%)	33.3	8 / 17	2 / 9	1 / 6	
Percentage of transfers resulting in twin live births (%)	13.9	1 / 17	1 / 9	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.8	6 / 17	1 / 9	0 / 6	
Frozen Embryos from Nondonor Eggs					
Number of cycles	20	4	3	1	0
Number of transfers	18	4	3	1	0
Estimated average number of transfers per retrieval	2.6	1.0		1.0	
Average number of embryos transferred	1.6	1.3	1.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	58.6	2 / 5	2 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)	13 / 18	2 / 4	2 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	12 / 18	2 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	8 / 18	2 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	4 / 18	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 18	2 / 4	1 / 3	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	1	3	0	
Number of transfers	6	1	3	0	
Average number of embryos transferred	1.3	1.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	2 / 8	1 / 1	4 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 6	1 / 1	2 / 3		
Percentage of transfers resulting in live births (%)	2 / 6	1 / 1	2 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 6	1 / 1	1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	1 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	1 / 1	1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH AND FERTILITY CENTER ROCKFORD, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Chiravudh Sawetawan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	33%	Uterine factor	25%	Multiple Factors: Female factors only 38% Female & male factors 28%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	37%	Male factor	36%	
Used gestational carrier	2%			Diminished ovarian reserve	22%	Other factor	24%	
				Endometriosis	25%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 199
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	52	17	13	7	1
Percentage of cancellations before retrieval (%)	0.0	0 / 17	1 / 13	2 / 7	0 / 1
Number of transfers	44	14	6	4	1
Average number of embryos transferred	1.9	2.0	1.8	3.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	29.3	3 / 14	0 / 3	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.3	7 / 17	2 / 13	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)	9.6	6 / 17	1 / 13	0 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	9.6	5 / 17	1 / 13	0 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	1 / 17	0 / 13	0 / 7	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.6	3 / 17	1 / 13	0 / 7	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	12.2	32.1	2 / 11	0 / 12	0 / 1
Percentage of transfers resulting in pregnancies (%)	20.5	7 / 14	2 / 6	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	11.4	6 / 14	1 / 6	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	11.4	5 / 14	1 / 6	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1 / 14	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	11.4	3 / 14	1 / 6	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	10	0	7	0
Number of transfers	44	10	0	7	0
Estimated average number of transfers per retrieval	2.1	1.0	0.0	1.4	0.0
Average number of embryos transferred	1.5	2.4		2.3	
Percentage of embryos transferred resulting in implantation (%)	18.5	22.7		0 / 14	
Percentage of transfers resulting in pregnancies (%)	29.5	6 / 10		1 / 7	
Percentage of transfers resulting in live births (%)	22.7	4 / 10		0 / 7	
Percentage of transfers resulting in singleton live births (%)	22.7	4 / 10		0 / 7	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 10		0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.7	2 / 10		0 / 7	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	0	1	1	2
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	0	21	6	
Number of transfers	5	0	20	6	
Average number of embryos transferred	2.0		1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)	1 / 10		13.6	1 / 11	
Percentage of transfers resulting in pregnancies (%)	1 / 5		35.0	1 / 6	
Percentage of transfers resulting in live births (%)	1 / 5		5.0	1 / 6	
Percentage of transfers resulting in singleton live births (%)	1 / 5		5.0	1 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 5		0.0	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		5.0	1 / 6	

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO IVF SKOKIE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Joel G. Brasch, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	19%	Uterine factor	10%	
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	27%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	4%	
				Endometriosis	8%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				25%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 661 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		163	73	56	32	15
Percentage of cancellations before retrieval (%)		0.0	0.0	0.0	0.0	0 / 15
Number of transfers		156	68	52	26	9
Average number of embryos transferred		1.9	1.9	2.6	2.7	2.3
Percentage of elective single embryo transfers (eSET) (%)		14.9	11.3	6.3	0.0	0 / 6
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		36.8	30.1	19.6	3.1	0 / 15
Percentage of cycles resulting in live births (%)		27.6	20.5	10.7	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)		19.0	9.6	8.9	0.0	0 / 15
Percentage of cycles resulting in twin live births (%)		6.7	11.0	1.8	0.0	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		17.2	6.8	3.6	0.0	0 / 15
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		26.7	24.4	8.7	2.9	0.0
Percentage of transfers resulting in pregnancies (%)		38.5	32.4	21.2	3.8	0 / 9
Percentage of transfers resulting in live births (%)		28.8	22.1	11.5	0.0	0 / 9
Percentage of transfers resulting in singleton live births (%)		19.9	10.3	9.6	0.0	0 / 9
Percentage of transfers resulting in twin live births (%)		7.1	11.8	1.9	0.0	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		17.9	7.4	3.8	0.0	0 / 9
Frozen Embryos from Nondonor Eggs						
Number of cycles		114	57	28	11	7
Number of transfers		113	57	28	11	7
Estimated average number of transfers per retrieval		1.5	1.4	0.9	0.9	1.8
Average number of embryos transferred		1.8	1.8	1.9	2.3	2.6
Percentage of embryos transferred resulting in implantation (%)		20.0	16.7	8.3	4.0	0 / 18
Percentage of transfers resulting in pregnancies (%)		32.7	22.8	10.7	1 / 11	0 / 7
Percentage of transfers resulting in live births (%)		20.4	12.3	7.1	0 / 11	0 / 7
Percentage of transfers resulting in singleton live births (%)		19.5	7.0	3.6	0 / 11	0 / 7
Percentage of transfers resulting in twin live births (%)		0.9	5.3	3.6	0 / 11	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		16.8	3.5	3.6	0 / 11	0 / 7
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		21	17	16	9	4
		7	5	6	2	2
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		2	18	14	1	
Number of transfers		1	16	14	1	
Average number of embryos transferred		1.0	1.9	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)		1 / 1	36.7	8.7	1 / 2	
Percentage of transfers resulting in pregnancies (%)		1 / 1	8 / 16	3 / 14	1 / 1	
Percentage of transfers resulting in live births (%)		1 / 1	6 / 16	2 / 14	0 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 1	4 / 16	2 / 14	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 1	2 / 16	0 / 14	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 1	3 / 16	2 / 14	0 / 1	

CURRENT SERVICES & PROFILE		Current Name: Chicago IVF					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE FERTILITY SKOKIE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Anne Borkowski, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}					
IVF	100%	With ICSI	85%	Tubal factor	8%	Uterine factor	1%	Multiple Factors:	
Unstimulated	1%	PGD/PGS	11%	Ovulatory dysfunction	33%	Male factor	18%	Female factors only	5%
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	18%	Female & male factors	6%
				Endometriosis	4%	Unknown factor	16%		

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 193
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	21	6	22	22	27
Percentage of cancellations before retrieval (%)	4.8	0 / 6	0.0	13.6	14.8
Number of transfers	9	4	16	8	10
Average number of embryos transferred	1.3	1.5	1.4	2.1	1.6
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	1 / 3	6 / 13	1 / 7	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.3	0 / 6	4.5	4.5	3.7
Percentage of cycles resulting in live births (%)	14.3	0 / 6	4.5	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	14.3	0 / 6	0.0	0.0	0.0
Percentage of cycles resulting in twin live births (%)	0.0	0 / 6	4.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 6	0.0	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 10	0 / 6	8.7	0 / 16	0 / 14
Percentage of transfers resulting in pregnancies (%)	3 / 9	0 / 4	1 / 16	1 / 8	1 / 10
Percentage of transfers resulting in live births (%)	3 / 9	0 / 4	1 / 16	0 / 8	0 / 10
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 4	0 / 16	0 / 8	0 / 10
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 4	1 / 16	0 / 8	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 9	0 / 4	0 / 16	0 / 8	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	11	14	9	5
Number of transfers	24	11	13	8	5
Estimated average number of transfers per retrieval	1.8	1.6	0.7	0.6	0.7
Average number of embryos transferred	1.3	1.1	1.6	1.4	2.6
Percentage of embryos transferred resulting in implantation (%)	40.0	7 / 12	5 / 19	2 / 11	0 / 13
Percentage of transfers resulting in pregnancies (%)	37.5	7 / 11	5 / 13	2 / 8	0 / 5
Percentage of transfers resulting in live births (%)	8.3	2 / 11	2 / 13	1 / 8	0 / 5
Percentage of transfers resulting in singleton live births (%)	8.3	2 / 11	2 / 13	1 / 8	0 / 5
Percentage of transfers resulting in twin live births (%)	0.0	0 / 11	0 / 13	0 / 8	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 11	0 / 13	0 / 8	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	5	5	4	7
	0	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	2	3	
Number of transfers	0	0	2	3	
Average number of embryos transferred			1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 2	1 / 3	
Percentage of transfers resulting in pregnancies (%)			1 / 2	1 / 3	
Percentage of transfers resulting in live births (%)			1 / 2	1 / 3	
Percentage of transfers resulting in singleton live births (%)			1 / 2	1 / 3	
Percentage of transfers resulting in twin live births (%)			0 / 2	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 2	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: North Shore Fertility

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN ILLINOIS UNIVERSITY SCHOOL OF MEDICINE FERTILITY AND IVF CENTER SPRINGFIELD, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by J. Ricardo Loret de Mola, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	28%	Tubal factor	14%	Uterine factor	3%	Multiple Factors: Female factors only 6% Female & male factors 11%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	27%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	2%	
				Endometriosis	24%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 199
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	80	36	16	8	1
Percentage of cancellations before retrieval (%)	5.0	8.3	5 / 16	2 / 8	1 / 1
Number of transfers	72	32	11	6	0
Average number of embryos transferred	1.7	1.8	1.8	1.8	
Percentage of elective single embryo transfers (eSET) (%)	25.4	11.1	1 / 9	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	57.5	41.7	5 / 16	2 / 8	0 / 1
Percentage of cycles resulting in live births (%)	55.0	36.1	5 / 16	2 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	43.8	27.8	5 / 16	2 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	11.3	8.3	0 / 16	0 / 8	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	38.8	25.0	5 / 16	1 / 8	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.0	33.3	35.0	4 / 11	
Percentage of transfers resulting in pregnancies (%)	63.9	46.9	5 / 11	2 / 6	
Percentage of transfers resulting in live births (%)	61.1	40.6	5 / 11	2 / 6	
Percentage of transfers resulting in singleton live births (%)	48.6	31.3	5 / 11	2 / 6	
Percentage of transfers resulting in twin live births (%)	12.5	9.4	0 / 11	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.1	28.1	5 / 11	1 / 6	
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	3	4	2	0
Number of transfers	18	2	4	2	0
Estimated average number of transfers per retrieval	1.8	2.0	0.6	0.5	
Average number of embryos transferred	1.8	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	39.4	3 / 4	4 / 7	0 / 4	
Percentage of transfers resulting in pregnancies (%)	9 / 18	2 / 2	3 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	7 / 18	2 / 2	3 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 18	1 / 2	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	3 / 18	1 / 2	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 18	1 / 2	2 / 4	0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	1	4	3	0
	0	0	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	4	0	
Number of transfers	14	0	3	0	
Average number of embryos transferred	1.9		2.0		
Percentage of embryos transferred resulting in implantation (%)	51.9		2 / 6		
Percentage of transfers resulting in pregnancies (%)	10 / 14		2 / 3		
Percentage of transfers resulting in live births (%)	10 / 14		2 / 3		
Percentage of transfers resulting in singleton live births (%)	8 / 14		2 / 3		
Percentage of transfers resulting in twin live births (%)	2 / 14		0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 14		2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Southern Illinois University School of Medicine Fertility and IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTERS FOR REPRODUCTIVE MEDICINE AND WELLNESS SWANSEA, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Amber Cooper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	5%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 19%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	30%	Male factor	22%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	17%	
				Endometriosis	15%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 199
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	26	14	6	5
Percentage of cancellations before retrieval (%)	16.7	42.3	4 / 14	3 / 6	2 / 5
Number of transfers	19	13	8	1	2
Average number of embryos transferred	1.8	1.9	2.0	1.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	5 / 18	0 / 10	0 / 6		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.3	26.9	2 / 14	0 / 6	0 / 5
Percentage of cycles resulting in live births (%)	40.0	19.2	1 / 14	0 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	26.7	11.5	1 / 14	0 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	13.3	7.7	0 / 14	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.3	11.5	1 / 14	0 / 6	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.9	34.8	2 / 16	0 / 1	0 / 5
Percentage of transfers resulting in pregnancies (%)	13 / 19	7 / 13	2 / 8	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	12 / 19	5 / 13	1 / 8	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	8 / 19	3 / 13	1 / 8	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	4 / 19	2 / 13	0 / 8	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 19	3 / 13	1 / 8	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	28	13	5	0	0
Number of transfers	23	12	4	0	0
Estimated average number of transfers per retrieval	0.6	0.5	0.4		
Average number of embryos transferred	1.5	1.3	1.3		
Percentage of embryos transferred resulting in implantation (%)	42.4	3 / 15	4 / 5		
Percentage of transfers resulting in pregnancies (%)	60.9	4 / 12	3 / 4		
Percentage of transfers resulting in live births (%)	52.2	3 / 12	3 / 4		
Percentage of transfers resulting in singleton live births (%)	52.2	3 / 12	2 / 4		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	47.8	2 / 12	2 / 4		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	35	21	9	0	0
	5	3	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	2	2	0	
Number of transfers	0	1	2	0	
Average number of embryos transferred		2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)		2 / 2	2 / 3		
Percentage of transfers resulting in pregnancies (%)		1 / 1	1 / 2		
Percentage of transfers resulting in live births (%)		0 / 1	1 / 2		
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 1	1 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	0 / 2		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Vios Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SETH LEVRANT, MD, PC PARTNERS IN REPRODUCTIVE HEALTH TINLEY PARK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Seth G. Levrant, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	44%	Tubal factor	20%	Uterine factor	18%	Multiple Factors: Female factors only 44% Female & male factors 18%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	42%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	47%	
				Endometriosis	19%	Unknown factor	1%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 98 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		31	8	13	3	2
Percentage of cancellations before retrieval (%)		12.9	1 / 8	0 / 13	0 / 3	2 / 2
Number of transfers		25	6	13	3	0
Average number of embryos transferred		1.2	2.2	2.2	2.3	
Percentage of elective single embryo transfers (eSET) (%)		73.9	0 / 6	0 / 13	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		38.7	2 / 8	2 / 13	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)		35.5	2 / 8	2 / 13	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)		32.3	0 / 8	2 / 13	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)		3.2	2 / 8	0 / 13	0 / 3	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		29.0	0 / 8	2 / 13	0 / 3	0 / 2
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		41.9	4 / 13	7.1	0 / 7	
Percentage of transfers resulting in pregnancies (%)		48.0	2 / 6	2 / 13	0 / 3	
Percentage of transfers resulting in live births (%)		44.0	2 / 6	2 / 13	0 / 3	
Percentage of transfers resulting in singleton live births (%)		40.0	0 / 6	2 / 13	0 / 3	
Percentage of transfers resulting in twin live births (%)		4.0	2 / 6	0 / 13	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		36.0	0 / 6	2 / 13	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles		19	1	9	1	0
Number of transfers		16	1	5	1	0
Estimated average number of transfers per retrieval		1.5	1.0	1.0		
Average number of embryos transferred		1.4	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)		14.3	0 / 2	2 / 7	1 / 2	
Percentage of transfers resulting in pregnancies (%)		4 / 16	0 / 1	3 / 5	1 / 1	
Percentage of transfers resulting in live births (%)		3 / 16	0 / 1	2 / 5	1 / 1	
Percentage of transfers resulting in singleton live births (%)		3 / 16	0 / 1	2 / 5	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 16	0 / 1	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 16	0 / 1	1 / 5	1 / 1	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		1	1	1	0	0
		0	0	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		1	0	7	0	
Number of transfers		1	0	4	0	
Average number of embryos transferred		1.0		1.5		
Percentage of embryos transferred resulting in implantation (%)		0 / 1		0 / 4		
Percentage of transfers resulting in pregnancies (%)		0 / 1		1 / 4		
Percentage of transfers resulting in live births (%)		0 / 1		0 / 4		
Percentage of transfers resulting in singleton live births (%)		0 / 1		0 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 1		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1		0 / 4		

CURRENT SERVICES & PROFILE		Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY SPECIALISTS CARMEL, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laura M. Reuter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	14%	Male factor	29%	
Used gestational carrier	3%			Diminished ovarian reserve	22%	Other factor	26%	
				Endometriosis	7%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,103
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	158	70	37	14	6
Percentage of cancellations before retrieval (%)	14.6	25.7	32.4	4 / 14	3 / 6
Number of transfers	89	39	15	7	2
Average number of embryos transferred	1.8	1.8	2.2	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	12.2	6.1	0 / 14	0 / 7	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.5	17.1	5.4	1 / 14	1 / 6
Percentage of cycles resulting in live births (%)	19.6	14.3	2.7	0 / 14	0 / 6
Percentage of cycles resulting in singleton live births (%)	14.6	11.4	2.7	0 / 14	0 / 6
Percentage of cycles resulting in twin live births (%)	5.1	2.9	0.0	0 / 14	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.0	8.6	2.7	0 / 14	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.6	21.4	6.1	0 / 13	0 / 1
Percentage of transfers resulting in pregnancies (%)	38.2	30.8	2 / 15	1 / 7	1 / 2
Percentage of transfers resulting in live births (%)	34.8	25.6	1 / 15	0 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.8	20.5	1 / 15	0 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	9.0	5.1	0 / 15	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.3	15.4	1 / 15	0 / 7	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	225	79	42	6	2
Number of transfers	201	66	38	4	2
Estimated average number of transfers per retrieval	1.0	0.9	0.7	0.2	0.4
Average number of embryos transferred	1.3	1.3	1.4	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	48.2	37.8	33.3	1 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	55.7	48.5	42.1	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	50.7	37.9	28.9	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	44.3	36.4	28.9	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	6.5	1.5	0.0	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.8	31.8	26.3	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	165	62	48	25	5
	3	1	3	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	25	21	74	38	
Number of transfers	17	15	63	36	
Average number of embryos transferred	1.6	1.7	1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	50.0	34.6	48.7	32.8	
Percentage of transfers resulting in pregnancies (%)	11 / 17	7 / 15	58.7	52.8	
Percentage of transfers resulting in live births (%)	8 / 17	7 / 15	41.3	44.4	
Percentage of transfers resulting in singleton live births (%)	5 / 17	5 / 15	34.9	38.9	
Percentage of transfers resulting in twin live births (%)	3 / 17	2 / 15	6.3	5.6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 17	4 / 15	31.7	27.8	

CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William L. Gentry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	41%	Tubal factor	2%	Uterine factor	5%	Multiple Factors: Female factors only 5% Female & male factors 11%
Unstimulated	2%	PGD/PGS	6%	Ovulatory dysfunction	36%	Male factor	30%	
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	9%	
				Endometriosis	14%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 99
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	28	14	10	3	0
Percentage of cancellations before retrieval (%)	17.9	3 / 14	1 / 10	0 / 3	
Number of transfers	22	8	5	3	0
Average number of embryos transferred	2.1	1.9	2.6	2.3	
Percentage of elective single embryo transfers (eSET) (%)	9.1	1 / 8	0 / 5	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.4	3 / 14	1 / 10	1 / 3	
Percentage of cycles resulting in live births (%)	46.4	3 / 14	0 / 10	1 / 3	
Percentage of cycles resulting in singleton live births (%)	35.7	3 / 14	0 / 10	1 / 3	
Percentage of cycles resulting in twin live births (%)	7.1	0 / 14	0 / 10	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	35.7	1 / 14	0 / 10	1 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.1	3 / 15	1 / 13	1 / 7	
Percentage of transfers resulting in pregnancies (%)	59.1	3 / 8	1 / 5	1 / 3	
Percentage of transfers resulting in live births (%)	59.1	3 / 8	0 / 5	1 / 3	
Percentage of transfers resulting in singleton live births (%)	45.5	3 / 8	0 / 5	1 / 3	
Percentage of transfers resulting in twin live births (%)	9.1	0 / 8	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.5	1 / 8	0 / 5	1 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	7	5	3	2
Number of transfers	12	7	5	3	2
Estimated average number of transfers per retrieval	2.4	1.0	1.0		2.0
Average number of embryos transferred	1.5	1.6	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	7 / 18	4 / 11	2 / 7	2 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	6 / 12	4 / 7	2 / 5	2 / 3	0 / 2
Percentage of transfers resulting in live births (%)	6 / 12	3 / 7	2 / 5	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 12	3 / 7	2 / 5	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 7	0 / 5	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 12	3 / 7	2 / 5	1 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	4	3	0	1
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	2	1	
Number of transfers	1	0	2	1	
Average number of embryos transferred	2.0		1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 1	3 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 2	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 1		0 / 2	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 2	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 2	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COMMUNITY REPRODUCTIVE ENDOCRINOLOGY INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David E. Carnovale, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	2%	Uterine factor	0%	Multiple Factors: Female factors only 2% Female & male factors 32%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	23%	Male factor	65%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	11%	
				Endometriosis	26%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 180
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	13	6	2	0
Percentage of cancellations before retrieval (%)	18.4	2 / 13	3 / 6	1 / 2	
Number of transfers	25	8	2	0	0
Average number of embryos transferred	1.8	1.9	2.0		
Percentage of elective single embryo transfers (eSET) (%)	24.0	1 / 8	0 / 2		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.7	3 / 13	1 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	36.8	2 / 13	1 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	31.6	2 / 13	0 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	5.3	0 / 13	1 / 6	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	2 / 13	0 / 6	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.6	2 / 13	2 / 4		
Percentage of transfers resulting in pregnancies (%)	68.0	3 / 8	1 / 2		
Percentage of transfers resulting in live births (%)	56.0	2 / 8	1 / 2		
Percentage of transfers resulting in singleton live births (%)	48.0	2 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	8.0	0 / 8	1 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.0	2 / 8	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	26	11	3	0
Number of transfers	38	26	9	3	0
Estimated average number of transfers per retrieval	2.1	2.0	0.9	1.5	0.0
Average number of embryos transferred	1.6	1.3	1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	47.3	34.4	2 / 14	1 / 3	
Percentage of transfers resulting in pregnancies (%)	60.5	42.3	2 / 9	1 / 3	
Percentage of transfers resulting in live births (%)	39.5	30.8	2 / 9	1 / 3	
Percentage of transfers resulting in singleton live births (%)	31.6	26.9	2 / 9	1 / 3	
Percentage of transfers resulting in twin live births (%)	7.9	3.8	0 / 9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.3	23.1	2 / 9	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	10	9	2	2
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	1	2	
Number of transfers	1	0	1	2	
Average number of embryos transferred	2.0		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 2		2 / 2	3 / 4	
Percentage of transfers resulting in pregnancies (%)	1 / 1		1 / 1	2 / 2	
Percentage of transfers resulting in live births (%)	1 / 1		1 / 1	2 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 1	2 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 1		1 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		0 / 1	2 / 2	

CURRENT SERVICES & PROFILE

Current Name: Community Reproductive Endocrinology

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY BEGINNINGS, PC INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James G. Donahue, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	10%	Uterine factor	0%	Multiple Factors: Female factors only 1% Female & male factors 6%
Unstimulated	<1%	PGD/PGS	16%	Ovulatory dysfunction	20%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	13%	
				Endometriosis	3%	Unknown factor	32%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 240
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	55	18	22	7	5
Percentage of cancellations before retrieval (%)	14.5	3 / 18	4.5	4 / 7	2 / 5
Number of transfers	43	10	12	2	2
Average number of embryos transferred	1.7	1.7	1.8	1.5	2.5
Percentage of elective single embryo transfers (eSET) (%)	6.1	1 / 8	0 / 8	1 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.6	1 / 18	4.5	0 / 7	0 / 5
Percentage of cycles resulting in live births (%)	20.0	1 / 18	4.5	0 / 7	0 / 5
Percentage of cycles resulting in singleton live births (%)	18.2	1 / 18	0.0	0 / 7	0 / 5
Percentage of cycles resulting in twin live births (%)	1.8	0 / 18	4.5	0 / 7	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.4	0 / 18	0.0	0 / 7	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	17.8	1 / 17	9.5	0 / 3	0 / 5
Percentage of transfers resulting in pregnancies (%)	30.2	1 / 10	1 / 12	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	25.6	1 / 10	1 / 12	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.3	1 / 10	0 / 12	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	2.3	0 / 10	1 / 12	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.9	0 / 10	0 / 12	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	19	9	2	3
Number of transfers	25	13	8	2	1
Estimated average number of transfers per retrieval	0.7	0.9	0.4	1.0	0.2
Average number of embryos transferred	1.5	1.5	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	16.2	3 / 19	0 / 10	0 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	24.0	2 / 13	0 / 8	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	20.0	2 / 13	0 / 8	0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	20.0	1 / 13	0 / 8	0 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1 / 13	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	16.0	1 / 13	0 / 8	0 / 2	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	26	14	13	1	6
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	5	1	
Number of transfers	1	0	3	1	
Average number of embryos transferred	2.0		2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1		0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Family Beginnings, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA FERTILITY INSTITUTE INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John C. Jarrett II, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	7%	Uterine factor	3%	Multiple Factors: Female factors only 14% Female & male factors 13%
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	24%	Male factor	22%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	18%	
				Endometriosis	22%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 669
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	282	87	64	24	20
Percentage of cancellations before retrieval (%)	3.5	6.9	7.8	16.7	10.0
Number of transfers	209	53	44	11	12
Average number of embryos transferred	1.5	1.7	1.6	1.7	1.8
Percentage of elective single embryo transfers (eSET) (%)	21.2	2.9	3.8	1 / 9	1 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.4	36.8	26.6	16.7	10.0
Percentage of cycles resulting in live births (%)	35.1	28.7	18.8	12.5	5.0
Percentage of cycles resulting in singleton live births (%)	28.4	18.4	17.2	8.3	5.0
Percentage of cycles resulting in twin live births (%)	6.7	10.3	0.0	4.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.0	17.2	15.6	4.2	5.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.2	46.8	24.6	5 / 19	5.0
Percentage of transfers resulting in pregnancies (%)	54.5	60.4	38.6	4 / 11	2 / 12
Percentage of transfers resulting in live births (%)	47.4	47.2	27.3	3 / 11	1 / 12
Percentage of transfers resulting in singleton live births (%)	38.3	30.2	25.0	2 / 11	1 / 12
Percentage of transfers resulting in twin live births (%)	9.1	17.0	0.0	1 / 11	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.1	28.3	22.7	1 / 11	1 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	43	15	8	3	0
Number of transfers	41	15	8	3	0
Estimated average number of transfers per retrieval	0.6	0.7	0.3	0.8	0.0
Average number of embryos transferred	1.4	1.3	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	27.8	9 / 19	5 / 10	1 / 4	
Percentage of transfers resulting in pregnancies (%)	39.0	7 / 15	5 / 8	1 / 3	
Percentage of transfers resulting in live births (%)	26.8	7 / 15	5 / 8	1 / 3	
Percentage of transfers resulting in singleton live births (%)	26.8	5 / 15	5 / 8	1 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	2 / 15	0 / 8	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.8	5 / 15	5 / 8	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	32	18	17	3	8
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	20	0	25	0	
Number of transfers	15	0	21	0	
Average number of embryos transferred	1.8		1.6		
Percentage of embryos transferred resulting in implantation (%)	43.5		25.9		
Percentage of transfers resulting in pregnancies (%)	9 / 15		38.1		
Percentage of transfers resulting in live births (%)	6 / 15		23.8		
Percentage of transfers resulting in singleton live births (%)	3 / 15		14.3		
Percentage of transfers resulting in twin live births (%)	3 / 15		9.5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 15		14.3		

CURRENT SERVICES & PROFILE

Current Name: Indiana Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Marguerite K. Shepard, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	25%	Tubal factor	13%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 25%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	50%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	25%	
				Endometriosis	13%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 9
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	0	0	0
Percentage of cancellations before retrieval (%)		0 / 1			
Number of transfers	0	1	0	0	0
Average number of embryos transferred		3.0			
Percentage of elective single embryo transfers (eSET) (%)		0 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		0 / 1			
Percentage of cycles resulting in live births (%)		0 / 1			
Percentage of cycles resulting in singleton live births (%)		0 / 1			
Percentage of cycles resulting in twin live births (%)		0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 3			
Percentage of transfers resulting in pregnancies (%)		0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	1	5	0	1
Number of transfers	0	1	4	0	1
Estimated average number of transfers per retrieval		1.0			
Average number of embryos transferred		1.0	1.5		2.0
Percentage of embryos transferred resulting in implantation (%)		1 / 1	2 / 6		0 / 2
Percentage of transfers resulting in pregnancies (%)		1 / 1	2 / 4		0 / 1
Percentage of transfers resulting in live births (%)		1 / 1	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)		1 / 1	1 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 1	1 / 4		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	1	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Indiana University Hospital

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE OF INDIANA INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael A. Henry, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	27%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 4% Female & male factors 5%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	17%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	25%	
				Endometriosis	11%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 148
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	82	18	20	4	8
Percentage of cancellations before retrieval (%)	11.0	3 / 18	20.0	0 / 4	2 / 8
Number of transfers	68	13	15	3	4
Average number of embryos transferred	2.0	2.2	2.6	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	3.3	0 / 12	1 / 14	0 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.1	7 / 18	45.0	1 / 4	2 / 8
Percentage of cycles resulting in live births (%)	52.4	7 / 18	45.0	1 / 4	2 / 8
Percentage of cycles resulting in singleton live births (%)	32.9	5 / 18	45.0	1 / 4	1 / 8
Percentage of cycles resulting in twin live births (%)	19.5	1 / 18	0.0	0 / 4	1 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.5	2 / 18	25.0	1 / 4	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.0	41.4	28.2	1 / 7	3 / 12
Percentage of transfers resulting in pregnancies (%)	67.6	7 / 13	9 / 15	1 / 3	2 / 4
Percentage of transfers resulting in live births (%)	63.2	7 / 13	9 / 15	1 / 3	2 / 4
Percentage of transfers resulting in singleton live births (%)	39.7	5 / 13	9 / 15	1 / 3	1 / 4
Percentage of transfers resulting in twin live births (%)	23.5	1 / 13	0 / 15	0 / 3	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.8	2 / 13	5 / 15	1 / 3	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	2	0	1	0
Number of transfers	3	1	0	1	0
Estimated average number of transfers per retrieval	0.3	0.5		1.0	0.0
Average number of embryos transferred	2.0	2.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 6	2 / 2		0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3	1 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 1		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 1		0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	1	0	1	2
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Henry Fertility dba, Reproductive Care of Indiana

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF AT THE WOMEN'S HOSPITAL NEWBURGH, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel W. Griffin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 15% Female & male factors 26%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	24%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	11%	
				Endometriosis	18%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 375
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	104	27	26	2	7
Percentage of cancellations before retrieval (%)	4.8	29.6	19.2	0 / 2	3 / 7
Number of transfers	69	12	16	1	4
Average number of embryos transferred	1.6	1.8	1.8	2.0	1.8
Percentage of elective single embryo transfers (eSET) (%)	31.7	1 / 9	0 / 11	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.8	14.8	19.2	0 / 2	0 / 7
Percentage of cycles resulting in live births (%)	27.9	14.8	19.2	0 / 2	0 / 7
Percentage of cycles resulting in singleton live births (%)	21.2	7.4	19.2	0 / 2	0 / 7
Percentage of cycles resulting in twin live births (%)	5.8	7.4	0.0	0 / 2	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.3	7.4	19.2	0 / 2	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.1	28.6	17.2	0 / 2	0 / 7
Percentage of transfers resulting in pregnancies (%)	44.9	4 / 12	5 / 16	0 / 1	0 / 4
Percentage of transfers resulting in live births (%)	42.0	4 / 12	5 / 16	0 / 1	0 / 4
Percentage of transfers resulting in singleton live births (%)	31.9	2 / 12	5 / 16	0 / 1	0 / 4
Percentage of transfers resulting in twin live births (%)	8.7	2 / 12	0 / 16	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	2 / 12	5 / 16	0 / 1	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	103	19	22	3	0
Number of transfers	92	19	21	3	0
Estimated average number of transfers per retrieval	1.4	1.5	0.9	0.5	
Average number of embryos transferred	1.4	1.5	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	52.4	35.7	48.0	3 / 4	
Percentage of transfers resulting in pregnancies (%)	58.7	7 / 19	61.9	2 / 3	
Percentage of transfers resulting in live births (%)	53.3	6 / 19	42.9	1 / 3	
Percentage of transfers resulting in singleton live births (%)	38.0	4 / 19	42.9	0 / 3	
Percentage of transfers resulting in twin live births (%)	15.2	2 / 19	0.0	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.7	2 / 19	42.9	0 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	6	12	6	0
	2	0	0	5	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	6	4	2	
Number of transfers	2	5	4	2	
Average number of embryos transferred	2.5	2.0	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 5	4 / 10	1 / 4	1 / 4	
Percentage of transfers resulting in pregnancies (%)	0 / 2	2 / 5	2 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	0 / 2	2 / 5	1 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 5	1 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	2 / 5	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 5	1 / 4	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Boston IVF at the Women's Hospital

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-IOWA FERTILITY, PC CLIVE, IOWA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Donald C. Young, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only <1% Female & male factors <1%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	15%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	17%	Other factor	7%	
				Endometriosis	10%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 628
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	127	24	21	4	3
Percentage of cancellations before retrieval (%)	15.7	12.5	38.1	1 / 4	1 / 3
Number of transfers	71	12	6	0	1
Average number of embryos transferred	1.7	1.6	1.3		2.0
Percentage of elective single embryo transfers (eSET) (%)	20.0	2 / 9	1 / 3		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.3	37.5	9.5	0 / 4	1 / 3
Percentage of cycles resulting in live births (%)	30.7	37.5	4.8	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	20.5	29.2	4.8	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	9.4	8.3	0.0	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.5	25.0	4.8	0 / 4	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.3	12 / 19	1 / 7		
Percentage of transfers resulting in pregnancies (%)	57.7	9 / 12	2 / 6		1 / 1
Percentage of transfers resulting in live births (%)	54.9	9 / 12	1 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	36.6	7 / 12	1 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	16.9	2 / 12	0 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.6	6 / 12	1 / 6		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	154	49	31	5	1
Number of transfers	153	49	31	5	1
Estimated average number of transfers per retrieval	1.4	1.0	1.0	1.0	0.5
Average number of embryos transferred	1.3	1.3	1.2	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	63.3	70.7	63.9	2 / 5	
Percentage of transfers resulting in pregnancies (%)	68.6	79.6	61.3	3 / 5	1 / 1
Percentage of transfers resulting in live births (%)	56.2	69.4	51.6	2 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.1	61.2	38.7	2 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	9.2	8.2	9.7	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.8	55.1	38.7	2 / 5	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	74	40	30	5	2
	2	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	1	20	25	
Number of transfers	8	0	20	25	
Average number of embryos transferred	1.9		1.3	1.1	
Percentage of embryos transferred resulting in implantation (%)	8 / 15		50.0	66.7	
Percentage of transfers resulting in pregnancies (%)	5 / 8		50.0	68.0	
Percentage of transfers resulting in live births (%)	5 / 8		50.0	56.0	
Percentage of transfers resulting in singleton live births (%)	3 / 8		35.0	56.0	
Percentage of transfers resulting in twin live births (%)	2 / 8		15.0	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8		30.0	52.0	

CURRENT SERVICES & PROFILE

Current Name: Mid-Iowa Fertility, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF IOWA HOSPITALS AND CLINICS CENTER FOR ADVANCED REPRODUCTIVE CARE IOWA CITY, IOWA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Bradley J. Van Voorhis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	40%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 14% Female & male factors 15%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	19%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	17%	Other factor	13%	
				Endometriosis	11%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 827
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	207	65	58	29	7
Percentage of cancellations before retrieval (%)	1.9	9.2	13.8	0.0	0 / 7
Number of transfers	175	49	40	24	5
Average number of embryos transferred	1.1	1.2	1.6	1.7	1.6
Percentage of elective single embryo transfers (eSET) (%)	89.9	78.0	25.0	15.0	1 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	58.9	41.5	31.0	34.5	2 / 7
Percentage of cycles resulting in live births (%)	50.7	35.4	22.4	24.1	0 / 7
Percentage of cycles resulting in singleton live births (%)	47.8	35.4	17.2	24.1	0 / 7
Percentage of cycles resulting in twin live births (%)	2.9	0.0	5.2	0.0	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	42.0	29.2	13.8	20.7	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	67.6	45.6	32.8	24.3	3 / 8
Percentage of transfers resulting in pregnancies (%)	69.7	55.1	45.0	41.7	2 / 5
Percentage of transfers resulting in live births (%)	60.0	46.9	32.5	29.2	0 / 5
Percentage of transfers resulting in singleton live births (%)	56.6	46.9	25.0	29.2	0 / 5
Percentage of transfers resulting in twin live births (%)	3.4	0.0	7.5	0.0	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.7	38.8	20.0	25.0	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	218	66	51	12	7
Number of transfers	178	58	45	11	7
Estimated average number of transfers per retrieval	2.0	2.1	1.4	1.8	
Average number of embryos transferred	1.1	1.1	1.0	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	58.8	55.0	47.7	5 / 15	3 / 10
Percentage of transfers resulting in pregnancies (%)	62.9	60.3	53.3	5 / 11	2 / 7
Percentage of transfers resulting in live births (%)	53.4	48.3	37.8	4 / 11	2 / 7
Percentage of transfers resulting in singleton live births (%)	50.0	44.8	37.8	4 / 11	1 / 7
Percentage of transfers resulting in twin live births (%)	3.4	3.4	0.0	0 / 11	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.4	39.7	33.3	4 / 11	1 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	15	17	4	0
	2	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	9	11	20	
Number of transfers	4	8	10	16	
Average number of embryos transferred	1.0	1.0	1.0	1.1	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	4 / 8	7 / 9	9 / 17	
Percentage of transfers resulting in pregnancies (%)	4 / 4	4 / 8	8 / 10	8 / 16	
Percentage of transfers resulting in live births (%)	2 / 4	4 / 8	6 / 10	8 / 16	
Percentage of transfers resulting in singleton live births (%)	2 / 4	4 / 8	6 / 10	8 / 16	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 8	0 / 10	0 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4	1 / 8	5 / 10	6 / 16	

CURRENT SERVICES & PROFILE

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST REPRODUCTIVE CENTER, PA OLATHE, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Dan L. Gehlbach, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	19%	Uterine factor	2%	Multiple Factors: Female factors only 12% Female & male factors 30%
Unstimulated	0%	PGD/PGS	42%	Ovulatory dysfunction	32%	Male factor	53%	
Used gestational carrier	1%			Diminished ovarian reserve	19%	Other factor	12%	
				Endometriosis	6%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 457
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	2	9	5	2
Percentage of cancellations before retrieval (%)	4 / 6	1 / 2	6 / 9	4 / 5	0 / 2
Number of transfers	1	0	0	1	0
Average number of embryos transferred	1.0			1.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1			0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1			0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	176	45	23	1	4
Number of transfers	170	45	23	1	4
Estimated average number of transfers per retrieval	1.7	1.1	0.9	0.1	2.0
Average number of embryos transferred	1.4	1.2	1.3	1.0	1.3
Percentage of embryos transferred resulting in implantation (%)	42.0	49.1	23.3	0 / 1	1 / 5
Percentage of transfers resulting in pregnancies (%)	53.5	55.6	26.1	0 / 1	1 / 4
Percentage of transfers resulting in live births (%)	40.6	44.4	21.7	0 / 1	1 / 4
Percentage of transfers resulting in singleton live births (%)	35.9	42.2	17.4	0 / 1	1 / 4
Percentage of transfers resulting in twin live births (%)	4.7	2.2	4.3	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	31.1	17.4	0 / 1	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	99	40	23	7	2
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	3	1	
Number of transfers	7	0	3	1	
Average number of embryos transferred	1.0		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 7		4 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 7		2 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	5 / 7		2 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 7		0 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7		2 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 7		0 / 3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Midwest Reproductive Center, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE OVERLAND PARK, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Courtney A. Marsh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	12%	Uterine factor	1%	Multiple Factors: Female factors only 10% Female & male factors 19%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	18%	Male factor	49%	
Used gestational carrier	1%			Diminished ovarian reserve	20%	Other factor	18%	
				Endometriosis	7%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 637
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	96	29	17	4	2
Percentage of cancellations before retrieval (%)	11.5	17.2	9 / 17	1 / 4	1 / 2
Number of transfers	23	9	1	0	0
Average number of embryos transferred	1.1	1.4	2.0		
Percentage of elective single embryo transfers (eSET) (%)	85.7	5 / 9	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	16.7	24.1	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	16.7	20.7	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	16.7	13.8	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	6.9	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.6	10.3	0 / 17	0 / 4	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	61.5	9 / 13	0 / 2		
Percentage of transfers resulting in pregnancies (%)	69.6	7 / 9	0 / 1		
Percentage of transfers resulting in live births (%)	69.6	6 / 9	0 / 1		
Percentage of transfers resulting in singleton live births (%)	69.6	4 / 9	0 / 1		
Percentage of transfers resulting in twin live births (%)	0.0	2 / 9	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	60.9	3 / 9	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	189	60	38	11	1
Number of transfers	164	50	32	7	0
Estimated average number of transfers per retrieval	1.3	1.3	0.9	0.6	0.0
Average number of embryos transferred	1.2	1.1	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	56.7	44.2	55.9	4 / 6	
Percentage of transfers resulting in pregnancies (%)	61.0	52.0	59.4	5 / 7	
Percentage of transfers resulting in live births (%)	54.3	40.0	37.5	4 / 7	
Percentage of transfers resulting in singleton live births (%)	48.2	40.0	37.5	4 / 7	
Percentage of transfers resulting in twin live births (%)	6.1	0.0	0.0	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.3	34.0	37.5	3 / 7	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	75	26	33	11	1
	18	5	5	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	8	33	0	
Number of transfers	1	4	29	0	
Average number of embryos transferred	1.0	1.0	1.1		
Percentage of embryos transferred resulting in implantation (%)	0 / 1	2 / 4	54.8		
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 4	62.1		
Percentage of transfers resulting in live births (%)	0 / 1	1 / 4	55.2		
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 4	51.7		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 4	3.4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 4	48.3		

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Celeste Brabec, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	4%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 12%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	33%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	15%	
				Endometriosis	7%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 363
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	107	30	10	2	3
Percentage of cancellations before retrieval (%)	8.4	16.7	1 / 10	0 / 2	0 / 3
Number of transfers	68	15	6	1	2
Average number of embryos transferred	1.7	1.9	2.3	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	21.1	0 / 14	0 / 6		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.5	33.3	5 / 10	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	44.9	20.0	3 / 10	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	30.8	16.7	2 / 10	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	13.1	3.3	1 / 10	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.0	13.3	1 / 10	0 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	63.2	39.1	5 / 12	0 / 1	0 / 4
Percentage of transfers resulting in pregnancies (%)	79.4	10 / 15	5 / 6	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	70.6	6 / 15	3 / 6	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	48.5	5 / 15	2 / 6	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	20.6	1 / 15	1 / 6	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.1	4 / 15	1 / 6	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	82	30	8	2	3
Number of transfers	78	27	8	2	3
Estimated average number of transfers per retrieval	1.8	1.9	0.8	2.0	3.0
Average number of embryos transferred	1.2	1.3	1.5	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	63.8	57.6	6 / 12	0 / 1	2 / 3
Percentage of transfers resulting in pregnancies (%)	70.5	66.7	4 / 8	1 / 2	2 / 3
Percentage of transfers resulting in live births (%)	60.3	44.4	4 / 8	0 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	52.6	40.7	2 / 8	0 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	7.7	3.7	2 / 8	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.2	25.9	1 / 8	0 / 2	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	10	10	0	1
	3	1	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	28	3	0	
Number of transfers	7	24	2	0	
Average number of embryos transferred	1.7	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 11	65.6	2 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 7	75.0	2 / 2		
Percentage of transfers resulting in live births (%)	2 / 7	50.0	1 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 7	29.2	1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 7	20.8	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	25.0	1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Resource Center of Greater Kansas City

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Bruce L. Tjaden, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	13%	Uterine factor	<1%	
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	27%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	14%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				22%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 240
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	78	16	16	2	2
Percentage of cancellations before retrieval (%)	9.0	0 / 16	3 / 16	0 / 2	0 / 2
Number of transfers	62	14	11	2	1
Average number of embryos transferred	1.5	1.9	2.0	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	47.3	0 / 12	0 / 8	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.3	5 / 16	4 / 16	1 / 2	0 / 2
Percentage of cycles resulting in live births (%)	38.5	5 / 16	3 / 16	1 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.1	3 / 16	2 / 16	1 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	6.4	2 / 16	1 / 16	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.8	0 / 16	2 / 16	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.2	26.9	22.7	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	53.2	5 / 14	4 / 11	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	48.4	5 / 14	3 / 11	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.3	3 / 14	2 / 11	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	8.1	2 / 14	1 / 11	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.4	0 / 14	2 / 11	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	58	20	10	5	1
Number of transfers	52	18	7	4	1
Estimated average number of transfers per retrieval	1.8	2.6	2.3	4.0	
Average number of embryos transferred	1.4	1.2	1.0	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	39.4	35.0	1 / 7	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	51.9	7 / 18	1 / 7	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	32.7	5 / 18	1 / 7	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	5 / 18	1 / 7	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	0 / 18	0 / 7	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.2	3 / 18	1 / 7	2 / 4	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	4	0	1	0
	4	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	8	3	0	
Number of transfers	2	7	3	0	
Average number of embryos transferred	1.5	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 3	7 / 14	2 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 2	4 / 7	2 / 3		
Percentage of transfers resulting in live births (%)	1 / 2	4 / 7	2 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 7	2 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 2	3 / 7	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	1 / 7	1 / 3		

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLUEGRASS FERTILITY CENTER LEXINGTON, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by James W. Akin, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	23%	Uterine factor	1%	
Unstimulated	<1%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	52%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	9%	
				Endometriosis	16%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				29%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 201 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
	Number of cycles	74	27	15	10	8
	Percentage of cancellations before retrieval (%)	4.1	3.7	5 / 15	3 / 10	3 / 8
	Number of transfers	69	21	10	3	3
	Average number of embryos transferred	2.0	2.1	2.2	3.0	2.7
	Percentage of elective single embryo transfers (eSET) (%)	1.5	0.0	0 / 8	0 / 3	0 / 3
Outcomes per Cycle						
	Percentage of cycles resulting in pregnancies (%)	47.3	22.2	6 / 15	1 / 10	1 / 8
	Percentage of cycles resulting in live births (%)	36.5	18.5	5 / 15	1 / 10	1 / 8
	Percentage of cycles resulting in singleton live births (%)	27.0	11.1	4 / 15	1 / 10	1 / 8
	Percentage of cycles resulting in twin live births (%)	9.5	7.4	1 / 15	0 / 10	0 / 8
	Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.3	11.1	3 / 15	0 / 10	1 / 8
Outcomes per Transfer						
	Percentage of embryos transferred resulting in implantation (%)	30.6	17.1	28.6	1 / 9	1 / 8
	Percentage of transfers resulting in pregnancies (%)	50.7	28.6	6 / 10	1 / 3	1 / 3
	Percentage of transfers resulting in live births (%)	39.1	23.8	5 / 10	1 / 3	1 / 3
	Percentage of transfers resulting in singleton live births (%)	29.0	14.3	4 / 10	1 / 3	1 / 3
	Percentage of transfers resulting in twin live births (%)	10.1	9.5	1 / 10	0 / 3	0 / 3
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	14.3	3 / 10	0 / 3	1 / 3
Frozen Embryos from Nondonor Eggs						
	Number of cycles	27	5	7	2	1
	Number of transfers	27	5	7	2	1
	Estimated average number of transfers per retrieval	1.7	1.0	7.0	2.0	
	Average number of embryos transferred	1.8	1.8	1.4	1.5	2.0
	Percentage of embryos transferred resulting in implantation (%)	27.5	6 / 9	0 / 7	0 / 3	2 / 2
	Percentage of transfers resulting in pregnancies (%)	48.1	4 / 5	2 / 7	0 / 2	1 / 1
	Percentage of transfers resulting in live births (%)	29.6	2 / 5	0 / 7	0 / 2	1 / 1
	Percentage of transfers resulting in singleton live births (%)	22.2	2 / 5	0 / 7	0 / 2	1 / 1
	Percentage of transfers resulting in twin live births (%)	7.4	0 / 5	0 / 7	0 / 2	0 / 1
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.5	1 / 5	0 / 7	0 / 2	0 / 1
Number of Egg or Embryo Banking Cycles						
	Number of fertility preservation cycles	1	2	0	0	0
		1	2	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
	Number of cycles	9	3	7	0	
	Number of transfers	8	3	7	0	
	Average number of embryos transferred	2.0	2.0	2.0		
	Percentage of embryos transferred resulting in implantation (%)	4 / 14	0 / 6	0 / 12		
	Percentage of transfers resulting in pregnancies (%)	4 / 8	0 / 3	1 / 7		
	Percentage of transfers resulting in live births (%)	2 / 8	0 / 3	0 / 7		
	Percentage of transfers resulting in singleton live births (%)	1 / 8	0 / 3	0 / 7		
	Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 3	0 / 7		
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	0 / 3	0 / 7		

CURRENT SERVICES & PROFILE		Current Name: Bluegrass Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE LEXINGTON FERTILITY CENTER LEXINGTON, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George M. Veloudis, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	15%	Uterine factor	5%	Multiple Factors: Female factors only 23% Female & male factors 28%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	39%	Male factor	33%	
Used gestational carrier	8%			Diminished ovarian reserve	28%	Other factor	21%	
				Endometriosis	10%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 39
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	2	3	1	1
Percentage of cancellations before retrieval (%)	0 / 13	0 / 2	0 / 3	0 / 1	0 / 1
Number of transfers	11	2	2	0	1
Average number of embryos transferred	2.1	2.0	2.0		3.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 2	0 / 2		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	6 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	3 / 13	0 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.1	1 / 4	0 / 4		0 / 3
Percentage of transfers resulting in pregnancies (%)	6 / 11	1 / 2	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	6 / 11	1 / 2	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 11	1 / 2	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 11	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	1 / 2	0 / 2		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	4	2	0	1
Number of transfers	3	4	2	0	1
Estimated average number of transfers per retrieval	3.0	4.0	1.0		1.0
Average number of embryos transferred	2.0	3.0	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 6	1 / 12	0 / 4		0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	1 / 3	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 4	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 4	0 / 2		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	2	5	
Number of transfers	1	0	2	5	
Average number of embryos transferred	1.0		1.5	1.6	
Percentage of embryos transferred resulting in implantation (%)	0 / 1		1 / 3	4 / 8	
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 2	4 / 5	
Percentage of transfers resulting in live births (%)	0 / 1		1 / 2	3 / 5	
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 2	3 / 5	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 2	3 / 5	

CURRENT SERVICES & PROFILE

Current Name: The Lexington Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ENDOCRINE ASSOCIATES LOUISVILLE REPRODUCTIVE CENTER LOUISVILLE, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Robert J. Homm, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	15%	Uterine factor	2%	Multiple Factors: Female factors only 23% Female & male factors 39%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	22%	Male factor	44%	
Used gestational carrier	3%			Diminished ovarian reserve	45%	Other factor	18%	
				Endometriosis	29%	Unknown factor	5%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 243 (includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		45	11	11	2	1
Percentage of cancellations before retrieval (%)		11.1	0 / 11	1 / 11	1 / 2	0 / 1
Number of transfers		28	7	3	1	0
Average number of embryos transferred		1.4	2.0	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)		55.6	0 / 7	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		33.3	5 / 11	1 / 11	1 / 2	0 / 1
Percentage of cycles resulting in live births (%)		31.1	5 / 11	1 / 11	1 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)		28.9	4 / 11	1 / 11	1 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)		2.2	1 / 11	0 / 11	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		20.0	3 / 11	1 / 11	1 / 2	0 / 1
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		39.5	6 / 14	1 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)		53.6	5 / 7	1 / 3	1 / 1	
Percentage of transfers resulting in live births (%)		50.0	5 / 7	1 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)		46.4	4 / 7	1 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)		3.6	1 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		32.1	3 / 7	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles		50	20	22	5	1
Number of transfers		49	20	21	5	1
Estimated average number of transfers per retrieval		1.6	1.7	2.3	1.7	1.0
Average number of embryos transferred		1.4	1.4	1.3	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)		37.3	32.0	20.8	0 / 9	
Percentage of transfers resulting in pregnancies (%)		49.0	45.0	33.3	0 / 5	1 / 1
Percentage of transfers resulting in live births (%)		34.7	25.0	19.0	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)		30.6	20.0	19.0	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)		4.1	5.0	0.0	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		28.6	15.0	19.0	0 / 5	0 / 1
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		18	10	8	3	1
		1	1	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		2	0	5	21	
Number of transfers		0	0	5	20	
Average number of embryos transferred				1.8	1.8	
Percentage of embryos transferred resulting in implantation (%)				1 / 9	25.0	
Percentage of transfers resulting in pregnancies (%)				1 / 5	45.0	
Percentage of transfers resulting in live births (%)				1 / 5	30.0	
Percentage of transfers resulting in singleton live births (%)				1 / 5	25.0	
Percentage of transfers resulting in twin live births (%)				0 / 5	5.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				1 / 5	20.0	

CURRENT SERVICES & PROFILE		Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY FIRST REPRODUCTIVE ENDOCRINE SERVICES LOUISVILLE, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Johanna S. Archer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	21%	Uterine factor	13%	Multiple Factors: Female factors only 32% Female & male factors 32%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	38%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	19%	
				Endometriosis	26%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 47
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	23	3	8	0	0
Percentage of cancellations before retrieval (%)	4.3	0 / 3	3 / 8		
Number of transfers	20	2	4	0	0
Average number of embryos transferred	1.9	2.0	2.3		
Percentage of elective single embryo transfers (eSET) (%)	15.0	0 / 2	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.1	1 / 3	2 / 8		
Percentage of cycles resulting in live births (%)	39.1	0 / 3	2 / 8		
Percentage of cycles resulting in singleton live births (%)	26.1	0 / 3	2 / 8		
Percentage of cycles resulting in twin live births (%)	13.0	0 / 3	0 / 8		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.7	0 / 3	2 / 8		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.4	1 / 4	2 / 9		
Percentage of transfers resulting in pregnancies (%)	45.0	1 / 2	2 / 4		
Percentage of transfers resulting in live births (%)	45.0	0 / 2	2 / 4		
Percentage of transfers resulting in singleton live births (%)	30.0	0 / 2	2 / 4		
Percentage of transfers resulting in twin live births (%)	15.0	0 / 2	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	0 / 2	2 / 4		
Frozen Embryos from Nondonor Eggs					
Number of cycles	8	0	5	0	0
Number of transfers	8	0	5	0	0
Estimated average number of transfers per retrieval	2.7		2.5		
Average number of embryos transferred	1.8		2.2		
Percentage of embryos transferred resulting in implantation (%)	12 / 14		5 / 11		
Percentage of transfers resulting in pregnancies (%)	7 / 8		4 / 5		
Percentage of transfers resulting in live births (%)	7 / 8		4 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 8		4 / 5		
Percentage of transfers resulting in twin live births (%)	3 / 8		0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8		2 / 5		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Fertility First, Reproductive Endocrine Services

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KENTUCKY FERTILITY INSTITUTE, LLC LOUISVILLE, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Robert K. Hunter, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	45%	Tubal factor	4%	Uterine factor	0%	Multiple Factors: Female factors only 4% Female & male factors 13%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	23%	Male factor	57%	
Used gestational carrier	2%			Diminished ovarian reserve	13%	Other factor	15%	
				Endometriosis	4%	Unknown factor	4%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 75 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		12	1	1	0	3
Percentage of cancellations before retrieval (%)		2 / 12	1 / 1	0 / 1		1 / 3
Number of transfers		5	0	0	0	0
Average number of embryos transferred		1.2				
Percentage of elective single embryo transfers (eSET) (%)		3 / 4				
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		3 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in live births (%)		2 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in singleton live births (%)		1 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in twin live births (%)		1 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		1 / 12	0 / 1	0 / 1		0 / 3
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		3 / 5				
Percentage of transfers resulting in pregnancies (%)		3 / 5				
Percentage of transfers resulting in live births (%)		2 / 5				
Percentage of transfers resulting in singleton live births (%)		1 / 5				
Percentage of transfers resulting in twin live births (%)		1 / 5				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 5				
Frozen Embryos from Nondonor Eggs						
Number of cycles		25	3	1	0	0
Number of transfers		19	3	1	0	0
Estimated average number of transfers per retrieval		0.7	1.5	1.0	0.0	
Average number of embryos transferred		1.2	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)		47.8	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)		9 / 19	1 / 3	0 / 1		
Percentage of transfers resulting in live births (%)		9 / 19	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)		7 / 19	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)		2 / 19	0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		6 / 19	1 / 3	0 / 1		
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		23	2	1	2	0
		4	0	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		1	0	0	0	
Number of transfers		1	0	0	0	
Average number of embryos transferred		1.0				
Percentage of embryos transferred resulting in implantation (%)		1 / 1				
Percentage of transfers resulting in pregnancies (%)		1 / 1				
Percentage of transfers resulting in live births (%)		1 / 1				
Percentage of transfers resulting in singleton live births (%)		1 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1				

CURRENT SERVICES & PROFILE		Current Name: Kentucky Fertility Institute, LLC					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF LOUISVILLE PHYSICIANS OB/GYN &
WOMEN'S HEALTH FERTILITY CENTER
LOUISVILLE, KENTUCKY**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kelly Pagidas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	48%	Tubal factor	14%	Uterine factor	3%	Multiple Factors: Female factors only 17% Female & male factors 21%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	15%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	25%	
				Endometriosis	22%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 101
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	30	4	3	0
Percentage of cancellations before retrieval (%)	5.0	13.3	0 / 4	1 / 3	
Number of transfers	13	19	3	0	0
Average number of embryos transferred	1.7	1.7	2.7		
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	1 / 14	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.0	30.0	2 / 4	0 / 3	
Percentage of cycles resulting in live births (%)	35.0	23.3	2 / 4	0 / 3	
Percentage of cycles resulting in singleton live births (%)	20.0	20.0	2 / 4	0 / 3	
Percentage of cycles resulting in twin live births (%)	15.0	3.3	0 / 4	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	6.7	1 / 4	0 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.4	33.3	2 / 8		
Percentage of transfers resulting in pregnancies (%)	9 / 13	9 / 19	2 / 3		
Percentage of transfers resulting in live births (%)	7 / 13	7 / 19	2 / 3		
Percentage of transfers resulting in singleton live births (%)	4 / 13	6 / 19	2 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 13	1 / 19	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 13	2 / 19	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	8	5	1	1
Number of transfers	14	7	5	1	1
Estimated average number of transfers per retrieval	2.3	1.2	1.0	1.0	
Average number of embryos transferred	1.4	1.1	2.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	13 / 18	1 / 7	1 / 10	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	11 / 14	2 / 7	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	10 / 14	1 / 7	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 14	1 / 7	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 7	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 14	0 / 7	1 / 5	0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	2	3	1	0
	3	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	3	1	0	
Number of transfers	1	2	1	0	
Average number of embryos transferred	2.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 4	1 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 2	1 / 1		
Percentage of transfers resulting in live births (%)	0 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 2	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: University of Louisville Physicians OB/GYN & Women's Health Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY ANSWERS, LLC-BATON ROUGE BATON ROUGE, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John M. Storment, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	13%	Uterine factor	6%	Multiple Factors: Female factors only 15% Female & male factors 13%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	9%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	21%	
				Endometriosis	5%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 142
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	32	15	5	2	3
Percentage of cancellations before retrieval (%)	12.5	1 / 15	0 / 5	0 / 2	2 / 3
Number of transfers	19	9	2	1	0
Average number of embryos transferred	1.4	1.6	1.5	1.0	
Percentage of elective single embryo transfers (eSET) (%)	7 / 15	0 / 5	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.0	1 / 15	1 / 5	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	25.0	1 / 15	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.9	0 / 15	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	3.1	1 / 15	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.6	0 / 15	0 / 5	0 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	2 / 14	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 19	1 / 9	1 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	8 / 19	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 19	0 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 19	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 19	0 / 9	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	30	13	5	2	0
Number of transfers	29	13	5	2	0
Estimated average number of transfers per retrieval	1.2	0.9	5.0	0.7	0.0
Average number of embryos transferred	1.3	1.2	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	40.5	5 / 12	4 / 7	1 / 2	
Percentage of transfers resulting in pregnancies (%)	51.7	7 / 13	4 / 5	1 / 2	
Percentage of transfers resulting in live births (%)	44.8	4 / 13	3 / 5	1 / 2	
Percentage of transfers resulting in singleton live births (%)	41.4	4 / 13	3 / 5	1 / 2	
Percentage of transfers resulting in twin live births (%)	3.4	0 / 13	0 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.5	4 / 13	2 / 5	1 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	16	9	1	2	1
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	3	1	0	
Number of transfers	0	3	1	0	
Average number of embryos transferred		2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)		2 / 6			
Percentage of transfers resulting in pregnancies (%)		1 / 3	1 / 1		
Percentage of transfers resulting in live births (%)		1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 3	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Fertility Answers, LLC-Baton Rouge

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY ANSWERS, LLC-LAFAYETTE LAFAYETTE, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John M. Storment, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	19%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 5%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	12%	Male factor	34%	
Used gestational carrier	3%			Diminished ovarian reserve	5%	Other factor	4%	
				Endometriosis	8%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 216
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	64	12	2	2	1
Percentage of cancellations before retrieval (%)	15.6	2 / 12	1 / 2	1 / 2	1 / 1
Number of transfers	45	8	0	1	0
Average number of embryos transferred	1.5	1.5		1.0	
Percentage of elective single embryo transfers (eSET) (%)	48.8	2 / 6			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	5 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	29.7	4 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.4	3 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	6.3	1 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	10.9	2 / 12	0 / 2	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	5 / 11		0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.1	5 / 8		0 / 1	
Percentage of transfers resulting in live births (%)	42.2	4 / 8		0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	3 / 8		0 / 1	
Percentage of transfers resulting in twin live births (%)	8.9	1 / 8		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.6	2 / 8		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	61	20	4	0	0
Number of transfers	57	20	3	0	0
Estimated average number of transfers per retrieval	1.2	1.5	0.4	0.0	0.0
Average number of embryos transferred	1.4	1.6	1.3		
Percentage of embryos transferred resulting in implantation (%)	49.3	35.5	4 / 3		
Percentage of transfers resulting in pregnancies (%)	66.7	55.0	3 / 3		
Percentage of transfers resulting in live births (%)	45.6	50.0	1 / 3		
Percentage of transfers resulting in singleton live births (%)	40.4	50.0	1 / 3		
Percentage of transfers resulting in twin live births (%)	5.3	0.0	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.1	45.0	1 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	9	6	1	1
	0	0	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	3	0	
Number of transfers	0	1	3	0	
Average number of embryos transferred		2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)			3 / 4		
Percentage of transfers resulting in pregnancies (%)		1 / 1	3 / 3		
Percentage of transfers resulting in live births (%)		0 / 1	1 / 3		
Percentage of transfers resulting in singleton live births (%)		0 / 1	1 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Fertility Answers, LLC-Lafayette

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW ORLEANS MANDEVILLE, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard P. Dickey, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	55%	Tubal factor	18%	Uterine factor	<1%	
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	35%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	25%	
				Endometriosis	9%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				21%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 911
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	159	87	47	14	9
Percentage of cancellations before retrieval (%)	10.1	21.8	19.1	1 / 14	2 / 9
Number of transfers	39	16	15	1	2
Average number of embryos transferred	1.7	1.7	1.7	2.0	1.5
Percentage of elective single embryo transfers (eSET) (%)	19.4	0 / 11	0 / 10	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10.1	6.9	17.0	0 / 14	1 / 9
Percentage of cycles resulting in live births (%)	8.8	5.7	12.8	0 / 14	0 / 9
Percentage of cycles resulting in singleton live births (%)	5.0	2.3	10.6	0 / 14	0 / 9
Percentage of cycles resulting in twin live births (%)	3.8	3.4	2.1	0 / 14	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	5.0	2.3	4.3	0 / 14	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.3	33.3	40.0	0 / 2	1 / 3
Percentage of transfers resulting in pregnancies (%)	41.0	6 / 16	8 / 15	0 / 1	1 / 2
Percentage of transfers resulting in live births (%)	35.9	5 / 16	6 / 15	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	20.5	2 / 16	5 / 15	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	15.4	3 / 16	1 / 15	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.5	2 / 16	2 / 15	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	243	119	55	18	13
Number of transfers	202	102	51	15	10
Estimated average number of transfers per retrieval	1.4	1.3	1.2	0.9	2.0
Average number of embryos transferred	1.7	1.7	1.6	1.9	1.4
Percentage of embryos transferred resulting in implantation (%)	43.3	36.5	37.0	28.6	3 / 14
Percentage of transfers resulting in pregnancies (%)	55.4	44.1	41.2	6 / 15	2 / 10
Percentage of transfers resulting in live births (%)	47.0	39.2	33.3	3 / 15	1 / 10
Percentage of transfers resulting in singleton live births (%)	34.2	28.4	17.6	2 / 15	0 / 10
Percentage of transfers resulting in twin live births (%)	12.9	8.8	15.7	1 / 15	1 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.2	26.5	17.6	1 / 15	0 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	49	38	24	8	3
	5	3	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	1	4	10	
Number of transfers	8	0	3	10	
Average number of embryos transferred	1.6		1.7	1.7	
Percentage of embryos transferred resulting in implantation (%)	5 / 13		1 / 5	7 / 17	
Percentage of transfers resulting in pregnancies (%)	3 / 8		1 / 3	5 / 10	
Percentage of transfers resulting in live births (%)	3 / 8		1 / 3	5 / 10	
Percentage of transfers resulting in singleton live births (%)	1 / 8		1 / 3	4 / 10	
Percentage of transfers resulting in twin live births (%)	2 / 8		0 / 3	1 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8		1 / 3	3 / 10	

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Orleans

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUDUBON FERTILITY & REPRODUCTIVE MEDICINE NEW ORLEANS, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lindsay Wells, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	16%	Uterine factor	4%	Multiple Factors: Female factors only 17% Female & male factors 14%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	26%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	20%	Other factor	22%	
				Endometriosis	9%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 396
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	67	20	20	6	0
Percentage of cancellations before retrieval (%)	10.4	30.0	45.0	1 / 6	
Number of transfers	2	1	0	2	0
Average number of embryos transferred	2.0	1.0		2.5	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2			0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3.0	5.0	0.0	1 / 6	
Percentage of cycles resulting in live births (%)	3.0	5.0	0.0	1 / 6	
Percentage of cycles resulting in singleton live births (%)	3.0	5.0	0.0	0 / 6	
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	1 / 6	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1.5	5.0	0.0	0 / 6	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 1		2 / 5	
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1		1 / 2	
Percentage of transfers resulting in live births (%)	2 / 2	1 / 1		1 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 2	1 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1		1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	1 / 1		0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	113	22	20	6	2
Number of transfers	101	17	17	5	2
Estimated average number of transfers per retrieval	1.1	0.8	0.4	0.6	0.7
Average number of embryos transferred	1.4	1.3	1.4	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	62.3	85.0	56.5	1 / 7	2 / 3
Percentage of transfers resulting in pregnancies (%)	73.3	16 / 17	12 / 17	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	63.4	14 / 17	7 / 17	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	50.5	12 / 17	7 / 17	1 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	12.9	2 / 17	0 / 17	0 / 5	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.6	10 / 17	7 / 17	1 / 5	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	42	12	33	7	2
	7	4	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	19	3	
Number of transfers	1	1	15	3	
Average number of embryos transferred	2.0	1.0	1.1	1.7	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 1	11 / 16	2 / 5	
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1	11 / 15	1 / 3	
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1	9 / 15	1 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1	8 / 15	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	1 / 15	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 1	5 / 15	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Audubon Fertility

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR FERTILITY & WELLNESS NEW ORLEANS, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul R. Clisham, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	100%	Tubal factor	20%	Uterine factor	0%	
Unstimulated		PGD/PGS	30%	Ovulatory dysfunction	0%	Male factor	70%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	10%	
				Endometriosis	10%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				30%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 19
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	0	3	0	0
Number of transfers	5	0	3	0	0
Estimated average number of transfers per retrieval	1.7	0.0	0.6		
Average number of embryos transferred	2.2		1.3		
Percentage of embryos transferred resulting in implantation (%)	4 / 11		2 / 4		
Percentage of transfers resulting in pregnancies (%)	4 / 5		1 / 3		
Percentage of transfers resulting in live births (%)	4 / 5		1 / 3		
Percentage of transfers resulting in singleton live births (%)	4 / 5		0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 5		1 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5		0 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	5	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	2	0	
Number of transfers	0	0	2	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 2		
Percentage of transfers resulting in pregnancies (%)			1 / 2		
Percentage of transfers resulting in live births (%)			1 / 2		
Percentage of transfers resulting in singleton live births (%)			1 / 2		
Percentage of transfers resulting in twin live births (%)			0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 2		

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.?

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKLATEX FERTILITY AND REPRODUCTIVE MEDICINE SHREVEPORT, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David T. Vandermolen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	21%	Uterine factor	7%	Multiple Factors: Female factors only 13% Female & male factors 17%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	26%	Male factor	30%	
Used gestational carrier	1%			Diminished ovarian reserve	24%	Other factor	8%	
				Endometriosis	12%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 165
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	64	23	15	5	2
Percentage of cancellations before retrieval (%)	15.6	17.4	2 / 15	1 / 5	1 / 2
Number of transfers	40	17	13	4	0
Average number of embryos transferred	2.0	2.1	2.9	3.3	
Percentage of elective single embryo transfers (eSET) (%)	20.0	2 / 17	0 / 12	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.3	34.8	9 / 15	1 / 5	0 / 2
Percentage of cycles resulting in live births (%)	23.4	26.1	4 / 15	1 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	15.6	13.0	2 / 15	1 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	4.7	13.0	2 / 15	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.4	8.7	1 / 15	1 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	30.3	28.9	1 / 13	
Percentage of transfers resulting in pregnancies (%)	50.0	8 / 17	9 / 13	1 / 4	
Percentage of transfers resulting in live births (%)	37.5	6 / 17	4 / 13	1 / 4	
Percentage of transfers resulting in singleton live births (%)	25.0	3 / 17	2 / 13	1 / 4	
Percentage of transfers resulting in twin live births (%)	7.5	3 / 17	2 / 13	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.0	2 / 17	1 / 13	1 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	34	15	3	0	0
Number of transfers	34	15	3	0	0
Estimated average number of transfers per retrieval	1.7	2.1	3.0		
Average number of embryos transferred	1.4	1.7	1.3		
Percentage of embryos transferred resulting in implantation (%)	57.8	43.5	3 / 4		
Percentage of transfers resulting in pregnancies (%)	67.6	7 / 15	3 / 3		
Percentage of transfers resulting in live births (%)	52.9	6 / 15	3 / 3		
Percentage of transfers resulting in singleton live births (%)	47.1	2 / 15	3 / 3		
Percentage of transfers resulting in twin live births (%)	5.9	4 / 15	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.2	2 / 15	3 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	0	1	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Arklatex Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE MAINE CENTER SOUTH PORTLAND, MAINE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	24%	Tubal factor	16%	Uterine factor	2%	Multiple Factors: Female factors only 10% Female & male factors 8%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	9%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	20%	
				Endometriosis	6%	Unknown factor	25%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 425
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	98	46	39	27	14
Percentage of cancellations before retrieval (%)	5.1	4.3	5.1	18.5	1 / 14
Number of transfers	82	36	34	19	10
Average number of embryos transferred	1.2	1.4	1.8	2.3	2.6
Percentage of elective single embryo transfers (eSET) (%)	77.1	50.0	14.8	0 / 16	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.9	34.8	35.9	7.4	1 / 14
Percentage of cycles resulting in live births (%)	41.8	28.3	17.9	3.7	0 / 14
Percentage of cycles resulting in singleton live births (%)	40.8	17.4	12.8	3.7	0 / 14
Percentage of cycles resulting in twin live births (%)	1.0	10.9	5.1	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	37.8	13.0	10.3	0.0	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.4	40.8	24.1	4.7	0.0
Percentage of transfers resulting in pregnancies (%)	54.9	44.4	41.2	2 / 19	1 / 10
Percentage of transfers resulting in live births (%)	50.0	36.1	20.6	1 / 19	0 / 10
Percentage of transfers resulting in singleton live births (%)	48.8	22.2	14.7	1 / 19	0 / 10
Percentage of transfers resulting in twin live births (%)	1.2	13.9	5.9	0 / 19	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.1	16.7	11.8	0 / 19	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	77	40	30	15	3
Number of transfers	74	37	26	13	2
Estimated average number of transfers per retrieval	2.6	1.9	2.6	1.2	0.2
Average number of embryos transferred	1.3	1.4	1.3	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	53.4	42.2	45.2	3 / 19	1 / 2
Percentage of transfers resulting in pregnancies (%)	60.8	59.5	53.8	4 / 13	1 / 2
Percentage of transfers resulting in live births (%)	45.9	40.5	42.3	2 / 13	0 / 2
Percentage of transfers resulting in singleton live births (%)	35.1	40.5	38.5	2 / 13	0 / 2
Percentage of transfers resulting in twin live births (%)	9.5	0.0	3.8	0 / 13	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.7	37.8	38.5	0 / 13	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	7	4	6	7
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	7	1	
Number of transfers	1	0	7	1	
Average number of embryos transferred	1.0		1.1	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1		5 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1		5 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1		5 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1		5 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		4 / 7	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Maine Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED NATIONAL MILITARY MEDICAL CENTER
BETHESDA, MARYLAND**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John Csokmay, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	25%	Uterine factor	5%	Multiple Factors: Female factors only 7% Female & male factors 19%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	13%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	1%	
				Endometriosis	12%	Unknown factor	24%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 621
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	186	60	82	29	2
Percentage of cancellations before retrieval (%)	4.8	15.0	8.5	24.1	0 / 2
Number of transfers	127	41	59	18	2
Average number of embryos transferred	1.2	1.3	1.7	1.6	2.5
Percentage of elective single embryo transfers (eSET) (%)	77.8	67.6	23.5	5 / 15	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.9	26.7	32.9	24.1	1 / 2
Percentage of cycles resulting in live births (%)	27.4	18.3	24.4	17.2	1 / 2
Percentage of cycles resulting in singleton live births (%)	25.8	13.3	20.7	17.2	1 / 2
Percentage of cycles resulting in twin live births (%)	1.6	5.0	3.7	0.0	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	19.9	10.0	18.3	13.8	1 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.8	34.7	29.0	20.8	2 / 5
Percentage of transfers resulting in pregnancies (%)	51.2	39.0	45.8	7 / 18	1 / 2
Percentage of transfers resulting in live births (%)	40.2	26.8	33.9	5 / 18	1 / 2
Percentage of transfers resulting in singleton live births (%)	37.8	19.5	28.8	5 / 18	1 / 2
Percentage of transfers resulting in twin live births (%)	2.4	7.3	5.1	0 / 18	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.1	14.6	25.4	4 / 18	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	134	60	36	18	3
Number of transfers	124	58	36	18	3
Estimated average number of transfers per retrieval	1.7	3.1	2.1	3.0	1.5
Average number of embryos transferred	1.2	1.3	1.5	1.9	1.0
Percentage of embryos transferred resulting in implantation (%)	52.0	49.3	31.4	20.0	3 / 3
Percentage of transfers resulting in pregnancies (%)	58.9	58.6	41.7	7 / 18	2 / 3
Percentage of transfers resulting in live births (%)	51.6	46.6	38.9	7 / 18	1 / 3
Percentage of transfers resulting in singleton live births (%)	47.6	41.4	33.3	7 / 18	1 / 3
Percentage of transfers resulting in twin live births (%)	4.0	5.2	5.6	0 / 18	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.3	31.0	25.0	7 / 18	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	2	0	0	1
	0	1	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: The A.R.T. Institute of Washington, Inc., Walter Reed National Military Medical Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ENDRIKA HINTON, MD LUTHERVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Endrika L. Hinton, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	29%	Tubal factor	5%	Uterine factor	5%	Multiple Factors: Female factors only 52% Female & male factors 10%
Unstimulated	0%	PGD/PGS	52%	Ovulatory dysfunction	67%	Male factor	14%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	0%	
				Endometriosis	62%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 34
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	5	3	2	0	1
Percentage of cancellations before retrieval (%)	0 / 5	0 / 3	1 / 2		0 / 1
Number of transfers	3	1	0	0	0
Average number of embryos transferred	1.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	1 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 5	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in live births (%)	1 / 5	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 5	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 3	0 / 2		0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 5	1 / 3	0 / 2		0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 3	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 1			
Percentage of transfers resulting in live births (%)	1 / 3	1 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	2	3	1	0
Number of transfers	4	2	3	1	0
Estimated average number of transfers per retrieval	0.5	0.4	0.6	1.0	
Average number of embryos transferred	1.0	1.0	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 4	2 / 2	2 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 2	2 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 4	2 / 2	2 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 4	2 / 2	2 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	2 / 2	2 / 3	1 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	5	3	1	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Endrika Hinton, MD

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jairo E. Garcia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	14%	Uterine factor	16%	Multiple Factors: Female factors only 14% Female & male factors 10%
Unstimulated	<1%	PGD/PGS	10%	Ovulatory dysfunction	16%	Male factor	23%	
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	12%	
				Endometriosis	12%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 675
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	66	56	49	18
Percentage of cancellations before retrieval (%)	9.5	24.2	12.5	20.4	5 / 18
Number of transfers	50	32	36	16	6
Average number of embryos transferred	1.4	1.7	1.8	1.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	43.6	23.1	0.0	0 / 10	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.1	12.1	14.3	4.1	0 / 18
Percentage of cycles resulting in live births (%)	16.8	7.6	10.7	4.1	0 / 18
Percentage of cycles resulting in singleton live births (%)	13.7	3.0	10.7	4.1	0 / 18
Percentage of cycles resulting in twin live births (%)	3.2	4.5	0.0	0.0	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.5	3.0	10.7	2.0	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.9	22.6	13.8	6.9	0 / 11
Percentage of transfers resulting in pregnancies (%)	40.0	25.0	22.2	2 / 16	0 / 6
Percentage of transfers resulting in live births (%)	32.0	15.6	16.7	2 / 16	0 / 6
Percentage of transfers resulting in singleton live births (%)	26.0	6.3	16.7	2 / 16	0 / 6
Percentage of transfers resulting in twin live births (%)	6.0	9.4	0.0	0 / 16	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.0	6.3	16.7	1 / 16	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	62	31	13	12
Number of transfers	73	62	28	9	12
Estimated average number of transfers per retrieval	1.0	1.0	0.5	0.3	1.0
Average number of embryos transferred	1.6	1.5	1.6	1.7	1.9
Percentage of embryos transferred resulting in implantation (%)	29.8	34.1	33.3	4 / 15	4.3
Percentage of transfers resulting in pregnancies (%)	39.7	46.8	46.4	3 / 9	1 / 12
Percentage of transfers resulting in live births (%)	31.5	38.7	39.3	3 / 9	0 / 12
Percentage of transfers resulting in singleton live births (%)	26.0	33.9	32.1	2 / 9	0 / 12
Percentage of transfers resulting in twin live births (%)	5.5	4.8	7.1	1 / 9	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.3	29.0	21.4	2 / 9	0 / 12
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	52	42	48	22	10
	18	4	5	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	11	7	1	
Number of transfers	0	11	7	1	
Average number of embryos transferred		1.4	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)		5 / 15	2 / 12	1 / 2	
Percentage of transfers resulting in pregnancies (%)		5 / 11	2 / 7	1 / 1	
Percentage of transfers resulting in live births (%)		4 / 11	0 / 7	1 / 1	
Percentage of transfers resulting in singleton live births (%)		4 / 11	0 / 7	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 11	0 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 11	0 / 7	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Johns Hopkins Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE
ROCKVILLE, MARYLAND**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

MONTGOMERY FERTILITY CENTER ROCKVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Oluyemisi Adesanya-Famuyiwa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	27%	Uterine factor	29%	Multiple Factors: Female factors only 25% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	35%	
Used gestational carrier	4%			Diminished ovarian reserve	27%	Other factor	10%	
				Endometriosis	0%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 92
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	12	6	5	2
Percentage of cancellations before retrieval (%)	1 / 13	0 / 12	1 / 6	0 / 5	0 / 2
Number of transfers	12	12	5	4	2
Average number of embryos transferred	2.3	3.0	1.8	2.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 12	0 / 3	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 13	5 / 12	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	2 / 13	1 / 12	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	2 / 13	1 / 12	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 12	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 13	1 / 12	0 / 6	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7.1	12.5	2 / 9	0 / 11	0 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 12	5 / 12	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	2 / 12	1 / 12	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 12	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 12	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 12	1 / 12	0 / 5	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	3	3	0	2
Number of transfers	9	3	3	0	2
Estimated average number of transfers per retrieval	2.3	0.8	0.6	0.0	0.2
Average number of embryos transferred	2.2	1.7	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	15.0	0 / 5	1 / 6		0 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 9	0 / 3	1 / 3		0 / 2
Percentage of transfers resulting in live births (%)	3 / 9	0 / 3	1 / 3		0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 3	1 / 3		0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 3	0 / 3		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 9	0 / 3	1 / 3		0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	4	4	4	9
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	13	0	
Number of transfers	0	0	13	0	
Average number of embryos transferred			1.9		
Percentage of embryos transferred resulting in implantation (%)			20.0		
Percentage of transfers resulting in pregnancies (%)			5 / 13		
Percentage of transfers resulting in live births (%)			2 / 13		
Percentage of transfers resulting in singleton live births (%)			2 / 13		
Percentage of transfers resulting in twin live births (%)			0 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 13		

CURRENT SERVICES & PROFILE

Current Name: Montgomery Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SIU NG-WAGNER, MD
ROCKVILLE, MARYLAND**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER ROCKVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael J. Levy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 7% Female & male factors 8%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	11%	Male factor	23%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	16%	
				Endometriosis	5%	Unknown factor	22%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 9,413
(includes 64 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1,286	760	684	387	251
Percentage of cancellations before retrieval (%)	5.8	11.7	16.1	22.2	19.5
Number of transfers	1,040	564	465	228	147
Average number of embryos transferred	1.3	1.4	1.8	2.1	2.4
Percentage of elective single embryo transfers (eSET) (%)	70.4	51.9	18.9	4.9	1.6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.7	32.9	26.3	17.3	9.6
Percentage of cycles resulting in live births (%)	34.7	26.7	16.8	10.9	4.4
Percentage of cycles resulting in singleton live births (%)	31.7	24.3	14.8	9.0	3.6
Percentage of cycles resulting in twin live births (%)	2.9	2.4	1.9	1.8	0.8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.7	20.4	12.6	8.0	2.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.0	33.7	24.3	16.4	6.7
Percentage of transfers resulting in pregnancies (%)	50.4	44.3	38.7	29.4	16.3
Percentage of transfers resulting in live births (%)	42.9	36.0	24.7	18.4	7.5
Percentage of transfers resulting in singleton live births (%)	39.2	32.8	21.7	15.4	6.1
Percentage of transfers resulting in twin live births (%)	3.6	3.2	2.8	3.1	1.4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	27.5	18.5	13.6	3.4
Frozen Embryos from Nondonor Eggs					
Number of cycles	1,049	753	629	251	109
Number of transfers	988	714	584	232	98
Estimated average number of transfers per retrieval	1.3	1.1	0.9	0.8	0.7
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	55.8	55.9	49.7	41.9	32.2
Percentage of transfers resulting in pregnancies (%)	61.6	61.8	56.5	51.3	43.9
Percentage of transfers resulting in live births (%)	48.6	48.6	44.7	38.4	27.6
Percentage of transfers resulting in singleton live births (%)	42.7	43.7	42.6	36.2	27.6
Percentage of transfers resulting in twin live births (%)	5.9	4.8	1.9	2.2	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.2	39.8	37.8	32.3	25.5
Number of Egg or Embryo Banking Cycles					
	413	432	497	230	110
Number of fertility preservation cycles	114	207	143	29	10
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	530	136	841	1	
Number of transfers	411	98	763	1	
Average number of embryos transferred	1.2	1.3	1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.3	42.1	45.0	2 / 2	
Percentage of transfers resulting in pregnancies (%)	59.9	53.1	51.2	1 / 1	
Percentage of transfers resulting in live births (%)	47.0	41.8	39.2	1 / 1	
Percentage of transfers resulting in singleton live births (%)	42.1	37.8	35.6	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.9	4.1	3.5	1 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.4	29.6	28.0	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility-Rockville

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF MARYLAND TOWSON, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Santiago L. Padilla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	31%	Tubal factor	19%	Uterine factor	14%	Multiple Factors: Female factors only 23% Female & male factors 20%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	21%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	16%	
				Endometriosis	10%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 373
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	82	44	63	22	21
Percentage of cancellations before retrieval (%)	7.3	11.4	23.8	31.8	57.1
Number of transfers	71	35	43	14	8
Average number of embryos transferred	1.4	1.5	2.2	3.6	3.5
Percentage of elective single embryo transfers (eSET) (%)	52.6	45.2	17.5	0 / 14	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.9	43.2	25.4	27.3	4.8
Percentage of cycles resulting in live births (%)	28.0	31.8	19.0	13.6	0.0
Percentage of cycles resulting in singleton live births (%)	25.6	27.3	12.7	4.5	0.0
Percentage of cycles resulting in twin live births (%)	2.4	4.5	6.3	9.1	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.0	22.7	9.5	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.7	38.5	21.5	14.0	3.6
Percentage of transfers resulting in pregnancies (%)	38.0	54.3	37.2	6 / 14	1 / 8
Percentage of transfers resulting in live births (%)	32.4	40.0	27.9	3 / 14	0 / 8
Percentage of transfers resulting in singleton live births (%)	29.6	34.3	18.6	1 / 14	0 / 8
Percentage of transfers resulting in twin live births (%)	2.8	5.7	9.3	2 / 14	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.4	28.6	14.0	0 / 14	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	57	42	17	1	3
Number of transfers	49	35	15	0	2
Estimated average number of transfers per retrieval	2.0	2.5	1.9		2.0
Average number of embryos transferred	1.3	1.3	1.3		1.0
Percentage of embryos transferred resulting in implantation (%)	32.3	28.3	25.0		0 / 2
Percentage of transfers resulting in pregnancies (%)	38.8	37.1	4 / 15		0 / 2
Percentage of transfers resulting in live births (%)	32.7	25.7	4 / 15		0 / 2
Percentage of transfers resulting in singleton live births (%)	30.6	22.9	4 / 15		0 / 2
Percentage of transfers resulting in twin live births (%)	2.0	2.9	0 / 15		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.4	22.9	4 / 15		0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	3	2	0	1
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	1	
Number of transfers	0	0	1	1	
Average number of embryos transferred			1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)			0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)			0 / 1	1 / 1	
Percentage of transfers resulting in live births (%)			0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)			0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)			0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Maryland

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC-TOWSON TOWSON, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eugene Katz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 11%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	16%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	20%	Other factor	17%	
				Endometriosis	6%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,218
(includes 26 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	489	208	195	54	29
Percentage of cancellations before retrieval (%)	4.3	6.3	12.3	18.5	17.2
Number of transfers	394	170	141	33	16
Average number of embryos transferred	1.2	1.4	1.9	2.4	2.6
Percentage of elective single embryo transfers (eSET) (%)	72.1	43.7	7.3	0.0	0 / 14
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.2	38.9	27.7	16.7	17.2
Percentage of cycles resulting in live births (%)	36.0	30.3	17.9	9.3	3.4
Percentage of cycles resulting in singleton live births (%)	33.5	26.0	14.4	7.4	3.4
Percentage of cycles resulting in twin live births (%)	2.5	4.3	3.6	1.9	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.8	23.6	12.8	1.9	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.3	36.0	23.7	12.9	8.6
Percentage of transfers resulting in pregnancies (%)	56.1	47.6	38.3	27.3	5 / 16
Percentage of transfers resulting in live births (%)	44.7	37.1	24.8	15.2	1 / 16
Percentage of transfers resulting in singleton live births (%)	41.6	31.8	19.9	12.1	1 / 16
Percentage of transfers resulting in twin live births (%)	3.0	5.3	5.0	3.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.8	28.8	17.7	3.0	1 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	335	155	97	36	12
Number of transfers	323	146	91	32	7
Estimated average number of transfers per retrieval	1.3	1.1	0.9	0.6	0.3
Average number of embryos transferred	1.2	1.2	1.3	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	56.4	42.2	38.5	17.1	5 / 10
Percentage of transfers resulting in pregnancies (%)	61.3	50.0	46.2	28.1	4 / 7
Percentage of transfers resulting in live births (%)	47.1	37.0	34.1	15.6	3 / 7
Percentage of transfers resulting in singleton live births (%)	42.4	34.2	33.0	12.5	2 / 7
Percentage of transfers resulting in twin live births (%)	4.3	2.7	1.1	3.1	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.5	30.8	28.6	9.4	2 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	136	86	80	49	17
	23	32	17	6	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	103	21	90	0	
Number of transfers	83	14	82	0	
Average number of embryos transferred	1.2	1.5	1.1		
Percentage of embryos transferred resulting in implantation (%)	51.0	47.6	48.8		
Percentage of transfers resulting in pregnancies (%)	57.8	7 / 14	57.3		
Percentage of transfers resulting in live births (%)	47.0	6 / 14	42.7		
Percentage of transfers resulting in singleton live births (%)	42.2	3 / 14	42.7		
Percentage of transfers resulting in twin live births (%)	4.8	3 / 14	0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.1	3 / 14	36.6		

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility-Towson

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BOSTON, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Elizabeth S. Ginsburg, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	38%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	5%	Ovulatory dysfunction	0%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	12%	
				Endometriosis	6%	Unknown factor	31%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 2,298 (includes 24 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	294	204	223	104	74	
Percentage of cancellations before retrieval (%)	3.4	3.4	7.6	9.6	6.8	
Number of transfers	268	189	194	90	62	
Average number of embryos transferred	1.2	1.5	2.0	3.1	3.7	
Percentage of elective single embryo transfers (eSET) (%)	76.1	53.9	24.0	7.7	1.8	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	42.9	40.2	30.9	19.2	24.3	
Percentage of cycles resulting in live births (%)	31.0	30.9	22.9	13.5	14.9	
Percentage of cycles resulting in singleton live births (%)	28.2	27.5	17.0	11.5	13.5	
Percentage of cycles resulting in twin live births (%)	2.7	3.4	5.8	1.9	1.4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.8	21.6	15.7	8.7	12.2	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	40.2	31.8	20.2	7.1	7.1	
Percentage of transfers resulting in pregnancies (%)	47.0	43.4	35.6	22.2	29.0	
Percentage of transfers resulting in live births (%)	34.0	33.3	26.3	15.6	17.7	
Percentage of transfers resulting in singleton live births (%)	31.0	29.6	19.6	13.3	16.1	
Percentage of transfers resulting in twin live births (%)	3.0	3.7	6.7	2.2	1.6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	23.3	18.0	10.0	14.5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	359	270	181	85	41	
Number of transfers	330	238	163	73	40	
Estimated average number of transfers per retrieval	1.4	1.5	1.3	1.3	1.1	
Average number of embryos transferred	1.2	1.3	1.5	1.7	2.1	
Percentage of embryos transferred resulting in implantation (%)	54.7	48.1	37.0	28.4	5.6	
Percentage of transfers resulting in pregnancies (%)	63.0	60.9	52.8	47.9	25.0	
Percentage of transfers resulting in live births (%)	47.3	41.2	37.4	32.9	10.0	
Percentage of transfers resulting in singleton live births (%)	43.3	36.6	33.7	28.8	10.0	
Percentage of transfers resulting in twin live births (%)	3.9	4.6	3.7	4.1	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.2	30.3	28.8	27.4	7.5	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	147	80	74	38	17	
	51	22	14	3	3	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	33	0	50	0		
Number of transfers	32	0	50	0		
Average number of embryos transferred	1.1		1.3			
Percentage of embryos transferred resulting in implantation (%)	75.0		52.5			
Percentage of transfers resulting in pregnancies (%)	78.1		64.0			
Percentage of transfers resulting in live births (%)	62.5		54.0			
Percentage of transfers resulting in singleton live births (%)	62.5		50.0			
Percentage of transfers resulting in twin live births (%)	0.0		4.0			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	62.5		42.0			

CURRENT SERVICES & PROFILE		Current Name: Brigham and Women's Hospital Center for Assisted Reproductive Technology					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER BOSTON, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John C. Petrozza, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	12%	Uterine factor	6%	Multiple Factors: Female factors only 9% Female & male factors 18%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	12%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	9%	
				Endometriosis	6%	Unknown factor	20%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,072
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	244	136	125	53	17
Percentage of cancellations before retrieval (%)	4.9	5.1	9.6	15.1	3 / 17
Number of transfers	220	120	103	41	14
Average number of embryos transferred	1.2	1.5	2.0	2.7	3.1
Percentage of elective single embryo transfers (eSET) (%)	76.5	43.4	4.4	0.0	0 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	40.4	36.0	26.4	1 / 17
Percentage of cycles resulting in live births (%)	46.3	33.8	29.6	13.2	0 / 17
Percentage of cycles resulting in singleton live births (%)	45.1	31.6	25.6	7.5	0 / 17
Percentage of cycles resulting in twin live births (%)	1.2	2.2	4.0	5.7	0 / 17
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	34.4	26.5	23.2	7.5	0 / 17
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.1	32.4	23.2	17.8	2.3
Percentage of transfers resulting in pregnancies (%)	55.5	45.8	43.7	34.1	1 / 14
Percentage of transfers resulting in live births (%)	51.4	38.3	35.9	17.1	0 / 14
Percentage of transfers resulting in singleton live births (%)	50.0	35.8	31.1	9.8	0 / 14
Percentage of transfers resulting in twin live births (%)	1.4	2.5	4.9	7.3	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.2	30.0	28.2	9.8	0 / 14
Frozen Embryos from Nondonor Eggs					
Number of cycles	131	97	64	13	10
Number of transfers	125	95	63	13	10
Estimated average number of transfers per retrieval	1.2	1.4	1.6	0.8	3.3
Average number of embryos transferred	1.1	1.2	1.3	1.4	1.8
Percentage of embryos transferred resulting in implantation (%)	47.6	49.5	37.0	1 / 18	1 / 18
Percentage of transfers resulting in pregnancies (%)	50.4	54.7	42.9	1 / 13	1 / 10
Percentage of transfers resulting in live births (%)	44.0	44.2	33.3	0 / 13	0 / 10
Percentage of transfers resulting in singleton live births (%)	41.6	42.1	30.2	0 / 13	0 / 10
Percentage of transfers resulting in twin live births (%)	2.4	2.1	3.2	0 / 13	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.0	33.7	23.8	0 / 13	0 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	52	36	27	8	3
	22	20	10	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	35	1	20	0	
Number of transfers	34	1	19	0	
Average number of embryos transferred	1.2	2.0	1.1		
Percentage of embryos transferred resulting in implantation (%)	52.4	0 / 2	14 / 19		
Percentage of transfers resulting in pregnancies (%)	61.8	0 / 1	11 / 19		
Percentage of transfers resulting in live births (%)	50.0	0 / 1	8 / 19		
Percentage of transfers resulting in singleton live births (%)	47.1	0 / 1	7 / 19		
Percentage of transfers resulting in twin live births (%)	2.9	0 / 1	1 / 19		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.4	0 / 1	4 / 19		

CURRENT SERVICES & PROFILE

Current Name: Massachusetts General Hospital Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SOLUTIONS, PC DEDHAM, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Ania Kowalik, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	45%	Tubal factor	9%	Uterine factor	1%	Multiple Factors: Female factors only 4% Female & male factors 9%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	8%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	5%	
				Endometriosis	6%	Unknown factor	39%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 710 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	117	94	70	57	21	
Percentage of cancellations before retrieval (%)	2.6	14.9	14.3	14.0	28.6	
Number of transfers	104	69	51	34	10	
Average number of embryos transferred	1.3	1.5	2.1	2.4	2.5	
Percentage of elective single embryo transfers (eSET) (%)	63.5	46.6	13.6	0.0	1 / 9	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	42.7	31.9	21.4	12.3	9.5	
Percentage of cycles resulting in live births (%)	37.6	24.5	15.7	7.0	4.8	
Percentage of cycles resulting in singleton live births (%)	33.3	22.3	12.9	7.0	4.8	
Percentage of cycles resulting in twin live births (%)	4.3	2.1	2.9	0.0	0.0	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.9	19.1	11.4	1.8	4.8	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	38.5	29.8	16.2	10.8	8.0	
Percentage of transfers resulting in pregnancies (%)	48.1	43.5	29.4	20.6	2 / 10	
Percentage of transfers resulting in live births (%)	42.3	33.3	21.6	11.8	1 / 10	
Percentage of transfers resulting in singleton live births (%)	37.5	30.4	17.6	11.8	1 / 10	
Percentage of transfers resulting in twin live births (%)	4.8	2.9	3.9	0.0	0 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.7	26.1	15.7	2.9	1 / 10	
Frozen Embryos from Nondonor Eggs						
Number of cycles	104	72	49	16	9	
Number of transfers	94	67	47	13	3	
Estimated average number of transfers per retrieval	2.5	2.2	1.4	1.0	0.4	
Average number of embryos transferred	1.2	1.2	1.2	1.7	1.3	
Percentage of embryos transferred resulting in implantation (%)	36.7	33.3	33.3	4 / 18	1 / 4	
Percentage of transfers resulting in pregnancies (%)	42.6	40.3	42.6	6 / 13	1 / 3	
Percentage of transfers resulting in live births (%)	36.2	28.4	29.8	4 / 13	0 / 3	
Percentage of transfers resulting in singleton live births (%)	34.0	26.9	29.8	4 / 13	0 / 3	
Percentage of transfers resulting in twin live births (%)	2.1	1.5	0.0	0 / 13	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.8	22.4	25.5	4 / 13	0 / 3	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	13	10	21	6	7	
	2	1	4	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	10	12	20	2		
Number of transfers	8	9	19	2		
Average number of embryos transferred	1.3	1.3	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 9	7 / 12	41.7	1 / 2		
Percentage of transfers resulting in pregnancies (%)	7 / 8	6 / 9	9 / 19	1 / 2		
Percentage of transfers resulting in live births (%)	6 / 8	5 / 9	7 / 19	0 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 8	4 / 9	6 / 19	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 8	1 / 9	1 / 19	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 8	2 / 9	5 / 19	0 / 2		

CURRENT SERVICES & PROFILE		Current Name: Fertility Solutions, PC					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW ENGLAND LEXINGTON, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Samuel C. Pang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	44%	Tubal factor	15%	Uterine factor	3%	Multiple Factors: Female factors only 12% Female & male factors 23%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	14%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	19%	
				Endometriosis	7%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,050
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	608	336	249	123	45
Percentage of cancellations before retrieval (%)	3.6	6.0	6.8	14.6	8.9
Number of transfers	479	251	193	74	28
Average number of embryos transferred	1.2	1.5	1.9	2.7	3.3
Percentage of elective single embryo transfers (eSET) (%)	72.7	46.5	12.3	3.3	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.7	31.8	28.1	10.6	4.4
Percentage of cycles resulting in live births (%)	31.7	25.3	21.7	5.7	0.0
Percentage of cycles resulting in singleton live births (%)	29.4	23.2	18.9	5.7	0.0
Percentage of cycles resulting in twin live births (%)	2.3	2.1	2.8	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.2	19.3	14.9	4.9	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.7	30.7	21.5	7.1	0.0
Percentage of transfers resulting in pregnancies (%)	45.3	42.6	36.3	17.6	7.1
Percentage of transfers resulting in live births (%)	40.3	33.9	28.0	9.5	0.0
Percentage of transfers resulting in singleton live births (%)	37.4	31.1	24.4	9.5	0.0
Percentage of transfers resulting in twin live births (%)	2.9	2.8	3.6	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.7	25.9	19.2	8.1	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	522	320	187	56	21
Number of transfers	490	295	170	52	17
Estimated average number of transfers per retrieval	1.4	1.4	1.3	0.7	0.8
Average number of embryos transferred	1.1	1.2	1.2	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	57.3	59.4	43.9	43.5	6 / 18
Percentage of transfers resulting in pregnancies (%)	60.0	65.8	50.6	53.8	8 / 17
Percentage of transfers resulting in live births (%)	53.3	57.3	40.0	44.2	4 / 17
Percentage of transfers resulting in singleton live births (%)	48.0	51.9	37.6	40.4	4 / 17
Percentage of transfers resulting in twin live births (%)	4.9	5.4	2.4	3.8	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.8	45.8	31.8	32.7	4 / 17
Number of Egg or Embryo Banking Cycles					
	152	115	83	53	19
Number of fertility preservation cycles	12	19	11	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	20	59	72	3	
Number of transfers	18	49	65	3	
Average number of embryos transferred	1.1	1.1	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	10 / 18	42.6	59.4	2 / 3	
Percentage of transfers resulting in pregnancies (%)	11 / 18	49.0	60.0	2 / 3	
Percentage of transfers resulting in live births (%)	10 / 18	46.9	47.7	2 / 3	
Percentage of transfers resulting in singleton live births (%)	10 / 18	46.9	44.6	2 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 18	0.0	3.1	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 18	34.7	36.9	2 / 3	

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Danielle Vitiello, MD, PhD				
Type of ART and Procedural Factors^a				Patient Diagnosis^{a,b}				
IVF	100%	With ICSI	58%	Tubal factor	10%	Uterine factor	1%	Multiple Factors: Female factors only 7% Female & male factors 11%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	9%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	13%	Other factor	28%	
				Endometriosis	6%	Unknown factor	24%	

2016 ART SUCCESS RATES^{c,d}	Total number of cycles^d: 1,485 (includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42

Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	362	132	135	51	21
Percentage of cancellations before retrieval (%)	1.7	3.0	8.1	3.9	0.0
Number of transfers	224	79	77	31	12
Average number of embryos transferred	1.3	1.4	1.7	1.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	66.5	46.0	11.7	0.0	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.1	24.2	25.9	21.6	9.5
Percentage of cycles resulting in live births (%)	24.9	19.7	22.2	19.6	9.5
Percentage of cycles resulting in singleton live births (%)	22.1	15.9	17.8	15.7	4.8
Percentage of cycles resulting in twin live births (%)	2.8	3.8	4.4	3.9	4.8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.2	13.6	17.0	15.7	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.1	37.2	32.3	25.9	12.5
Percentage of transfers resulting in pregnancies (%)	43.8	40.5	45.5	35.5	2 / 12
Percentage of transfers resulting in live births (%)	40.2	32.9	39.0	32.3	2 / 12
Percentage of transfers resulting in singleton live births (%)	35.7	26.6	31.2	25.8	1 / 12
Percentage of transfers resulting in twin live births (%)	4.5	6.3	7.8	6.5	1 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.5	22.8	29.9	25.8	0 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	268	130	78	20	11
Number of transfers	255	120	73	18	11
Estimated average number of transfers per retrieval	1.3	1.3	1.0	0.7	0.6
Average number of embryos transferred	1.2	1.3	1.3	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	49.2	41.2	40.4	28.6	3 / 14
Percentage of transfers resulting in pregnancies (%)	52.5	44.2	43.8	8 / 18	3 / 11
Percentage of transfers resulting in live births (%)	49.4	42.5	38.4	6 / 18	3 / 11
Percentage of transfers resulting in singleton live births (%)	42.7	35.0	30.1	6 / 18	3 / 11
Percentage of transfers resulting in twin live births (%)	6.7	7.5	8.2	0 / 18	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.6	32.5	27.4	6 / 18	3 / 11
Number of Egg or Embryo Banking Cycles	56	48	51	17	16
Number of fertility preservation cycles	4	8	11	0	1
Donor Eggs^f	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	3	76	0	
Number of transfers	0	3	69	0	
Average number of embryos transferred		1.3	1.3		
Percentage of embryos transferred resulting in implantation (%)		1 / 4	39.3		
Percentage of transfers resulting in pregnancies (%)		1 / 3	43.5		
Percentage of transfers resulting in live births (%)		1 / 3	42.0		
Percentage of transfers resulting in singleton live births (%)		1 / 3	37.7		
Percentage of transfers resulting in twin live births (%)		0 / 3	4.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 3	30.4		

CURRENT SERVICES & PROFILE Current Name: Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYSTATE REPRODUCTIVE MEDICINE SPRINGFIELD, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Kelly Lynch, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	35%	Tubal factor	13%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 10%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	18%	Male factor	24%	
Used gestational carrier	1%			Diminished ovarian reserve	20%	Other factor	13%	
				Endometriosis	7%	Unknown factor	24%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 582 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)
---------------------------------------	--

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	128	63	55	29	8
Percentage of cancellations before retrieval (%)	5.5	4.8	14.5	13.8	1 / 8
Number of transfers	84	47	33	17	7
Average number of embryos transferred	1.1	1.3	1.6	1.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	85.7	65.0	37.0	3 / 13	2 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.4	42.9	21.8	37.9	1 / 8
Percentage of cycles resulting in live births (%)	36.7	38.1	14.5	24.1	1 / 8
Percentage of cycles resulting in singleton live births (%)	34.4	25.4	10.9	20.7	1 / 8
Percentage of cycles resulting in twin live births (%)	2.3	12.7	1.8	3.4	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.0	23.8	7.3	13.8	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	62.0	56.7	27.7	53.3	1 / 12
Percentage of transfers resulting in pregnancies (%)	63.1	57.4	36.4	11 / 17	1 / 7
Percentage of transfers resulting in live births (%)	56.0	51.1	24.2	7 / 17	1 / 7
Percentage of transfers resulting in singleton live births (%)	52.4	34.0	18.2	6 / 17	1 / 7
Percentage of transfers resulting in twin live births (%)	3.6	17.0	3.0	1 / 17	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	31.9	12.1	4 / 17	1 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	109	68	48	12	9
Number of transfers	89	64	38	10	8
Estimated average number of transfers per retrieval	1.7	2.0	1.3	0.8	0.8
Average number of embryos transferred	1.2	1.2	1.4	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	51.0	50.7	43.8	3 / 12	2 / 7
Percentage of transfers resulting in pregnancies (%)	56.2	54.7	55.3	4 / 10	3 / 8
Percentage of transfers resulting in live births (%)	46.1	43.8	36.8	2 / 10	2 / 8
Percentage of transfers resulting in singleton live births (%)	41.6	35.9	36.8	1 / 10	2 / 8
Percentage of transfers resulting in twin live births (%)	3.4	7.8	0.0	1 / 10	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.3	29.7	31.6	1 / 10	2 / 8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	3	8	1	1
	6	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	5	16	0	
Number of transfers	8	4	16	0	
Average number of embryos transferred	1.1	1.3	1.4		
Percentage of embryos transferred resulting in implantation (%)	4 / 9	3 / 5	61.9		
Percentage of transfers resulting in pregnancies (%)	3 / 8	2 / 4	13 / 16		
Percentage of transfers resulting in live births (%)	2 / 8	2 / 4	10 / 16		
Percentage of transfers resulting in singleton live births (%)	2 / 8	1 / 4	9 / 16		
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 4	1 / 16		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8	1 / 4	8 / 16		

CURRENT SERVICES & PROFILE		Current Name: Baystate Reproductive Medicine	
----------------------------	--	--	--

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY, LLC STONEHAM, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Vito R. Cardone, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	38%	Tubal factor	10%	Uterine factor	7%	
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	14%	Male factor	29%	
Used gestational carrier	4%			Diminished ovarian reserve	30%	Other factor	20%	
				Endometriosis	4%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				14%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 320 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	39	32	37	23	25	
Percentage of cancellations before retrieval (%)	2.6	3.1	8.1	8.7	20.0	
Number of transfers	29	24	26	14	5	
Average number of embryos transferred	1.2	1.7	1.9	2.4	2.4	
Percentage of elective single embryo transfers (eSET) (%)	73.9	6 / 19	14.3	0 / 12	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	25.6	37.5	16.2	13.0	0.0	
Percentage of cycles resulting in live births (%)	20.5	31.3	13.5	13.0	0.0	
Percentage of cycles resulting in singleton live births (%)	20.5	25.0	10.8	13.0	0.0	
Percentage of cycles resulting in twin live births (%)	0.0	6.3	2.7	0.0	0.0	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.5	21.9	5.4	13.0	0.0	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	28.6	34.1	14.3	8.8	0 / 12	
Percentage of transfers resulting in pregnancies (%)	34.5	50.0	23.1	3 / 14	0 / 5	
Percentage of transfers resulting in live births (%)	27.6	41.7	19.2	3 / 14	0 / 5	
Percentage of transfers resulting in singleton live births (%)	27.6	33.3	15.4	3 / 14	0 / 5	
Percentage of transfers resulting in twin live births (%)	0.0	8.3	3.8	0 / 14	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.6	29.2	7.7	3 / 14	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	34	21	16	13	8	
Number of transfers	26	20	12	12	6	
Estimated average number of transfers per retrieval	1.2	1.7	0.8	1.1	0.8	
Average number of embryos transferred	1.3	1.5	1.2	1.9	2.0	
Percentage of embryos transferred resulting in implantation (%)	42.4	44.8	8 / 13	21.7	1 / 12	
Percentage of transfers resulting in pregnancies (%)	42.3	55.0	7 / 12	5 / 12	1 / 6	
Percentage of transfers resulting in live births (%)	42.3	50.0	6 / 12	3 / 12	1 / 6	
Percentage of transfers resulting in singleton live births (%)	30.8	40.0	5 / 12	3 / 12	1 / 6	
Percentage of transfers resulting in twin live births (%)	11.5	10.0	1 / 12	0 / 12	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.9	40.0	4 / 12	3 / 12	1 / 6	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	8	7	13	4	4	
	2	3	0	0	1	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	13	0	21	2		
Number of transfers	13	0	16	2		
Average number of embryos transferred	1.7		1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	45.5		52.0	0 / 4		
Percentage of transfers resulting in pregnancies (%)	8 / 13		8 / 16	0 / 2		
Percentage of transfers resulting in live births (%)	8 / 13		7 / 16	0 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 13		3 / 16	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 13		4 / 16	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13		2 / 16	0 / 2		

CURRENT SERVICES & PROFILE Current Name: Cardone Reproductive Medicine and Infertility, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF WALTHAM, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	39%	Tubal factor	7%	Uterine factor	3%	Multiple Factors: Female factors only 11% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	17%	Ovulatory dysfunction	15%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	25%	
				Endometriosis	4%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d} Total number of cycles^d: 3,547 (includes 15 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	485	282	326	187	84
Percentage of cancellations before retrieval (%)	2.5	7.1	8.9	13.9	16.7
Number of transfers	359	192	208	105	49
Average number of embryos transferred	1.2	1.3	1.9	2.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	70.2	56.0	11.3	6.1	2.6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.6	19.1	17.8	11.2	4.8
Percentage of cycles resulting in live births (%)	30.7	16.0	12.9	7.0	0.0
Percentage of cycles resulting in singleton live births (%)	27.6	13.8	10.1	4.8	0.0
Percentage of cycles resulting in twin live births (%)	3.1	2.1	2.5	2.1	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.9	12.4	7.4	4.8	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.3	22.7	16.8	9.6	3.0
Percentage of transfers resulting in pregnancies (%)	46.8	28.1	27.9	20.0	8.2
Percentage of transfers resulting in live births (%)	41.5	23.4	20.2	12.4	0.0
Percentage of transfers resulting in singleton live births (%)	37.3	20.3	15.9	8.6	0.0
Percentage of transfers resulting in twin live births (%)	4.2	3.1	3.8	3.8	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.3	18.2	11.5	8.6	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	518	347	238	94	42
Number of transfers	464	314	211	83	35
Estimated average number of transfers per retrieval	1.4	1.1	0.9	0.8	0.6
Average number of embryos transferred	1.2	1.1	1.2	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	47.6	46.0	49.0	36.8	21.7
Percentage of transfers resulting in pregnancies (%)	52.6	51.0	56.4	45.8	34.3
Percentage of transfers resulting in live births (%)	45.0	44.3	48.3	37.3	25.7
Percentage of transfers resulting in singleton live births (%)	41.2	41.7	45.0	37.3	25.7
Percentage of transfers resulting in twin live births (%)	3.9	2.2	3.3	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.3	36.6	37.4	32.5	25.7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	160	172	167	75	34
	37	47	30	9	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	34	125	161	1	
Number of transfers	30	101	144	1	
Average number of embryos transferred	1.4	1.5	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.7	44.0	41.6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	43.3	58.4	50.7	1 / 1	
Percentage of transfers resulting in live births (%)	40.0	44.6	42.4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	36.7	38.6	38.2	1 / 1	
Percentage of transfers resulting in twin live births (%)	3.3	5.0	4.2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	26.7	34.0	1 / 1	

CURRENT SERVICES & PROFILE Current Name: Boston IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MICHIGAN CENTER FOR REPRODUCTIVE MEDICINE ANN ARBOR, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael S. Lanham, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	12%	Uterine factor	7%	Multiple Factors: Female factors only 18% Female & male factors 27%
Unstimulated	0%	PGD/PGS	30%	Ovulatory dysfunction	29%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	17%	
				Endometriosis	9%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 588
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	49	31	26	1
Percentage of cancellations before retrieval (%)	7.2	14.3	35.5	23.1	0 / 1
Number of transfers	100	26	8	8	1
Average number of embryos transferred	1.1	1.3	1.4	1.6	1.0
Percentage of elective single embryo transfers (eSET) (%)	92.1	6 / 14	1 / 4	1 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.4	28.6	6.5	11.5	0 / 1
Percentage of cycles resulting in live births (%)	30.2	24.5	6.5	0.0	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.8	24.5	6.5	0.0	0 / 1
Percentage of cycles resulting in twin live births (%)	1.4	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	20.4	6.5	0.0	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.0	41.2	2 / 11	2 / 12	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.0	53.8	2 / 8	3 / 8	0 / 1
Percentage of transfers resulting in live births (%)	42.0	46.2	2 / 8	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	46.2	2 / 8	0 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	2.0	0.0	0 / 8	0 / 8	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.0	38.5	2 / 8	0 / 8	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	110	59	23	5	3
Number of transfers	102	54	20	5	3
Estimated average number of transfers per retrieval	1.1	1.1	0.6	0.5	1.5
Average number of embryos transferred	1.1	1.1	1.2	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	33.9	39.7	52.2	4 / 7	3 / 3
Percentage of transfers resulting in pregnancies (%)	36.3	40.7	50.0	3 / 5	3 / 3
Percentage of transfers resulting in live births (%)	33.3	31.5	40.0	3 / 5	2 / 3
Percentage of transfers resulting in singleton live births (%)	32.4	31.5	35.0	2 / 5	2 / 3
Percentage of transfers resulting in twin live births (%)	1.0	0.0	5.0	1 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.4	27.8	35.0	2 / 5	2 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	59	34	33	9	1
	4	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	5	0	0	
Number of transfers	1	5	0	0	
Average number of embryos transferred	1.0	1.2			
Percentage of embryos transferred resulting in implantation (%)	1 / 1	3 / 6			
Percentage of transfers resulting in pregnancies (%)	1 / 1	3 / 5			
Percentage of transfers resulting in live births (%)	1 / 1	3 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 1	3 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	2 / 5			

CURRENT SERVICES & PROFILE

Current Name: University of Michigan Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC BLOOMFIELD HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	13%	Uterine factor	10%	Multiple Factors: Female factors only 20% Female & male factors 26%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	11%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	33%	
				Endometriosis	21%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 158
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	26	15	13	4	10
Percentage of cancellations before retrieval (%)	11.5	3 / 15	3 / 13	2 / 4	3 / 10
Number of transfers	22	9	10	2	7
Average number of embryos transferred	1.6	2.0	2.0	3.5	3.0
Percentage of elective single embryo transfers (eSET) (%)	38.1	0 / 8	0 / 8	0 / 2	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.8	5 / 15	4 / 13	0 / 4	1 / 10
Percentage of cycles resulting in live births (%)	42.3	3 / 15	3 / 13	0 / 4	0 / 10
Percentage of cycles resulting in singleton live births (%)	34.6	0 / 15	3 / 13	0 / 4	0 / 10
Percentage of cycles resulting in twin live births (%)	7.7	2 / 15	0 / 13	0 / 4	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	34.6	0 / 15	3 / 13	0 / 4	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.2	9 / 18	25.0	0 / 7	0 / 16
Percentage of transfers resulting in pregnancies (%)	63.6	5 / 9	4 / 10	0 / 2	1 / 7
Percentage of transfers resulting in live births (%)	50.0	3 / 9	3 / 10	0 / 2	0 / 7
Percentage of transfers resulting in singleton live births (%)	40.9	0 / 9	3 / 10	0 / 2	0 / 7
Percentage of transfers resulting in twin live births (%)	9.1	2 / 9	0 / 10	0 / 2	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.9	0 / 9	3 / 10	0 / 2	0 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	32	7	6	5	2
Number of transfers	29	7	6	4	2
Estimated average number of transfers per retrieval	2.1	1.4	0.9	4.0	0.4
Average number of embryos transferred	1.4	1.3	1.2	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	31.6	4 / 9	1 / 7	3 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	41.4	4 / 7	1 / 6	3 / 4	0 / 2
Percentage of transfers resulting in live births (%)	27.6	4 / 7	0 / 6	2 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	24.1	4 / 7	0 / 6	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	3.4	0 / 7	0 / 6	1 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.1	4 / 7	0 / 6	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	4	5	1	4
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	16	0	
Number of transfers	0	0	16	0	
Average number of embryos transferred			1.4		
Percentage of embryos transferred resulting in implantation (%)			28.6		
Percentage of transfers resulting in pregnancies (%)			7 / 16		
Percentage of transfers resulting in live births (%)			4 / 16		
Percentage of transfers resulting in singleton live births (%)			4 / 16		
Percentage of transfers resulting in twin live births (%)			0 / 16		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			2 / 16		

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine and Surgery, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN FERTILITY CENTERS BLOOMFIELD HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ahmad O. Hammoud, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 17%
Unstimulated	<1%	PGD/PGS	17%	Ovulatory dysfunction	18%	Male factor	45%	
Used gestational carrier	1%			Diminished ovarian reserve	25%	Other factor	14%	
				Endometriosis	6%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,256
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	330	110	59	21	37
Percentage of cancellations before retrieval (%)	2.7	4.5	6.8	9.5	13.5
Number of transfers	257	86	44	14	22
Average number of embryos transferred	1.9	1.8	2.0	1.7	1.6
Percentage of elective single embryo transfers (eSET) (%)	6.7	4.3	2.4	1 / 11	1 / 14
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.7	41.8	35.6	33.3	32.4
Percentage of cycles resulting in live births (%)	38.5	32.7	27.1	23.8	21.6
Percentage of cycles resulting in singleton live births (%)	22.7	27.3	18.6	19.0	16.2
Percentage of cycles resulting in twin live births (%)	15.5	5.5	8.5	4.8	5.4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.2	21.8	15.3	19.0	5.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.9	36.0	29.6	36.4	38.7
Percentage of transfers resulting in pregnancies (%)	54.9	53.5	47.7	7 / 14	54.5
Percentage of transfers resulting in live births (%)	49.4	41.9	36.4	5 / 14	36.4
Percentage of transfers resulting in singleton live births (%)	29.2	34.9	25.0	4 / 14	27.3
Percentage of transfers resulting in twin live births (%)	19.8	7.0	11.4	1 / 14	9.1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.3	27.9	20.5	4 / 14	9.1
Frozen Embryos from Nondonor Eggs					
Number of cycles	200	77	47	10	11
Number of transfers	189	71	43	9	10
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.4	0.7
Average number of embryos transferred	1.7	1.5	1.6	1.7	1.8
Percentage of embryos transferred resulting in implantation (%)	48.4	49.0	46.9	2 / 15	7 / 18
Percentage of transfers resulting in pregnancies (%)	65.1	59.2	60.5	2 / 9	5 / 10
Percentage of transfers resulting in live births (%)	52.4	43.7	46.5	2 / 9	5 / 10
Percentage of transfers resulting in singleton live births (%)	35.4	31.0	39.5	2 / 9	3 / 10
Percentage of transfers resulting in twin live births (%)	16.9	12.7	7.0	0 / 9	2 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.2	25.4	27.9	1 / 9	3 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	89	62	57	19	12
	6	6	6	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	81	1	32	1	
Number of transfers	67	1	31	1	
Average number of embryos transferred	2.0	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	68.5	1 / 2	33.3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	80.6	1 / 1	48.4	0 / 1	
Percentage of transfers resulting in live births (%)	76.1	1 / 1	38.7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.3	1 / 1	25.8	0 / 1	
Percentage of transfers resulting in twin live births (%)	44.8	0 / 1	12.9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.9	0 / 1	16.1	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: IVF Michigan Fertility Centers

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE MEDICINE BLOOMFIELD HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael S. Mersol-Barg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 10% Female & male factors 25%
Unstimulated	3%	PGD/PGS	29%	Ovulatory dysfunction	12%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	46%	Other factor	8%	
				Endometriosis	5%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 240
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	33	14	17	13	22
Percentage of cancellations before retrieval (%)	3.0	3 / 14	4 / 17	1 / 13	9.1
Number of transfers	26	7	8	6	12
Average number of embryos transferred	1.2	1.3	1.5	1.3	1.3
Percentage of elective single embryo transfers (eSET) (%)	13 / 19	2 / 4	1 / 5	1 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	51.5	3 / 14	4 / 17	1 / 13	4.5
Percentage of cycles resulting in live births (%)	33.3	3 / 14	2 / 17	1 / 13	0.0
Percentage of cycles resulting in singleton live births (%)	27.3	2 / 14	1 / 17	1 / 13	0.0
Percentage of cycles resulting in twin live births (%)	6.1	1 / 14	1 / 17	0 / 13	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.2	2 / 14	1 / 17	1 / 13	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	58.1	4 / 9	4 / 11	1 / 8	1 / 16
Percentage of transfers resulting in pregnancies (%)	65.4	3 / 7	4 / 8	1 / 6	1 / 12
Percentage of transfers resulting in live births (%)	42.3	3 / 7	2 / 8	1 / 6	0 / 12
Percentage of transfers resulting in singleton live births (%)	34.6	2 / 7	1 / 8	1 / 6	0 / 12
Percentage of transfers resulting in twin live births (%)	7.7	1 / 7	1 / 8	0 / 6	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.9	2 / 7	1 / 8	1 / 6	0 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	14	9	4	0
Number of transfers	23	13	9	4	0
Estimated average number of transfers per retrieval	1.0	0.7	0.7	0.4	0.0
Average number of embryos transferred	1.3	1.1	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	37.9	6 / 13	5 / 12	2 / 4	
Percentage of transfers resulting in pregnancies (%)	47.8	6 / 13	5 / 9	2 / 4	
Percentage of transfers resulting in live births (%)	39.1	4 / 13	4 / 9	1 / 4	
Percentage of transfers resulting in singleton live births (%)	34.8	3 / 13	4 / 9	1 / 4	
Percentage of transfers resulting in twin live births (%)	4.3	1 / 13	0 / 9	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.8	3 / 13	4 / 9	1 / 4	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	17	11	10	3
	8	9	3	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	20	9	1	
Number of transfers	0	18	8	1	
Average number of embryos transferred		1.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		33.3	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancies (%)		7 / 18	1 / 8	0 / 1	
Percentage of transfers resulting in live births (%)		6 / 18	0 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)		5 / 18	0 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 18	0 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		5 / 18	0 / 8	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GAGO IVF BRIGHTON, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laura A. Gago, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	17%	Uterine factor	6%	Multiple Factors: Female factors only 20% Female & male factors 21%
Unstimulated	0%	PGD/PGS	51%	Ovulatory dysfunction	9%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	20%	
				Endometriosis	17%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 191
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	12	2	1	2	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 2	0 / 1	0 / 2	
Number of transfers	8	0	0	0	0
Average number of embryos transferred	1.8				
Percentage of elective single embryo transfers (eSET) (%)	2 / 8				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	4 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	2 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 12	0 / 2	0 / 1	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 13				
Percentage of transfers resulting in pregnancies (%)	6 / 8				
Percentage of transfers resulting in live births (%)	4 / 8				
Percentage of transfers resulting in singleton live births (%)	2 / 8				
Percentage of transfers resulting in twin live births (%)	2 / 8				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8				
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	21	12	4	1
Number of transfers	40	21	12	4	1
Estimated average number of transfers per retrieval	1.2	1.1	0.5	1.0	0.3
Average number of embryos transferred	1.6	1.3	1.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.5	46.2	5 / 15	3 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.0	57.1	4 / 12	3 / 4	0 / 1
Percentage of transfers resulting in live births (%)	60.0	47.6	3 / 12	3 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	52.5	42.9	1 / 12	3 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	7.5	4.8	2 / 12	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	42.9	1 / 12	3 / 4	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	30	17	22	3	4
	4	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	4	8	2	
Number of transfers	3	4	8	2	
Average number of embryos transferred	1.3	1.0	1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 4	3 / 4	6 / 11	1 / 4	
Percentage of transfers resulting in pregnancies (%)	2 / 3	3 / 4	6 / 8	1 / 2	
Percentage of transfers resulting in live births (%)	1 / 3	2 / 4	6 / 8	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 4	6 / 8	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 4	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 4	5 / 8	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Gago IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN COMPREHENSIVE FERTILITY CENTER DEARBORN, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David M. Magyar, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	13%	Uterine factor	<1%	Multiple Factors: Female factors only 9% Female & male factors 28%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	18%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	41%	Other factor	5%	
				Endometriosis	11%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 135
(includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	21	19	11	0
Percentage of cancellations before retrieval (%)	14.3	14.3	7 / 19	4 / 11	
Number of transfers	26	11	9	4	0
Average number of embryos transferred	1.8	1.9	2.1	2.5	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 10	0 / 7	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.9	4.8	0 / 19	0 / 11	
Percentage of cycles resulting in live births (%)	20.0	4.8	0 / 19	0 / 11	
Percentage of cycles resulting in singleton live births (%)	14.3	4.8	0 / 19	0 / 11	
Percentage of cycles resulting in twin live births (%)	5.7	0.0	0 / 19	0 / 11	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.3	4.8	0 / 19	0 / 11	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	19.1	4.8	0 / 19	0 / 10	
Percentage of transfers resulting in pregnancies (%)	30.8	1 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in live births (%)	26.9	1 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in singleton live births (%)	19.2	1 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in twin live births (%)	7.7	0 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.2	1 / 11	0 / 9	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	6	3	1	0	0
Number of transfers	6	2	1	0	0
Estimated average number of transfers per retrieval	2.0		1.0	0.0	
Average number of embryos transferred	1.5	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 9	1 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 6	1 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	3 / 6	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 6	0 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	1 / 2	0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	1	1	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	21	7	1	
Number of transfers	0	12	4	1	
Average number of embryos transferred		1.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)		35.0	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)		6 / 12	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)		5 / 12	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)		3 / 12	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)		2 / 12	0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 12	0 / 4	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Michigan Comprehensive Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC GRAND RAPIDS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William G. Dodds, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	76%	Tubal factor	16%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 30%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	17%	Male factor	60%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	9%	
				Endometriosis	14%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,100
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	285	100	74	32	3
Percentage of cancellations before retrieval (%)	8.1	14.0	23.0	18.8	0 / 3
Number of transfers	195	64	35	15	3
Average number of embryos transferred	2.0	2.1	2.7	3.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	2.7	3.3	0.0	0 / 14	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.3	37.0	21.6	12.5	0 / 3
Percentage of cycles resulting in live births (%)	37.5	31.0	13.5	6.3	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.1	24.0	10.8	6.3	0 / 3
Percentage of cycles resulting in twin live births (%)	16.5	6.0	2.7	0.0	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.9	22.0	8.1	6.3	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.4	34.4	18.8	6.7	0 / 8
Percentage of transfers resulting in pregnancies (%)	57.4	57.8	45.7	4 / 15	0 / 3
Percentage of transfers resulting in live births (%)	54.9	48.4	28.6	2 / 15	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.8	37.5	22.9	2 / 15	0 / 3
Percentage of transfers resulting in twin live births (%)	24.1	9.4	5.7	0 / 15	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.2	34.4	17.1	2 / 15	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	257	98	45	15	3
Number of transfers	244	95	40	14	3
Estimated average number of transfers per retrieval	1.7	1.6	1.0	0.6	3.0
Average number of embryos transferred	1.9	2.1	2.6	3.0	2.3
Percentage of embryos transferred resulting in implantation (%)	30.7	30.3	16.8	20.0	0 / 7
Percentage of transfers resulting in pregnancies (%)	47.5	53.7	35.0	6 / 14	0 / 3
Percentage of transfers resulting in live births (%)	40.2	40.0	27.5	4 / 14	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.3	31.6	25.0	1 / 14	0 / 3
Percentage of transfers resulting in twin live births (%)	9.8	8.4	2.5	3 / 14	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.6	27.4	20.0	1 / 14	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	38	19	23	14	0
	7	7	5	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	19	4	21	47	
Number of transfers	18	4	21	42	
Average number of embryos transferred	1.8	2.0	1.7	2.2	
Percentage of embryos transferred resulting in implantation (%)	56.3	1 / 6	37.1	33.0	
Percentage of transfers resulting in pregnancies (%)	12 / 18	2 / 4	47.6	54.8	
Percentage of transfers resulting in live births (%)	12 / 18	1 / 4	38.1	42.9	
Percentage of transfers resulting in singleton live births (%)	7 / 18	1 / 4	28.6	28.6	
Percentage of transfers resulting in twin live births (%)	5 / 18	0 / 4	9.5	14.3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 18	1 / 4	28.6	26.2	

CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive & IVF Center, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN ROCHESTER HILLS & FLINT, PC ROCHESTER HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mostafa I. Abuzeid, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	73%	Tubal factor	22%	Uterine factor	34%	Multiple Factors: Female factors only 19% Female & male factors 46%
Unstimulated	12%	PGD/PGS	3%	Ovulatory dysfunction	19%	Male factor	58%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	5%	
				Endometriosis	19%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 388
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	129	49	71	15	29
Percentage of cancellations before retrieval (%)	10.9	8.2	36.6	1 / 15	48.3
Number of transfers	105	44	43	11	12
Average number of embryos transferred	1.9	2.0	2.2	2.2	2.8
Percentage of elective single embryo transfers (eSET) (%)	8.3	2.4	2.9	0 / 7	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.5	57.1	35.2	2 / 15	10.3
Percentage of cycles resulting in live births (%)	43.4	42.9	25.4	1 / 15	3.4
Percentage of cycles resulting in singleton live births (%)	27.9	24.5	16.9	0 / 15	3.4
Percentage of cycles resulting in twin live births (%)	15.5	18.4	8.5	1 / 15	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.5	18.4	12.7	0 / 15	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.9	45.7	35.2	9.5	10.3
Percentage of transfers resulting in pregnancies (%)	65.7	63.6	58.1	2 / 11	3 / 12
Percentage of transfers resulting in live births (%)	53.3	47.7	41.9	1 / 11	1 / 12
Percentage of transfers resulting in singleton live births (%)	34.3	27.3	27.9	0 / 11	1 / 12
Percentage of transfers resulting in twin live births (%)	19.0	20.5	14.0	1 / 11	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.6	20.5	20.9	0 / 11	1 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	21	11	2	4
Number of transfers	40	15	8	2	4
Estimated average number of transfers per retrieval	1.8	2.5	2.0	0.7	0.8
Average number of embryos transferred	1.8	1.7	1.9	2.0	2.8
Percentage of embryos transferred resulting in implantation (%)	49.3	54.5	3 / 15	0 / 2	1 / 11
Percentage of transfers resulting in pregnancies (%)	67.5	10 / 15	2 / 8	1 / 2	1 / 4
Percentage of transfers resulting in live births (%)	57.5	7 / 15	2 / 8	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	40.0	5 / 15	1 / 8	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	15.0	2 / 15	1 / 8	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	5 / 15	1 / 8	0 / 2	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	3	1	0	1
	0	1	0	0	0
Donor Eggs^f					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: IVF Michigan Rochester Hills & Flint, PC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WAYNE STATE UNIVERSITY PHYSICIAN GROUP
UNIVERSITY WOMEN'S CARE
SOUTHFIELD, MICHIGAN**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Awoniyi O. Awonuga, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	24%	Uterine factor	19%	Multiple Factors: Female factors only 21% Female & male factors 29%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	24%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	22%	
				Endometriosis	8%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 98
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	8	4	2	3
Percentage of cancellations before retrieval (%)	1 / 18	0 / 8	0 / 4	2 / 2	1 / 3
Number of transfers	15	8	3	0	1
Average number of embryos transferred	1.7	2.1	1.7		1.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	2 / 8	1 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10 / 18	4 / 8	1 / 4	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	8 / 18	3 / 8	1 / 4	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	6 / 18	2 / 8	1 / 4	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 18	1 / 8	0 / 4	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	5 / 18	1 / 8	1 / 4	0 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.0	5 / 16	1 / 5		0 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 15	4 / 8	1 / 3		0 / 1
Percentage of transfers resulting in live births (%)	8 / 15	3 / 8	1 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 15	2 / 8	1 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 15	1 / 8	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 15	1 / 8	1 / 3		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	17	11	4	2
Number of transfers	11	17	11	4	2
Estimated average number of transfers per retrieval	1.6	2.1	2.8		
Average number of embryos transferred	1.6	1.8	2.2	2.3	2.5
Percentage of embryos transferred resulting in implantation (%)	3 / 17	46.2	8.3	1 / 9	0 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 11	11 / 17	2 / 11	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	2 / 11	8 / 17	1 / 11	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 11	7 / 17	1 / 11	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 11	1 / 17	0 / 11	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 11	6 / 17	0 / 11	0 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	5	3	0	0
	1	0	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	3	0	
Number of transfers	0	1	3	0	
Average number of embryos transferred		1.0	1.7		
Percentage of embryos transferred resulting in implantation (%)		1 / 1	1 / 3		
Percentage of transfers resulting in pregnancies (%)		1 / 1	2 / 3		
Percentage of transfers resulting in live births (%)		1 / 1	1 / 3		
Percentage of transfers resulting in singleton live births (%)		1 / 1	1 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 1	1 / 3		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Wayne State University Physician Group, University Women's Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Nicole Budrys, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	5%	Uterine factor	2%	Multiple Factors: Female factors only 0% Female & male factors 26%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	21%	Male factor	65%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	9%	
				Endometriosis	10%	Unknown factor	8%	

2016 ART SUCCESS RATES ^{c,d}	Type of Cycle	Total number of cycles ^d : 101 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
	Number of cycles	27	9	8	1	2
	Percentage of cancellations before retrieval (%)	7.4	0 / 9	2 / 8	1 / 1	0 / 2
	Number of transfers	15	4	5	0	1
	Average number of embryos transferred	1.7	1.8	2.0		1.0
	Percentage of elective single embryo transfers (eSET) (%)	5 / 15	0 / 3	0 / 5		
Outcomes per Cycle						
	Percentage of cycles resulting in pregnancies (%)	37.0	3 / 9	2 / 8	0 / 1	0 / 2
	Percentage of cycles resulting in live births (%)	29.6	3 / 9	1 / 8	0 / 1	0 / 2
	Percentage of cycles resulting in singleton live births (%)	25.9	3 / 9	1 / 8	0 / 1	0 / 2
	Percentage of cycles resulting in twin live births (%)	3.7	0 / 9	0 / 8	0 / 1	0 / 2
	Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.5	2 / 9	1 / 8	0 / 1	0 / 2
Outcomes per Transfer						
	Percentage of embryos transferred resulting in implantation (%)	52.0	3 / 7	2 / 10		0 / 1
	Percentage of transfers resulting in pregnancies (%)	10 / 15	3 / 4	2 / 5		0 / 1
	Percentage of transfers resulting in live births (%)	8 / 15	3 / 4	1 / 5		0 / 1
	Percentage of transfers resulting in singleton live births (%)	7 / 15	3 / 4	1 / 5		0 / 1
	Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 4	0 / 5		0 / 1
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 15	2 / 4	1 / 5		0 / 1
Frozen Embryos from Nondonor Eggs						
	Number of cycles	24	10	4	2	1
	Number of transfers	23	9	4	2	1
	Estimated average number of transfers per retrieval	1.8	3.0	0.8	2.0	0.5
	Average number of embryos transferred	1.5	1.7	1.3	1.0	1.0
	Percentage of embryos transferred resulting in implantation (%)	54.3	7 / 15	2 / 5	1 / 2	1 / 1
	Percentage of transfers resulting in pregnancies (%)	56.5	5 / 9	2 / 4	1 / 2	1 / 1
	Percentage of transfers resulting in live births (%)	47.8	5 / 9	1 / 4	1 / 2	0 / 1
	Percentage of transfers resulting in singleton live births (%)	30.4	3 / 9	1 / 4	1 / 2	0 / 1
	Percentage of transfers resulting in twin live births (%)	17.4	2 / 9	0 / 4	0 / 2	0 / 1
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.4	2 / 9	1 / 4	1 / 2	0 / 1
Number of Egg or Embryo Banking Cycles						
	Number of fertility preservation cycles	5	0	5	1	2
		0	0	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
	Number of cycles	0	0	0	0	
	Number of transfers	0	0	0	0	
	Average number of embryos transferred					
	Percentage of embryos transferred resulting in implantation (%)					
	Percentage of transfers resulting in pregnancies (%)					
	Percentage of transfers resulting in live births (%)					
	Percentage of transfers resulting in singleton live births (%)					
	Percentage of transfers resulting in twin live births (%)					
	Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE		Current Name: Henry Ford Reproductive Medicine					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRENDA L. MOSKOVITZ, MD, PC TROY, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brenda L. Moskovitz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	50%	Tubal factor	20%	Uterine factor	0%	Multiple Factors: Female factors only 30% Female & male factors 25%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	30%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	5%	
				Endometriosis	40%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 20
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	3	5	1	3
Percentage of cancellations before retrieval (%)	0 / 1	1 / 3	0 / 5	0 / 1	1 / 3
Number of transfers	0	1	5	1	1
Average number of embryos transferred		2.0	1.4	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	1 / 3		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1	0 / 3	2 / 5	1 / 1	0 / 3
Percentage of cycles resulting in live births (%)	0 / 1	0 / 3	1 / 5	1 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 1	0 / 3	1 / 5	1 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 3	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 3	0 / 5	1 / 1	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 2	2 / 7	1 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)		0 / 1	2 / 5	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)		0 / 1	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 1	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	0 / 5	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	3	0	0	0
Number of transfers	4	3	0	0	0
Estimated average number of transfers per retrieval	4.0	3.0			
Average number of embryos transferred	1.8	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 5	4 / 6			
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 3			
Percentage of transfers resulting in live births (%)	0 / 4	1 / 3			
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 3			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	0 / 3			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Brenda L. Moskovitz, MD, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN TROY, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brad T. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	15%	Uterine factor	7%	Multiple Factors: Female factors only 21% Female & male factors 23%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	13%	Male factor	42%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	33%	
				Endometriosis	11%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 649
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	105	45	45	12	26
Percentage of cancellations before retrieval (%)	4.8	15.6	17.8	6 / 12	19.2
Number of transfers	89	37	30	6	20
Average number of embryos transferred	1.7	1.9	2.1	2.5	2.1
Percentage of elective single embryo transfers (eSET) (%)	38.1	11.4	3.8	0 / 5	0 / 13
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	48.6	44.4	24.4	2 / 12	3.8
Percentage of cycles resulting in live births (%)	41.0	33.3	15.6	2 / 12	0.0
Percentage of cycles resulting in singleton live births (%)	29.5	24.4	8.9	2 / 12	0.0
Percentage of cycles resulting in twin live births (%)	11.4	8.9	6.7	0 / 12	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.7	24.4	6.7	2 / 12	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.8	40.3	23.7	2 / 15	2.4
Percentage of transfers resulting in pregnancies (%)	57.3	54.1	36.7	2 / 6	5.0
Percentage of transfers resulting in live births (%)	48.3	40.5	23.3	2 / 6	0.0
Percentage of transfers resulting in singleton live births (%)	34.8	29.7	13.3	2 / 6	0.0
Percentage of transfers resulting in twin live births (%)	13.5	10.8	10.0	0 / 6	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.3	29.7	10.0	2 / 6	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	85	52	44	18	3
Number of transfers	82	46	39	11	3
Estimated average number of transfers per retrieval	0.9	1.4	1.1	1.0	0.4
Average number of embryos transferred	1.4	1.3	1.6	1.5	3.0
Percentage of embryos transferred resulting in implantation (%)	60.3	50.9	39.6	9 / 14	0 / 8
Percentage of transfers resulting in pregnancies (%)	70.7	63.0	56.4	8 / 11	1 / 3
Percentage of transfers resulting in live births (%)	51.2	50.0	30.8	5 / 11	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.2	47.8	25.6	4 / 11	0 / 3
Percentage of transfers resulting in twin live births (%)	11.0	2.2	5.1	1 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.1	41.3	23.1	4 / 11	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	61	26	19	11	7
	7	6	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	29	12	43	3	
Number of transfers	27	10	41	3	
Average number of embryos transferred	1.6	1.8	1.5	1.3	
Percentage of embryos transferred resulting in implantation (%)	55.0	4 / 18	37.7	0 / 4	
Percentage of transfers resulting in pregnancies (%)	63.0	3 / 10	56.1	0 / 3	
Percentage of transfers resulting in live births (%)	55.6	3 / 10	36.6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	33.3	2 / 10	36.6	0 / 3	
Percentage of transfers resulting in twin live births (%)	22.2	1 / 10	0.0	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	2 / 10	19.5	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Michigan

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC WARREN, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	12%	Uterine factor	<1%	Multiple Factors: Female factors only 4% Female & male factors 11%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	16%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	7%	
				Endometriosis	3%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 264
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	58	12	10	4	4
Percentage of cancellations before retrieval (%)	6.9	0 / 12	3 / 10	2 / 4	2 / 4
Number of transfers	40	9	3	2	0
Average number of embryos transferred	1.5	2.1	1.7	1.5	
Percentage of elective single embryo transfers (eSET) (%)	51.4	0 / 9	0 / 2	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.7	4 / 12	3 / 10	0 / 4	0 / 4
Percentage of cycles resulting in live births (%)	36.2	4 / 12	2 / 10	0 / 4	0 / 4
Percentage of cycles resulting in singleton live births (%)	29.3	4 / 12	1 / 10	0 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)	6.9	0 / 12	1 / 10	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.1	3 / 12	1 / 10	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.4	4 / 19	4 / 5	0 / 3	
Percentage of transfers resulting in pregnancies (%)	57.5	4 / 9	3 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	52.5	4 / 9	2 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	42.5	4 / 9	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	10.0	0 / 9	1 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	3 / 9	1 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	42	21	21	7	6
Number of transfers	41	21	20	7	6
Estimated average number of transfers per retrieval	1.3	1.0	1.4	0.7	1.2
Average number of embryos transferred	1.6	1.4	1.3	1.1	1.3
Percentage of embryos transferred resulting in implantation (%)	54.8	51.7	48.0	5 / 8	3 / 8
Percentage of transfers resulting in pregnancies (%)	70.7	66.7	60.0	4 / 7	3 / 6
Percentage of transfers resulting in live births (%)	56.1	57.1	50.0	4 / 7	1 / 6
Percentage of transfers resulting in singleton live births (%)	43.9	52.4	50.0	4 / 7	1 / 6
Percentage of transfers resulting in twin live births (%)	12.2	4.8	0.0	0 / 7	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.6	38.1	35.0	4 / 7	0 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	14	16	13	8	3
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	0	13	0	
Number of transfers	12	0	13	0	
Average number of embryos transferred	1.3		1.5		
Percentage of embryos transferred resulting in implantation (%)	10 / 15		14 / 19		
Percentage of transfers resulting in pregnancies (%)	8 / 12		10 / 13		
Percentage of transfers resulting in live births (%)	5 / 12		10 / 13		
Percentage of transfers resulting in singleton live births (%)	3 / 12		6 / 13		
Percentage of transfers resulting in twin live births (%)	2 / 12		4 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 12		5 / 13		

CURRENT SERVICES & PROFILE

Current Name: Michigan Center for Fertility and Women's Health, PLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CCRM MINNEAPOLIS EDINA, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by April E. Batcheller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 16%
Unstimulated	0%	PGD/PGS	48%	Ovulatory dysfunction	13%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	32%	
				Endometriosis	8%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 425
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	33	7	13	5	6
Percentage of cancellations before retrieval (%)	3.0	1 / 7	6 / 13	1 / 5	0 / 6
Number of transfers	18	3	3	0	0
Average number of embryos transferred	1.7	1.7	2.3		
Percentage of elective single embryo transfers (eSET) (%)	6 / 18	0 / 2	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.4	2 / 7	1 / 13	0 / 5	0 / 6
Percentage of cycles resulting in live births (%)	36.4	1 / 7	1 / 13	0 / 5	0 / 6
Percentage of cycles resulting in singleton live births (%)	21.2	0 / 7	1 / 13	0 / 5	0 / 6
Percentage of cycles resulting in twin live births (%)	15.2	1 / 7	0 / 13	0 / 5	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.2	0 / 7	1 / 13	0 / 5	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	60.0	3 / 5	1 / 7		
Percentage of transfers resulting in pregnancies (%)	13 / 18	2 / 3	1 / 3		
Percentage of transfers resulting in live births (%)	12 / 18	1 / 3	1 / 3		
Percentage of transfers resulting in singleton live births (%)	7 / 18	0 / 3	1 / 3		
Percentage of transfers resulting in twin live births (%)	5 / 18	1 / 3	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 18	0 / 3	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of cycles	60	30	28	5	1
Number of transfers	56	27	26	5	1
Estimated average number of transfers per retrieval	0.8	0.6	0.5	0.1	0.0
Average number of embryos transferred	1.3	1.2	1.1	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	64.8	80.6	66.7	2 / 5	1 / 2
Percentage of transfers resulting in pregnancies (%)	75.0	88.9	65.4	2 / 5	1 / 1
Percentage of transfers resulting in live births (%)	62.5	77.8	46.2	1 / 5	1 / 1
Percentage of transfers resulting in singleton live births (%)	55.4	70.4	46.2	1 / 5	1 / 1
Percentage of transfers resulting in twin live births (%)	7.1	7.4	0.0	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.6	63.0	30.8	0 / 5	1 / 1
Number of Egg or Embryo Banking Cycles					
	61	46	46	33	23
Number of fertility preservation cycles	6	6	4	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	5	13	0	
Number of transfers	7	3	12	0	
Average number of embryos transferred	1.9	2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)	8 / 13	2 / 6	12 / 16		
Percentage of transfers resulting in pregnancies (%)	5 / 7	1 / 3	10 / 12		
Percentage of transfers resulting in live births (%)	4 / 7	0 / 3	8 / 12		
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	7 / 12		
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 3	1 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	0 / 3	7 / 12		

CURRENT SERVICES & PROFILE

Current Name: CCRM Minneapolis

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA MAPLE GROVE, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randle S. Corfman, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	7%	Uterine factor	4%	Multiple Factors: Female factors only 8% Female & male factors 16%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	68%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	2%	Other factor	8%	
				Endometriosis	8%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 250
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	34	18	3	1
Percentage of cancellations before retrieval (%)	1.1	11.8	2 / 18	0 / 3	0 / 1
Number of transfers	83	30	16	3	1
Average number of embryos transferred	1.8	1.7	1.9	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	13.5	24.1	0 / 14	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.6	47.1	7 / 18	2 / 3	1 / 1
Percentage of cycles resulting in live births (%)	47.1	38.2	6 / 18	1 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	29.9	20.6	5 / 18	1 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	16.1	17.6	1 / 18	0 / 3	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.7	11.8	4 / 18	1 / 3	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.8	41.7	26.7	2 / 6	
Percentage of transfers resulting in pregnancies (%)	53.0	53.3	7 / 16	2 / 3	1 / 1
Percentage of transfers resulting in live births (%)	49.4	43.3	6 / 16	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.3	23.3	5 / 16	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	16.9	20.0	1 / 16	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.1	13.3	4 / 16	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	37	12	10	0	2
Number of transfers	34	11	10	0	2
Estimated average number of transfers per retrieval	1.8	2.8	3.3		
Average number of embryos transferred	1.4	1.4	1.2		1.5
Percentage of embryos transferred resulting in implantation (%)	41.9	3 / 15	5 / 10		0 / 3
Percentage of transfers resulting in pregnancies (%)	50.0	3 / 11	6 / 10		0 / 2
Percentage of transfers resulting in live births (%)	41.2	3 / 11	2 / 10		0 / 2
Percentage of transfers resulting in singleton live births (%)	35.3	3 / 11	2 / 10		0 / 2
Percentage of transfers resulting in twin live births (%)	5.9	0 / 11	0 / 10		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.4	3 / 11	2 / 10		0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	21	0	17	3	
Number of transfers	20	0	14	3	
Average number of embryos transferred	1.8		1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	68.8		27.3	1 / 6	
Percentage of transfers resulting in pregnancies (%)	75.0		6 / 14	1 / 3	
Percentage of transfers resulting in live births (%)	65.0		6 / 14	1 / 3	
Percentage of transfers resulting in singleton live births (%)	30.0		6 / 14	1 / 3	
Percentage of transfers resulting in twin live births (%)	35.0		0 / 14	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0		6 / 14	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: The Midwest Center for Reproductive Health, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE ADVANCED REPRODUCTIVE TECHNOLOGIES MINNEAPOLIS, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Colleen L. Casey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	12%	Uterine factor	5%	Multiple Factors: Female factors only 15% Female & male factors 15%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	17%	Male factor	33%	
Used gestational carrier	3%			Diminished ovarian reserve	24%	Other factor	22%	
				Endometriosis	8%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,531
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	351	134	95	41	18
Percentage of cancellations before retrieval (%)	4.6	8.2	13.7	7.3	3 / 18
Number of transfers	293	102	59	23	8
Average number of embryos transferred	1.4	1.6	1.7	1.6	2.0
Percentage of elective single embryo transfers (eSET) (%)	54.5	27.4	13.0	3 / 14	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	51.6	35.1	21.1	9.8	0 / 18
Percentage of cycles resulting in live births (%)	46.2	28.4	14.7	9.8	0 / 18
Percentage of cycles resulting in singleton live births (%)	35.3	22.4	10.5	9.8	0 / 18
Percentage of cycles resulting in twin live births (%)	10.5	6.0	4.2	0.0	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	32.5	19.4	8.4	7.3	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	54.3	37.0	21.9	10.8	0 / 16
Percentage of transfers resulting in pregnancies (%)	61.8	46.1	33.9	17.4	0 / 8
Percentage of transfers resulting in live births (%)	55.3	37.3	23.7	17.4	0 / 8
Percentage of transfers resulting in singleton live births (%)	42.3	29.4	16.9	17.4	0 / 8
Percentage of transfers resulting in twin live births (%)	12.6	7.8	6.8	0.0	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.9	25.5	13.6	13.0	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	242	121	98	35	14
Number of transfers	234	116	93	33	12
Estimated average number of transfers per retrieval	1.7	1.8	1.4	0.9	0.5
Average number of embryos transferred	1.4	1.3	1.3	1.4	1.9
Percentage of embryos transferred resulting in implantation (%)	65.3	53.1	55.1	46.3	28.6
Percentage of transfers resulting in pregnancies (%)	76.1	64.7	64.5	57.6	5 / 12
Percentage of transfers resulting in live births (%)	67.5	55.2	50.5	39.4	4 / 12
Percentage of transfers resulting in singleton live births (%)	53.4	48.3	44.1	33.3	3 / 12
Percentage of transfers resulting in twin live births (%)	13.7	6.9	6.5	6.1	1 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.1	42.2	36.6	27.3	2 / 12
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	60	34	54	28	21
	19	4	8	0	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	79	15	83	3	
Number of transfers	69	15	79	2	
Average number of embryos transferred	1.3	1.3	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	68.2	65.0	51.0	1 / 2	
Percentage of transfers resulting in pregnancies (%)	78.3	10 / 15	64.6	1 / 2	
Percentage of transfers resulting in live births (%)	69.6	8 / 15	50.6	1 / 2	
Percentage of transfers resulting in singleton live births (%)	59.4	7 / 15	44.3	1 / 2	
Percentage of transfers resulting in twin live births (%)	10.1	1 / 15	6.3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	50.7	6 / 15	36.7	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Charles C. Coddington, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 11%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	29%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	21%	Other factor	16%	
				Endometriosis	5%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 518
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	112	37	30	6	4
Percentage of cancellations before retrieval (%)	8.0	8.1	23.3	2 / 6	1 / 4
Number of transfers	66	29	21	3	3
Average number of embryos transferred	1.3	1.5	2.0	2.0	2.7
Percentage of elective single embryo transfers (eSET) (%)	71.9	51.9	1 / 18	0 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.1	29.7	30.0	2 / 6	0 / 4
Percentage of cycles resulting in live births (%)	28.6	21.6	20.0	1 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	25.0	21.6	16.7	1 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	3.6	0.0	3.3	0 / 6	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.5	21.6	16.7	1 / 6	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.8	27.3	21.1	3 / 6	0 / 8
Percentage of transfers resulting in pregnancies (%)	54.5	37.9	42.9	2 / 3	0 / 3
Percentage of transfers resulting in live births (%)	48.5	27.6	28.6	1 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	42.4	27.6	23.8	1 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	6.1	0.0	4.8	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.8	27.6	23.8	1 / 3	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	146	35	24	7	7
Number of transfers	136	32	22	7	4
Estimated average number of transfers per retrieval	1.7	0.8	1.0	0.7	1.3
Average number of embryos transferred	1.3	1.5	1.4	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	50.6	25.6	34.5	3 / 14	2 / 5
Percentage of transfers resulting in pregnancies (%)	61.0	40.6	45.5	2 / 7	2 / 4
Percentage of transfers resulting in live births (%)	52.9	25.0	40.9	2 / 7	2 / 4
Percentage of transfers resulting in singleton live births (%)	45.6	25.0	36.4	1 / 7	2 / 4
Percentage of transfers resulting in twin live births (%)	7.4	0.0	4.5	1 / 7	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.6	25.0	31.8	1 / 7	2 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	33	23	16	8	3
	11	8	3	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	10	12	0	
Number of transfers	2	9	12	0	
Average number of embryos transferred	1.5	1.2	1.1		
Percentage of embryos transferred resulting in implantation (%)	3 / 3	9 / 11	8 / 13		
Percentage of transfers resulting in pregnancies (%)	2 / 2	6 / 9	8 / 12		
Percentage of transfers resulting in live births (%)	2 / 2	6 / 9	8 / 12		
Percentage of transfers resulting in singleton live births (%)	1 / 2	4 / 9	8 / 12		
Percentage of transfers resulting in twin live births (%)	1 / 2	2 / 9	0 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	3 / 9	5 / 12		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Mayo Clinic Assisted Reproductive Technologies

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES WOODBURY, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jacques P. Stassart, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	87%	Tubal factor	13%	Uterine factor	4%	Multiple Factors: Female factors only 6% Female & male factors 42%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	21%	Male factor	66%	
Used gestational carrier	2%			Diminished ovarian reserve	13%	Other factor	23%	
				Endometriosis	14%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 798
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	246	100	57	26	7
Percentage of cancellations before retrieval (%)	1.2	4.0	3.5	19.2	1 / 7
Number of transfers	234	91	49	20	5
Average number of embryos transferred	1.6	1.9	2.4	3.0	2.2
Percentage of elective single embryo transfers (eSET) (%)	37.5	8.1	4.4	0 / 18	2 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.3	51.0	35.1	26.9	2 / 7
Percentage of cycles resulting in live births (%)	43.9	37.0	28.1	11.5	0 / 7
Percentage of cycles resulting in singleton live births (%)	35.4	26.0	19.3	7.7	0 / 7
Percentage of cycles resulting in twin live births (%)	8.1	11.0	7.0	3.8	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.5	20.0	12.3	7.7	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.0	36.3	23.7	14.5	2 / 11
Percentage of transfers resulting in pregnancies (%)	56.0	56.0	40.8	35.0	2 / 5
Percentage of transfers resulting in live births (%)	46.2	40.7	32.7	15.0	0 / 5
Percentage of transfers resulting in singleton live births (%)	37.2	28.6	22.4	10.0	0 / 5
Percentage of transfers resulting in twin live births (%)	8.5	12.1	8.2	5.0	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	22.0	14.3	10.0	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	128	76	13	12	3
Number of transfers	122	73	13	11	3
Estimated average number of transfers per retrieval	1.3	1.4	1.2	1.8	3.0
Average number of embryos transferred	1.5	1.6	1.5	1.8	1.3
Percentage of embryos transferred resulting in implantation (%)	29.8	32.7	6 / 16	10.0	2 / 4
Percentage of transfers resulting in pregnancies (%)	43.4	43.8	7 / 13	2 / 11	2 / 3
Percentage of transfers resulting in live births (%)	34.4	35.6	5 / 13	1 / 11	1 / 3
Percentage of transfers resulting in singleton live births (%)	29.5	26.0	5 / 13	1 / 11	1 / 3
Percentage of transfers resulting in twin live births (%)	4.9	9.6	0 / 13	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.0	19.2	4 / 13	1 / 11	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	14	4	1	0
	2	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	48	4	35	1	
Number of transfers	45	2	34	1	
Average number of embryos transferred	1.6	1.5	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.4	0 / 3	19.1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	57.8	0 / 2	26.5	0 / 1	
Percentage of transfers resulting in live births (%)	44.4	0 / 2	14.7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.1	0 / 2	11.8	0 / 1	
Percentage of transfers resulting in twin live births (%)	13.3	0 / 2	2.9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.4	0 / 2	11.8	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine & Infertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI REPRODUCTIVE MEDICINE, PLLC FLOWOOD, MISSISSIPPI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randall S. Hines, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	17%	Multiple Factors: Female factors only 15% Female & male factors 14%
Unstimulated	0%	PGD/PGS	78%	Ovulatory dysfunction	15%	Male factor	22%	
Used gestational carrier	3%			Diminished ovarian reserve	16%	Other factor	7%	
				Endometriosis	33%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 237
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	2	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 2			
Number of transfers	1	2	0	0	0
Average number of embryos transferred	2.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	2 / 2			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1	0 / 2			
Percentage of cycles resulting in live births (%)	1 / 1	0 / 2			
Percentage of cycles resulting in singleton live births (%)	1 / 1	0 / 2			
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 2			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 2			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 2			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of cycles	52	21	7	4	1
Number of transfers	48	19	6	4	1
Estimated average number of transfers per retrieval	0.8	0.6	0.7	0.5	0.1
Average number of embryos transferred	1.2	1.2	1.0	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	45.0	3 / 6	3 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.3	11 / 19	3 / 6	3 / 4	0 / 1
Percentage of transfers resulting in live births (%)	56.3	7 / 19	2 / 6	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	56.3	7 / 19	2 / 6	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 19	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.8	5 / 19	2 / 6	0 / 4	0 / 1
Number of Egg or Embryo Banking Cycles					
	60	30	9	8	8
Number of fertility preservation cycles	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	31	3	
Number of transfers	0	0	27	3	
Average number of embryos transferred			1.0	1.3	
Percentage of embryos transferred resulting in implantation (%)			73.1	2 / 4	
Percentage of transfers resulting in pregnancies (%)			70.4	1 / 3	
Percentage of transfers resulting in live births (%)			51.9	1 / 3	
Percentage of transfers resulting in singleton live births (%)			51.9	0 / 3	
Percentage of transfers resulting in twin live births (%)			0.0	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			37.0	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Mississippi Reproductive Medicine, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MISSISSIPPI MEDICAL CENTER FLOWOOD, MISSISSIPPI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John D. Isaacs, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	33%	Uterine factor	10%	Multiple Factors: Female factors only 20% Female & male factors 16%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	9%	Male factor	33%	
Used gestational carrier	1%			Diminished ovarian reserve	26%	Other factor	4%	
				Endometriosis	23%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 199
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	53	26	16	2	0
Percentage of cancellations before retrieval (%)	1.9	11.5	3 / 16	1 / 2	
Number of transfers	43	17	11	0	0
Average number of embryos transferred	1.3	1.8	2.0		
Percentage of elective single embryo transfers (eSET) (%)	56.7	2 / 14	1 / 9		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.5	30.8	2 / 16	0 / 2	
Percentage of cycles resulting in live births (%)	24.5	26.9	1 / 16	0 / 2	
Percentage of cycles resulting in singleton live births (%)	18.9	19.2	1 / 16	0 / 2	
Percentage of cycles resulting in twin live births (%)	5.7	7.7	0 / 16	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	13.2	19.2	1 / 16	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.6	31.0	4.8		
Percentage of transfers resulting in pregnancies (%)	30.2	8 / 17	2 / 11		
Percentage of transfers resulting in live births (%)	30.2	7 / 17	1 / 11		
Percentage of transfers resulting in singleton live births (%)	23.3	5 / 17	1 / 11		
Percentage of transfers resulting in twin live births (%)	7.0	2 / 17	0 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	16.3	5 / 17	1 / 11		
Frozen Embryos from Nondonor Eggs					
Number of cycles	39	14	5	0	2
Number of transfers	38	13	4	0	2
Estimated average number of transfers per retrieval	2.0	1.6	1.3		2.0
Average number of embryos transferred	1.4	1.5	1.0		2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	3 / 19	1 / 4		2 / 4
Percentage of transfers resulting in pregnancies (%)	55.3	3 / 13	1 / 4		1 / 2
Percentage of transfers resulting in live births (%)	47.4	1 / 13	1 / 4		1 / 2
Percentage of transfers resulting in singleton live births (%)	36.8	1 / 13	1 / 4		0 / 2
Percentage of transfers resulting in twin live births (%)	10.5	0 / 13	0 / 4		1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.9	1 / 13	1 / 4		0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	3	0	0	1
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	16	11	
Number of transfers	9	0	15	11	
Average number of embryos transferred	1.2		1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)	8 / 10		19.0	25.0	
Percentage of transfers resulting in pregnancies (%)	6 / 9		4 / 15	4 / 11	
Percentage of transfers resulting in live births (%)	4 / 9		4 / 15	3 / 11	
Percentage of transfers resulting in singleton live births (%)	3 / 9		4 / 15	2 / 11	
Percentage of transfers resulting in twin live births (%)	0 / 9		0 / 15	1 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9		4 / 15	0 / 11	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: University of Mississippi Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY CENTER OF ST. LOUIS CHESTERFIELD, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sherman J. Silber, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	95%	Tubal factor	10%	Uterine factor	10%	Multiple Factors: Female factors only 19% Female & male factors 19%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	23%	Male factor	34%	
Used gestational carrier	3%			Diminished ovarian reserve	42%	Other factor	15%	
				Endometriosis	3%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 970
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	85	20	14	5	5
Percentage of cancellations before retrieval (%)	4.7	10.0	1 / 14	0 / 5	0 / 5
Number of transfers	61	15	8	5	5
Average number of embryos transferred	1.9	1.7	1.8	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	3.4	2 / 13	0 / 6	0 / 4	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.5	30.0	2 / 14	1 / 5	0 / 5
Percentage of cycles resulting in live births (%)	34.1	20.0	1 / 14	0 / 5	0 / 5
Percentage of cycles resulting in singleton live births (%)	23.5	20.0	1 / 14	0 / 5	0 / 5
Percentage of cycles resulting in twin live births (%)	10.6	0.0	0 / 14	0 / 5	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.5	20.0	1 / 14	0 / 5	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.2	20.8	2 / 14	0 / 8	0 / 15
Percentage of transfers resulting in pregnancies (%)	50.8	6 / 15	2 / 8	1 / 5	0 / 5
Percentage of transfers resulting in live births (%)	47.5	4 / 15	1 / 8	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births (%)	32.8	4 / 15	1 / 8	0 / 5	0 / 5
Percentage of transfers resulting in twin live births (%)	14.8	0 / 15	0 / 8	0 / 5	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.0	4 / 15	1 / 8	0 / 5	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	156	58	69	19	51
Number of transfers	140	49	57	14	43
Estimated average number of transfers per retrieval	1.1	0.8	0.7	0.2	0.3
Average number of embryos transferred	1.8	1.8	1.9	2.1	2.4
Percentage of embryos transferred resulting in implantation (%)	35.4	35.4	24.5	25.0	8.7
Percentage of transfers resulting in pregnancies (%)	48.6	51.0	45.6	7 / 14	18.6
Percentage of transfers resulting in live births (%)	42.1	40.8	29.8	4 / 14	11.6
Percentage of transfers resulting in singleton live births (%)	30.0	28.6	26.3	3 / 14	11.6
Percentage of transfers resulting in twin live births (%)	12.1	12.2	3.5	1 / 14	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.1	24.5	21.1	2 / 14	9.3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	102	55	73	63	137
	8	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	3	38	0	
Number of transfers	11	1	33	0	
Average number of embryos transferred	2.0	2.0	1.9		
Percentage of embryos transferred resulting in implantation (%)	35.0	0 / 2	47.2		
Percentage of transfers resulting in pregnancies (%)	5 / 11	0 / 1	54.5		
Percentage of transfers resulting in live births (%)	4 / 11	0 / 1	30.3		
Percentage of transfers resulting in singleton live births (%)	2 / 11	0 / 1	15.2		
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 1	12.1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 11	0 / 1	15.2		

CURRENT SERVICES & PROFILE

Current Name: Infertility Center of St. Louis

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSOURI CENTER FOR REPRODUCTIVE MEDICINE CHESTERFIELD, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter Ahlering, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	95%	Tubal factor	5%	Uterine factor	7%	Multiple Factors: Female factors only 24% Female & male factors 12%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	30%	Male factor	19%	
Used gestational carrier	4%			Diminished ovarian reserve	15%	Other factor	41%	
				Endometriosis	7%	Unknown factor	20%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 790
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	22	10	6	5	2
Percentage of cancellations before retrieval (%)	0.0	0 / 10	0 / 6	0 / 5	0 / 2
Number of transfers	20	9	6	5	2
Average number of embryos transferred	2.2	2.0	2.0	1.8	1.5
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	1 / 8	0 / 6	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	68.2	2 / 10	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	68.2	2 / 10	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	40.9	2 / 10	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	27.3	0 / 10	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.3	2 / 10	0 / 6	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.5	2 / 18	1 / 12	0 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	75.0	2 / 9	1 / 6	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	75.0	2 / 9	1 / 6	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	45.0	2 / 9	1 / 6	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	30.0	0 / 9	0 / 6	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	2 / 9	0 / 6	0 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	138	58	30	8	4
Number of transfers	137	57	29	8	4
Estimated average number of transfers per retrieval	0.6	0.7	0.4	0.2	0.1
Average number of embryos transferred	1.5	1.6	1.4	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	60.8	40.2	58.1	3 / 10	1 / 3
Percentage of transfers resulting in pregnancies (%)	65.0	50.9	55.2	3 / 8	1 / 4
Percentage of transfers resulting in live births (%)	59.9	45.6	55.2	3 / 8	1 / 4
Percentage of transfers resulting in singleton live births (%)	43.1	36.8	51.7	3 / 8	1 / 4
Percentage of transfers resulting in twin live births (%)	16.8	8.8	3.4	0 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.9	26.3	34.5	0 / 8	1 / 4
Number of Egg or Embryo Banking Cycles					
	232	77	70	47	34
Number of fertility preservation cycles	8	0	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	18	19	4	
Number of transfers	3	15	19	4	
Average number of embryos transferred	2.0	1.9	1.5	1.5	
Percentage of embryos transferred resulting in implantation (%)	4 / 6	29.6	48.0	3 / 6	
Percentage of transfers resulting in pregnancies (%)	2 / 3	8 / 15	11 / 19	2 / 4	
Percentage of transfers resulting in live births (%)	1 / 3	7 / 15	7 / 19	2 / 4	
Percentage of transfers resulting in singleton live births (%)	0 / 3	6 / 15	4 / 19	1 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 15	3 / 19	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	3 / 15	4 / 19	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Missouri Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC. COLUMBIA, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gilbert B. Wilshire, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 7% Female & male factors 35%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	12%	Male factor	62%	
Used gestational carrier	5%			Diminished ovarian reserve	27%	Other factor	3%	
				Endometriosis	21%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 179
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	45	17	13	5	0
Percentage of cancellations before retrieval (%)	0.0	3 / 17	2 / 13	1 / 5	
Number of transfers	36	14	8	4	0
Average number of embryos transferred	1.8	2.0	1.8	2.3	
Percentage of elective single embryo transfers (eSET) (%)	29.4	2 / 13	0 / 6	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.0	5 / 17	3 / 13	2 / 5	
Percentage of cycles resulting in live births (%)	35.6	4 / 17	3 / 13	2 / 5	
Percentage of cycles resulting in singleton live births (%)	24.4	2 / 17	3 / 13	2 / 5	
Percentage of cycles resulting in twin live births (%)	11.1	2 / 17	0 / 13	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.4	1 / 17	1 / 13	2 / 5	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.3	25.0	3 / 14	2 / 9	
Percentage of transfers resulting in pregnancies (%)	50.0	5 / 14	3 / 8	2 / 4	
Percentage of transfers resulting in live births (%)	44.4	4 / 14	3 / 8	2 / 4	
Percentage of transfers resulting in singleton live births (%)	30.6	2 / 14	3 / 8	2 / 4	
Percentage of transfers resulting in twin live births (%)	13.9	2 / 14	0 / 8	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.6	1 / 14	1 / 8	2 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	37	8	9	1	0
Number of transfers	36	8	7	1	0
Estimated average number of transfers per retrieval	1.2	1.3	1.0		
Average number of embryos transferred	1.6	1.5	2.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	34.5	6 / 12	4 / 15	0 / 1	
Percentage of transfers resulting in pregnancies (%)	44.4	5 / 8	3 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	41.7	5 / 8	3 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	36.1	4 / 8	3 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.6	1 / 8	0 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	3 / 8	3 / 7	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	14	4	5	0	0
	5	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	15	1	
Number of transfers	3	0	15	1	
Average number of embryos transferred	1.7		1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 5		28.6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 3		6 / 15	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		4 / 15	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3		4 / 15	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3		0 / 15	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		2 / 15	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
UNIVERSITY OF MISSOURI
COLUMBIA, MISSOURI**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Danny J. Schust, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	32%	Tubal factor	32%	Uterine factor	11%	Multiple Factors: Female factors only 5% Female & male factors 21%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	5%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	26%	
				Endometriosis	5%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 19
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	7	4	2	0
Percentage of cancellations before retrieval (%)	0 / 6	0 / 7	0 / 4	0 / 2	
Number of transfers	5	4	3	1	0
Average number of embryos transferred	1.8	2.0	2.0	3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 6	1 / 7	0 / 4	1 / 2	
Percentage of cycles resulting in live births (%)	1 / 6	0 / 7	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 6	0 / 7	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 7	0 / 4	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 7	0 / 4	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 9	1 / 6	0 / 6	3 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 5	1 / 4	0 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 5	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	0 / 4	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Missouri Center for Reproductive Medicine and Fertility, University of Missouri

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST WOMEN'S HEALTHCARE SPECIALISTS KANSAS CITY, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gregory C. Starks, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	24%	Uterine factor	4%	Multiple Factors: Female factors only 23% Female & male factors 41%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	29%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	7%	
				Endometriosis	30%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 127
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	43	19	5	1	0
Percentage of cancellations before retrieval (%)	18.6	6 / 19	3 / 5	0 / 1	
Number of transfers	26	13	1	1	0
Average number of embryos transferred	1.9	1.8	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	4.2	0 / 11	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.2	7 / 19	1 / 5	1 / 1	
Percentage of cycles resulting in live births (%)	41.9	6 / 19	1 / 5	1 / 1	
Percentage of cycles resulting in singleton live births (%)	32.6	5 / 19	1 / 5	1 / 1	
Percentage of cycles resulting in twin live births (%)	9.3	0 / 19	0 / 5	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.9	5 / 19	1 / 5	1 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.0	41.7	1 / 2	1 / 2	
Percentage of transfers resulting in pregnancies (%)	73.1	7 / 13	1 / 1	1 / 1	
Percentage of transfers resulting in live births (%)	69.2	6 / 13	1 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	53.8	5 / 13	1 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	15.4	0 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.2	5 / 13	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	11	3	0	0
Number of transfers	11	8	2	0	0
Estimated average number of transfers per retrieval	1.1	2.7	0.7		
Average number of embryos transferred	1.6	1.8	1.5		
Percentage of embryos transferred resulting in implantation (%)	9 / 16	4 / 13	1 / 3		
Percentage of transfers resulting in pregnancies (%)	8 / 11	4 / 8	1 / 2		
Percentage of transfers resulting in live births (%)	7 / 11	3 / 8	1 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 11	2 / 8	1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 11	1 / 8	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 11	1 / 8	1 / 2		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	1	3	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	12	6	0	
Number of transfers	0	10	5	0	
Average number of embryos transferred		1.7	1.4		
Percentage of embryos transferred resulting in implantation (%)		6 / 17	1 / 7		
Percentage of transfers resulting in pregnancies (%)		5 / 10	1 / 5		
Percentage of transfers resulting in live births (%)		5 / 10	0 / 5		
Percentage of transfers resulting in singleton live births (%)		4 / 10	0 / 5		
Percentage of transfers resulting in twin live births (%)		1 / 10	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 10	0 / 5		

CURRENT SERVICES & PROFILE

Current Name: Midwest Women's Healthcare Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PARTNERSHIP SAINT PETERS, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David E. Simckes, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	93%	Tubal factor	21%	Uterine factor	9%	Multiple Factors: Female factors only 23% Female & male factors 19%
Unstimulated	1%	PGD/PGS	13%	Ovulatory dysfunction	21%	Male factor	29%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	19%	
				Endometriosis	16%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 177
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	39	15	10	4	1
Percentage of cancellations before retrieval (%)	2.6	0 / 15	2 / 10	0 / 4	1 / 1
Number of transfers	28	12	3	3	0
Average number of embryos transferred	1.6	1.8	2.7	2.0	
Percentage of elective single embryo transfers (eSET) (%)	32.0	1 / 11	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	6 / 15	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	33.3	5 / 15	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.8	4 / 15	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	2.6	1 / 15	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.1	0 / 15	0 / 10	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.6	31.8	1 / 8	0 / 6	
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 12	1 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	46.4	5 / 12	1 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	42.9	4 / 12	1 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	3.6	1 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	0 / 12	0 / 3	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	19	9	8	6
Number of transfers	26	14	8	5	6
Estimated average number of transfers per retrieval	1.1	1.3	1.6	1.3	6.0
Average number of embryos transferred	1.9	1.8	1.5	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	32.7	52.0	5 / 12	4 / 7	4 / 8
Percentage of transfers resulting in pregnancies (%)	53.8	11 / 14	4 / 8	3 / 5	4 / 6
Percentage of transfers resulting in live births (%)	42.3	10 / 14	4 / 8	3 / 5	4 / 6
Percentage of transfers resulting in singleton live births (%)	34.6	9 / 14	3 / 8	2 / 5	4 / 6
Percentage of transfers resulting in twin live births (%)	7.7	1 / 14	1 / 8	1 / 5	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.1	5 / 14	1 / 8	1 / 5	4 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	7	4	3	1
	2	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	1	2	2	
Number of transfers	2	1	2	2	
Average number of embryos transferred	1.5	2.0	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 3	0 / 2	1 / 3	1 / 4	
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1	1 / 2	1 / 2	
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1	1 / 2	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1	1 / 2	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 1	0 / 2	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Fertility Partnership

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE & ROBOTIC SURGERY ST. LOUIS, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Saji Jacob, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	96%	Tubal factor	16%	Uterine factor	7%	Multiple Factors: Female factors only 36% Female & male factors 18%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	13%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	27%	
				Endometriosis	33%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 68
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	8	2	0	2
Percentage of cancellations before retrieval (%)	0 / 14	2 / 8	0 / 2		0 / 2
Number of transfers	13	5	2	0	2
Average number of embryos transferred	1.8	2.0	2.0		2.5
Percentage of elective single embryo transfers (eSET) (%)	2 / 12	0 / 5	0 / 2		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10 / 14	3 / 8	2 / 2		0 / 2
Percentage of cycles resulting in live births (%)	9 / 14	2 / 8	1 / 2		0 / 2
Percentage of cycles resulting in singleton live births (%)	6 / 14	0 / 8	0 / 2		0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 14	2 / 8	0 / 2		0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 14	0 / 8	0 / 2		0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	61.9	6 / 10	5 / 4		0 / 5
Percentage of transfers resulting in pregnancies (%)	10 / 13	3 / 5	2 / 2		0 / 2
Percentage of transfers resulting in live births (%)	9 / 13	2 / 5	1 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 13	0 / 5	0 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 13	2 / 5	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13	0 / 5	0 / 2		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	4	0	2	1
Number of transfers	4	3	0	1	1
Estimated average number of transfers per retrieval	0.3	0.8	0.0	0.3	0.3
Average number of embryos transferred	1.8	2.0		2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 7	0 / 4		0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 4	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	0 / 3		0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
	13	3	1	4	2
Number of fertility preservation cycles	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	6	0	0	
Number of transfers	1	5	0	0	
Average number of embryos transferred	2.0	1.8			
Percentage of embryos transferred resulting in implantation (%)	0 / 2	3 / 9			
Percentage of transfers resulting in pregnancies (%)	0 / 1	3 / 5			
Percentage of transfers resulting in live births (%)	0 / 1	3 / 5			
Percentage of transfers resulting in singleton live births (%)	0 / 1	3 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	3 / 5			

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine & Robotic Surgery

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND REPRODUCTIVE MEDICINE CENTER AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL ST. LOUIS, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randall R. Odem, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	15%	Uterine factor	2%	Multiple Factors: Female factors only 9% Female & male factors 12%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	21%	Male factor	30%	
Used gestational carrier	2%			Diminished ovarian reserve	15%	Other factor	12%	
				Endometriosis	11%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 834
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	250	125	60	27	12
Percentage of cancellations before retrieval (%)	6.8	12.8	11.7	3.7	0 / 12
Number of transfers	206	102	47	23	10
Average number of embryos transferred	1.7	1.8	2.4	3.0	2.8
Percentage of elective single embryo transfers (eSET) (%)	26.2	16.1	4.7	0 / 18	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.0	39.2	38.3	33.3	2 / 12
Percentage of cycles resulting in live births (%)	41.6	29.6	31.7	22.2	2 / 12
Percentage of cycles resulting in singleton live births (%)	32.0	22.4	21.7	18.5	2 / 12
Percentage of cycles resulting in twin live births (%)	9.2	7.2	8.3	3.7	0 / 12
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.2	18.4	15.0	14.8	1 / 12
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.9	31.4	26.2	15.9	7.1
Percentage of transfers resulting in pregnancies (%)	55.8	48.0	48.9	39.1	2 / 10
Percentage of transfers resulting in live births (%)	50.5	36.3	40.4	26.1	2 / 10
Percentage of transfers resulting in singleton live births (%)	38.8	27.5	27.7	21.7	2 / 10
Percentage of transfers resulting in twin live births (%)	11.2	8.8	10.6	4.3	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.6	22.5	19.1	17.4	1 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	126	63	43	14	10
Number of transfers	113	56	38	11	9
Estimated average number of transfers per retrieval	1.6	1.8	1.4	1.1	4.5
Average number of embryos transferred	1.5	1.5	1.4	1.8	1.6
Percentage of embryos transferred resulting in implantation (%)	49.1	36.9	36.5	4 / 19	5 / 14
Percentage of transfers resulting in pregnancies (%)	56.6	48.2	44.7	5 / 11	4 / 9
Percentage of transfers resulting in live births (%)	48.7	42.9	34.2	1 / 11	3 / 9
Percentage of transfers resulting in singleton live births (%)	34.5	37.5	28.9	1 / 11	2 / 9
Percentage of transfers resulting in twin live births (%)	14.2	5.4	5.3	0 / 11	1 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.3	32.1	23.7	1 / 11	1 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	11	15	8	1
	11	6	8	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	16	20	11	0	
Number of transfers	14	18	10	0	
Average number of embryos transferred	1.6	1.7	1.5		
Percentage of embryos transferred resulting in implantation (%)	71.4	40.0	5 / 14		
Percentage of transfers resulting in pregnancies (%)	12 / 14	8 / 18	5 / 10		
Percentage of transfers resulting in live births (%)	10 / 14	7 / 18	4 / 10		
Percentage of transfers resulting in singleton live births (%)	8 / 14	3 / 18	3 / 10		
Percentage of transfers resulting in twin live births (%)	2 / 14	4 / 18	1 / 10		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 14	1 / 18	1 / 10		

CURRENT SERVICES & PROFILE

Current Name: Fertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-ST. LOUIS
INTEGRATED MISSOURI, LLC
ST. LOUIS, MISSOURI**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Molina B. Dayal, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 5%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	22%	Male factor	17%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	20%	
				Endometriosis	6%	Unknown factor	5%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 569 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		144	41	22	4	8
Percentage of cancellations before retrieval (%)		2.8	4.9	31.8	2 / 4	1 / 8
Number of transfers		104	26	8	1	4
Average number of embryos transferred		1.5	1.6	1.8	1.0	1.5
Percentage of elective single embryo transfers (eSET) (%)		32.1	1 / 17	0 / 5		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		38.2	36.6	4.5	1 / 4	0 / 8
Percentage of cycles resulting in live births (%)		32.6	31.7	0.0	1 / 4	0 / 8
Percentage of cycles resulting in singleton live births (%)		22.2	29.3	0.0	1 / 4	0 / 8
Percentage of cycles resulting in twin live births (%)		10.4	2.4	0.0	0 / 4	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		17.4	26.8	0.0	1 / 4	0 / 8
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		45.2	40.5	0 / 12	1 / 1	0 / 6
Percentage of transfers resulting in pregnancies (%)		52.9	57.7	1 / 8	1 / 1	0 / 4
Percentage of transfers resulting in live births (%)		45.2	50.0	0 / 8	1 / 1	0 / 4
Percentage of transfers resulting in singleton live births (%)		30.8	46.2	0 / 8	1 / 1	0 / 4
Percentage of transfers resulting in twin live births (%)		14.4	3.8	0 / 8	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		24.0	42.3	0 / 8	1 / 1	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles		106	61	37	8	4
Number of transfers		101	50	31	6	3
Estimated average number of transfers per retrieval		1.6	1.5	0.9	0.4	0.4
Average number of embryos transferred		1.4	1.4	1.2	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)		55.9	46.3	38.9	3 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)		59.4	60.0	41.9	4 / 6	0 / 3
Percentage of transfers resulting in live births (%)		49.5	48.0	38.7	3 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)		33.7	44.0	35.5	3 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)		15.8	4.0	3.2	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		31.7	36.0	35.5	3 / 6	0 / 3
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		20	23	29	15	7
		3	1	1	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		9	1	23	7	
Number of transfers		7	0	23	5	
Average number of embryos transferred		1.4		1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)		7 / 10		36.7	4 / 8	
Percentage of transfers resulting in pregnancies (%)		6 / 7		43.5	4 / 5	
Percentage of transfers resulting in live births (%)		5 / 7		34.8	3 / 5	
Percentage of transfers resulting in singleton live births (%)		5 / 7		30.4	2 / 5	
Percentage of transfers resulting in twin live births (%)		0 / 7		4.3	1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 7		26.1	2 / 5	

CURRENT SERVICES & PROFILE		Current Name: Sher Institute for Reproductive Medicine-St. Louis, IntegraMed Missouri, LLC					
Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BILLINGS CLINIC REPRODUCTIVE MEDICINE AND FERTILITY CARE BILLINGS, MONTANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Colleen Milroy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 17% Female & male factors 20%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	28%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	16%	
				Endometriosis	12%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 228
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	57	15	14	4	0
Percentage of cancellations before retrieval (%)	5.3	1 / 15	3 / 14	3 / 4	
Number of transfers	39	11	10	1	0
Average number of embryos transferred	1.5	1.9	2.3	3.0	
Percentage of elective single embryo transfers (eSET) (%)	41.7	0 / 10	0 / 10	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.6	5 / 15	3 / 14	1 / 4	
Percentage of cycles resulting in live births (%)	36.8	5 / 15	3 / 14	0 / 4	
Percentage of cycles resulting in singleton live births (%)	29.8	5 / 15	2 / 14	0 / 4	
Percentage of cycles resulting in twin live births (%)	7.0	0 / 15	1 / 14	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.1	4 / 15	2 / 14	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.8	23.8	21.7	1 / 3	
Percentage of transfers resulting in pregnancies (%)	56.4	5 / 11	3 / 10	1 / 1	
Percentage of transfers resulting in live births (%)	53.8	5 / 11	3 / 10	0 / 1	
Percentage of transfers resulting in singleton live births (%)	43.6	5 / 11	2 / 10	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.3	0 / 11	1 / 10	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.0	4 / 11	2 / 10	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	56	20	9	1	2
Number of transfers	48	19	8	0	1
Estimated average number of transfers per retrieval	1.3	1.2	1.6	0.0	1.0
Average number of embryos transferred	1.5	1.6	1.8		3.0
Percentage of embryos transferred resulting in implantation (%)	57.7	55.2	7 / 14		1 / 3
Percentage of transfers resulting in pregnancies (%)	62.5	14 / 19	4 / 8		1 / 1
Percentage of transfers resulting in live births (%)	52.1	12 / 19	4 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	9 / 19	3 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)	18.8	3 / 19	1 / 8		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	6 / 19	3 / 8		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	18	11	3	2	1
	4	1	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	8	3	3	
Number of transfers	0	5	2	3	
Average number of embryos transferred		1.6	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)		4 / 8	1 / 1	4 / 6	
Percentage of transfers resulting in pregnancies (%)		3 / 5	2 / 2	2 / 3	
Percentage of transfers resulting in live births (%)		2 / 5	0 / 2	2 / 3	
Percentage of transfers resulting in singleton live births (%)		1 / 5	0 / 2	0 / 3	
Percentage of transfers resulting in twin live births (%)		1 / 5	0 / 2	2 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 5	0 / 2	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Billings Clinic, Reproductive Medicine and Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS ELKHORN, NEBRASKA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Carolyn M. Doherty, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	20%	Uterine factor	7%	Multiple Factors: Female factors only 15% Female & male factors 24%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	16%	Male factor	47%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	25%	
				Endometriosis	13%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 647
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	111	38	16	12	2
Percentage of cancellations before retrieval (%)	9.9	34.2	6 / 16	3 / 12	0 / 2
Number of transfers	61	17	10	7	1
Average number of embryos transferred	1.7	1.9	2.4	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	15.7	0 / 13	0 / 10	0 / 5	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.8	18.4	5 / 16	1 / 12	1 / 2
Percentage of cycles resulting in live births (%)	26.1	10.5	5 / 16	1 / 12	1 / 2
Percentage of cycles resulting in singleton live births (%)	20.7	10.5	5 / 16	1 / 12	1 / 2
Percentage of cycles resulting in twin live births (%)	5.4	0.0	0 / 16	0 / 12	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.1	10.5	3 / 16	0 / 12	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.5	23.3	29.2	1 / 16	3 / 3
Percentage of transfers resulting in pregnancies (%)	52.5	7 / 17	5 / 10	1 / 7	1 / 1
Percentage of transfers resulting in live births (%)	47.5	4 / 17	5 / 10	1 / 7	1 / 1
Percentage of transfers resulting in singleton live births (%)	37.7	4 / 17	5 / 10	1 / 7	1 / 1
Percentage of transfers resulting in twin live births (%)	9.8	0 / 17	0 / 10	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.1	4 / 17	3 / 10	0 / 7	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	200	67	27	3	4
Number of transfers	181	53	20	3	4
Estimated average number of transfers per retrieval	1.4	1.3	1.0	0.8	1.0
Average number of embryos transferred	1.5	1.5	1.5	1.7	1.3
Percentage of embryos transferred resulting in implantation (%)	52.3	52.6	56.7	3 / 5	2 / 5
Percentage of transfers resulting in pregnancies (%)	59.1	58.5	60.0	3 / 3	2 / 4
Percentage of transfers resulting in live births (%)	50.8	41.5	45.0	3 / 3	2 / 4
Percentage of transfers resulting in singleton live births (%)	36.5	30.2	35.0	3 / 3	2 / 4
Percentage of transfers resulting in twin live births (%)	14.4	9.4	10.0	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.5	20.8	25.0	3 / 3	2 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	79	27	18	3	4
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	1	25	0	
Number of transfers	9	1	18	0	
Average number of embryos transferred	1.3	1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	8 / 12	0 / 1	44.0		
Percentage of transfers resulting in pregnancies (%)	7 / 9	0 / 1	10 / 18		
Percentage of transfers resulting in live births (%)	4 / 9	0 / 1	7 / 18		
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 1	5 / 18		
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 1	2 / 18		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	0 / 1	2 / 18		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC OMAHA, NEBRASKA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Victoria M. Maclin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	49%	Tubal factor	16%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 21%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	10%	Male factor	45%	
Used gestational carrier	1%			Diminished ovarian reserve	26%	Other factor	9%	
				Endometriosis	10%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 374
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	123	35	15	7	1
Percentage of cancellations before retrieval (%)	9.8	14.3	5 / 15	1 / 7	0 / 1
Number of transfers	93	19	5	5	0
Average number of embryos transferred	1.4	1.9	1.8	2.0	
Percentage of elective single embryo transfers (eSET) (%)	50.0	0 / 18	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.5	37.1	2 / 15	1 / 7	0 / 1
Percentage of cycles resulting in live births (%)	42.3	34.3	1 / 15	1 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	38.2	25.7	1 / 15	1 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	4.1	8.6	0 / 15	0 / 7	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.7	22.9	1 / 15	0 / 7	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.2	42.9	1 / 7	1 / 10	
Percentage of transfers resulting in pregnancies (%)	60.2	13 / 19	2 / 5	1 / 5	
Percentage of transfers resulting in live births (%)	55.9	12 / 19	1 / 5	1 / 5	
Percentage of transfers resulting in singleton live births (%)	50.5	9 / 19	1 / 5	1 / 5	
Percentage of transfers resulting in twin live births (%)	5.4	3 / 19	0 / 5	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.9	8 / 19	1 / 5	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	17	12	2	0
Number of transfers	68	14	11	2	0
Estimated average number of transfers per retrieval	1.5	1.3	0.8		0.0
Average number of embryos transferred	1.3	1.4	1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	49.4	6 / 19	10 / 19	0 / 2	
Percentage of transfers resulting in pregnancies (%)	58.8	6 / 14	6 / 11	0 / 2	
Percentage of transfers resulting in live births (%)	48.5	6 / 14	4 / 11	0 / 2	
Percentage of transfers resulting in singleton live births (%)	41.2	6 / 14	3 / 11	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.4	0 / 14	1 / 11	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.3	5 / 14	2 / 11	0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	8	11	0	2
	3	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	1	16	3	
Number of transfers	14	1	16	3	
Average number of embryos transferred	1.1	1.0	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	10 / 15	0 / 1	7 / 17	2 / 4	
Percentage of transfers resulting in pregnancies (%)	10 / 14	0 / 1	8 / 16	1 / 3	
Percentage of transfers resulting in live births (%)	9 / 14	0 / 1	5 / 16	1 / 3	
Percentage of transfers resulting in singleton live births (%)	8 / 14	0 / 1	4 / 16	0 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 1	1 / 16	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 14	0 / 1	2 / 16	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Heartland Center for Reproductive Medicine, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREEN VALLEY FERTILITY PARTNERS HENDERSON, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeffrey D. Fisch, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	93%	Tubal factor	23%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 16%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	13%	Male factor	32%	
Used gestational carrier	4%			Diminished ovarian reserve	13%	Other factor	11%	
				Endometriosis	11%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 266
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	22	32	14	13
Percentage of cancellations before retrieval (%)	3.9	0.0	6.3	2 / 14	4 / 13
Number of transfers	67	12	20	6	3
Average number of embryos transferred	1.6	1.8	1.5	1.8	1.0
Percentage of elective single embryo transfers (eSET) (%)	35.6	2 / 11	5 / 14	0 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.6	31.8	28.1	3 / 14	0 / 13
Percentage of cycles resulting in live births (%)	42.1	22.7	18.8	3 / 14	0 / 13
Percentage of cycles resulting in singleton live births (%)	30.3	13.6	18.8	3 / 14	0 / 13
Percentage of cycles resulting in twin live births (%)	11.8	9.1	0.0	0 / 14	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.4	13.6	15.6	2 / 14	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	55.4	42.9	24.0	3 / 11	0 / 3
Percentage of transfers resulting in pregnancies (%)	64.2	7 / 12	45.0	3 / 6	0 / 3
Percentage of transfers resulting in live births (%)	47.8	5 / 12	30.0	3 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.3	3 / 12	30.0	3 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	13.4	2 / 12	0.0	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.4	3 / 12	25.0	2 / 6	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	9	17	3	3
Number of transfers	44	7	15	3	3
Estimated average number of transfers per retrieval	1.4	1.4	1.9	1.0	1.0
Average number of embryos transferred	1.5	1.7	1.6	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	21.3	6 / 12	29.2	3 / 6	1 / 3
Percentage of transfers resulting in pregnancies (%)	31.8	4 / 7	6 / 15	2 / 3	2 / 3
Percentage of transfers resulting in live births (%)	18.2	3 / 7	4 / 15	1 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	15.9	2 / 7	3 / 15	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	2.3	1 / 7	1 / 15	1 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	9.1	1 / 7	2 / 15	0 / 3	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	4	3	1	2
	2	2	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	0	9	0	
Number of transfers	6	0	8	0	
Average number of embryos transferred	1.0		1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 5		1 / 12		
Percentage of transfers resulting in pregnancies (%)	3 / 6		1 / 8		
Percentage of transfers resulting in live births (%)	2 / 6		1 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 6		0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 6		1 / 8		

CURRENT SERVICES & PROFILE

Current Name: Green Valley Fertility Partners

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Bruce Shapiro, MD, PhD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 13%
Unstimulated	0%	PGD/PGS	30%	Ovulatory dysfunction	3%	Male factor	23%	
Used gestational carrier	12%			Diminished ovarian reserve	41%	Other factor	33%	
				Endometriosis	<1%	Unknown factor	10%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 945 (includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		8	2	2	1	0
Percentage of cancellations before retrieval (%)		1 / 8	1 / 2	0 / 2	0 / 1	
Number of transfers		2	0	0	1	0
Average number of embryos transferred		2.0			1.0	
Percentage of elective single embryo transfers (eSET) (%)		0 / 2				
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		2 / 8	0 / 2	0 / 2	1 / 1	
Percentage of cycles resulting in live births (%)		2 / 8	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)		0 / 8	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)		2 / 8	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 8	0 / 2	0 / 2	0 / 1	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		4 / 4			1 / 1	
Percentage of transfers resulting in pregnancies (%)		2 / 2			1 / 1	
Percentage of transfers resulting in live births (%)		2 / 2			0 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 2			0 / 1	
Percentage of transfers resulting in twin live births (%)		2 / 2			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 2			0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles		168	78	47	17	8
Number of transfers		164	76	44	15	6
Estimated average number of transfers per retrieval		0.9	1.0	0.5	0.4	0.2
Average number of embryos transferred		1.3	1.3	1.2	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)		75.0	58.2	59.3	8 / 16	5 / 6
Percentage of transfers resulting in pregnancies (%)		79.3	68.4	65.9	9 / 15	5 / 6
Percentage of transfers resulting in live births (%)		65.2	59.2	61.4	8 / 15	5 / 6
Percentage of transfers resulting in singleton live births (%)		53.7	51.3	56.8	8 / 15	5 / 6
Percentage of transfers resulting in twin live births (%)		11.6	7.9	4.5	0 / 15	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		46.3	42.1	43.2	7 / 15	5 / 6
Number of Egg or Embryo Banking Cycles						
		178	74	83	36	28
Number of fertility preservation cycles		0	1	2	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		64	0	148	1	
Number of transfers		50	0	147	1	
Average number of embryos transferred		1.4		1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)		74.6		67.9	1 / 1	
Percentage of transfers resulting in pregnancies (%)		78.0		76.9	1 / 1	
Percentage of transfers resulting in live births (%)		74.0		66.0	1 / 1	
Percentage of transfers resulting in singleton live births (%)		52.0		51.0	1 / 1	
Percentage of transfers resulting in twin live births (%)		22.0		15.0	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		48.0		43.5	1 / 1	

CURRENT SERVICES & PROFILE		Current Name: Fertility Center of Las Vegas					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RED ROCK FERTILITY CENTER LAS VEGAS, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eva D. Littman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	18%	Tubal factor	13%	Uterine factor	2%	Multiple Factors: Female factors only 18% Female & male factors 12%
Unstimulated	0%	PGD/PGS	64%	Ovulatory dysfunction	14%	Male factor	26%	
Used gestational carrier	4%			Diminished ovarian reserve	25%	Other factor	31%	
				Endometriosis	4%	Unknown factor	22%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 337
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	19	9	5	9
Percentage of cancellations before retrieval (%)	0.0	0 / 19	0 / 9	0 / 5	0 / 9
Number of transfers	11	2	5	3	0
Average number of embryos transferred	1.6	1.5	1.6	1.7	
Percentage of elective single embryo transfers (eSET) (%)	2 / 9	0 / 1	2 / 4	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.9	0 / 19	2 / 9	2 / 5	0 / 9
Percentage of cycles resulting in live births (%)	14.3	0 / 19	2 / 9	1 / 5	0 / 9
Percentage of cycles resulting in singleton live births (%)	2.9	0 / 19	2 / 9	1 / 5	0 / 9
Percentage of cycles resulting in twin live births (%)	8.6	0 / 19	0 / 9	0 / 5	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 19	2 / 9	1 / 5	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	12 / 16	0 / 3	2 / 8	2 / 5	
Percentage of transfers resulting in pregnancies (%)	8 / 11	0 / 2	2 / 5	2 / 3	
Percentage of transfers resulting in live births (%)	5 / 11	0 / 2	2 / 5	1 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 11	0 / 2	2 / 5	1 / 3	
Percentage of transfers resulting in twin live births (%)	3 / 11	0 / 2	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 11	0 / 2	2 / 5	1 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	54	37	17	8	4
Number of transfers	54	37	17	6	4
Estimated average number of transfers per retrieval	1.0	0.9	0.9	0.4	0.2
Average number of embryos transferred	1.6	1.4	1.6	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	58.0	28.3	53.6	3 / 7	2 / 6
Percentage of transfers resulting in pregnancies (%)	75.9	35.1	11 / 17	3 / 6	2 / 4
Percentage of transfers resulting in live births (%)	66.7	29.7	10 / 17	2 / 6	2 / 4
Percentage of transfers resulting in singleton live births (%)	51.9	24.3	7 / 17	2 / 6	2 / 4
Percentage of transfers resulting in twin live births (%)	14.8	5.4	3 / 17	0 / 6	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	48.1	18.9	4 / 17	2 / 6	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	32	32	17	17	16
	31	30	9	10	13
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	23	0	
Number of transfers	2	0	23	0	
Average number of embryos transferred	2.0		1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 4		35.3		
Percentage of transfers resulting in pregnancies (%)	0 / 2		43.5		
Percentage of transfers resulting in live births (%)	0 / 2		26.1		
Percentage of transfers resulting in singleton live births (%)	0 / 2		21.7		
Percentage of transfers resulting in twin live births (%)	0 / 2		4.3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		17.4		

CURRENT SERVICES & PROFILE

Current Name: Red Rock Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-LAS VEGAS LAS VEGAS, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark F. Severino, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	10%	Uterine factor	2%	Multiple Factors: Female factors only 26% Female & male factors 14%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	13%	Male factor	21%	
Used gestational carrier	5%			Diminished ovarian reserve	23%	Other factor	67%	
				Endometriosis	12%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 424
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	96	34	14	5	4
Percentage of cancellations before retrieval (%)	2.1	2.9	0 / 14	1 / 5	0 / 4
Number of transfers	69	25	8	2	0
Average number of embryos transferred	1.9	1.8	1.6	1.5	
Percentage of elective single embryo transfers (eSET) (%)	6.3	17.4	1 / 6	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.4	26.5	2 / 14	1 / 5	0 / 4
Percentage of cycles resulting in live births (%)	25.0	26.5	1 / 14	0 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	16.7	14.7	1 / 14	0 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	8.3	8.8	0 / 14	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.6	11.8	1 / 14	0 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.9	34.1	1 / 12	1 / 3	
Percentage of transfers resulting in pregnancies (%)	49.3	36.0	2 / 8	1 / 2	
Percentage of transfers resulting in live births (%)	34.8	36.0	1 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	23.2	20.0	1 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.6	12.0	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.7	16.0	1 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	27	24	11	11
Number of transfers	44	23	24	11	10
Estimated average number of transfers per retrieval	0.9	0.6	0.7	0.4	0.6
Average number of embryos transferred	1.5	1.7	1.2	1.2	1.1
Percentage of embryos transferred resulting in implantation (%)	39.7	40.0	20.8	3 / 13	4 / 9
Percentage of transfers resulting in pregnancies (%)	50.0	47.8	29.2	2 / 11	6 / 10
Percentage of transfers resulting in live births (%)	34.1	39.1	16.7	2 / 11	4 / 10
Percentage of transfers resulting in singleton live births (%)	25.0	26.1	16.7	1 / 11	4 / 10
Percentage of transfers resulting in twin live births (%)	9.1	13.0	0.0	1 / 11	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	21.7	16.7	1 / 11	3 / 10
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	32	32	27	18
	1	0	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	9	0	
Number of transfers	6	0	9	0	
Average number of embryos transferred	2.0		1.6		
Percentage of embryos transferred resulting in implantation (%)	6 / 12		5 / 12		
Percentage of transfers resulting in pregnancies (%)	4 / 6		4 / 9		
Percentage of transfers resulting in live births (%)	3 / 6		3 / 9		
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 6		2 / 9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6		1 / 9		

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Las Vegas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE RENO, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Scott J. Whitten, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	18%	Uterine factor	13%	Multiple Factors: Female factors only 27% Female & male factors 20%
Unstimulated	1%	PGD/PGS	37%	Ovulatory dysfunction	23%	Male factor	26%	
Used gestational carrier	6%			Diminished ovarian reserve	46%	Other factor	16%	
				Endometriosis	9%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 477
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	12	13	6	6
Percentage of cancellations before retrieval (%)	2.9	2 / 12	4 / 13	1 / 6	3 / 6
Number of transfers	19	7	4	2	1
Average number of embryos transferred	1.6	1.9	1.8	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 16	1 / 7	1 / 4	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	37.1	4 / 12	1 / 13	1 / 6	0 / 6
Percentage of cycles resulting in live births (%)	31.4	4 / 12	0 / 13	0 / 6	0 / 6
Percentage of cycles resulting in singleton live births (%)	28.6	3 / 12	0 / 13	0 / 6	0 / 6
Percentage of cycles resulting in twin live births (%)	2.9	1 / 12	0 / 13	0 / 6	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.7	3 / 12	0 / 13	0 / 6	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.9	6 / 13	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	13 / 19	4 / 7	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	11 / 19	4 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	10 / 19	3 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 19	1 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	9 / 19	3 / 7	0 / 4	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	86	26	39	11	4
Number of transfers	80	25	37	11	3
Estimated average number of transfers per retrieval	1.0	1.0	1.0	0.6	0.2
Average number of embryos transferred	1.3	1.3	1.3	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	53.6	67.7	57.8	4 / 14	0 / 3
Percentage of transfers resulting in pregnancies (%)	66.3	80.0	67.6	4 / 11	0 / 3
Percentage of transfers resulting in live births (%)	56.3	72.0	51.4	3 / 11	0 / 3
Percentage of transfers resulting in singleton live births (%)	51.3	60.0	43.2	3 / 11	0 / 3
Percentage of transfers resulting in twin live births (%)	5.0	12.0	8.1	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.5	56.0	40.5	2 / 11	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	67	21	31	18	20
	5	2	2	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	2	39	30	
Number of transfers	7	0	36	27	
Average number of embryos transferred	1.7		1.5	1.6	
Percentage of embryos transferred resulting in implantation (%)	7 / 12		58.0	50.0	
Percentage of transfers resulting in pregnancies (%)	5 / 7		69.4	59.3	
Percentage of transfers resulting in live births (%)	4 / 7		55.6	40.7	
Percentage of transfers resulting in singleton live births (%)	2 / 7		41.7	25.9	
Percentage of transfers resulting in twin live births (%)	2 / 7		13.9	14.8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 7		30.6	18.5	

CURRENT SERVICES & PROFILE

Current Name: The Nevada Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DARTMOUTH-HITCHCOCK MEDICAL CENTER
LEBANON, NEW HAMPSHIRE**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY ASBURY, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Albert J. Peters, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 8% Female & male factors 13%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	15%	Male factor	22%	
Used gestational carrier	12%			Diminished ovarian reserve	43%	Other factor	26%	
				Endometriosis	1%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 200
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	14	13	6	10
Percentage of cancellations before retrieval (%)	0.0	2 / 14	1 / 13	0 / 6	2 / 10
Number of transfers	26	7	9	1	5
Average number of embryos transferred	1.5	1.9	1.6	1.0	1.8
Percentage of elective single embryo transfers (eSET) (%)	40.0	1 / 6	1 / 6		0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	1 / 14	2 / 13	0 / 6	1 / 10
Percentage of cycles resulting in live births (%)	40.0	0 / 14	1 / 13	0 / 6	1 / 10
Percentage of cycles resulting in singleton live births (%)	33.3	0 / 14	1 / 13	0 / 6	1 / 10
Percentage of cycles resulting in twin live births (%)	6.7	0 / 14	0 / 13	0 / 6	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.0	0 / 14	1 / 13	0 / 6	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.4	2 / 13	2 / 14	0 / 1	1 / 9
Percentage of transfers resulting in pregnancies (%)	57.7	1 / 7	2 / 9	0 / 1	1 / 5
Percentage of transfers resulting in live births (%)	46.2	0 / 7	1 / 9	0 / 1	1 / 5
Percentage of transfers resulting in singleton live births (%)	38.5	0 / 7	1 / 9	0 / 1	1 / 5
Percentage of transfers resulting in twin live births (%)	7.7	0 / 7	0 / 9	0 / 1	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.6	0 / 7	1 / 9	0 / 1	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	18	7	7	3
Number of transfers	16	17	7	6	2
Estimated average number of transfers per retrieval	1.1	0.9	0.5	1.2	0.2
Average number of embryos transferred	1.3	1.8	1.3	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	33.3	28.6	3 / 9	3 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 16	7 / 17	3 / 7	3 / 6	0 / 2
Percentage of transfers resulting in live births (%)	5 / 16	4 / 17	2 / 7	3 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 16	3 / 17	2 / 7	3 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 16	1 / 17	0 / 7	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 16	3 / 17	1 / 7	2 / 6	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	12	11	4	11
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	2	19	2	
Number of transfers	4	2	19	2	
Average number of embryos transferred	1.5	2.0	1.6	1.5	
Percentage of embryos transferred resulting in implantation (%)	2 / 6	1 / 4	29.0	0 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 4	1 / 2	6 / 19	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 4	0 / 2	6 / 19	0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 2	4 / 19	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 4	0 / 2	2 / 19	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	0 / 2	3 / 19	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-New Jersey

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY BASKING RIDGE, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael R. Drews, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	11%	Uterine factor	6%	Multiple Factors: Female factors only 10% Female & male factors 42%
Unstimulated	0%	PGD/PGS	54%	Ovulatory dysfunction	19%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	35%	
				Endometriosis	6%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 6,829
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	785	452	380	144	110
Percentage of cancellations before retrieval (%)	3.7	11.5	17.1	20.1	31.8
Number of transfers	141	56	23	12	7
Average number of embryos transferred	1.2	1.3	1.4	1.6	1.6
Percentage of elective single embryo transfers (eSET) (%)	80.1	69.6	9 / 19	4 / 11	2 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.0	8.2	3.7	6.3	2.7
Percentage of cycles resulting in live births (%)	12.4	7.5	2.6	4.2	1.8
Percentage of cycles resulting in singleton live births (%)	10.2	6.9	1.8	4.2	1.8
Percentage of cycles resulting in twin live births (%)	2.2	0.7	0.8	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.9	6.0	1.6	2.8	1.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	77.6	55.9	54.8	9 / 17	3 / 9
Percentage of transfers resulting in pregnancies (%)	78.0	66.1	60.9	9 / 12	3 / 7
Percentage of transfers resulting in live births (%)	68.8	60.7	43.5	6 / 12	2 / 7
Percentage of transfers resulting in singleton live births (%)	56.7	55.4	30.4	6 / 12	2 / 7
Percentage of transfers resulting in twin live births (%)	12.1	5.4	13.0	0 / 12	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.6	48.2	26.1	4 / 12	2 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	1,364	782	595	205	115
Number of transfers	1,278	731	535	177	93
Estimated average number of transfers per retrieval	1.3	1.2	0.9	0.7	0.5
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	67.8	67.3	60.2	53.0	48.0
Percentage of transfers resulting in pregnancies (%)	71.2	72.0	65.8	55.4	54.8
Percentage of transfers resulting in live births (%)	61.3	59.0	55.9	44.6	41.9
Percentage of transfers resulting in singleton live births (%)	54.9	53.5	51.2	40.7	41.9
Percentage of transfers resulting in twin live births (%)	6.2	5.5	4.7	4.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.4	46.6	45.4	36.7	36.6
Number of Egg or Embryo Banking Cycles					
	445	308	352	192	148
Number of fertility preservation cycles	42	42	35	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	48	10	341	52	
Number of transfers	9	6	316	49	
Average number of embryos transferred	1.4	1.2	1.1	1.4	
Percentage of embryos transferred resulting in implantation (%)	10 / 13	5 / 5	69.1	53.1	
Percentage of transfers resulting in pregnancies (%)	7 / 9	6 / 6	71.8	63.3	
Percentage of transfers resulting in live births (%)	7 / 9	4 / 6	58.9	49.0	
Percentage of transfers resulting in singleton live births (%)	4 / 9	4 / 6	52.8	42.9	
Percentage of transfers resulting in twin live births (%)	3 / 9	0 / 6	6.0	6.1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	2 / 6	40.5	32.7	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New Jersey

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NJ BEST OB/GYN CLIFTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Fares Diarbakerli, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	100%	Tubal factor	24%	Uterine factor	0%	Multiple Factors: Female factors only 12% Female & male factors 6%
Unstimulated	0%	PGD/PGS	29%	Ovulatory dysfunction	0%	Male factor	12%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	18%	
				Endometriosis	0%	Unknown factor	41%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 17
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	4	1	1	0
Percentage of cancellations before retrieval (%)	0 / 3	0 / 4	0 / 1	0 / 1	
Number of transfers	2	3	1	1	0
Average number of embryos transferred	1.5	1.3	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	1 / 2	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3	2 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	2 / 3	1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	1 / 3	1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 4	0 / 1	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 3	1 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 2	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 2	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	1 / 3	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	2	2	1	0	0
Number of transfers	2	2	1	0	0
Estimated average number of transfers per retrieval	2.0				
Average number of embryos transferred	1.5	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 3	1 / 3	2 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2	1 / 1		
Percentage of transfers resulting in live births (%)	1 / 2	1 / 2	1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2	1 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 2	0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f					
Number of cycles	2	0	1	0	
Number of transfers	2	0	1	0	
Average number of embryos transferred	1.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		1 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 2		1 / 1		
Percentage of transfers resulting in live births (%)	0 / 2		1 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: NJ Best OB/GYN

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY EATONTOWN, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William Ziegler, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	9%	Uterine factor	1%	Multiple Factors: Female factors only 7% Female & male factors 42%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	26%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	3%	
				Endometriosis	12%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 335
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	85	34	29	12	9
Percentage of cancellations before retrieval (%)	9.4	2.9	3.4	3 / 12	3 / 9
Number of transfers	68	28	21	7	5
Average number of embryos transferred	1.1	1.5	1.8	2.4	1.8
Percentage of elective single embryo transfers (eSET) (%)	80.4	5 / 19	0 / 15	0 / 6	1 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.5	47.1	17.2	2 / 12	1 / 9
Percentage of cycles resulting in live births (%)	31.8	38.2	13.8	1 / 12	0 / 9
Percentage of cycles resulting in singleton live births (%)	30.6	29.4	10.3	1 / 12	0 / 9
Percentage of cycles resulting in twin live births (%)	1.2	8.8	3.4	0 / 12	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.7	23.5	10.3	1 / 12	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.2	45.0	16.7	1 / 14	0 / 8
Percentage of transfers resulting in pregnancies (%)	45.6	57.1	23.8	2 / 7	1 / 5
Percentage of transfers resulting in live births (%)	39.7	46.4	19.0	1 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	38.2	35.7	14.3	1 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	1.5	10.7	4.8	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.9	28.6	14.3	1 / 7	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	18	15	6	2
Number of transfers	40	18	14	6	2
Estimated average number of transfers per retrieval	1.1	2.0	1.1	1.0	2.0
Average number of embryos transferred	1.1	1.2	1.4	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	58.1	45.5	4 / 17	3 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	10 / 18	6 / 14	3 / 6	1 / 2
Percentage of transfers resulting in live births (%)	55.0	8 / 18	2 / 14	3 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	52.5	8 / 18	2 / 14	3 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	2.5	0 / 18	0 / 14	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.0	7 / 18	2 / 14	3 / 6	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	14	8	9	6	0
	2	1	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	22	22	0	
Number of transfers	2	20	22	0	
Average number of embryos transferred	1.5	1.1	1.1		
Percentage of embryos transferred resulting in implantation (%)	1 / 3	10 / 19	34.8		
Percentage of transfers resulting in pregnancies (%)	1 / 2	55.0	45.5		
Percentage of transfers resulting in live births (%)	1 / 2	25.0	36.4		
Percentage of transfers resulting in singleton live births (%)	1 / 2	20.0	36.4		
Percentage of transfers resulting in twin live births (%)	0 / 2	5.0	0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	15.0	22.7		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of New Jersey

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gregory H. Corsan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	15%	Uterine factor	0%	Multiple Factors: Female factors only 8% Female & male factors 20%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	22%	Male factor	38%	
Used gestational carrier	1%			Diminished ovarian reserve	37%	Other factor	2%	
				Endometriosis	4%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 468
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	66	33	25	17	10
Percentage of cancellations before retrieval (%)	0.0	9.1	20.0	3 / 17	3 / 10
Number of transfers	41	21	9	6	2
Average number of embryos transferred	1.4	1.8	1.7	2.0	1.5
Percentage of elective single embryo transfers (eSET) (%)	54.1	2 / 17	1 / 7	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.8	30.3	20.0	3 / 17	0 / 10
Percentage of cycles resulting in live births (%)	22.7	21.2	16.0	2 / 17	0 / 10
Percentage of cycles resulting in singleton live births (%)	21.2	12.1	16.0	2 / 17	0 / 10
Percentage of cycles resulting in twin live births (%)	1.5	9.1	0.0	0 / 17	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	13.6	12.1	8.0	2 / 17	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.1	33.3	7 / 15	3 / 12	0 / 3
Percentage of transfers resulting in pregnancies (%)	41.5	47.6	5 / 9	3 / 6	0 / 2
Percentage of transfers resulting in live births (%)	36.6	33.3	4 / 9	2 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	34.1	19.0	4 / 9	2 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	2.4	14.3	0 / 9	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.0	19.0	2 / 9	2 / 6	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	96	52	20	15	5
Number of transfers	88	49	17	13	4
Estimated average number of transfers per retrieval	1.4	1.8	0.8	1.1	0.5
Average number of embryos transferred	1.5	1.3	1.6	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	41.9	48.3	32.0	33.3	0 / 4
Percentage of transfers resulting in pregnancies (%)	53.4	57.1	8 / 17	5 / 13	0 / 4
Percentage of transfers resulting in live births (%)	42.0	46.9	6 / 17	4 / 13	0 / 4
Percentage of transfers resulting in singleton live births (%)	35.2	38.8	5 / 17	3 / 13	0 / 4
Percentage of transfers resulting in twin live births (%)	6.8	8.2	1 / 17	0 / 13	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.5	32.7	5 / 17	2 / 13	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	43	19	16	11	8
	3	1	2	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	9	11	6	
Number of transfers	5	6	10	5	
Average number of embryos transferred	1.4	1.2	1.1	1.4	
Percentage of embryos transferred resulting in implantation (%)	3 / 7	4 / 7	7 / 10	8 / 7	
Percentage of transfers resulting in pregnancies (%)	2 / 5	4 / 6	7 / 10	5 / 5	
Percentage of transfers resulting in live births (%)	2 / 5	4 / 6	6 / 10	5 / 5	
Percentage of transfers resulting in singleton live births (%)	1 / 5	4 / 6	5 / 10	2 / 5	
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 6	1 / 10	3 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	4 / 6	5 / 10	1 / 5	

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER ENGLEWOOD, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Philip R. Lesorgen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	13%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 16%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	12%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	9%	
				Endometriosis	0%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 69
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	11	9	14	2
Percentage of cancellations before retrieval (%)	4 / 19	0 / 11	1 / 9	6 / 14	0 / 2
Number of transfers	12	9	8	4	2
Average number of embryos transferred	1.8	2.0	2.9	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 11	0 / 9	0 / 7	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 19	7 / 11	2 / 9	0 / 14	0 / 2
Percentage of cycles resulting in live births (%)	2 / 19	7 / 11	2 / 9	0 / 14	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 19	7 / 11	2 / 9	0 / 14	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 19	0 / 11	0 / 9	0 / 14	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 19	6 / 11	2 / 9	0 / 14	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	19.0	7 / 18	8.7	0 / 12	0 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 12	7 / 9	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	2 / 12	7 / 9	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 12	7 / 9	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 9	0 / 8	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 12	6 / 9	2 / 8	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	4	2	1	0
Number of transfers	4	4	2	1	0
Estimated average number of transfers per retrieval	0.5	1.0	0.7	1.0	
Average number of embryos transferred	2.0	1.5	2.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 6	2 / 6	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 4	2 / 4	1 / 2	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 4	2 / 4	1 / 2	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 4	2 / 4	1 / 2	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	2 / 4	1 / 2	1 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	1	1	0	0
	0	1	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Women's Fertility Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH HUDSON IVF
CENTER FOR FERTILITY AND GYNECOLOGY
ENGLEWOOD CLIFFS, NEW JERSEY**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jane E. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	0%	Uterine factor	16%	Multiple Factors: Female factors only 11% Female & male factors 16%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	26%	Male factor	42%	
Used gestational carrier	11%			Diminished ovarian reserve	26%	Other factor	11%	
				Endometriosis	0%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 31
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1				
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1				
Percentage of cycles resulting in live births (%)	0 / 1				
Percentage of cycles resulting in singleton live births (%)	0 / 1				
Percentage of cycles resulting in twin live births (%)	0 / 1				
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 1				
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	6	3	3	2	0
Number of transfers	5	3	3	2	0
Estimated average number of transfers per retrieval	1.3	1.5	3.0	1.0	0.0
Average number of embryos transferred	1.4	1.7	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 6	1 / 5	1 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 3	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	1 / 3	1 / 3	0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	2	1	2	4
	0	1	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	4	0	
Number of transfers	0	0	3	0	
Average number of embryos transferred			2.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 6		
Percentage of transfers resulting in pregnancies (%)			1 / 3		
Percentage of transfers resulting in live births (%)			1 / 3		
Percentage of transfers resulting in singleton live births (%)			1 / 3		
Percentage of transfers resulting in twin live births (%)			0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 3		

CURRENT SERVICES & PROFILE

Current Name: North Hudson IVF, Center for Fertility and Gynecology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC HASBROUCK HEIGHTS, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter G. McGovern, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	58%	Tubal factor	16%	Uterine factor	8%	Multiple Factors: Female factors only 16% Female & male factors 24%
Unstimulated	2%	PGD/PGS	13%	Ovulatory dysfunction	8%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	44%	Other factor	16%	
				Endometriosis	6%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 607
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	106	62	61	55	44
Percentage of cancellations before retrieval (%)	0.9	3.2	11.5	10.9	0.0
Number of transfers	78	38	33	27	17
Average number of embryos transferred	1.4	1.6	1.8	1.7	1.6
Percentage of elective single embryo transfers (eSET) (%)	55.6	23.3	3.7	0.0	1 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.0	29.0	13.1	10.9	2.3
Percentage of cycles resulting in live births (%)	28.3	27.4	6.6	7.3	2.3
Percentage of cycles resulting in singleton live births (%)	19.8	21.0	6.6	5.5	2.3
Percentage of cycles resulting in twin live births (%)	8.5	6.5	0.0	1.8	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.9	16.1	3.3	3.6	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.4	36.1	13.0	13.6	3.6
Percentage of transfers resulting in pregnancies (%)	44.9	47.4	24.2	22.2	1 / 17
Percentage of transfers resulting in live births (%)	38.5	44.7	12.1	14.8	1 / 17
Percentage of transfers resulting in singleton live births (%)	26.9	34.2	12.1	11.1	1 / 17
Percentage of transfers resulting in twin live births (%)	11.5	10.5	0.0	3.7	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.6	26.3	6.1	7.4	0 / 17
Frozen Embryos from Nondonor Eggs					
Number of cycles	66	32	33	13	7
Number of transfers	63	32	32	10	6
Estimated average number of transfers per retrieval	0.9	1.9	0.8	0.6	0.8
Average number of embryos transferred	1.3	1.2	1.4	1.3	1.7
Percentage of embryos transferred resulting in implantation (%)	35.4	33.3	32.6	0 / 13	1 / 10
Percentage of transfers resulting in pregnancies (%)	42.9	40.6	43.8	0 / 10	1 / 6
Percentage of transfers resulting in live births (%)	31.7	40.6	37.5	0 / 10	1 / 6
Percentage of transfers resulting in singleton live births (%)	27.0	40.6	34.4	0 / 10	1 / 6
Percentage of transfers resulting in twin live births (%)	4.8	0.0	3.1	0 / 10	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.0	31.3	34.4	0 / 10	1 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	39	9	32	13	4
	7	1	3	0	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	27	1	
Number of transfers	1	1	25	1	
Average number of embryos transferred	1.0	2.0	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 2	47.4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	64.0	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	44.0	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	36.0	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	8.0	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1	36.0	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: University Reproductive Associates, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE LAKEWOOD, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Allen Morgan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	15%	Tubal factor	15%	Uterine factor	5%	Multiple Factors: Female factors only 4% Female & male factors 4%
Unstimulated	3%	PGD/PGS	3%	Ovulatory dysfunction	21%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	4%	
				Endometriosis	5%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 157
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	41	28	20	10	18
Percentage of cancellations before retrieval (%)	9.8	21.4	25.0	2 / 10	5 / 18
Number of transfers	23	14	10	4	6
Average number of embryos transferred	1.5	1.8	1.9	1.5	1.3
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	0 / 11	0 / 9	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.7	21.4	10.0	0 / 10	0 / 18
Percentage of cycles resulting in live births (%)	29.3	21.4	10.0	0 / 10	0 / 18
Percentage of cycles resulting in singleton live births (%)	22.0	10.7	10.0	0 / 10	0 / 18
Percentage of cycles resulting in twin live births (%)	7.3	7.1	0.0	0 / 10	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.1	10.7	10.0	0 / 10	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.1	40.0	2 / 19	0 / 6	0 / 8
Percentage of transfers resulting in pregnancies (%)	56.5	6 / 14	2 / 10	0 / 4	0 / 6
Percentage of transfers resulting in live births (%)	52.2	6 / 14	2 / 10	0 / 4	0 / 6
Percentage of transfers resulting in singleton live births (%)	39.1	3 / 14	2 / 10	0 / 4	0 / 6
Percentage of transfers resulting in twin live births (%)	13.0	2 / 14	0 / 10	0 / 4	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.4	3 / 14	2 / 10	0 / 4	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	5	8	0	0
Number of transfers	11	5	5	0	0
Estimated average number of transfers per retrieval	1.1	1.0	0.7		0.0
Average number of embryos transferred	1.4	1.8	1.8		
Percentage of embryos transferred resulting in implantation (%)	4 / 15	0 / 9	2 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 11	0 / 5	2 / 5		
Percentage of transfers resulting in live births (%)	4 / 11	0 / 5	1 / 5		
Percentage of transfers resulting in singleton live births (%)	4 / 11	0 / 5	1 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 5	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 11	0 / 5	1 / 5		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	1	1	0	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	6	0	
Number of transfers	0	0	6	0	
Average number of embryos transferred			1.5		
Percentage of embryos transferred resulting in implantation (%)			2 / 9		
Percentage of transfers resulting in pregnancies (%)			1 / 6		
Percentage of transfers resulting in live births (%)			0 / 6		
Percentage of transfers resulting in singleton live births (%)			0 / 6		
Percentage of transfers resulting in twin live births (%)			0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 6		

CURRENT SERVICES & PROFILE

Current Name: Shore Institute for Reproductive Medicine dba,
Morgan Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DELAWARE VALLEY OBGYN & INFERTILITY GROUP, PC
PRINCETON IVF
LAWRENCEVILLE, NEW JERSEY**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Seth G. Derman, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	19%	Uterine factor	1%	Multiple Factors: Female factors only 13% Female & male factors 21%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	32%	Male factor	33%	
Used gestational carrier	1%			Diminished ovarian reserve	21%	Other factor	13%	
				Endometriosis	9%	Unknown factor	12%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 98 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	31	18	13	6	5
Percentage of cancellations before retrieval (%)	6.5	0 / 18	1 / 13	0 / 6	1 / 5
Number of transfers	27	15	11	4	2
Average number of embryos transferred	2.1	2.1	2.2	2.3	1.5
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 13	0 / 8	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.7	7 / 18	6 / 13	1 / 6	0 / 5
Percentage of cycles resulting in live births (%)	35.5	6 / 18	5 / 13	1 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	22.6	4 / 18	4 / 13	1 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	12.9	2 / 18	1 / 13	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.1	3 / 18	3 / 13	1 / 6	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	27.8	27.6	29.2	2 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	44.4	7 / 15	6 / 11	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	40.7	6 / 15	5 / 11	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.9	4 / 15	4 / 11	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	14.8	2 / 15	1 / 11	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.5	3 / 15	3 / 11	1 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	10	2	0	0
Number of transfers	5	9	2	0	0
Estimated average number of transfers per retrieval	1.3	1.8	1.0		
Average number of embryos transferred	1.8	1.2	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 9	1 / 11	1 / 2		
Percentage of transfers resulting in pregnancies (%)	4 / 5	1 / 9	2 / 2		
Percentage of transfers resulting in live births (%)	2 / 5	1 / 9	1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 5	1 / 9	1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 9	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	1 / 9	1 / 2		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	3	2	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	0	
Number of transfers	0	0	1	0	
Average number of embryos transferred			2.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 2		
Percentage of transfers resulting in pregnancies (%)			1 / 1		
Percentage of transfers resulting in live births (%)			1 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		

CURRENT SERVICES & PROFILE		Current Name: Delaware Valley OBGYN & Infertility Group, PC, Princeton IVF					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Margaret G. Garrisi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	19%	Uterine factor	4%	Multiple Factors: Female factors only 16% Female & male factors 11%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	18%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	7%	
				Endometriosis	6%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,494
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	184	126	125	76	61
Percentage of cancellations before retrieval (%)	6.0	11.9	27.2	26.3	18.0
Number of transfers	141	96	74	43	27
Average number of embryos transferred	1.3	1.5	1.7	2.1	2.6
Percentage of elective single embryo transfers (eSET) (%)	64.3	41.0	23.2	3.3	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.4	29.4	18.4	15.8	4.9
Percentage of cycles resulting in live births (%)	30.4	23.8	15.2	3.9	4.9
Percentage of cycles resulting in singleton live births (%)	26.6	20.6	14.4	3.9	4.9
Percentage of cycles resulting in twin live births (%)	3.8	3.2	0.8	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.4	15.9	12.0	2.6	4.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	27.9	20.3	11.9	4.3
Percentage of transfers resulting in pregnancies (%)	47.5	38.5	31.1	27.9	11.1
Percentage of transfers resulting in live births (%)	39.7	31.3	25.7	7.0	11.1
Percentage of transfers resulting in singleton live births (%)	34.8	27.1	24.3	7.0	11.1
Percentage of transfers resulting in twin live births (%)	5.0	4.2	1.4	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.5	20.8	20.3	4.7	11.1
Frozen Embryos from Nondonor Eggs					
Number of cycles	188	124	91	27	8
Number of transfers	188	123	88	26	7
Estimated average number of transfers per retrieval	1.0	1.1	0.7	0.5	0.2
Average number of embryos transferred	1.1	1.1	1.1	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	48.9	55.4	44.8	3 / 7
Percentage of transfers resulting in pregnancies (%)	54.8	54.5	59.1	53.8	3 / 7
Percentage of transfers resulting in live births (%)	45.7	43.1	51.1	42.3	3 / 7
Percentage of transfers resulting in singleton live births (%)	45.2	43.1	48.9	42.3	3 / 7
Percentage of transfers resulting in twin live births (%)	0.5	0.0	2.3	0.0	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.0	39.0	40.9	42.3	3 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	130	86	102	41	32
	19	21	15	2	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	20	53	0	
Number of transfers	13	19	50	0	
Average number of embryos transferred	1.3	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 17	36.0	67.3		
Percentage of transfers resulting in pregnancies (%)	6 / 13	7 / 19	66.0		
Percentage of transfers resulting in live births (%)	6 / 13	7 / 19	52.0		
Percentage of transfers resulting in singleton live births (%)	6 / 13	5 / 19	52.0		
Percentage of transfers resulting in twin live births (%)	0 / 13	2 / 19	0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 13	5 / 19	44.0		

CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George S. Taliadouros, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	27%	Tubal factor	25%	Uterine factor	9%	Multiple Factors: Female factors only 16% Female & male factors 19%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	44%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	16%	Other factor	11%	
				Endometriosis	4%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 152
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	31	20	26	3	3
Percentage of cancellations before retrieval (%)	12.9	10.0	34.6	0 / 3	1 / 3
Number of transfers	27	16	17	3	2
Average number of embryos transferred	1.7	2.0	2.5	4.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	33.3	1 / 15	0 / 17	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.9	40.0	30.8	1 / 3	1 / 3
Percentage of cycles resulting in live births (%)	22.6	25.0	19.2	1 / 3	1 / 3
Percentage of cycles resulting in singleton live births (%)	9.7	20.0	15.4	1 / 3	1 / 3
Percentage of cycles resulting in twin live births (%)	12.9	5.0	3.8	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	6.5	10.0	11.5	1 / 3	1 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.5	27.6	23.3	1 / 12	1 / 8
Percentage of transfers resulting in pregnancies (%)	48.1	8 / 16	8 / 17	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)	25.9	5 / 16	5 / 17	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	11.1	4 / 16	4 / 17	1 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	14.8	1 / 16	1 / 17	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7.4	2 / 16	3 / 17	1 / 3	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	11	8	0	2
Number of transfers	15	10	8	0	2
Estimated average number of transfers per retrieval	1.3	1.3	0.9	0.0	2.0
Average number of embryos transferred	1.7	1.4	1.6		1.5
Percentage of embryos transferred resulting in implantation (%)	48.0	3 / 14	3 / 10		0 / 3
Percentage of transfers resulting in pregnancies (%)	8 / 15	2 / 10	3 / 8		0 / 2
Percentage of transfers resulting in live births (%)	8 / 15	2 / 10	2 / 8		0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 15	1 / 10	2 / 8		0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 15	1 / 10	0 / 8		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 15	1 / 10	2 / 8		0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	5	4	1	1
	3	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	7	6	
Number of transfers	2	0	7	6	
Average number of embryos transferred	2.5		1.9	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 5		5 / 11	5 / 12	
Percentage of transfers resulting in pregnancies (%)	1 / 2		4 / 7	3 / 6	
Percentage of transfers resulting in live births (%)	1 / 2		2 / 7	2 / 6	
Percentage of transfers resulting in singleton live births (%)	0 / 2		0 / 7	1 / 6	
Percentage of transfers resulting in twin live births (%)	1 / 2		2 / 7	1 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 7	1 / 6	

CURRENT SERVICES & PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH JERSEY FERTILITY CENTER MARLTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert A. Skaf, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	20%	Uterine factor	6%	Multiple Factors: Female factors only 26% Female & male factors 22%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	28%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	24%	
				Endometriosis	12%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 647
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	132	64	39	17	8
Percentage of cancellations before retrieval (%)	1.5	15.6	12.8	1 / 17	1 / 8
Number of transfers	76	34	25	12	5
Average number of embryos transferred	1.5	1.8	1.7	2.8	2.6
Percentage of elective single embryo transfers (eSET) (%)	46.5	3.7	1 / 18	0 / 10	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.8	31.3	23.1	3 / 17	2 / 8
Percentage of cycles resulting in live births (%)	23.5	25.0	17.9	3 / 17	1 / 8
Percentage of cycles resulting in singleton live births (%)	18.2	14.1	7.7	3 / 17	1 / 8
Percentage of cycles resulting in twin live births (%)	5.3	10.9	10.3	0 / 17	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.2	12.5	5.1	2 / 17	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.4	46.7	34.9	11.8	3 / 13
Percentage of transfers resulting in pregnancies (%)	50.0	58.8	36.0	3 / 12	2 / 5
Percentage of transfers resulting in live births (%)	40.8	47.1	28.0	3 / 12	1 / 5
Percentage of transfers resulting in singleton live births (%)	31.6	26.5	12.0	3 / 12	1 / 5
Percentage of transfers resulting in twin live births (%)	9.2	20.6	16.0	0 / 12	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.3	23.5	8.0	2 / 12	1 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	134	45	34	16	5
Number of transfers	124	39	32	14	4
Estimated average number of transfers per retrieval	1.3	1.1	1.0	1.1	0.7
Average number of embryos transferred	1.5	1.3	1.7	1.6	2.5
Percentage of embryos transferred resulting in implantation (%)	47.6	52.9	37.7	13.6	3 / 10
Percentage of transfers resulting in pregnancies (%)	61.3	61.5	53.1	3 / 14	2 / 4
Percentage of transfers resulting in live births (%)	46.8	51.3	43.8	2 / 14	2 / 4
Percentage of transfers resulting in singleton live births (%)	40.3	48.7	40.6	2 / 14	2 / 4
Percentage of transfers resulting in twin live births (%)	6.5	2.6	3.1	0 / 14	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	41.0	37.5	2 / 14	2 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	43	17	23	9	6
	4	1	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	18	13	17	5	
Number of transfers	16	10	17	5	
Average number of embryos transferred	1.2	1.2	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	9 / 19	8 / 12	34.6	2 / 10	
Percentage of transfers resulting in pregnancies (%)	9 / 16	8 / 10	7 / 17	2 / 5	
Percentage of transfers resulting in live births (%)	8 / 16	7 / 10	4 / 17	2 / 5	
Percentage of transfers resulting in singleton live births (%)	8 / 16	7 / 10	4 / 17	2 / 5	
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 10	0 / 17	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 16	7 / 10	4 / 17	1 / 5	

CURRENT SERVICES & PROFILE

Current Name: South Jersey Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DIAMOND INSTITUTE FOR INFERTILITY AND MENOPAUSE MILLBURN, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Matan Yemini, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only 4% Female & male factors 7%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	11%	Male factor	14%	
Used gestational carrier	2%			Diminished ovarian reserve	45%	Other factor	2%	
				Endometriosis	2%	Unknown factor	28%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 384
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	71	31	30	4	4
Percentage of cancellations before retrieval (%)	2.8	0.0	0.0	0 / 4	0 / 4
Number of transfers	61	29	26	4	3
Average number of embryos transferred	1.4	1.8	1.6	2.5	2.7
Percentage of elective single embryo transfers (eSET) (%)	50.9	11.1	3 / 19	0 / 4	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.9	54.8	50.0	2 / 4	2 / 4
Percentage of cycles resulting in live births (%)	40.8	38.7	33.3	1 / 4	2 / 4
Percentage of cycles resulting in singleton live births (%)	39.4	29.0	26.7	1 / 4	2 / 4
Percentage of cycles resulting in twin live births (%)	1.4	9.7	6.7	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	7.0	0.0	6.7	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.5	37.7	41.5	2 / 10	2 / 8
Percentage of transfers resulting in pregnancies (%)	55.7	58.6	57.7	2 / 4	2 / 3
Percentage of transfers resulting in live births (%)	47.5	41.4	38.5	1 / 4	2 / 3
Percentage of transfers resulting in singleton live births (%)	45.9	31.0	30.8	1 / 4	2 / 3
Percentage of transfers resulting in twin live births (%)	1.6	10.3	7.7	0 / 4	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8.2	0.0	7.7	0 / 4	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	62	23	18	9	8
Number of transfers	61	23	18	9	8
Estimated average number of transfers per retrieval	1.3	1.1	1.1	1.0	0.5
Average number of embryos transferred	1.5	1.4	1.3	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	46.1	37.5	33.3	4 / 13	4 / 8
Percentage of transfers resulting in pregnancies (%)	55.7	47.8	7 / 18	3 / 9	4 / 8
Percentage of transfers resulting in live births (%)	49.2	34.8	5 / 18	3 / 9	3 / 8
Percentage of transfers resulting in singleton live births (%)	42.6	34.8	5 / 18	2 / 9	3 / 8
Percentage of transfers resulting in twin live births (%)	6.6	0.0	0 / 18	1 / 9	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4.9	8.7	2 / 18	1 / 9	2 / 8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	31	17	12	9	17
	9	4	6	3	6
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	28	0	
Number of transfers	10	0	28	0	
Average number of embryos transferred	1.1		1.5		
Percentage of embryos transferred resulting in implantation (%)	5 / 11		42.5		
Percentage of transfers resulting in pregnancies (%)	5 / 10		50.0		
Percentage of transfers resulting in live births (%)	5 / 10		46.4		
Percentage of transfers resulting in singleton live births (%)	5 / 10		35.7		
Percentage of transfers resulting in twin live births (%)	0 / 10		10.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 10		3.6		

CURRENT SERVICES & PROFILE

Current Name: Diamond Institute for Infertility and Menopause

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS, PC MOUNT LAUREL, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jerome H. Check, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	38%	Tubal factor	17%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	2%	PGD/PGS	2%	Ovulatory dysfunction	9%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	39%	Other factor	12%	
				Endometriosis	4%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 708
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	105	58	77	53	79
Percentage of cancellations before retrieval (%)	9.5	8.6	29.9	26.4	29.1
Number of transfers	78	38	43	31	38
Average number of embryos transferred	1.8	1.8	1.9	2.1	1.8
Percentage of elective single embryo transfers (eSET) (%)	8.5	7.1	6.9	4.5	1 / 18
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.0	24.1	16.9	11.3	2.5
Percentage of cycles resulting in live births (%)	32.4	17.2	14.3	5.7	0.0
Percentage of cycles resulting in singleton live births (%)	22.9	12.1	13.0	5.7	0.0
Percentage of cycles resulting in twin live births (%)	9.5	5.2	1.3	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	19.0	12.1	11.7	5.7	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.0	23.1	17.3	10.9	1.5
Percentage of transfers resulting in pregnancies (%)	52.6	36.8	30.2	19.4	5.3
Percentage of transfers resulting in live births (%)	43.6	26.3	25.6	9.7	0.0
Percentage of transfers resulting in singleton live births (%)	30.8	18.4	23.3	9.7	0.0
Percentage of transfers resulting in twin live births (%)	12.8	7.9	2.3	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.6	18.4	20.9	9.7	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	77	46	32	17	16
Number of transfers	65	37	25	15	9
Estimated average number of transfers per retrieval	1.4	1.4	0.6	0.7	0.5
Average number of embryos transferred	2.0	1.8	2.2	2.3	2.4
Percentage of embryos transferred resulting in implantation (%)	22.6	29.9	27.3	24.2	2 / 17
Percentage of transfers resulting in pregnancies (%)	33.8	40.5	44.0	6 / 15	3 / 9
Percentage of transfers resulting in live births (%)	30.8	35.1	36.0	4 / 15	0 / 9
Percentage of transfers resulting in singleton live births (%)	21.5	21.6	32.0	4 / 15	0 / 9
Percentage of transfers resulting in twin live births (%)	9.2	13.5	4.0	0 / 15	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	16.9	18.9	28.0	4 / 15	0 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	17	30	13	12
	6	7	12	5	6
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	13	34	5	
Number of transfers	3	11	21	5	
Average number of embryos transferred	2.0	1.7	2.0	2.4	
Percentage of embryos transferred resulting in implantation (%)	3 / 6	3 / 17	26.8	5 / 12	
Percentage of transfers resulting in pregnancies (%)	2 / 3	3 / 11	28.6	3 / 5	
Percentage of transfers resulting in live births (%)	2 / 3	2 / 11	28.6	2 / 5	
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 11	9.5	1 / 5	
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 11	14.3	1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	1 / 11	4.8	1 / 5	

CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY HOSPITAL FERTILITY CENTER PARAMUS, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ali Nasser, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	31%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 10% Female & male factors 11%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	15%	Male factor	29%	
Used gestational carrier	5%			Diminished ovarian reserve	25%	Other factor	13%	
				Endometriosis	7%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 423
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	38	26	12	13
Percentage of cancellations before retrieval (%)	2.4	5.3	11.5	1 / 12	3 / 13
Number of transfers	35	29	15	9	7
Average number of embryos transferred	1.7	1.8	1.9	1.7	2.7
Percentage of elective single embryo transfers (eSET) (%)	16.1	8.7	0 / 12	1 / 7	0 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	54.8	34.2	15.4	2 / 12	0 / 13
Percentage of cycles resulting in live births (%)	47.6	28.9	11.5	1 / 12	0 / 13
Percentage of cycles resulting in singleton live births (%)	38.1	21.1	7.7	1 / 12	0 / 13
Percentage of cycles resulting in twin live births (%)	9.5	7.9	3.8	0 / 12	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	33.3	15.8	7.7	1 / 12	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.1	30.6	17.2	2 / 15	0 / 19
Percentage of transfers resulting in pregnancies (%)	65.7	44.8	4 / 15	2 / 9	0 / 7
Percentage of transfers resulting in live births (%)	57.1	37.9	3 / 15	1 / 9	0 / 7
Percentage of transfers resulting in singleton live births (%)	45.7	27.6	2 / 15	1 / 9	0 / 7
Percentage of transfers resulting in twin live births (%)	11.4	10.3	1 / 15	0 / 9	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	20.7	2 / 15	1 / 9	0 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	47	20	13	2
Number of transfers	48	44	20	11	2
Estimated average number of transfers per retrieval	0.9	1.1	0.6	0.7	0.3
Average number of embryos transferred	1.3	1.1	1.1	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	55.7	54.2	12 / 19	7 / 10	1 / 2
Percentage of transfers resulting in pregnancies (%)	64.6	61.4	60.0	8 / 11	1 / 2
Percentage of transfers resulting in live births (%)	60.4	47.7	45.0	7 / 11	1 / 2
Percentage of transfers resulting in singleton live births (%)	56.3	45.5	35.0	7 / 11	1 / 2
Percentage of transfers resulting in twin live births (%)	4.2	2.3	5.0	0 / 11	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.8	40.9	30.0	5 / 11	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	43	32	34	13	7
	13	14	14	6	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	23	0	
Number of transfers	7	0	21	0	
Average number of embryos transferred	1.1		1.4		
Percentage of embryos transferred resulting in implantation (%)	3 / 6		51.9		
Percentage of transfers resulting in pregnancies (%)	4 / 7		66.7		
Percentage of transfers resulting in live births (%)	3 / 7		57.1		
Percentage of transfers resulting in singleton live births (%)	3 / 7		52.4		
Percentage of transfers resulting in twin live births (%)	0 / 7		4.8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 7		38.1		

CURRENT SERVICES & PROFILE

Current Name: Valley Hospital Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DAMIEN FERTILITY PARTNERS SHREWSBURY, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Miguel Damien, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	48%	Tubal factor	15%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 18%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	7%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	36%	Other factor	19%	
				Endometriosis	18%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 435
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	78	36	43	17	20
Percentage of cancellations before retrieval (%)	2.6	5.6	9.3	1 / 17	20.0
Number of transfers	53	22	24	8	8
Average number of embryos transferred	1.8	1.8	1.5	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	6.7	2 / 19	0 / 11	0 / 5	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	27.8	18.6	2 / 17	5.0
Percentage of cycles resulting in live births (%)	47.4	25.0	11.6	2 / 17	5.0
Percentage of cycles resulting in singleton live births (%)	28.2	19.4	9.3	2 / 17	5.0
Percentage of cycles resulting in twin live births (%)	16.7	5.6	2.3	0 / 17	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.8	13.9	7.0	2 / 17	5.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	63.5	31.6	32.4	2 / 14	1 / 16
Percentage of transfers resulting in pregnancies (%)	73.6	45.5	33.3	2 / 8	1 / 8
Percentage of transfers resulting in live births (%)	69.8	40.9	20.8	2 / 8	1 / 8
Percentage of transfers resulting in singleton live births (%)	41.5	31.8	16.7	2 / 8	1 / 8
Percentage of transfers resulting in twin live births (%)	24.5	9.1	4.2	0 / 8	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	22.7	12.5	2 / 8	1 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	54	15	22	9	2
Number of transfers	54	15	21	9	2
Estimated average number of transfers per retrieval	1.1	0.9	0.6	1.1	0.5
Average number of embryos transferred	1.6	1.6	1.3	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	49.4	59.1	48.0	6 / 11	1 / 3
Percentage of transfers resulting in pregnancies (%)	68.5	13 / 15	71.4	6 / 9	1 / 2
Percentage of transfers resulting in live births (%)	57.4	11 / 15	52.4	3 / 9	1 / 2
Percentage of transfers resulting in singleton live births (%)	51.9	10 / 15	52.4	2 / 9	1 / 2
Percentage of transfers resulting in twin live births (%)	5.6	1 / 15	0.0	1 / 9	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.3	6 / 15	38.1	2 / 9	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	27	10	28	6	4
	4	1	2	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	26	23	3	
Number of transfers	9	21	23	3	
Average number of embryos transferred	1.8	1.8	1.6	1.3	
Percentage of embryos transferred resulting in implantation (%)	13 / 16	47.4	45.5	3 / 4	
Percentage of transfers resulting in pregnancies (%)	9 / 9	61.9	56.5	2 / 3	
Percentage of transfers resulting in live births (%)	7 / 9	57.1	39.1	2 / 3	
Percentage of transfers resulting in singleton live births (%)	5 / 9	38.1	26.1	1 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 9	19.0	13.0	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 9	19.0	26.1	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Damien Fertility Partners

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
LOUIS R. MANARA, DO
VOORHEES, NEW JERSEY**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Louis R. Manara, DO				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	55%	Tubal factor	4%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	22%	Male factor	29%	
Used gestational carrier	1%			Diminished ovarian reserve	29%	Other factor	16%	
				Endometriosis	6%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				15%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 249 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		23	12	9	10	3
Percentage of cancellations before retrieval (%)		17.4	4 / 12	3 / 9	5 / 10	1 / 3
Number of transfers		10	4	4	4	0
Average number of embryos transferred		1.2	1.8	1.5	2.3	
Percentage of elective single embryo transfers (eSET) (%)		0 / 2	1 / 3	0 / 2	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		17.4	1 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in live births (%)		13.0	1 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)		8.7	1 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)		4.3	0 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		8.7	1 / 12	0 / 9	0 / 10	0 / 3
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		5 / 12	1 / 7	0 / 6	0 / 9	
Percentage of transfers resulting in pregnancies (%)		4 / 10	1 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)		3 / 10	1 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)		2 / 10	1 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in twin live births (%)		1 / 10	0 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 10	1 / 4	0 / 4	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles		57	27	21	2	7
Number of transfers		54	26	21	2	6
Estimated average number of transfers per retrieval		1.5	1.4	1.5	0.4	1.0
Average number of embryos transferred		1.2	1.3	1.2	1.0	1.2
Percentage of embryos transferred resulting in implantation (%)		44.4	45.5	53.8	1 / 2	0 / 7
Percentage of transfers resulting in pregnancies (%)		51.9	50.0	61.9	1 / 2	0 / 6
Percentage of transfers resulting in live births (%)		46.3	50.0	57.1	1 / 2	0 / 6
Percentage of transfers resulting in singleton live births (%)		46.3	42.3	52.4	1 / 2	0 / 6
Percentage of transfers resulting in twin live births (%)		0.0	7.7	4.8	0 / 2	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		44.4	34.6	47.6	1 / 2	0 / 6
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		26	16	9	4	3
		0	1	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		9	0	11	0	
Number of transfers		9	0	9	0	
Average number of embryos transferred		1.6		1.2		
Percentage of embryos transferred resulting in implantation (%)		11 / 14		3 / 10		
Percentage of transfers resulting in pregnancies (%)		8 / 9		4 / 9		
Percentage of transfers resulting in live births (%)		7 / 9		2 / 9		
Percentage of transfers resulting in singleton live births (%)		5 / 9		2 / 9		
Percentage of transfers resulting in twin live births (%)		2 / 9		0 / 9		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		5 / 9		2 / 9		

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Medicine and Fertility, Louis R. Manara, DO					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK WESTWOOD, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Zalman Levine, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	26%	Uterine factor	32%	Multiple Factors: Female factors only 43% Female & male factors 33%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	35%	Male factor	35%	
Used gestational carrier	1%			Diminished ovarian reserve	63%	Other factor	28%	
				Endometriosis	6%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 368
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	17	22	14	5
Percentage of cancellations before retrieval (%)	4.2	2 / 17	31.8	4 / 14	0 / 5
Number of transfers	16	13	11	5	3
Average number of embryos transferred	2.1	2.3	2.4	4.2	3.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 15	0 / 11	0 / 9	0 / 5	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.3	4 / 17	22.7	0 / 14	0 / 5
Percentage of cycles resulting in live births (%)	25.0	3 / 17	18.2	0 / 14	0 / 5
Percentage of cycles resulting in singleton live births (%)	16.7	2 / 17	18.2	0 / 14	0 / 5
Percentage of cycles resulting in twin live births (%)	8.3	1 / 17	0.0	0 / 14	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.7	2 / 17	18.2	0 / 14	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	16.7	23.1	0.0	0 / 9
Percentage of transfers resulting in pregnancies (%)	8 / 16	4 / 13	5 / 11	0 / 5	0 / 3
Percentage of transfers resulting in live births (%)	6 / 16	3 / 13	4 / 11	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 16	2 / 13	4 / 11	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 16	1 / 13	0 / 11	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 16	2 / 13	4 / 11	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	27	22	4	1
Number of transfers	50	26	21	3	1
Estimated average number of transfers per retrieval	0.9	0.9	0.6	0.1	0.1
Average number of embryos transferred	1.6	1.6	1.4	2.3	5.0
Percentage of embryos transferred resulting in implantation (%)	65.8	63.4	58.6	2 / 6	0 / 5
Percentage of transfers resulting in pregnancies (%)	82.0	69.2	61.9	3 / 3	0 / 1
Percentage of transfers resulting in live births (%)	70.0	53.8	57.1	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	52.0	26.9	38.1	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	18.0	26.9	19.0	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.0	23.1	33.3	2 / 3	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	48	27	35	20	9
	6	2	0	2	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	1	18	2	
Number of transfers	16	1	16	2	
Average number of embryos transferred	2.4	2.0	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	36.8	1 / 2	51.9	3 / 4	
Percentage of transfers resulting in pregnancies (%)	10 / 16	1 / 1	10 / 16	2 / 2	
Percentage of transfers resulting in live births (%)	9 / 16	1 / 1	8 / 16	2 / 2	
Percentage of transfers resulting in singleton live births (%)	5 / 16	1 / 1	6 / 16	1 / 2	
Percentage of transfers resulting in twin live births (%)	4 / 16	0 / 1	2 / 16	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 16	1 / 1	4 / 16	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Jersey and New York

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAPERTON FERTILITY INSTITUTE, LLC ALBUQUERQUE, NEW MEXICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Charles L. Caperton, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	98%	Tubal factor	7%	Uterine factor	56%	
Unstimulated	0%	PGD/PGS	93%	Ovulatory dysfunction	46%	Male factor	10%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	15%	
				Endometriosis	20%	Unknown factor	17%	
				Multiple Factors:				
				Female factors only				46%
				Female & male factors				10%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 102 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		1	1	0	0	0
Percentage of cancellations before retrieval (%)		0 / 1	0 / 1			
Number of transfers		1	1	0	0	0
Average number of embryos transferred		2.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)		0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		1 / 1	1 / 1			
Percentage of cycles resulting in live births (%)		1 / 1	1 / 1			
Percentage of cycles resulting in singleton live births (%)		1 / 1	1 / 1			
Percentage of cycles resulting in twin live births (%)		0 / 1	0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		1 / 1	1 / 1			
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		1 / 2	1 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 1	1 / 1			
Percentage of transfers resulting in live births (%)		1 / 1	1 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 1	1 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 1	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles		19	3	8	0	2
Number of transfers		19	3	8	0	1
Estimated average number of transfers per retrieval		1.0	0.2	0.8	0.0	0.2
Average number of embryos transferred		1.1	1.7	1.4		1.0
Percentage of embryos transferred resulting in implantation (%)		35.0	3 / 5	4 / 11		1 / 1
Percentage of transfers resulting in pregnancies (%)		8 / 19	2 / 3	3 / 8		1 / 1
Percentage of transfers resulting in live births (%)		6 / 19	2 / 3	2 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)		6 / 19	2 / 3	2 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 19	0 / 3	0 / 8		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 19	0 / 3	1 / 8		0 / 1
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		19	13	10	14	5
		0	0	2	2	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		2	0	5	0	
Number of transfers		2	0	5	0	
Average number of embryos transferred		1.5		1.4		
Percentage of embryos transferred resulting in implantation (%)		1 / 3		3 / 5		
Percentage of transfers resulting in pregnancies (%)		1 / 2		4 / 5		
Percentage of transfers resulting in live births (%)		1 / 2		3 / 5		
Percentage of transfers resulting in singleton live births (%)		1 / 2		3 / 5		
Percentage of transfers resulting in twin live births (%)		0 / 2		0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 2		2 / 5		

CURRENT SERVICES & PROFILE		Current Name: Caperton Fertility Institute, LLC					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO ALBUQUERQUE, NEW MEXICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Douglas J. Thompson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	6%	Uterine factor	17%	Multiple Factors: Female factors only 3% Female & male factors 32%
Unstimulated	0%	PGD/PGS	66%	Ovulatory dysfunction	9%	Male factor	62%	
Used gestational carrier	4%			Diminished ovarian reserve	27%	Other factor	6%	
				Endometriosis	6%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 181
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	5	2	1	3
Percentage of cancellations before retrieval (%)	1 / 8	1 / 5	2 / 2	0 / 1	1 / 3
Number of transfers	6	3	0	1	1
Average number of embryos transferred	2.0	2.0		2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 3		0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 8	1 / 5	0 / 2	1 / 1	0 / 3
Percentage of cycles resulting in live births (%)	1 / 8	1 / 5	0 / 2	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	1 / 8	0 / 5	0 / 2	0 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 8	1 / 5	0 / 2	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 8	0 / 5	0 / 2	0 / 1	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 12	2 / 6		2 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 6	1 / 3		1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 6	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 6	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 6	0 / 3		0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	16	14	7	3
Number of transfers	31	16	12	7	3
Estimated average number of transfers per retrieval	0.9	1.1	1.1	0.5	1.0
Average number of embryos transferred	1.4	1.4	1.5	1.1	1.7
Percentage of embryos transferred resulting in implantation (%)	47.6	36.4	10 / 18	3 / 8	1 / 5
Percentage of transfers resulting in pregnancies (%)	54.8	6 / 16	9 / 12	3 / 7	1 / 3
Percentage of transfers resulting in live births (%)	45.2	4 / 16	8 / 12	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	32.3	3 / 16	7 / 12	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	12.9	1 / 16	1 / 12	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.8	2 / 16	4 / 12	1 / 7	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	29	15	11	13	3
	4	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	9	11	
Number of transfers	0	0	9	11	
Average number of embryos transferred			1.4	1.4	
Percentage of embryos transferred resulting in implantation (%)			5 / 13	4 / 13	
Percentage of transfers resulting in pregnancies (%)			3 / 9	6 / 11	
Percentage of transfers resulting in live births (%)			2 / 9	3 / 11	
Percentage of transfers resulting in singleton live births (%)			1 / 9	3 / 11	
Percentage of transfers resulting in twin live births (%)			1 / 9	0 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 9	1 / 11	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: The Fertility Center of New Mexico, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE BROOKLYN, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard V. Grazi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	47%	Tubal factor	26%	Uterine factor	1%	Multiple Factors: Female factors only 16% Female & male factors 23%
Unstimulated	4%	PGD/PGS	12%	Ovulatory dysfunction	13%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	33%	Other factor	17%	
				Endometriosis	5%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 813
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	94	59	77	28	37
Percentage of cancellations before retrieval (%)	9.6	22.0	29.9	17.9	24.3
Number of transfers	74	35	36	18	15
Average number of embryos transferred	1.4	1.5	2.3	2.9	2.5
Percentage of elective single embryo transfers (eSET) (%)	64.7	48.5	3.0	0 / 18	0 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.1	27.1	11.7	10.7	5.4
Percentage of cycles resulting in live births (%)	29.8	22.0	6.5	3.6	5.4
Percentage of cycles resulting in singleton live births (%)	26.6	22.0	5.2	0.0	5.4
Percentage of cycles resulting in twin live births (%)	3.2	0.0	1.3	3.6	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.3	18.6	5.2	0.0	5.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.4	30.6	11.5	7.7	5.4
Percentage of transfers resulting in pregnancies (%)	44.6	45.7	25.0	3 / 18	2 / 15
Percentage of transfers resulting in live births (%)	37.8	37.1	13.9	1 / 18	2 / 15
Percentage of transfers resulting in singleton live births (%)	33.8	37.1	11.1	0 / 18	2 / 15
Percentage of transfers resulting in twin live births (%)	4.1	0.0	2.8	1 / 18	0 / 15
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.4	31.4	11.1	0 / 18	2 / 15
Frozen Embryos from Nondonor Eggs					
Number of cycles	144	80	46	19	28
Number of transfers	128	69	33	13	24
Estimated average number of transfers per retrieval	1.8	1.4	0.6	0.4	0.6
Average number of embryos transferred	1.4	1.3	1.7	2.2	2.3
Percentage of embryos transferred resulting in implantation (%)	41.7	33.0	33.3	17.2	3.7
Percentage of transfers resulting in pregnancies (%)	50.8	42.0	45.5	5 / 13	8.3
Percentage of transfers resulting in live births (%)	39.1	37.7	33.3	3 / 13	8.3
Percentage of transfers resulting in singleton live births (%)	32.8	36.2	24.2	3 / 13	8.3
Percentage of transfers resulting in twin live births (%)	6.3	1.4	9.1	0 / 13	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.8	31.9	24.2	2 / 13	8.3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	40	33	38	24	32
	5	14	12	6	6
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	6	10	2	
Number of transfers	9	4	8	1	
Average number of embryos transferred	1.7	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 15	2 / 5	4 / 12	2 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 9	2 / 4	3 / 8	1 / 1	
Percentage of transfers resulting in live births (%)	5 / 9	0 / 4	3 / 8	1 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 9	0 / 4	2 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 4	1 / 8	1 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 9	0 / 4	1 / 8	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Genesis Fertility & Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KOFINAS FERTILITY GROUP BROOKLYN, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George D. Kofinas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	41%	Uterine factor	19%	Multiple Factors: Female factors only 42% Female & male factors 10%
Unstimulated	1%	PGD/PGS	37%	Ovulatory dysfunction	10%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	11%	
				Endometriosis	38%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 624
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	12	14	20	23	21
Percentage of cancellations before retrieval (%)	0 / 12	1 / 14	0.0	0.0	4.8
Number of transfers	12	12	20	23	15
Average number of embryos transferred	2.1	2.3	2.8	2.7	2.6
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	0 / 11	0 / 19	0 / 19	0 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 12	7 / 14	35.0	34.8	19.0
Percentage of cycles resulting in live births (%)	6 / 12	6 / 14	20.0	17.4	4.8
Percentage of cycles resulting in singleton live births (%)	3 / 12	5 / 14	20.0	17.4	4.8
Percentage of cycles resulting in twin live births (%)	3 / 12	1 / 14	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 12	5 / 14	10.0	17.4	4.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.0	33.3	14.5	12.7	10.3
Percentage of transfers resulting in pregnancies (%)	8 / 12	7 / 12	35.0	34.8	4 / 15
Percentage of transfers resulting in live births (%)	6 / 12	6 / 12	20.0	17.4	1 / 15
Percentage of transfers resulting in singleton live births (%)	3 / 12	5 / 12	20.0	17.4	1 / 15
Percentage of transfers resulting in twin live births (%)	3 / 12	1 / 12	0.0	0.0	0 / 15
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 12	5 / 12	10.0	17.4	1 / 15
Frozen Embryos from Nondonor Eggs					
Number of cycles	61	44	32	16	10
Number of transfers	61	44	32	16	9
Estimated average number of transfers per retrieval	0.8	0.7	0.6	0.3	0.1
Average number of embryos transferred	1.6	1.6	1.8	1.4	2.1
Percentage of embryos transferred resulting in implantation (%)	47.9	54.3	28.8	50.0	1 / 19
Percentage of transfers resulting in pregnancies (%)	65.6	72.7	50.0	10 / 16	1 / 9
Percentage of transfers resulting in live births (%)	50.8	52.3	37.5	6 / 16	1 / 9
Percentage of transfers resulting in singleton live births (%)	44.3	43.2	34.4	6 / 16	1 / 9
Percentage of transfers resulting in twin live births (%)	6.6	9.1	3.1	0 / 16	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.6	34.1	25.0	3 / 16	1 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	72	65	50	48	84
	29	36	25	32	65
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	10	34	0	
Number of transfers	5	8	34	0	
Average number of embryos transferred	1.8	2.0	1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 9	5 / 16	47.2		
Percentage of transfers resulting in pregnancies (%)	3 / 5	4 / 8	61.8		
Percentage of transfers resulting in live births (%)	2 / 5	4 / 8	50.0		
Percentage of transfers resulting in singleton live births (%)	2 / 5	3 / 8	38.2		
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 8	11.8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	2 / 8	29.4		

CURRENT SERVICES & PROFILE

Current Name: Kofinas Fertility Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK, PLLC BUFFALO, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Adam M. Griffin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	13%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 16%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	11%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	5%	
				Endometriosis	9%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 616
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	182	108	86	44	20
Percentage of cancellations before retrieval (%)	8.2	22.2	27.9	27.3	40.0
Number of transfers	155	74	56	29	9
Average number of embryos transferred	1.9	2.0	2.5	2.6	2.6
Percentage of elective single embryo transfers (eSET) (%)	18.2	9.5	0.0	0.0	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.2	25.9	14.0	13.6	10.0
Percentage of cycles resulting in live births (%)	31.3	21.3	9.3	6.8	0.0
Percentage of cycles resulting in singleton live births (%)	20.3	18.5	8.1	6.8	0.0
Percentage of cycles resulting in twin live births (%)	11.0	1.9	1.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.0	13.9	8.1	4.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.8	22.2	9.1	5.9	4.8
Percentage of transfers resulting in pregnancies (%)	41.3	37.8	21.4	20.7	2 / 9
Percentage of transfers resulting in live births (%)	36.8	31.1	14.3	10.3	0 / 9
Percentage of transfers resulting in singleton live births (%)	23.9	27.0	12.5	10.3	0 / 9
Percentage of transfers resulting in twin live births (%)	12.9	2.7	1.8	0.0	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	20.3	12.5	6.9	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	68	35	13	1	0
Number of transfers	59	34	11	1	0
Estimated average number of transfers per retrieval	1.2	1.7	0.6	0.5	0.0
Average number of embryos transferred	1.4	1.5	1.6	3.0	
Percentage of embryos transferred resulting in implantation (%)	33.3	22.7	2 / 18	0 / 3	
Percentage of transfers resulting in pregnancies (%)	45.8	38.2	2 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	35.6	23.5	2 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.2	23.5	2 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	3.4	0.0	0 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.5	20.6	2 / 11	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	7	5	1	1
	5	5	3	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	21	6	0	
Number of transfers	5	17	5	0	
Average number of embryos transferred	2.0	1.9	1.4		
Percentage of embryos transferred resulting in implantation (%)	4 / 10	33.3	4 / 7		
Percentage of transfers resulting in pregnancies (%)	2 / 5	7 / 17	4 / 5		
Percentage of transfers resulting in live births (%)	2 / 5	6 / 17	4 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 5	2 / 17	4 / 5		
Percentage of transfers resulting in twin live births (%)	2 / 5	4 / 17	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	1 / 17	3 / 5		

CURRENT SERVICES & PROFILE

Current Name: Infertility & IVF Medical Associates of Western New York, PLLC dba, Buffalo IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUDSON VALLEY FERTILITY, PLLC FISHKILL, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel W. Levine, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	23%	Uterine factor	11%	Multiple Factors: Female factors only 22% Female & male factors 22%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	42%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	17%	
				Endometriosis	5%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 294
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	45	20	25	11	14
Percentage of cancellations before retrieval (%)	4.4	5.0	12.0	1 / 11	2 / 14
Number of transfers	37	14	19	6	9
Average number of embryos transferred	1.8	2.1	2.2	1.8	2.9
Percentage of elective single embryo transfers (eSET) (%)	12.5	0 / 11	0 / 17	0 / 3	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.7	20.0	28.0	2 / 11	1 / 14
Percentage of cycles resulting in live births (%)	20.0	20.0	12.0	1 / 11	0 / 14
Percentage of cycles resulting in singleton live births (%)	8.9	10.0	8.0	1 / 11	0 / 14
Percentage of cycles resulting in twin live births (%)	11.1	5.0	4.0	0 / 11	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.9	10.0	8.0	1 / 11	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	24.6	24.1	21.4	3 / 11	3.8
Percentage of transfers resulting in pregnancies (%)	32.4	4 / 14	7 / 19	2 / 6	1 / 9
Percentage of transfers resulting in live births (%)	24.3	4 / 14	3 / 19	1 / 6	0 / 9
Percentage of transfers resulting in singleton live births (%)	10.8	2 / 14	2 / 19	1 / 6	0 / 9
Percentage of transfers resulting in twin live births (%)	13.5	1 / 14	1 / 19	0 / 6	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	10.8	2 / 14	2 / 19	1 / 6	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	34	23	22	7	10
Number of transfers	30	17	17	5	7
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.5	0.6
Average number of embryos transferred	1.8	1.8	2.1	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)	34.5	30.0	23.3	3 / 14	0 / 16
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 17	7 / 17	2 / 5	0 / 7
Percentage of transfers resulting in live births (%)	43.3	6 / 17	3 / 17	2 / 5	0 / 7
Percentage of transfers resulting in singleton live births (%)	36.7	5 / 17	3 / 17	1 / 5	0 / 7
Percentage of transfers resulting in twin live births (%)	6.7	1 / 17	0 / 17	1 / 5	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	3 / 17	2 / 17	1 / 5	0 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	14	20	10	10
	21	14	19	10	10
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	7	1	0	
Number of transfers	0	7	1	0	
Average number of embryos transferred		2.1	2.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 15	0 / 2		
Percentage of transfers resulting in pregnancies (%)		2 / 7	0 / 1		
Percentage of transfers resulting in live births (%)		2 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 7	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 7	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Hudson Valley Fertility, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW YORK FERTILITY CENTER FLUSHING, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Tony Tsai, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	4%	Uterine factor	12%	Multiple Factors: Female factors only <1% Female & male factors 0%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	9%	Male factor	5%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	13%	
				Endometriosis	5%	Unknown factor	27%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 389 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		95	50	47	35	70
Percentage of cancellations before retrieval (%)		4.2	4.0	17.0	8.6	18.6
Number of transfers		62	34	26	22	25
Average number of embryos transferred		2.7	2.9	2.3	3.0	2.6
Percentage of elective single embryo transfers (eSET) (%)		0.0	7.4	0 / 16	0 / 19	0 / 16
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		25.3	24.0	12.8	8.6	2.9
Percentage of cycles resulting in live births (%)		14.7	14.0	2.1	5.7	1.4
Percentage of cycles resulting in singleton live births (%)		10.5	12.0	2.1	5.7	1.4
Percentage of cycles resulting in twin live births (%)		4.2	0.0	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		5.3	6.0	2.1	5.7	0.0
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		15.9	14.0	8.8	4.5	3.1
Percentage of transfers resulting in pregnancies (%)		38.7	35.3	23.1	13.6	8.0
Percentage of transfers resulting in live births (%)		22.6	20.6	3.8	9.1	4.0
Percentage of transfers resulting in singleton live births (%)		16.1	17.6	3.8	9.1	4.0
Percentage of transfers resulting in twin live births (%)		6.5	0.0	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		8.1	8.8	3.8	9.1	0.0
Frozen Embryos from Nondonor Eggs						
Number of cycles		21	15	14	7	11
Number of transfers		18	14	11	7	9
Estimated average number of transfers per retrieval		0.9	1.4	1.1	2.3	0.6
Average number of embryos transferred		2.9	2.9	2.9	2.6	2.6
Percentage of embryos transferred resulting in implantation (%)		15.1	17.1	6.3	0 / 18	0.0
Percentage of transfers resulting in pregnancies (%)		6 / 18	5 / 14	2 / 11	0 / 7	0 / 9
Percentage of transfers resulting in live births (%)		4 / 18	3 / 14	2 / 11	0 / 7	0 / 9
Percentage of transfers resulting in singleton live births (%)		2 / 18	1 / 14	2 / 11	0 / 7	0 / 9
Percentage of transfers resulting in twin live births (%)		2 / 18	2 / 14	0 / 11	0 / 7	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 18	1 / 14	1 / 11	0 / 7	0 / 9
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		0	0	0	0	0
		0	0	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		1	1	16	6	
Number of transfers		1	1	15	6	
Average number of embryos transferred		2.0	1.0	2.5	3.3	
Percentage of embryos transferred resulting in implantation (%)		0 / 2	1 / 1	21.6	5.0	
Percentage of transfers resulting in pregnancies (%)		0 / 1	1 / 1	5 / 15	1 / 6	
Percentage of transfers resulting in live births (%)		0 / 1	1 / 1	3 / 15	0 / 6	
Percentage of transfers resulting in singleton live births (%)		0 / 1	1 / 1	0 / 15	0 / 6	
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1	3 / 15	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	1 / 1	0 / 15	0 / 6	

CURRENT SERVICES & PROFILE		Current Name: The New York Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH HARTSDALE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Harry J. Lieman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	48%	Tubal factor	32%	Uterine factor	14%	Multiple Factors: Female factors only 30% Female & male factors 16%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	15%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	18%	
				Endometriosis	3%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 245
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	19	28	20	15
Percentage of cancellations before retrieval (%)	10.5	2 / 19	10.7	25.0	5 / 15
Number of transfers	23	13	18	8	5
Average number of embryos transferred	1.6	1.8	1.8	2.0	2.4
Percentage of elective single embryo transfers (eSET) (%)	45.5	1 / 11	1 / 15	0 / 5	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	6 / 19	21.4	0.0	1 / 15
Percentage of cycles resulting in live births (%)	31.6	6 / 19	10.7	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	26.3	4 / 19	10.7	0.0	0 / 15
Percentage of cycles resulting in twin live births (%)	5.3	2 / 19	0.0	0.0	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.8	4 / 19	10.7	0.0	0 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.1	39.1	10.7	0 / 16	0 / 10
Percentage of transfers resulting in pregnancies (%)	60.9	6 / 13	6 / 18	0 / 8	1 / 5
Percentage of transfers resulting in live births (%)	52.2	6 / 13	3 / 18	0 / 8	0 / 5
Percentage of transfers resulting in singleton live births (%)	43.5	4 / 13	3 / 18	0 / 8	0 / 5
Percentage of transfers resulting in twin live births (%)	8.7	2 / 13	0 / 18	0 / 8	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	4 / 13	3 / 18	0 / 8	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	13	19	6	6
Number of transfers	27	12	17	5	5
Estimated average number of transfers per retrieval	1.1	1.2	0.9	0.5	0.7
Average number of embryos transferred	1.6	1.4	1.6	2.4	2.2
Percentage of embryos transferred resulting in implantation (%)	52.3	8 / 17	46.2	2 / 10	2 / 11
Percentage of transfers resulting in pregnancies (%)	59.3	8 / 12	12 / 17	3 / 5	2 / 5
Percentage of transfers resulting in live births (%)	51.9	8 / 12	11 / 17	0 / 5	1 / 5
Percentage of transfers resulting in singleton live births (%)	37.0	8 / 12	11 / 17	0 / 5	1 / 5
Percentage of transfers resulting in twin live births (%)	14.8	0 / 12	0 / 17	0 / 5	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.2	5 / 12	10 / 17	0 / 5	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	7	10	4	4
	5	3	4	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	7	0	
Number of transfers	6	0	7	0	
Average number of embryos transferred	1.3		1.6		
Percentage of embryos transferred resulting in implantation (%)	6 / 8		2 / 11		
Percentage of transfers resulting in pregnancies (%)	4 / 6		2 / 7		
Percentage of transfers resulting in live births (%)	3 / 6		1 / 7		
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 6		0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6		0 / 7		

CURRENT SERVICES & PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK REPRODUCTIVE WELLNESS JERICHO, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gregory Zapantis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	91%	Tubal factor	23%	Uterine factor	4%	Multiple Factors: Female factors only 24% Female & male factors 25%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	20%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	22%	
				Endometriosis	9%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 190
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	22	21	15	6	8
Percentage of cancellations before retrieval (%)	0.0	0.0	0 / 15	0 / 6	0 / 8
Number of transfers	20	16	13	5	4
Average number of embryos transferred	1.4	1.5	1.8	1.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	11 / 19	3 / 11	2 / 11	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.9	38.1	5 / 15	1 / 6	1 / 8
Percentage of cycles resulting in live births (%)	31.8	33.3	3 / 15	1 / 6	0 / 8
Percentage of cycles resulting in singleton live births (%)	31.8	28.6	3 / 15	0 / 6	0 / 8
Percentage of cycles resulting in twin live births (%)	0.0	4.8	0 / 15	1 / 6	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.8	28.6	2 / 15	0 / 6	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.1	36.4	18.2	2 / 9	1 / 7
Percentage of transfers resulting in pregnancies (%)	45.0	8 / 16	5 / 13	1 / 5	1 / 4
Percentage of transfers resulting in live births (%)	35.0	7 / 16	3 / 13	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births (%)	35.0	6 / 16	3 / 13	0 / 5	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	1 / 16	0 / 13	1 / 5	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	6 / 16	2 / 13	0 / 5	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	21	16	8	7
Number of transfers	16	21	16	8	7
Estimated average number of transfers per retrieval	0.8	1.4	1.2	1.6	0.6
Average number of embryos transferred	1.7	1.4	1.7	1.5	2.3
Percentage of embryos transferred resulting in implantation (%)	22.2	56.0	37.0	2 / 10	0 / 14
Percentage of transfers resulting in pregnancies (%)	5 / 16	61.9	9 / 16	3 / 8	1 / 7
Percentage of transfers resulting in live births (%)	4 / 16	47.6	6 / 16	2 / 8	0 / 7
Percentage of transfers resulting in singleton live births (%)	3 / 16	33.3	5 / 16	2 / 8	0 / 7
Percentage of transfers resulting in twin live births (%)	1 / 16	14.3	1 / 16	0 / 8	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 16	28.6	5 / 16	2 / 8	0 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	9	11	3	6
	1	1	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	9	
Number of transfers	0	0	0	9	
Average number of embryos transferred				1.3	
Percentage of embryos transferred resulting in implantation (%)				2 / 12	
Percentage of transfers resulting in pregnancies (%)				2 / 9	
Percentage of transfers resulting in live births (%)				2 / 9	
Percentage of transfers resulting in singleton live births (%)				2 / 9	
Percentage of transfers resulting in twin live births (%)				0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				2 / 9	

CURRENT SERVICES & PROFILE

Current Name: New York Reproductive Wellness

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE ALBANY CENTER LOUDONVILLE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Steven Bayer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	33%	Tubal factor	18%	Uterine factor	0%	Multiple Factors: Female factors only 12% Female & male factors 10%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	12%	
				Endometriosis	7%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 293
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	69	35	40	11	4
Percentage of cancellations before retrieval (%)	1.4	5.7	10.0	1 / 11	1 / 4
Number of transfers	57	28	28	4	2
Average number of embryos transferred	1.2	1.5	1.9	1.5	4.0
Percentage of elective single embryo transfers (eSET) (%)	84.1	52.2	9.5	1 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.3	28.6	25.0	1 / 11	0 / 4
Percentage of cycles resulting in live births (%)	24.6	28.6	22.5	0 / 11	0 / 4
Percentage of cycles resulting in singleton live births (%)	24.6	28.6	17.5	0 / 11	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	0.0	5.0	0 / 11	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.3	28.6	10.0	0 / 11	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.8	24.4	26.9	0 / 5	0 / 8
Percentage of transfers resulting in pregnancies (%)	40.4	35.7	35.7	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	29.8	35.7	32.1	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.8	35.7	25.0	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0.0	7.1	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.6	35.7	14.3	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	48	34	13	3	0
Number of transfers	41	31	12	3	0
Estimated average number of transfers per retrieval	1.5	1.9	1.5	0.5	
Average number of embryos transferred	1.3	1.5	1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.4	29.5	4 / 17	1 / 6	
Percentage of transfers resulting in pregnancies (%)	41.5	45.2	4 / 12	1 / 3	
Percentage of transfers resulting in live births (%)	29.3	35.5	4 / 12	1 / 3	
Percentage of transfers resulting in singleton live births (%)	24.4	29.0	4 / 12	1 / 3	
Percentage of transfers resulting in twin live births (%)	4.9	6.5	0 / 12	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.0	22.6	4 / 12	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	4	2	1	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	18	0	
Number of transfers	4	0	14	0	
Average number of embryos transferred	1.3		1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 5		6 / 19		
Percentage of transfers resulting in pregnancies (%)	2 / 4		7 / 14		
Percentage of transfers resulting in live births (%)	2 / 4		4 / 14		
Percentage of transfers resulting in singleton live births (%)	1 / 4		3 / 14		
Percentage of transfers resulting in twin live births (%)	1 / 4		1 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4		3 / 14		

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Albany Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWELL HEALTH FERTILITY MANHASSET, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christine M. Mullin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 8%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	11%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	11%	
				Endometriosis	4%	Unknown factor	23%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,581
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	188	130	104	62	46
Percentage of cancellations before retrieval (%)	10.6	10.0	35.6	33.9	23.9
Number of transfers	125	91	53	28	24
Average number of embryos transferred	1.5	1.8	2.1	2.8	2.8
Percentage of elective single embryo transfers (eSET) (%)	45.6	9.9	7.5	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.5	23.8	13.5	12.9	2.2
Percentage of cycles resulting in live births (%)	22.9	17.7	11.5	8.1	0.0
Percentage of cycles resulting in singleton live births (%)	20.2	12.3	11.5	8.1	0.0
Percentage of cycles resulting in twin live births (%)	2.7	5.4	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.1	10.8	9.6	6.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	27.6	24.1	13.2	10.0	0.0
Percentage of transfers resulting in pregnancies (%)	36.8	34.1	26.4	28.6	4.2
Percentage of transfers resulting in live births (%)	34.4	25.3	22.6	17.9	0.0
Percentage of transfers resulting in singleton live births (%)	30.4	17.6	22.6	17.9	0.0
Percentage of transfers resulting in twin live births (%)	4.0	7.7	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.2	15.4	18.9	14.3	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	238	137	124	46	17
Number of transfers	234	137	117	45	16
Estimated average number of transfers per retrieval	1.2	1.2	0.9	0.7	0.5
Average number of embryos transferred	1.3	1.4	1.4	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	52.9	44.6	36.8	31.3	10 / 18
Percentage of transfers resulting in pregnancies (%)	62.4	54.0	47.9	40.0	13 / 16
Percentage of transfers resulting in live births (%)	50.0	44.5	35.0	33.3	6 / 16
Percentage of transfers resulting in singleton live births (%)	44.0	39.4	30.8	26.7	6 / 16
Percentage of transfers resulting in twin live births (%)	6.0	5.1	4.3	6.7	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.9	32.1	26.5	22.2	4 / 16
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	120	85	101	50	31
	35	29	24	6	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	46	6	49	0	
Number of transfers	37	4	44	0	
Average number of embryos transferred	1.4	1.8	1.4		
Percentage of embryos transferred resulting in implantation (%)	58.1	3 / 7	45.5		
Percentage of transfers resulting in pregnancies (%)	64.9	2 / 4	54.5		
Percentage of transfers resulting in live births (%)	43.2	2 / 4	36.4		
Percentage of transfers resulting in singleton live births (%)	29.7	1 / 4	25.0		
Percentage of transfers resulting in twin live births (%)	13.5	1 / 4	11.4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.3	0 / 4	15.9		

CURRENT SERVICES & PROFILE

Current Name: Northwell Health Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LONG ISLAND IVF MELVILLE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel Kenigsberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	15%	Uterine factor	6%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	1%	PGD/PGS	11%	Ovulatory dysfunction	7%	Male factor	27%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	2%	
				Endometriosis	5%	Unknown factor	31%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,390
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	235	126	109	67	69
Percentage of cancellations before retrieval (%)	5.1	8.7	11.9	11.9	15.9
Number of transfers	194	99	84	55	45
Average number of embryos transferred	1.5	1.5	1.9	2.4	2.4
Percentage of elective single embryo transfers (eSET) (%)	41.4	23.9	14.3	2.4	6.1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.2	31.0	29.4	23.9	10.1
Percentage of cycles resulting in live births (%)	29.8	26.2	20.2	14.9	2.9
Percentage of cycles resulting in singleton live births (%)	22.1	23.8	16.5	11.9	1.4
Percentage of cycles resulting in twin live births (%)	7.7	2.4	3.7	3.0	1.4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	19.1	19.8	12.8	6.0	1.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.9	27.2	23.4	13.4	7.0
Percentage of transfers resulting in pregnancies (%)	43.8	39.4	38.1	29.1	15.6
Percentage of transfers resulting in live births (%)	36.1	33.3	26.2	18.2	4.4
Percentage of transfers resulting in singleton live births (%)	26.8	30.3	21.4	14.5	2.2
Percentage of transfers resulting in twin live births (%)	9.3	3.0	4.8	3.6	2.2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.2	25.3	16.7	7.3	2.2
Frozen Embryos from Nondonor Eggs					
Number of cycles	168	89	105	34	24
Number of transfers	155	78	93	27	22
Estimated average number of transfers per retrieval	1.3	1.0	1.3	0.5	1.0
Average number of embryos transferred	1.5	1.5	1.6	1.9	1.6
Percentage of embryos transferred resulting in implantation (%)	24.8	37.9	23.8	10.4	6.3
Percentage of transfers resulting in pregnancies (%)	34.2	51.3	34.4	18.5	13.6
Percentage of transfers resulting in live births (%)	27.1	42.3	26.9	14.8	4.5
Percentage of transfers resulting in singleton live births (%)	23.2	39.7	23.7	14.8	4.5
Percentage of transfers resulting in twin live births (%)	3.9	2.6	3.2	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.4	33.3	19.4	7.4	4.5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	50	53	56	42	20
	4	8	3	3	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	31	22	66	17	
Number of transfers	28	21	62	16	
Average number of embryos transferred	1.7	1.6	1.5	1.8	
Percentage of embryos transferred resulting in implantation (%)	40.4	26.5	20.2	17.9	
Percentage of transfers resulting in pregnancies (%)	57.1	38.1	27.4	5 / 16	
Percentage of transfers resulting in live births (%)	53.6	33.3	25.8	4 / 16	
Percentage of transfers resulting in singleton live births (%)	42.9	28.6	25.8	4 / 16	
Percentage of transfers resulting in twin live births (%)	10.7	4.8	0.0	0 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	28.6	24.2	3 / 16	

CURRENT SERVICES & PROFILE

Current Name: Long Island IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALISTS OF NEW YORK MINEOLA, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James R. Stelling, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	57%	Tubal factor	16%	Uterine factor	6%	Multiple Factors: Female factors only 9% Female & male factors 17%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	12%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	16%	
				Endometriosis	4%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,551
(includes 10 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	181	116	134	81	116
Percentage of cancellations before retrieval (%)	1.7	10.3	10.4	12.3	11.2
Number of transfers	132	68	72	47	47
Average number of embryos transferred	1.6	1.6	1.8	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	34.9	35.0	9.3	6.3	3.2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.4	25.0	19.4	13.6	5.2
Percentage of cycles resulting in live births (%)	23.8	19.8	16.4	7.4	3.4
Percentage of cycles resulting in singleton live births (%)	19.3	15.5	11.2	7.4	3.4
Percentage of cycles resulting in twin live births (%)	4.4	4.3	5.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.1	11.2	10.4	7.4	2.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.0	30.2	26.8	10.4	4.4
Percentage of transfers resulting in pregnancies (%)	41.7	42.6	36.1	23.4	12.8
Percentage of transfers resulting in live births (%)	32.6	33.8	30.6	12.8	8.5
Percentage of transfers resulting in singleton live births (%)	26.5	26.5	20.8	12.8	8.5
Percentage of transfers resulting in twin live births (%)	6.1	7.4	9.7	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.5	19.1	19.4	12.8	6.4
Frozen Embryos from Nondonor Eggs					
Number of cycles	214	127	115	55	22
Number of transfers	202	118	106	51	20
Estimated average number of transfers per retrieval	1.1	1.2	1.0	0.9	0.4
Average number of embryos transferred	1.5	1.4	1.4	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	41.8	37.0	27.0	25.0	19.2
Percentage of transfers resulting in pregnancies (%)	50.0	45.8	35.8	35.3	25.0
Percentage of transfers resulting in live births (%)	35.1	33.9	31.1	23.5	20.0
Percentage of transfers resulting in singleton live births (%)	24.3	25.4	26.4	21.6	20.0
Percentage of transfers resulting in twin live births (%)	9.9	8.5	4.7	2.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.3	22.0	20.8	17.6	20.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	93	66	73	43	49
	31	19	14	7	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	16	32	0	
Number of transfers	7	15	30	0	
Average number of embryos transferred	1.3	1.3	1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 9	60.0	36.4		
Percentage of transfers resulting in pregnancies (%)	3 / 7	10 / 15	50.0		
Percentage of transfers resulting in live births (%)	3 / 7	7 / 15	30.0		
Percentage of transfers resulting in singleton live births (%)	3 / 7	5 / 15	30.0		
Percentage of transfers resulting in twin live births (%)	0 / 7	2 / 15	0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7	3 / 15	16.7		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialists of New York

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER REPRODUCTIVE MEDICINE MOUNT KISCO, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rachel A. Bennett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	11%	Uterine factor	9%	Multiple Factors: Female factors only 11% Female & male factors 28%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	9%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	7%	
				Endometriosis	2%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 51
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	9	4	1	9	3
Percentage of cancellations before retrieval (%)	0/9	1/4	0/1	4/9	0/3
Number of transfers	7	2	0	5	3
Average number of embryos transferred	1.9	2.0		2.8	4.3
Percentage of elective single embryo transfers (eSET) (%)	1/6	0/2		0/5	0/3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1/9	1/4	0/1	1/9	1/3
Percentage of cycles resulting in live births (%)	0/9	1/4	0/1	1/9	0/3
Percentage of cycles resulting in singleton live births (%)	0/9	0/4	0/1	1/9	0/3
Percentage of cycles resulting in twin live births (%)	0/9	1/4	0/1	0/9	0/3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0/9	0/4	0/1	1/9	0/3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0/11	2/4		1/14	1/13
Percentage of transfers resulting in pregnancies (%)	1/7	1/2		1/5	1/3
Percentage of transfers resulting in live births (%)	0/7	1/2		1/5	0/3
Percentage of transfers resulting in singleton live births (%)	0/7	0/2		1/5	0/3
Percentage of transfers resulting in twin live births (%)	0/7	1/2		0/5	0/3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0/7	0/2		1/5	0/3
Frozen Embryos from Nondonor Eggs					
Number of cycles	7	5	5	2	0
Number of transfers	7	5	4	0	0
Estimated average number of transfers per retrieval	0.9	1.7	2.0	0.0	
Average number of embryos transferred	1.4	1.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	7/10	0/7	1/8		
Percentage of transfers resulting in pregnancies (%)	5/7	0/5	1/4		
Percentage of transfers resulting in live births (%)	5/7	0/5	1/4		
Percentage of transfers resulting in singleton live births (%)	3/7	0/5	1/4		
Percentage of transfers resulting in twin live births (%)	2/7	0/5	0/4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3/7	0/5	1/4		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	1	0	2	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	0	0	
Number of transfers	0	1	0	0	
Average number of embryos transferred		2.0			
Percentage of embryos transferred resulting in implantation (%)		0/2			
Percentage of transfers resulting in pregnancies (%)		0/1			
Percentage of transfers resulting in live births (%)		0/1			
Percentage of transfers resulting in singleton live births (%)		0/1			
Percentage of transfers resulting in twin live births (%)		0/1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0/1			

CURRENT SERVICES & PROFILE

Current Name: Westchester Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY SERVICES, PC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Hugh D. Melnick, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	28%	Uterine factor	6%	Multiple Factors: Female factors only 42% Female & male factors 14%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	0%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	44%	
				Endometriosis	6%	Unknown factor	53%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 44
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	5	1	2	5
Percentage of cancellations before retrieval (%)	0/2	1/5	0/1	0/2	0/5
Number of transfers	2	3	0	1	4
Average number of embryos transferred	1.0	1.3		2.0	1.3
Percentage of elective single embryo transfers (eSET) (%)	2/2	1/2		0/1	0/1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2/2	0/5	0/1	1/2	0/5
Percentage of cycles resulting in live births (%)	1/2	0/5	0/1	0/2	0/5
Percentage of cycles resulting in singleton live births (%)	1/2	0/5	0/1	0/2	0/5
Percentage of cycles resulting in twin live births (%)	0/2	0/5	0/1	0/2	0/5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1/2	0/5	0/1	0/2	0/5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1/1	0/4		1/2	0/5
Percentage of transfers resulting in pregnancies (%)	2/2	0/3		1/1	0/4
Percentage of transfers resulting in live births (%)	1/2	0/3		0/1	0/4
Percentage of transfers resulting in singleton live births (%)	1/2	0/3		0/1	0/4
Percentage of transfers resulting in twin live births (%)	0/2	0/3		0/1	0/4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1/2	0/3		0/1	0/4
Frozen Embryos from Nondonor Eggs					
Number of cycles	8	2	3	1	0
Number of transfers	7	1	2	0	0
Estimated average number of transfers per retrieval	2.3	1.0	0.7	0.0	
Average number of embryos transferred	1.6	1.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	1/9		0/2		
Percentage of transfers resulting in pregnancies (%)	2/7	1/1	0/2		
Percentage of transfers resulting in live births (%)	1/7	0/1	0/2		
Percentage of transfers resulting in singleton live births (%)	1/7	0/1	0/2		
Percentage of transfers resulting in twin live births (%)	0/7	0/1	0/2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1/7	0/1	0/2		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	3	1	0
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	3	1	1	
Number of transfers	0	3	1	1	
Average number of embryos transferred		1.3	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		0/4	1/2		
Percentage of transfers resulting in pregnancies (%)		0/3	1/1	1/1	
Percentage of transfers resulting in live births (%)		0/3	0/1	0/1	
Percentage of transfers resulting in singleton live births (%)		0/3	0/1	0/1	
Percentage of transfers resulting in twin live births (%)		0/3	0/1	0/1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0/3	0/1	0/1	

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Services, PC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BROOKLYN/WESTSIDE FERTILITY CENTER
BROOKLYN FERTILITY CENTER
NEW YORK, NEW YORK**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

CCRM NEW YORK NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Janet M. Choi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	96%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 26% Female & male factors 7%
Unstimulated	0%	PGD/PGS	89%	Ovulatory dysfunction	11%	Male factor	7%	
Used gestational carrier	4%			Diminished ovarian reserve	26%	Other factor	85%	
				Endometriosis	4%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 134
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	2	0	0	1
Percentage of cancellations before retrieval (%)	0 / 2	0 / 2			1 / 1
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in live births (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 2			0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	4	1	2	1
Number of transfers	11	4	1	2	1
Estimated average number of transfers per retrieval	0.4	0.2	0.0	0.1	0.1
Average number of embryos transferred	1.1	1.0	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	4 / 12	3 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 11	2 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in live births (%)	2 / 11	2 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 11	1 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 11	1 / 4	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 11	1 / 4	1 / 1	1 / 2	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	25	29	18	10
	10	12	8	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	2	0	
Number of transfers	1	0	2	0	
Average number of embryos transferred	1.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1		2 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1		2 / 2		
Percentage of transfers resulting in live births (%)	0 / 1		2 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1		2 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		2 / 2		

CURRENT SERVICES & PROFILE

Current Name: CCRM New York

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR HUMAN REPRODUCTION (CHR) NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Norbert Gleicher, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	8%	Uterine factor	12%	Multiple Factors: Female factors only 23% Female & male factors 26%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	5%	Male factor	27%	
Used gestational carrier	4%			Diminished ovarian reserve	91%	Other factor	13%	
				Endometriosis	10%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 607
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	47	34	72	70	190
Percentage of cancellations before retrieval (%)	17.0	5.9	29.2	18.6	17.4
Number of transfers	33	26	31	43	105
Average number of embryos transferred	1.7	1.9	2.6	2.5	2.4
Percentage of elective single embryo transfers (eSET) (%)	14.8	1 / 19	0.0	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.0	8.8	8.3	11.4	4.2
Percentage of cycles resulting in live births (%)	14.9	8.8	5.6	5.7	2.6
Percentage of cycles resulting in singleton live births (%)	12.8	5.9	5.6	5.7	2.6
Percentage of cycles resulting in twin live births (%)	2.1	2.9	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	10.6	2.9	5.6	5.7	1.1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	14.5	8.2	7.3	5.3	2.8
Percentage of transfers resulting in pregnancies (%)	24.2	11.5	19.4	18.6	7.6
Percentage of transfers resulting in live births (%)	21.2	11.5	12.9	9.3	4.8
Percentage of transfers resulting in singleton live births (%)	18.2	7.7	12.9	9.3	4.8
Percentage of transfers resulting in twin live births (%)	3.0	3.8	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.2	3.8	12.9	9.3	1.9
Frozen Embryos from Nondonor Eggs					
Number of cycles	19	19	6	8	9
Number of transfers	19	19	6	7	7
Estimated average number of transfers per retrieval	1.1	3.2	0.8	1.0	0.5
Average number of embryos transferred	2.0	2.1	2.0	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)	26.5	12.8	3 / 12	3 / 16	9.5
Percentage of transfers resulting in pregnancies (%)	9 / 19	4 / 19	3 / 6	3 / 7	2 / 7
Percentage of transfers resulting in live births (%)	7 / 19	4 / 19	2 / 6	3 / 7	2 / 7
Percentage of transfers resulting in singleton live births (%)	5 / 19	3 / 19	2 / 6	3 / 7	2 / 7
Percentage of transfers resulting in twin live births (%)	2 / 19	1 / 19	0 / 6	0 / 7	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 19	3 / 19	2 / 6	3 / 7	2 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	4	5	4	11
	2	4	3	1	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	50	5	49	0	
Number of transfers	46	4	45	0	
Average number of embryos transferred	1.7	2.0	1.8		
Percentage of embryos transferred resulting in implantation (%)	46.1	2 / 8	24.7		
Percentage of transfers resulting in pregnancies (%)	63.0	1 / 4	37.8		
Percentage of transfers resulting in live births (%)	58.7	1 / 4	31.1		
Percentage of transfers resulting in singleton live births (%)	45.7	0 / 4	24.4		
Percentage of transfers resulting in twin live births (%)	13.0	1 / 4	6.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.0	0 / 4	17.8		

CURRENT SERVICES & PROFILE

Current Name: Center for Human Reproduction (CHR)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHELSEA FERTILITY NYC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul Gindoff, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 2% Female & male factors 18%
Unstimulated	2%	PGD/PGS	18%	Ovulatory dysfunction	28%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	9%	
				Endometriosis	2%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 195
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	6	12	6	5
Percentage of cancellations before retrieval (%)	0 / 18	0 / 6	1 / 12	2 / 6	0 / 5
Number of transfers	13	2	9	2	4
Average number of embryos transferred	1.5	1.5	2.6	3.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	6 / 13	1 / 2	0 / 7	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 18	1 / 6	4 / 12	0 / 6	0 / 5
Percentage of cycles resulting in live births (%)	8 / 18	1 / 6	3 / 12	0 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	7 / 18	1 / 6	3 / 12	0 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	1 / 18	0 / 6	0 / 12	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	7 / 18	0 / 6	3 / 12	0 / 6	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.0	1 / 3	17.4	0 / 6	0 / 9
Percentage of transfers resulting in pregnancies (%)	8 / 13	1 / 2	4 / 9	0 / 2	0 / 4
Percentage of transfers resulting in live births (%)	8 / 13	1 / 2	3 / 9	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	7 / 13	1 / 2	3 / 9	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 2	0 / 9	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 13	0 / 2	3 / 9	0 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	20	12	4	6	0
Number of transfers	20	12	4	5	0
Estimated average number of transfers per retrieval	0.7	0.4	0.1	0.5	0.0
Average number of embryos transferred	1.4	1.2	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	32.0	5 / 13	1 / 5	2 / 5	
Percentage of transfers resulting in pregnancies (%)	45.0	6 / 12	1 / 4	2 / 5	
Percentage of transfers resulting in live births (%)	35.0	5 / 12	1 / 4	2 / 5	
Percentage of transfers resulting in singleton live births (%)	35.0	5 / 12	1 / 4	2 / 5	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	0 / 4	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	5 / 12	0 / 4	1 / 5	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	27	31	10	3
	6	17	16	5	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	5	7	0	
Number of transfers	2	4	7	0	
Average number of embryos transferred	1.5	1.8	1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 3	4 / 7	3 / 11		
Percentage of transfers resulting in pregnancies (%)	1 / 2	4 / 4	2 / 7		
Percentage of transfers resulting in live births (%)	1 / 2	4 / 4	2 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 2	4 / 4	1 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 4	1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	3 / 4	1 / 7		

CURRENT SERVICES & PROFILE

Current Name: Chelsea Fertility NYC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eric J. Forman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	57%	Tubal factor	14%	Uterine factor	9%	Multiple Factors: Female factors only 22% Female & male factors 40%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	26%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	30%	
				Endometriosis	6%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,434
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	133	171	99	81
Percentage of cancellations before retrieval (%)	9.6	13.5	25.7	24.2	43.2
Number of transfers	82	83	72	32	22
Average number of embryos transferred	1.2	1.4	1.7	1.8	1.6
Percentage of elective single embryo transfers (eSET) (%)	71.0	40.0	8.9	8.3	0 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.2	23.3	15.2	7.1	2.5
Percentage of cycles resulting in live births (%)	19.1	15.0	11.1	4.0	0.0
Percentage of cycles resulting in singleton live births (%)	18.3	14.3	9.9	4.0	0.0
Percentage of cycles resulting in twin live births (%)	0.9	0.8	1.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.3	11.3	8.2	4.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.1	27.4	21.2	12.3	2.9
Percentage of transfers resulting in pregnancies (%)	35.4	37.3	36.1	21.9	9.1
Percentage of transfers resulting in live births (%)	26.8	24.1	26.4	12.5	0.0
Percentage of transfers resulting in singleton live births (%)	25.6	22.9	23.6	12.5	0.0
Percentage of transfers resulting in twin live births (%)	1.2	1.2	2.8	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.9	18.1	19.4	12.5	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	108	83	79	38	14
Number of transfers	103	80	72	36	13
Estimated average number of transfers per retrieval	0.9	0.7	0.6	0.5	0.3
Average number of embryos transferred	1.3	1.3	1.3	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	39.0	34.7	31.0	37.8	3 / 19
Percentage of transfers resulting in pregnancies (%)	46.6	46.3	38.9	55.6	4 / 13
Percentage of transfers resulting in live births (%)	38.8	28.8	27.8	41.7	3 / 13
Percentage of transfers resulting in singleton live births (%)	35.9	26.3	26.4	41.7	3 / 13
Percentage of transfers resulting in twin live births (%)	2.9	2.5	1.4	0.0	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.0	22.5	20.8	33.3	3 / 13
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	86	94	107	60	36
	16	22	15	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	30	0	73	24	
Number of transfers	27	0	61	23	
Average number of embryos transferred	1.4		1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	45.7		33.3	21.9	
Percentage of transfers resulting in pregnancies (%)	55.6		41.0	26.1	
Percentage of transfers resulting in live births (%)	37.0		34.4	21.7	
Percentage of transfers resulting in singleton live births (%)	29.6		32.8	21.7	
Percentage of transfers resulting in twin live births (%)	7.4		1.6	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.6		29.5	17.4	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Columbia University Center for Women's Reproductive Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIBERA MEDICAL, PLLC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Drew V. Tortoriello, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	5%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 11%
Unstimulated	6%	PGD/PGS	14%	Ovulatory dysfunction	9%	Male factor	21%	
Used gestational carrier	<1%			Diminished ovarian reserve	39%	Other factor	29%	
				Endometriosis	6%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,072
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	72	97	64	62
Percentage of cancellations before retrieval (%)	13.8	11.1	23.7	25.0	41.9
Number of transfers	67	55	55	37	20
Average number of embryos transferred	1.5	1.7	2.0	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	49.1	34.0	9.1	3.6	2 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.1	37.5	25.8	7.8	1.6
Percentage of cycles resulting in live births (%)	29.9	29.2	13.4	7.8	1.6
Percentage of cycles resulting in singleton live births (%)	29.9	27.8	13.4	7.8	1.6
Percentage of cycles resulting in twin live births (%)	0.0	1.4	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.6	23.6	11.3	6.3	1.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.0	31.4	21.9	8.0	2.5
Percentage of transfers resulting in pregnancies (%)	50.7	49.1	45.5	13.5	5.0
Percentage of transfers resulting in live births (%)	38.8	38.2	23.6	13.5	5.0
Percentage of transfers resulting in singleton live births (%)	38.8	36.4	23.6	13.5	5.0
Percentage of transfers resulting in twin live births (%)	0.0	1.8	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.8	30.9	20.0	10.8	5.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	107	100	68	26	17
Number of transfers	93	85	58	22	14
Estimated average number of transfers per retrieval	0.8	0.8	0.6	0.4	0.5
Average number of embryos transferred	1.5	1.4	1.3	1.5	2.1
Percentage of embryos transferred resulting in implantation (%)	33.3	32.7	30.4	9.7	3.4
Percentage of transfers resulting in pregnancies (%)	47.3	44.7	44.8	18.2	1 / 14
Percentage of transfers resulting in live births (%)	34.4	28.2	20.7	9.1	1 / 14
Percentage of transfers resulting in singleton live births (%)	33.3	28.2	20.7	9.1	1 / 14
Percentage of transfers resulting in twin live births (%)	1.1	0.0	0.0	0.0	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.8	23.5	13.8	9.1	0 / 14
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	88	87	89	51	25
	6	8	10	2	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	19	0	9	1	
Number of transfers	15	0	9	1	
Average number of embryos transferred	1.5		1.1	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.2		1 / 10	0 / 2	
Percentage of transfers resulting in pregnancies (%)	10 / 15		1 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	5 / 15		1 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 15		1 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 15		0 / 9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 15		1 / 9	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Libera Medical, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ANDREW LOUCOPOULOS, MD, PHD NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Andrew L. Loucopoulos, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	96%	Tubal factor	4%	Uterine factor	0%	Multiple Factors: Female factors only 52% Female & male factors 20%
Unstimulated		PGD/PGS	32%	Ovulatory dysfunction	8%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	56%	Other factor	88%	
				Endometriosis	0%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 57
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	3	4	5	2
Number of transfers	9	3	4	5	2
Estimated average number of transfers per retrieval	0.9	0.4	0.4	1.3	1.0
Average number of embryos transferred	1.2	1.3	1.3	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	6 / 11	0 / 4	1 / 5	0 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	5 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 3	0 / 4	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	8	9	3	2
	1	2	2	0	1
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	2	0	
Number of transfers	0	0	2	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			2 / 2		
Percentage of transfers resulting in pregnancies (%)			2 / 2		
Percentage of transfers resulting in live births (%)			1 / 2		
Percentage of transfers resulting in singleton live births (%)			1 / 2		
Percentage of transfers resulting in twin live births (%)			0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Andrew Loucopoulos, MD, PhD

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MANHATTAN REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Hanna Jesionowska, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	36%	Uterine factor	10%	Multiple Factors: Female factors only 36% Female & male factors 61%
Unstimulated	24%	PGD/PGS	7%	Ovulatory dysfunction	0%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	84%	Other factor	58%	
				Endometriosis	23%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 31
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	5	3	11	0	3
Percentage of cancellations before retrieval (%)	1 / 5	0 / 3	1 / 11		1 / 3
Number of transfers	4	3	10	0	2
Average number of embryos transferred	1.8	2.0	2.4		2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 10		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4 / 5	1 / 3	5 / 11		0 / 3
Percentage of cycles resulting in live births (%)	2 / 5	1 / 3	5 / 11		0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 5	1 / 3	4 / 11		0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 5	0 / 3	1 / 11		0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 5	1 / 3	3 / 11		0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 7	1 / 6	25.0		0 / 4
Percentage of transfers resulting in pregnancies (%)	4 / 4	1 / 3	5 / 10		0 / 2
Percentage of transfers resulting in live births (%)	2 / 4	1 / 3	5 / 10		0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 4	1 / 3	4 / 10		0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 4	0 / 3	1 / 10		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	1 / 3	3 / 10		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	1	0	0
Number of transfers	0	0	1	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			0 / 1		
Percentage of transfers resulting in pregnancies (%)			0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	1	0	
Number of transfers	6	0	1	0	
Average number of embryos transferred	2.3		2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 14		1 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 6		1 / 1		
Percentage of transfers resulting in live births (%)	4 / 6		1 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 6		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 6		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6		1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Manhattan Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROPOLITAN REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Susan Lobel, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	15%	Uterine factor	10%	Multiple Factors: Female factors only 15% Female & male factors 32%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	29%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	10%	
				Endometriosis	0%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 63
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	5	4	0	4
Percentage of cancellations before retrieval (%)	0 / 3	0 / 5	0 / 4		0 / 4
Number of transfers	2	5	3	0	4
Average number of embryos transferred	2.0	1.2	4.3		2.3
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	2 / 3	0 / 3		0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3	1 / 5	2 / 4		0 / 4
Percentage of cycles resulting in live births (%)	2 / 3	1 / 5	2 / 4		0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 3	1 / 5	1 / 4		0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 5	1 / 4		0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 3	1 / 5	1 / 4		0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 6	3 / 13		0 / 9
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 5	2 / 3		0 / 4
Percentage of transfers resulting in live births (%)	2 / 2	1 / 5	2 / 3		0 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 5	1 / 3		0 / 4
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 5	1 / 3		0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	1 / 5	1 / 3		0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	8	8	1	0	0
Number of transfers	8	8	1	0	0
Estimated average number of transfers per retrieval	1.0	1.0	0.3		0.0
Average number of embryos transferred	1.1	1.6	1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 9	4 / 13	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 8	3 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 8	3 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 8	2 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 8	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 8	2 / 8	0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	5	3	0	7
	4	4	2	0	7
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	4	1	
Number of transfers	1	0	4	1	
Average number of embryos transferred	1.0		1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 1		2 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1		2 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1		1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 4	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Metropolitan Reproductive Medicine, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW HOPE FERTILITY CENTER NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John Zhang, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	46%	Tubal factor	13%	Uterine factor	4%	Multiple Factors: Female factors only 24% Female & male factors 7%
Unstimulated	17%	PGD/PGS	25%	Ovulatory dysfunction	13%	Male factor	11%	
Used gestational carrier	3%			Diminished ovarian reserve	72%	Other factor	9%	
				Endometriosis	3%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 4,123
(includes 15 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	103	80	185	203	366
Percentage of cancellations before retrieval (%)	4.9	6.3	10.8	7.4	12.6
Number of transfers	40	19	13	13	46
Average number of embryos transferred	1.4	1.5	1.3	1.6	1.7
Percentage of elective single embryo transfers (eSET) (%)	42.3	4 / 14	2 / 6	2 / 8	4.3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.5	5.0	2.7	0.5	0.3
Percentage of cycles resulting in live births (%)	14.6	3.8	2.2	0.0	0.3
Percentage of cycles resulting in singleton live births (%)	12.6	3.8	2.2	0.0	0.3
Percentage of cycles resulting in twin live births (%)	1.9	0.0	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.7	1.3	1.6	0.0	0.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.0	18.5	6 / 16	4.8	1.3
Percentage of transfers resulting in pregnancies (%)	45.0	4 / 19	5 / 13	1 / 13	2.2
Percentage of transfers resulting in live births (%)	37.5	3 / 19	4 / 13	0 / 13	2.2
Percentage of transfers resulting in singleton live births (%)	32.5	3 / 19	4 / 13	0 / 13	2.2
Percentage of transfers resulting in twin live births (%)	5.0	0 / 19	0 / 13	0 / 13	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.5	1 / 19	3 / 13	0 / 13	2.2
Frozen Embryos from Nondonor Eggs					
Number of cycles	212	147	194	123	259
Number of transfers	206	143	192	122	246
Estimated average number of transfers per retrieval	0.8	0.6	0.4	0.4	0.2
Average number of embryos transferred	1.3	1.3	1.2	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	63.8	55.8	52.3	32.1	14.2
Percentage of transfers resulting in pregnancies (%)	70.9	60.8	56.3	44.3	20.3
Percentage of transfers resulting in live births (%)	58.3	52.4	45.3	34.4	13.4
Percentage of transfers resulting in singleton live births (%)	46.6	44.1	39.6	32.0	12.6
Percentage of transfers resulting in twin live births (%)	11.2	8.4	5.2	2.5	0.8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.7	39.2	32.8	27.0	9.8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	257	238	395	292	910
	44	60	101	71	231
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	19	121	3	
Number of transfers	1	9	119	3	
Average number of embryos transferred	1.0	1.7	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	1 / 1	3 / 15	56.4	2 / 4	
Percentage of transfers resulting in pregnancies (%)	1 / 1	3 / 9	61.3	1 / 3	
Percentage of transfers resulting in live births (%)	1 / 1	3 / 9	49.6	1 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 1	3 / 9	43.7	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 9	5.9	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	2 / 9	33.6	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: New Hope Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY INSTITUTE NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Majid Fateh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	2%	Uterine factor	15%	Multiple Factors: Female factors only 20% Female & male factors 5%
Unstimulated	0%	PGD/PGS	61%	Ovulatory dysfunction	13%	Male factor	7%	
Used gestational carrier	16%			Diminished ovarian reserve	12%	Other factor	66%	
				Endometriosis	10%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 128
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	3	2	1
Percentage of cancellations before retrieval (%)		0 / 1	1 / 3	0 / 2	0 / 1
Number of transfers	0	1	2	2	0
Average number of embryos transferred		4.0	3.0	4.0	
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 2	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		1 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)		1 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)		1 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		1 / 1	0 / 3	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		1 / 4	0 / 6	0 / 8	
Percentage of transfers resulting in pregnancies (%)		1 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)		1 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)		1 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 1	0 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	4	11	2	4
Number of transfers	24	4	10	2	2
Estimated average number of transfers per retrieval	1.1	0.3	0.5		0.2
Average number of embryos transferred	1.5	1.3	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	14.7	1 / 5	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	29.2	1 / 4	4 / 10	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)	16.7	1 / 4	3 / 10	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	16.7	1 / 4	3 / 10	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 4	0 / 10	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	16.7	1 / 4	3 / 10	0 / 2	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	15	17	0	13
	1	1	1	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	7	0	
Number of transfers	0	0	5	0	
Average number of embryos transferred			1.2		
Percentage of embryos transferred resulting in implantation (%)			3 / 5		
Percentage of transfers resulting in pregnancies (%)			4 / 5		
Percentage of transfers resulting in live births (%)			2 / 5		
Percentage of transfers resulting in singleton live births (%)			2 / 5		
Percentage of transfers resulting in twin live births (%)			0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			2 / 5		

CURRENT SERVICES & PROFILE

Current Name: New York Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY SERVICES, PC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Joel H. Batzofin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	87%	Tubal factor	8%	Uterine factor	13%	Multiple Factors: Female factors only 10% Female & male factors 6%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	12%	Male factor	13%	
Used gestational carrier	2%			Diminished ovarian reserve	40%	Other factor	24%	
				Endometriosis	2%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 177
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	22	14	8	6
Percentage of cancellations before retrieval (%)	0.0	0.0	0 / 14	1 / 8	1 / 6
Number of transfers	17	15	9	3	4
Average number of embryos transferred	1.6	2.1	2.1	1.7	1.8
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	1 / 14	1 / 8	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.0	9.1	2 / 14	1 / 8	0 / 6
Percentage of cycles resulting in live births (%)	15.0	4.5	1 / 14	0 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	15.0	0.0	1 / 14	0 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0 / 14	0 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	5.0	0.0	0 / 14	0 / 8	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11.5	12.9	1 / 18	0 / 3	0 / 7
Percentage of transfers resulting in pregnancies (%)	4 / 17	2 / 15	2 / 9	1 / 3	0 / 4
Percentage of transfers resulting in live births (%)	3 / 17	1 / 15	1 / 9	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	3 / 17	0 / 15	1 / 9	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 17	0 / 15	0 / 9	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 17	0 / 15	0 / 9	0 / 3	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	12	8	2	0
Number of transfers	9	12	8	1	0
Estimated average number of transfers per retrieval	0.8	0.8	0.3	0.3	0.0
Average number of embryos transferred	1.7	1.9	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 12	1 / 18	1 / 12	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 9	3 / 12	3 / 8	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 9	1 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 9	1 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 12	0 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 9	1 / 12	0 / 8	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	7	20	3	2
	5	3	11	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	16	12	1	
Number of transfers	4	13	12	1	
Average number of embryos transferred	1.8	1.5	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 7	3 / 18	4.5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 4	3 / 13	1 / 12	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 4	2 / 13	1 / 12	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 13	1 / 12	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 13	0 / 12	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	1 / 13	0 / 12	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: New York Fertility Services, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NEW YORK REPRODUCTIVE MEDICAL SERVICES, PC
NEW YORK, NEW YORK**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

NEWAY MEDICAL NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ralf Zimmermann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	2%	Uterine factor	1%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	17%	PGD/PGS	7%	Ovulatory dysfunction	10%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	15%	
				Endometriosis	2%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 887
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	106	71	51	59	118
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	1.7	0.8
Number of transfers	76	40	29	27	33
Average number of embryos transferred	1.4	1.5	1.6	1.6	1.9
Percentage of elective single embryo transfers (eSET) (%)	52.4	31.0	3 / 18	0 / 15	0 / 16
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.1	25.4	27.5	6.8	3.4
Percentage of cycles resulting in live births (%)	26.4	21.1	19.6	3.4	0.0
Percentage of cycles resulting in singleton live births (%)	23.6	15.5	15.7	3.4	0.0
Percentage of cycles resulting in twin live births (%)	2.8	5.6	3.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.7	15.5	11.8	3.4	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.7	36.1	39.1	9.1	4.9
Percentage of transfers resulting in pregnancies (%)	44.7	45.0	48.3	14.8	12.1
Percentage of transfers resulting in live births (%)	36.8	37.5	34.5	7.4	0.0
Percentage of transfers resulting in singleton live births (%)	32.9	27.5	27.6	7.4	0.0
Percentage of transfers resulting in twin live births (%)	3.9	10.0	6.9	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.3	27.5	20.7	7.4	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	66	42	34	23	30
Number of transfers	66	42	34	23	30
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.5	0.3
Average number of embryos transferred	1.5	1.5	1.5	1.7	2.2
Percentage of embryos transferred resulting in implantation (%)	42.6	33.3	33.3	21.1	9.1
Percentage of transfers resulting in pregnancies (%)	53.0	52.4	44.1	34.8	16.7
Percentage of transfers resulting in live births (%)	45.5	38.1	38.2	4.3	6.7
Percentage of transfers resulting in singleton live births (%)	39.4	38.1	32.4	4.3	6.7
Percentage of transfers resulting in twin live births (%)	6.1	0.0	5.9	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	33.3	32.4	4.3	3.3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	44	41	57	39	87
	10	12	9	4	17
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	6	6	0	
Number of transfers	5	6	6	0	
Average number of embryos transferred	1.2	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 6	6 / 8	2 / 6		
Percentage of transfers resulting in pregnancies (%)	4 / 5	5 / 6	2 / 6		
Percentage of transfers resulting in live births (%)	3 / 5	5 / 6	2 / 6		
Percentage of transfers resulting in singleton live births (%)	3 / 5	4 / 6	2 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 6	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 5	3 / 6	2 / 6		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Neway Medical

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOBLE FERTILITY CENTER NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter L. Chang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	53%	Tubal factor	22%	Uterine factor	6%	Multiple Factors: Female factors only 7% Female & male factors 8%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	4%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	<1%	
				Endometriosis	3%	Unknown factor	25%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 240
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	57	22	26	13	7
Percentage of cancellations before retrieval (%)	17.5	4.5	11.5	2 / 13	2 / 7
Number of transfers	22	16	13	5	3
Average number of embryos transferred	1.9	2.1	2.5	4.8	4.7
Percentage of elective single embryo transfers (eSET) (%)	5.0	2 / 16	1 / 12	0 / 5	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	15.8	4.5	7.7	0 / 13	1 / 7
Percentage of cycles resulting in live births (%)	15.8	4.5	3.8	0 / 13	1 / 7
Percentage of cycles resulting in singleton live births (%)	12.3	4.5	3.8	0 / 13	1 / 7
Percentage of cycles resulting in twin live births (%)	3.5	0.0	0.0	0 / 13	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	10.5	4.5	3.8	0 / 13	1 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.8	3.0	6.3	0.0	1 / 14
Percentage of transfers resulting in pregnancies (%)	40.9	1 / 16	2 / 13	0 / 5	1 / 3
Percentage of transfers resulting in live births (%)	40.9	1 / 16	1 / 13	0 / 5	1 / 3
Percentage of transfers resulting in singleton live births (%)	31.8	1 / 16	1 / 13	0 / 5	1 / 3
Percentage of transfers resulting in twin live births (%)	9.1	0 / 16	0 / 13	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.3	1 / 16	1 / 13	0 / 5	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	45	12	16	7	6
Number of transfers	45	12	16	7	6
Estimated average number of transfers per retrieval	1.6	0.9	1.2	1.0	
Average number of embryos transferred	1.9	2.5	2.8	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	34.1	26.7	22.2	14.3	2 / 18
Percentage of transfers resulting in pregnancies (%)	51.1	8 / 12	8 / 16	4 / 7	1 / 6
Percentage of transfers resulting in live births (%)	44.4	6 / 12	8 / 16	3 / 7	1 / 6
Percentage of transfers resulting in singleton live births (%)	33.3	6 / 12	6 / 16	3 / 7	0 / 6
Percentage of transfers resulting in twin live births (%)	11.1	0 / 12	2 / 16	0 / 7	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.1	6 / 12	5 / 16	2 / 7	0 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	3	3	4	0
	0	3	3	4	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	0	8	0	
Number of transfers	8	0	8	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 16		9 / 16		
Percentage of transfers resulting in pregnancies (%)	6 / 8		7 / 8		
Percentage of transfers resulting in live births (%)	4 / 8		6 / 8		
Percentage of transfers resulting in singleton live births (%)	1 / 8		5 / 8		
Percentage of transfers resulting in twin live births (%)	3 / 8		1 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8		4 / 8		

CURRENT SERVICES & PROFILE

Current Name: Noble Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NYU LANGONE FERTILITY CENTER NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James A. Grifo, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	27%	Tubal factor	6%	Uterine factor	4%	Multiple Factors: Female factors only 11% Female & male factors 5%
Unstimulated	<1%	PGD/PGS	45%	Ovulatory dysfunction	10%	Male factor	12%	
Used gestational carrier	<1%			Diminished ovarian reserve	35%	Other factor	16%	
				Endometriosis	4%	Unknown factor	31%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,944
(includes 22 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	92	70	120	83	69
Percentage of cancellations before retrieval (%)	14.1	22.9	35.8	53.0	31.9
Number of transfers	56	31	53	18	19
Average number of embryos transferred	1.3	1.4	1.7	1.8	2.5
Percentage of elective single embryo transfers (eSET) (%)	63.3	50.0	28.3	0 / 12	0 / 16
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	24.3	12.5	6.0	5.8
Percentage of cycles resulting in live births (%)	28.3	18.6	5.8	3.6	5.8
Percentage of cycles resulting in singleton live births (%)	26.1	17.1	5.8	3.6	5.8
Percentage of cycles resulting in twin live births (%)	2.2	1.4	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.8	11.4	3.3	3.6	4.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.6	39.5	13.3	12.9	8.5
Percentage of transfers resulting in pregnancies (%)	58.9	54.8	28.3	5 / 18	4 / 19
Percentage of transfers resulting in live births (%)	46.4	41.9	13.2	3 / 18	4 / 19
Percentage of transfers resulting in singleton live births (%)	42.9	38.7	13.2	3 / 18	4 / 19
Percentage of transfers resulting in twin live births (%)	3.6	3.2	0.0	0 / 18	0 / 19
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.5	25.8	7.5	3 / 18	3 / 19
Frozen Embryos from Nondonor Eggs					
Number of cycles	238	178	249	86	67
Number of transfers	220	166	224	77	60
Estimated average number of transfers per retrieval	0.6	0.4	0.5	0.4	0.5
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	61.3	62.5	62.2	67.5	39.1
Percentage of transfers resulting in pregnancies (%)	66.4	66.9	68.3	70.1	48.3
Percentage of transfers resulting in live births (%)	55.0	56.0	58.9	58.4	40.0
Percentage of transfers resulting in singleton live births (%)	54.5	55.4	58.5	55.8	40.0
Percentage of transfers resulting in twin live births (%)	0.5	0.6	0.4	1.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.1	47.6	52.2	45.5	28.3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	341	419	418	195	115
	180	269	190	64	23
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	38	130	0	
Number of transfers	8	34	119	0	
Average number of embryos transferred	1.0	1.1	1.1		
Percentage of embryos transferred resulting in implantation (%)	5 / 7	52.6	52.8		
Percentage of transfers resulting in pregnancies (%)	6 / 8	55.9	55.5		
Percentage of transfers resulting in live births (%)	5 / 8	47.1	49.6		
Percentage of transfers resulting in singleton live births (%)	5 / 8	44.1	47.9		
Percentage of transfers resulting in twin live births (%)	0 / 8	2.9	1.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 8	32.4	31.1		

CURRENT SERVICES & PROFILE

Current Name: NYU Langone Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Cecilia Schmidt-Sarosi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	26%	Tubal factor	9%	Uterine factor	6%	Multiple Factors: Female factors only 15% Female & male factors 68%
Unstimulated	5%	PGD/PGS	49%	Ovulatory dysfunction	49%	Male factor	69%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	40%	
				Endometriosis	3%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 121
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	8	5	1	3
Percentage of cancellations before retrieval (%)	0 / 3	0 / 8	0 / 5	0 / 1	1 / 3
Number of transfers	0	2	1	1	0
Average number of embryos transferred		1.5	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 3	2 / 8	0 / 5	1 / 1	0 / 3
Percentage of cycles resulting in live births (%)	0 / 3	1 / 8	0 / 5	1 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 3	1 / 8	0 / 5	1 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 8	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 8	0 / 5	1 / 1	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		3 / 3	0 / 2	2 / 2	
Percentage of transfers resulting in pregnancies (%)		2 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in live births (%)		1 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 2	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	16	2	4	2
Number of transfers	13	16	2	4	2
Estimated average number of transfers per retrieval	0.8	0.7	0.2	0.5	0.3
Average number of embryos transferred	1.1	1.1	1.5	1.0	2.5
Percentage of embryos transferred resulting in implantation (%)	6 / 14	2 / 16	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in pregnancies (%)	5 / 13	3 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	4 / 13	2 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 13	2 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13	1 / 16	0 / 2	0 / 4	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	15	18	9	8	6
	15	16	7	8	6
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	3	4	0	
Number of transfers	0	3	4	0	
Average number of embryos transferred		1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)		1 / 3	3 / 6		
Percentage of transfers resulting in pregnancies (%)		1 / 3	2 / 4		
Percentage of transfers resulting in live births (%)		1 / 3	2 / 4		
Percentage of transfers resulting in singleton live births (%)		1 / 3	2 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 3	1 / 4		

CURRENT SERVICES & PROFILE

Current Name: Offices for Fertility and Reproductive Medicine, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lawrence Grunfeld, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	9%	Uterine factor	1%	Multiple Factors: Female factors only 7% Female & male factors 8%
Unstimulated	0%	PGD/PGS	43%	Ovulatory dysfunction	9%	Male factor	22%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	23%	
				Endometriosis	4%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 4,862
(includes 27 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	322	188	234	173	181
Percentage of cancellations before retrieval (%)	11.2	12.2	20.1	24.3	30.9
Number of transfers	229	105	104	57	43
Average number of embryos transferred	1.3	1.6	1.7	2.1	1.9
Percentage of elective single embryo transfers (eSET) (%)	61.8	26.7	8.9	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.9	31.4	19.2	8.1	2.8
Percentage of cycles resulting in live births (%)	37.3	28.2	12.4	5.2	0.0
Percentage of cycles resulting in singleton live births (%)	34.2	22.9	11.1	4.0	0.0
Percentage of cycles resulting in twin live births (%)	3.1	5.3	1.3	1.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.5	17.0	9.0	3.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.9	39.9	22.1	11.7	0.0
Percentage of transfers resulting in pregnancies (%)	60.3	56.2	43.3	24.6	11.6
Percentage of transfers resulting in live births (%)	52.4	50.5	27.9	15.8	0.0
Percentage of transfers resulting in singleton live births (%)	48.0	41.0	25.0	12.3	0.0
Percentage of transfers resulting in twin live births (%)	4.4	9.5	2.9	3.5	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.8	30.5	20.2	10.5	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	624	452	417	161	52
Number of transfers	588	429	388	134	41
Estimated average number of transfers per retrieval	1.1	0.8	0.8	0.5	0.4
Average number of embryos transferred	1.1	1.1	1.1	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	55.2	50.6	44.2	43.2	37.2
Percentage of transfers resulting in pregnancies (%)	62.1	58.3	52.3	50.7	51.2
Percentage of transfers resulting in live births (%)	52.0	45.9	39.9	39.6	34.1
Percentage of transfers resulting in singleton live births (%)	49.1	43.6	37.9	35.8	31.7
Percentage of transfers resulting in twin live births (%)	2.9	2.1	2.1	3.0	2.4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.2	34.0	29.1	29.1	24.4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	442	487	459	216	105
	74	159	101	32	14
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	84	25	212	1	
Number of transfers	75	22	190	1	
Average number of embryos transferred	1.2	1.3	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	62.5	60.0	43.9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	69.3	63.6	50.5	0 / 1	
Percentage of transfers resulting in live births (%)	58.7	45.5	40.5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	53.3	27.3	37.9	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.3	18.2	2.6	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.7	18.2	27.9	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New York, LLP

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEILL CORNELL MEDICINE CENTER FOR REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Zev Rosenwaks, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	70%	Tubal factor	14%	Uterine factor	6%	Multiple Factors: Female factors only 17% Female & male factors 18%
Unstimulated	1%	PGD/PGS	11%	Ovulatory dysfunction	7%	Male factor	30%	
Used gestational carrier	<1%			Diminished ovarian reserve	62%	Other factor	9%	
				Endometriosis	7%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 5,289
(includes 40 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	670	469	564	408	420
Percentage of cancellations before retrieval (%)	8.7	15.4	17.0	19.9	25.2
Number of transfers	539	369	418	295	274
Average number of embryos transferred	1.6	1.9	2.3	2.8	3.1
Percentage of elective single embryo transfers (eSET) (%)	41.7	21.0	7.2	3.6	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.7	35.8	28.0	20.6	10.2
Percentage of cycles resulting in live births (%)	35.7	30.5	21.5	13.5	3.1
Percentage of cycles resulting in singleton live births (%)	30.4	24.1	17.2	11.3	3.1
Percentage of cycles resulting in twin live births (%)	5.1	6.4	3.9	2.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.8	19.4	13.8	9.3	2.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.4	30.2	19.9	11.6	3.3
Percentage of transfers resulting in pregnancies (%)	50.6	45.5	37.8	28.5	15.7
Percentage of transfers resulting in live births (%)	44.3	38.8	28.9	18.6	4.7
Percentage of transfers resulting in singleton live births (%)	37.8	30.6	23.2	15.6	4.7
Percentage of transfers resulting in twin live births (%)	6.3	8.1	5.3	3.1	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	24.7	18.7	12.9	4.4
Frozen Embryos from Nondonor Eggs					
Number of cycles	402	344	323	119	93
Number of transfers	363	313	275	108	79
Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.6	0.6
Average number of embryos transferred	1.3	1.4	1.4	1.5	2.4
Percentage of embryos transferred resulting in implantation (%)	48.3	37.6	42.4	39.6	11.1
Percentage of transfers resulting in pregnancies (%)	57.6	47.6	50.5	53.7	29.1
Percentage of transfers resulting in live births (%)	46.6	39.9	37.8	42.6	19.0
Percentage of transfers resulting in singleton live births (%)	40.2	37.4	32.4	40.7	19.0
Percentage of transfers resulting in twin live births (%)	6.3	2.6	4.7	1.9	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	31.0	26.9	31.5	16.5
Number of Egg or Embryo Banking Cycles					
	295	283	340	152	117
Number of fertility preservation cycles	149	155	133	40	12
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	84	50	116	0	
Number of transfers	84	38	98	0	
Average number of embryos transferred	1.5	1.8	1.3		
Percentage of embryos transferred resulting in implantation (%)	47.6	37.9	45.5		
Percentage of transfers resulting in pregnancies (%)	61.9	55.3	51.0		
Percentage of transfers resulting in live births (%)	50.0	42.1	37.8		
Percentage of transfers resulting in singleton live births (%)	40.5	31.6	29.6		
Percentage of transfers resulting in twin live births (%)	9.5	10.5	8.2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.8	13.2	19.4		

CURRENT SERVICES & PROFILE

Current Name: Weill Cornell Medicine, Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTMED REPRODUCTIVE SERVICES PURCHASE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Martin D. Keltz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	26%	Uterine factor	10%	Multiple Factors: Female factors only 23% Female & male factors 27%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	21%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	10%	
				Endometriosis	16%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 166
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	19	18	10	15
Percentage of cancellations before retrieval (%)	0.0	0 / 19	0 / 18	0 / 10	0 / 15
Number of transfers	26	15	17	8	12
Average number of embryos transferred	1.2	1.5	1.9	2.1	2.3
Percentage of elective single embryo transfers (eSET) (%)	75.0	4 / 11	0 / 16	0 / 6	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	65.5	10 / 19	11 / 18	2 / 10	3 / 15
Percentage of cycles resulting in live births (%)	48.3	9 / 19	9 / 18	1 / 10	1 / 15
Percentage of cycles resulting in singleton live births (%)	37.9	7 / 19	7 / 18	1 / 10	1 / 15
Percentage of cycles resulting in twin live births (%)	10.3	2 / 19	2 / 18	0 / 10	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	34.5	6 / 19	7 / 18	0 / 10	1 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	70.0	54.5	38.7	2 / 17	11.1
Percentage of transfers resulting in pregnancies (%)	73.1	10 / 15	11 / 17	2 / 8	3 / 12
Percentage of transfers resulting in live births (%)	53.8	9 / 15	9 / 17	1 / 8	1 / 12
Percentage of transfers resulting in singleton live births (%)	42.3	7 / 15	7 / 17	1 / 8	1 / 12
Percentage of transfers resulting in twin live births (%)	11.5	2 / 15	2 / 17	0 / 8	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.5	6 / 15	7 / 17	0 / 8	1 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	18	13	4	2	0
Number of transfers	18	13	4	2	0
Estimated average number of transfers per retrieval	0.9	0.7	0.5	0.4	0.0
Average number of embryos transferred	1.2	1.2	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	71.4	9 / 15	4 / 4	1 / 3	
Percentage of transfers resulting in pregnancies (%)	15 / 18	9 / 13	3 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	14 / 18	7 / 13	3 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	13 / 18	7 / 13	2 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 18	0 / 13	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	11 / 18	5 / 13	2 / 4	1 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	14	7	4	2
	2	2	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	0	
Number of transfers	0	0	1	0	
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 1		
Percentage of transfers resulting in pregnancies (%)			1 / 1		
Percentage of transfers resulting in live births (%)			1 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Westmed Reproductive Services

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCHESTER FERTILITY CARE, PC ROCHESTER, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Rosalind A. Hayes, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	15%	Uterine factor	3%	Multiple Factors: Female factors only 27% Female & male factors 31%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	28%	Male factor	41%	
Used gestational carrier	4%			Diminished ovarian reserve	19%	Other factor	31%	
				Endometriosis	23%	Unknown factor	9%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 124 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		35	13	11	1	0
Percentage of cancellations before retrieval (%)		20.0	3 / 13	4 / 11	1 / 1	
Number of transfers		5	0	2	0	0
Average number of embryos transferred		1.8		2.0		
Percentage of elective single embryo transfers (eSET) (%)		1 / 5		0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		11.4	0 / 13	1 / 11	0 / 1	
Percentage of cycles resulting in live births (%)		11.4	0 / 13	1 / 11	0 / 1	
Percentage of cycles resulting in singleton live births (%)		8.6	0 / 13	1 / 11	0 / 1	
Percentage of cycles resulting in twin live births (%)		2.9	0 / 13	0 / 11	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		8.6	0 / 13	1 / 11	0 / 1	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		5 / 9		2 / 4		
Percentage of transfers resulting in pregnancies (%)		4 / 5		1 / 2		
Percentage of transfers resulting in live births (%)		4 / 5		1 / 2		
Percentage of transfers resulting in singleton live births (%)		3 / 5		1 / 2		
Percentage of transfers resulting in twin live births (%)		1 / 5		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 5		1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles		23	8	9	0	0
Number of transfers		22	7	7	0	0
Estimated average number of transfers per retrieval		1.2	1.2	0.9		
Average number of embryos transferred		1.6	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)		46.9	6 / 11	5 / 14		
Percentage of transfers resulting in pregnancies (%)		63.6	6 / 7	4 / 7		
Percentage of transfers resulting in live births (%)		45.5	5 / 7	3 / 7		
Percentage of transfers resulting in singleton live births (%)		31.8	5 / 7	2 / 7		
Percentage of transfers resulting in twin live births (%)		13.6	0 / 7	1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		31.8	5 / 7	2 / 7		
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		4	1	3	0	0
		1	0	2	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		0	8	8	0	
Number of transfers		0	4	6	0	
Average number of embryos transferred			1.8	1.5		
Percentage of embryos transferred resulting in implantation (%)			1 / 7	1 / 9		
Percentage of transfers resulting in pregnancies (%)			1 / 4	1 / 6		
Percentage of transfers resulting in live births (%)			0 / 4	1 / 6		
Percentage of transfers resulting in singleton live births (%)			0 / 4	1 / 6		
Percentage of transfers resulting in twin live births (%)			0 / 4	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 4	1 / 6		

CURRENT SERVICES & PROFILE		Current Name: Rochester Fertility Care, PC					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STRONG FERTILITY CENTER ROCHESTER, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John T. Queenan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 11%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	17%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	6%	
				Endometriosis	5%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 383
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	39	54	15	15
Percentage of cancellations before retrieval (%)	3.5	15.4	0.0	1 / 15	0 / 15
Number of transfers	98	30	50	14	15
Average number of embryos transferred	1.5	1.7	2.1	3.0	1.9
Percentage of elective single embryo transfers (eSET) (%)	26.5	13.6	5.0	0 / 11	2 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.4	33.3	25.9	4 / 15	5 / 15
Percentage of cycles resulting in live births (%)	25.2	30.8	20.4	3 / 15	4 / 15
Percentage of cycles resulting in singleton live births (%)	19.1	28.2	14.8	3 / 15	3 / 15
Percentage of cycles resulting in twin live births (%)	6.1	2.6	5.6	0 / 15	1 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.3	28.2	13.0	2 / 15	1 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.1	26.5	17.5	9.5	21.4
Percentage of transfers resulting in pregnancies (%)	35.7	43.3	28.0	4 / 14	5 / 15
Percentage of transfers resulting in live births (%)	29.6	40.0	22.0	3 / 14	4 / 15
Percentage of transfers resulting in singleton live births (%)	22.4	36.7	16.0	3 / 14	3 / 15
Percentage of transfers resulting in twin live births (%)	7.1	3.3	6.0	0 / 14	1 / 15
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.4	36.7	14.0	2 / 14	1 / 15
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	16	14	1	1
Number of transfers	44	16	13	1	1
Estimated average number of transfers per retrieval	1.1	1.5	0.6	0.3	0.3
Average number of embryos transferred	1.6	1.1	1.8	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	33.8	7 / 18	30.4	1 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	45.5	6 / 16	5 / 13	1 / 1	1 / 1
Percentage of transfers resulting in live births (%)	40.9	5 / 16	2 / 13	1 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	38.6	5 / 16	1 / 13	1 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	2.3	0 / 16	1 / 13	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.4	4 / 16	1 / 13	1 / 1	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	9	18	3	4
	4	0	0	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	2	5	0	
Number of transfers	3	2	5	0	
Average number of embryos transferred	1.7	1.5	1.4		
Percentage of embryos transferred resulting in implantation (%)	2 / 5	1 / 3	3 / 7		
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 2	2 / 5		
Percentage of transfers resulting in live births (%)	2 / 3	1 / 2	2 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 2	1 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2	1 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3	1 / 2	0 / 5		

CURRENT SERVICES & PROFILE

Current Name: Strong Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PETER BRZECHFFA, MD
STATEN ISLAND, NEW YORK**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

ISLAND REPRODUCTIVE SERVICES, PC STATEN ISLAND, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eric S. Knochenhauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 18% Female & male factors 14%
Unstimulated	0%	PGD/PGS	60%	Ovulatory dysfunction	11%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	12%	
				Endometriosis	10%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 480
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	60	16	18	17	6
Percentage of cancellations before retrieval (%)	5.0	1 / 16	2 / 18	3 / 17	2 / 6
Number of transfers	39	14	12	10	1
Average number of embryos transferred	1.7	1.9	2.1	1.7	1.0
Percentage of elective single embryo transfers (eSET) (%)	28.6	2 / 13	1 / 12	1 / 7	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.0	7 / 16	7 / 18	0 / 17	0 / 6
Percentage of cycles resulting in live births (%)	31.7	6 / 16	5 / 18	0 / 17	0 / 6
Percentage of cycles resulting in singleton live births (%)	20.0	5 / 16	4 / 18	0 / 17	0 / 6
Percentage of cycles resulting in twin live births (%)	10.0	1 / 16	1 / 18	0 / 17	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.3	5 / 16	3 / 18	0 / 17	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.0	30.8	32.0	0 / 17	0 / 1
Percentage of transfers resulting in pregnancies (%)	53.8	7 / 14	7 / 12	0 / 10	0 / 1
Percentage of transfers resulting in live births (%)	48.7	6 / 14	5 / 12	0 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.8	5 / 14	4 / 12	0 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	15.4	1 / 14	1 / 12	0 / 10	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.2	5 / 14	3 / 12	0 / 10	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	43	28	12	2
Number of transfers	103	37	28	11	2
Estimated average number of transfers per retrieval	1.2	0.9	1.4	0.6	0.4
Average number of embryos transferred	1.3	1.2	1.3	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	35.6	37.1	5 / 13	0 / 2
Percentage of transfers resulting in pregnancies (%)	56.3	40.5	46.4	5 / 11	0 / 2
Percentage of transfers resulting in live births (%)	53.4	37.8	35.7	5 / 11	0 / 2
Percentage of transfers resulting in singleton live births (%)	47.6	35.1	35.7	5 / 11	0 / 2
Percentage of transfers resulting in twin live births (%)	5.8	2.7	0.0	0 / 11	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.0	35.1	32.1	4 / 11	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	70	35	17	12	5
	17	7	6	3	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	2	10	9	
Number of transfers	14	2	10	7	
Average number of embryos transferred	1.5	1.5	1.1	1.9	
Percentage of embryos transferred resulting in implantation (%)	61.9	2 / 3	6 / 11	3 / 13	
Percentage of transfers resulting in pregnancies (%)	10 / 14	2 / 2	6 / 10	3 / 7	
Percentage of transfers resulting in live births (%)	9 / 14	1 / 2	5 / 10	1 / 7	
Percentage of transfers resulting in singleton live births (%)	7 / 14	1 / 2	5 / 10	1 / 7	
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 2	0 / 10	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 14	0 / 2	5 / 10	1 / 7	

CURRENT SERVICES & PROFILE

Current Name: Island Reproductive Services, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CNY FERTILITY CENTER SYRACUSE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert J. Kiltz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	14%	Uterine factor	6%	Multiple Factors: Female factors only 14% Female & male factors 11%
Unstimulated	1%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	23%	
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	22%	
				Endometriosis	10%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,910
(includes 17 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	827	358	296	137	156
Percentage of cancellations before retrieval (%)	4.2	7.3	7.1	9.5	14.1
Number of transfers	512	192	146	61	70
Average number of embryos transferred	1.7	1.9	2.0	2.0	2.2
Percentage of elective single embryo transfers (eSET) (%)	25.8	14.2	7.6	2.3	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.4	23.2	14.5	5.8	5.1
Percentage of cycles resulting in live births (%)	23.5	19.3	8.1	4.4	1.9
Percentage of cycles resulting in singleton live births (%)	16.7	15.1	6.4	3.6	1.3
Percentage of cycles resulting in twin live births (%)	6.4	4.2	1.4	0.7	0.6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.5	10.6	5.1	3.6	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.8	28.0	15.6	6.6	4.2
Percentage of transfers resulting in pregnancies (%)	45.9	43.2	29.5	13.1	11.4
Percentage of transfers resulting in live births (%)	37.9	35.9	16.4	9.8	4.3
Percentage of transfers resulting in singleton live births (%)	27.0	28.1	13.0	8.2	2.9
Percentage of transfers resulting in twin live births (%)	10.4	7.8	2.7	1.6	1.4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.1	19.8	10.3	8.2	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	671	284	213	88	66
Number of transfers	646	276	205	80	61
Estimated average number of transfers per retrieval	1.1	1.3	1.1	0.9	1.0
Average number of embryos transferred	1.6	1.6	1.8	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	40.6	35.5	22.2	11.5	13.9
Percentage of transfers resulting in pregnancies (%)	56.3	49.3	35.1	20.0	23.0
Percentage of transfers resulting in live births (%)	43.0	37.3	26.3	15.0	19.7
Percentage of transfers resulting in singleton live births (%)	33.9	29.3	21.5	15.0	18.0
Percentage of transfers resulting in twin live births (%)	8.8	7.6	4.4	0.0	1.6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.4	23.2	14.6	6.3	16.4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	196	64	55	45	27
	19	19	6	6	8
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	112	165	123	10	
Number of transfers	83	139	112	10	
Average number of embryos transferred	1.9	1.9	1.7	1.9	
Percentage of embryos transferred resulting in implantation (%)	40.3	22.3	22.1	5 / 19	
Percentage of transfers resulting in pregnancies (%)	57.8	38.1	31.3	4 / 10	
Percentage of transfers resulting in live births (%)	45.8	26.6	25.0	3 / 10	
Percentage of transfers resulting in singleton live births (%)	30.1	22.3	22.3	2 / 10	
Percentage of transfers resulting in twin live births (%)	15.7	4.3	2.7	1 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.3	15.1	15.2	1 / 10	

CURRENT SERVICES & PROFILE

Current Name: CNY Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Michael B. Blotner, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	53%	Uterine factor	21%	Multiple Factors: Female factors only 32% Female & male factors 8%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	16%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	<1%	Unknown factor	4%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 199 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		15	4	12	6	11
Percentage of cancellations before retrieval (%)		1 / 15	0 / 4	3 / 12	1 / 6	4 / 11
Number of transfers		10	3	3	4	5
Average number of embryos transferred		1.4	1.3	2.0	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)		4 / 8	2 / 3	0 / 2	0 / 2	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		6 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in live births (%)		4 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in singleton live births (%)		3 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in twin live births (%)		1 / 15	0 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		3 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		7 / 14	2 / 4	0 / 6	0 / 8	0 / 10
Percentage of transfers resulting in pregnancies (%)		6 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in live births (%)		4 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in singleton live births (%)		3 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in twin live births (%)		1 / 10	0 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles		30	27	13	7	1
Number of transfers		27	25	10	7	1
Estimated average number of transfers per retrieval		1.9	0.9	0.8	1.0	0.2
Average number of embryos transferred		1.3	1.6	1.5	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)		26.5	30.8	6 / 13	0 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)		33.3	44.0	7 / 10	1 / 7	0 / 1
Percentage of transfers resulting in live births (%)		22.2	28.0	5 / 10	0 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)		14.8	24.0	4 / 10	0 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)		7.4	4.0	1 / 10	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		11.1	20.0	3 / 10	0 / 7	0 / 1
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		11	22	9	7	5
		1	3	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		2	11	6	0	
Number of transfers		1	10	4	0	
Average number of embryos transferred		2.0	1.6	1.5		
Percentage of embryos transferred resulting in implantation (%)		0 / 2	2 / 14	2 / 6		
Percentage of transfers resulting in pregnancies (%)		0 / 1	3 / 10	1 / 4		
Percentage of transfers resulting in live births (%)		0 / 1	2 / 10	1 / 4		
Percentage of transfers resulting in singleton live births (%)		0 / 1	2 / 10	0 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 10	1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	1 / 10	0 / 4		

CURRENT SERVICES & PROFILE		Current Name: Westchester Fertility and Reproductive Endocrinology					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

GOLD COAST IVF REPRODUCTIVE MEDICINE AND SURGERY CENTER WOODBURY, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Steven F. Palter, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	15%	Uterine factor	2%	Multiple Factors: Female factors only 15% Female & male factors 19%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	11%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	15%	
				Endometriosis	10%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 319
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	61	36	35	12	8
Percentage of cancellations before retrieval (%)	0.0	0.0	2.9	0 / 12	1 / 8
Number of transfers	47	25	28	10	5
Average number of embryos transferred	1.6	1.7	1.9	2.9	2.2
Percentage of elective single embryo transfers (eSET) (%)	30.2	1 / 19	8.7	0 / 9	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	52.5	38.9	31.4	1 / 12	0 / 8
Percentage of cycles resulting in live births (%)	49.2	25.0	28.6	1 / 12	0 / 8
Percentage of cycles resulting in singleton live births (%)	36.1	22.2	28.6	1 / 12	0 / 8
Percentage of cycles resulting in twin live births (%)	13.1	2.8	0.0	0 / 12	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.9	13.9	28.6	1 / 12	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	54.5	41.9	21.2	3.4	0 / 11
Percentage of transfers resulting in pregnancies (%)	68.1	56.0	39.3	1 / 10	0 / 5
Percentage of transfers resulting in live births (%)	63.8	36.0	35.7	1 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)	46.8	32.0	35.7	1 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)	17.0	4.0	0.0	0 / 10	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.2	20.0	35.7	1 / 10	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	42	26	12	7	2
Number of transfers	41	26	11	7	2
Estimated average number of transfers per retrieval	1.9	1.0	0.9	0.7	0.2
Average number of embryos transferred	1.4	1.7	1.6	1.1	1.5
Percentage of embryos transferred resulting in implantation (%)	44.1	47.7	6 / 18	3 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	51.2	65.4	6 / 11	3 / 7	0 / 2
Percentage of transfers resulting in live births (%)	39.0	50.0	5 / 11	2 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	26.8	38.5	5 / 11	2 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	12.2	11.5	0 / 11	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.5	38.5	5 / 11	2 / 7	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	19	8	6	6
	0	5	3	0	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	24	5	0	
Number of transfers	0	24	5	0	
Average number of embryos transferred		1.7	1.2		
Percentage of embryos transferred resulting in implantation (%)		63.4	2 / 6		
Percentage of transfers resulting in pregnancies (%)		87.5	2 / 5		
Percentage of transfers resulting in live births (%)		83.3	2 / 5		
Percentage of transfers resulting in singleton live births (%)		62.5	2 / 5		
Percentage of transfers resulting in twin live births (%)		20.8	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		45.8	1 / 5		

CURRENT SERVICES & PROFILE

Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE
THE TALBERT FERTILITY INSTITUTE
CARY, NORTH CAROLINA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Sameh K. Toma, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	13%	Uterine factor	15%	Multiple Factors: Female factors only 13% Female & male factors 17%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	10%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	9%	
				Endometriosis	4%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}	Total number of cycles^d: 415 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)					
	Type of Cycle	Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		69	31	24	6	2
Percentage of cancellations before retrieval (%)		11.6	19.4	25.0	1 / 6	0 / 2
Number of transfers		1	1	0	0	0
Average number of embryos transferred		2.0	2.0			
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		1.4	3.2	0.0	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)		1.4	3.2	0.0	0 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)		0.0	3.2	0.0	0 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)		1.4	0.0	0.0	0 / 6	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0.0	3.2	0.0	0 / 6	0 / 2
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		2 / 2	1 / 2			
Percentage of transfers resulting in pregnancies (%)		1 / 1	1 / 1			
Percentage of transfers resulting in live births (%)		1 / 1	1 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1	1 / 1			
Percentage of transfers resulting in twin live births (%)		1 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles		82	39	35	13	9
Number of transfers		79	37	28	11	8
Estimated average number of transfers per retrieval		1.3	1.3	1.2	1.2	4.0
Average number of embryos transferred		1.8	1.9	1.9	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)		47.9	52.1	46.9	40.0	5 / 14
Percentage of transfers resulting in pregnancies (%)		63.3	70.3	67.9	6 / 11	5 / 8
Percentage of transfers resulting in live births (%)		55.7	59.5	46.4	3 / 11	4 / 8
Percentage of transfers resulting in singleton live births (%)		35.4	32.4	35.7	2 / 11	4 / 8
Percentage of transfers resulting in twin live births (%)		20.3	27.0	10.7	1 / 11	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		34.2	29.7	17.9	2 / 11	3 / 8
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		14	9	8	4	1
		2	0	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		28	5	34	2	
Number of transfers		12	4	30	2	
Average number of embryos transferred		1.8	1.5	1.9	2.0	
Percentage of embryos transferred resulting in implantation (%)		52.4	4 / 6	42.9	2 / 4	
Percentage of transfers resulting in pregnancies (%)		7 / 12	3 / 4	63.3	2 / 2	
Percentage of transfers resulting in live births (%)		6 / 12	2 / 4	46.7	1 / 2	
Percentage of transfers resulting in singleton live births (%)		4 / 12	1 / 4	30.0	1 / 2	
Percentage of transfers resulting in twin live births (%)		2 / 12	1 / 4	16.7	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 12	1 / 4	26.7	1 / 2	

CURRENT SERVICES & PROFILE		Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PROGRAM FOR ASSISTED REPRODUCTION AT CAROLINAS MEDICAL CENTER CMC WOMEN'S INSTITUTE CHARLOTTE, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Bradley S. Hurst, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 20%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	30%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	13%	
				Endometriosis	9%	Unknown factor	10%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 552 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	19	10	7	3
Percentage of cancellations before retrieval (%)	6.6	2 / 19	4 / 10	3 / 7	0 / 3
Number of transfers	50	14	3	3	2
Average number of embryos transferred	1.1	1.6	1.7	3.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	86.0	5 / 13	0 / 2	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.9	8 / 19	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)	27.6	6 / 19	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	26.3	2 / 19	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	1.3	4 / 19	0 / 10	0 / 7	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.7	2 / 19	1 / 10	0 / 7	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.4	54.5	1 / 5	0 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	50.0	8 / 14	1 / 3	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	42.0	6 / 14	1 / 3	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.0	2 / 14	1 / 3	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	2.0	4 / 14	0 / 3	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.0	2 / 14	1 / 3	0 / 3	0 / 2

Frozen Embryos from Nondonor Eggs					
Number of cycles	151	71	41	16	8
Number of transfers	135	66	36	14	6
Estimated average number of transfers per retrieval	1.6	1.9	1.1	1.0	1.2
Average number of embryos transferred	1.1	1.1	1.2	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	48.9	42.4	54.3	9 / 15	4 / 6
Percentage of transfers resulting in pregnancies (%)	51.9	50.0	63.9	9 / 14	3 / 6
Percentage of transfers resulting in live births (%)	41.5	33.3	41.7	7 / 14	3 / 6
Percentage of transfers resulting in singleton live births (%)	39.3	31.8	38.9	7 / 14	2 / 6
Percentage of transfers resulting in twin live births (%)	2.2	1.5	2.8	0 / 14	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.3	27.3	27.8	6 / 14	2 / 6

Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	48	27	29	14	5

Donor Eggs ^f	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	21	4	2
Number of transfers	0	20	4	2
Average number of embryos transferred		1.3	1.0	1.5
Percentage of embryos transferred resulting in implantation (%)		42.3	2 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)		45.0	2 / 4	0 / 2
Percentage of transfers resulting in live births (%)		45.0	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)		40.0	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)		5.0	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		25.0	1 / 4	0 / 2

CURRENT SERVICES & PROFILE		Current Name: Program for Assisted Reproduction at Carolinas Medical Center, CMC Women's Institute					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES OF CHARLOTTE CHARLOTTE, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Seth Katz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 14% Female & male factors 11%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	19%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	27%	
				Endometriosis	7%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,091
(includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	185	86	78	44	26
Percentage of cancellations before retrieval (%)	4.9	5.8	10.3	13.6	23.1
Number of transfers	91	51	35	16	8
Average number of embryos transferred	1.7	1.8	1.9	2.5	1.5
Percentage of elective single embryo transfers (eSET) (%)	14.7	11.4	0.0	0 / 12	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.2	22.1	12.8	6.8	7.7
Percentage of cycles resulting in live births (%)	19.5	12.8	10.3	4.5	0.0
Percentage of cycles resulting in singleton live births (%)	13.5	9.3	9.0	4.5	0.0
Percentage of cycles resulting in twin live births (%)	5.9	3.5	1.3	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.4	8.1	7.7	4.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.8	24.2	15.4	5.4	2 / 12
Percentage of transfers resulting in pregnancies (%)	47.3	37.3	28.6	3 / 16	2 / 8
Percentage of transfers resulting in live births (%)	39.6	21.6	22.9	2 / 16	0 / 8
Percentage of transfers resulting in singleton live births (%)	27.5	15.7	20.0	2 / 16	0 / 8
Percentage of transfers resulting in twin live births (%)	12.1	5.9	2.9	0 / 16	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.1	13.7	17.1	2 / 16	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	190	84	77	20	12
Number of transfers	176	75	75	17	11
Estimated average number of transfers per retrieval	1.2	1.3	1.1	0.9	1.2
Average number of embryos transferred	1.5	1.6	1.5	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	52.6	44.2	48.1	30.4	2 / 18
Percentage of transfers resulting in pregnancies (%)	62.5	61.3	58.7	7 / 17	3 / 11
Percentage of transfers resulting in live births (%)	54.0	52.0	48.0	5 / 17	2 / 11
Percentage of transfers resulting in singleton live births (%)	41.5	40.0	40.0	4 / 17	2 / 11
Percentage of transfers resulting in twin live births (%)	12.5	12.0	8.0	1 / 17	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.4	36.0	38.7	4 / 17	2 / 11
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	82	42	48	9	8
	14	3	6	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	22	35	32	5	
Number of transfers	15	30	29	5	
Average number of embryos transferred	1.7	1.8	1.2	1.6	
Percentage of embryos transferred resulting in implantation (%)	42.3	36.5	54.3	2 / 8	
Percentage of transfers resulting in pregnancies (%)	8 / 15	56.7	51.7	1 / 5	
Percentage of transfers resulting in live births (%)	7 / 15	53.3	41.4	1 / 5	
Percentage of transfers resulting in singleton live births (%)	5 / 15	46.7	27.6	0 / 5	
Percentage of transfers resulting in twin live births (%)	2 / 15	3.3	10.3	1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 15	43.3	20.7	0 / 5	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Endocrinology Associates of Charlotte

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DUKE FERTILITY CENTER DUKE UNIVERSITY MEDICAL CENTER DURHAM, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Jennifer L. Eaton, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only 11% Female & male factors 19%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	44%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	10%	
				Endometriosis	9%	Unknown factor	17%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 358 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		72	35	38	18	3
Percentage of cancellations before retrieval (%)		9.7	17.1	10.5	3 / 18	0 / 3
Number of transfers		48	23	26	8	2
Average number of embryos transferred		1.6	1.7	2.3	3.0	2.5
Percentage of elective single embryo transfers (eSET) (%)		40.9	4 / 19	4.2	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		31.9	28.6	23.7	2 / 18	2 / 3
Percentage of cycles resulting in live births (%)		30.6	20.0	15.8	0 / 18	2 / 3
Percentage of cycles resulting in singleton live births (%)		27.8	17.1	15.8	0 / 18	1 / 3
Percentage of cycles resulting in twin live births (%)		2.8	2.9	0.0	0 / 18	1 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		25.0	17.1	15.8	0 / 18	1 / 3
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		34.2	28.9	11.3	4.5	3 / 5
Percentage of transfers resulting in pregnancies (%)		47.9	43.5	34.6	2 / 8	2 / 2
Percentage of transfers resulting in live births (%)		45.8	30.4	23.1	0 / 8	2 / 2
Percentage of transfers resulting in singleton live births (%)		41.7	26.1	23.1	0 / 8	1 / 2
Percentage of transfers resulting in twin live births (%)		4.2	4.3	0.0	0 / 8	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		37.5	26.1	23.1	0 / 8	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles		77	24	17	2	7
Number of transfers		73	21	17	1	6
Estimated average number of transfers per retrieval		1.8	0.9	1.4	0.3	1.5
Average number of embryos transferred		1.4	1.8	1.9	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)		33.3	22.9	20.0	0 / 2	1 / 8
Percentage of transfers resulting in pregnancies (%)		47.9	42.9	7 / 17	0 / 1	3 / 6
Percentage of transfers resulting in live births (%)		39.7	33.3	5 / 17	0 / 1	1 / 6
Percentage of transfers resulting in singleton live births (%)		38.4	33.3	5 / 17	0 / 1	1 / 6
Percentage of transfers resulting in twin live births (%)		1.4	0.0	0 / 17	0 / 1	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		32.9	28.6	5 / 17	0 / 1	1 / 6
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		9	9	1	2	2
		2	7	0	1	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		18	0	24	0	
Number of transfers		18	0	20	0	
Average number of embryos transferred		1.4		1.4		
Percentage of embryos transferred resulting in implantation (%)		28.0		30.8		
Percentage of transfers resulting in pregnancies (%)		6 / 18		45.0		
Percentage of transfers resulting in live births (%)		5 / 18		40.0		
Percentage of transfers resulting in singleton live births (%)		3 / 18		40.0		
Percentage of transfers resulting in twin live births (%)		2 / 18		0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 18		35.0		

CURRENT SERVICES & PROFILE		Current Name: Duke Fertility Center, Duke University Medical Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMACK ARMY MEDICAL CENTER FORT BRAGG, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Jason Parker, DO				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	29%	Uterine factor	4%	Multiple Factors: Female factors only 7% Female & male factors 6%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	3%	Male factor	15%	
Used gestational carrier	2%			Diminished ovarian reserve	11%	Other factor	10%	
				Endometriosis	7%	Unknown factor	34%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 127 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	48	27	13	7	4
Percentage of cancellations before retrieval (%)	2.1	0.0	0 / 13	0 / 7	0 / 4
Number of transfers	41	26	11	7	4
Average number of embryos transferred	1.9	2.0	1.9	2.1	1.5
Percentage of elective single embryo transfers (eSET) (%)	16.7	4.0	1 / 10	0 / 6	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.9	48.1	4 / 13	4 / 7	1 / 4
Percentage of cycles resulting in live births (%)	35.4	37.0	3 / 13	0 / 7	0 / 4
Percentage of cycles resulting in singleton live births (%)	35.4	29.6	3 / 13	0 / 7	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	7.4	0 / 13	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.9	25.9	3 / 13	0 / 7	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.3	29.4	19.0	4 / 15	1 / 6
Percentage of transfers resulting in pregnancies (%)	56.1	50.0	4 / 11	4 / 7	1 / 4
Percentage of transfers resulting in live births (%)	41.5	38.5	3 / 11	0 / 7	0 / 4
Percentage of transfers resulting in singleton live births (%)	41.5	30.8	3 / 11	0 / 7	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	7.7	0 / 11	0 / 7	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.8	26.9	3 / 11	0 / 7	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	10	8	2	2	0
Number of transfers	10	8	2	1	0
Estimated average number of transfers per retrieval	5.0	2.7			0.0
Average number of embryos transferred	2.0	1.9	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	4 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 10	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 10	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 10	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 10	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 10	0 / 8	0 / 2	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	2	0	0	1
	0	1	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	3	0	0	
Number of transfers	0	2	0	0	
Average number of embryos transferred		2.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 2			
Percentage of transfers resulting in pregnancies (%)		1 / 2			
Percentage of transfers resulting in live births (%)		0 / 2			
Percentage of transfers resulting in singleton live births (%)		0 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 2			

CURRENT SERVICES & PROFILE		Current Name: Womack Army Medical Center					
Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PREMIER FERTILITY CENTER
HIGH POINT REGIONAL HEALTH SYSTEM
HIGH POINT, NORTH CAROLINA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

ADVANCED REPRODUCTIVE CONCEPTS HUNTERSVILLE, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Mark L. Jutras, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	19%	Uterine factor	1%	Multiple Factors: Female factors only 14% Female & male factors 20%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	16%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	8%	
				Endometriosis	10%	Unknown factor	18%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 107 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		16	6	9	5	1
Percentage of cancellations before retrieval (%)		0 / 16	1 / 6	0 / 9	1 / 5	0 / 1
Number of transfers		6	1	3	2	0
Average number of embryos transferred		1.8	2.0	2.0	1.5	
Percentage of elective single embryo transfers (eSET) (%)		1 / 6	0 / 1	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		1 / 16	0 / 6	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)		1 / 16	0 / 6	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)		0 / 16	0 / 6	0 / 9	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)		1 / 16	0 / 6	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 16	0 / 6	0 / 9	0 / 5	0 / 1
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		2 / 11	0 / 2	2 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)		1 / 6	0 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)		1 / 6	0 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)		0 / 6	0 / 1	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)		1 / 6	0 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 6	0 / 1	0 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles		30	13	5	1	2
Number of transfers		30	13	5	1	2
Estimated average number of transfers per retrieval		1.8	1.4	1.0	0.5	2.0
Average number of embryos transferred		1.8	1.4	1.2	1.0	1.5
Percentage of embryos transferred resulting in implantation (%)		46.8	6 / 17	3 / 6	1 / 1	1 / 3
Percentage of transfers resulting in pregnancies (%)		66.7	6 / 13	2 / 5	1 / 1	1 / 2
Percentage of transfers resulting in live births (%)		53.3	5 / 13	2 / 5	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)		40.0	4 / 13	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)		13.3	1 / 13	1 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		40.0	3 / 13	1 / 5	1 / 1	0 / 2
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		5	3	3	2	1
		0	0	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		0	3	2	0	
Number of transfers		0	3	2	0	
Average number of embryos transferred			1.3	1.5		
Percentage of embryos transferred resulting in implantation (%)			1 / 4	1 / 2		
Percentage of transfers resulting in pregnancies (%)			1 / 3	2 / 2		
Percentage of transfers resulting in live births (%)			1 / 3	1 / 2		
Percentage of transfers resulting in singleton live births (%)			1 / 3	1 / 2		
Percentage of transfers resulting in twin live births (%)			0 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			1 / 3	0 / 2		

CURRENT SERVICES & PROFILE		Current Name: Advanced Reproductive Concepts					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTIC REPRODUCTIVE MEDICINE SPECIALISTS, PA RALEIGH, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Susannah D. Copland, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 21%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	25%	Male factor	39%	
Used gestational carrier	3%			Diminished ovarian reserve	25%	Other factor	17%	
				Endometriosis	5%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 248
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	33	21	2	4
Percentage of cancellations before retrieval (%)	0.0	12.1	4.8	1 / 2	0 / 4
Number of transfers	26	22	12	0	2
Average number of embryos transferred	1.4	1.5	2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)	54.5	5 / 16	1 / 11		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	30.3	28.6	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	40.0	24.2	23.8	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	40.0	18.2	23.8	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	6.1	0.0	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.0	18.2	19.0	0 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	38.7	27.3		0 / 4
Percentage of transfers resulting in pregnancies (%)	57.7	45.5	6 / 12		0 / 2
Percentage of transfers resulting in live births (%)	46.2	36.4	5 / 12		0 / 2
Percentage of transfers resulting in singleton live births (%)	46.2	27.3	5 / 12		0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	9.1	0 / 12		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.6	27.3	4 / 12		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	20	2	2	0
Number of transfers	38	20	2	2	0
Estimated average number of transfers per retrieval	1.1	1.2	0.7	0.3	0.0
Average number of embryos transferred	1.3	1.2	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	41.7	34.8	2 / 4	2 / 2	
Percentage of transfers resulting in pregnancies (%)	55.3	45.0	2 / 2	2 / 2	
Percentage of transfers resulting in live births (%)	42.1	35.0	1 / 2	2 / 2	
Percentage of transfers resulting in singleton live births (%)	36.8	35.0	1 / 2	2 / 2	
Percentage of transfers resulting in twin live births (%)	5.3	0.0	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	25.0	1 / 2	2 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	31	13	3	5	3
	2	5	0	3	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	1	22	2	
Number of transfers	14	0	22	1	
Average number of embryos transferred	1.1		1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 15		50.0	0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 14		54.5	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 14		45.5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 14		40.9	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 14		4.5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 14		40.9	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Atlantic Reproductive Medicine Specialists, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINA CONCEPTIONS, PA RALEIGH, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John K. Park, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 9% Female & male factors 14%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	12%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	9%	
				Endometriosis	6%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 875
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	168	53	40	17	6
Percentage of cancellations before retrieval (%)	6.5	22.6	12.5	5 / 17	1 / 6
Number of transfers	121	31	23	4	4
Average number of embryos transferred	1.6	1.9	1.9	2.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	30.8	3.4	0 / 19	0 / 4	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	51.8	26.4	37.5	1 / 17	0 / 6
Percentage of cycles resulting in live births (%)	45.8	20.8	20.0	0 / 17	0 / 6
Percentage of cycles resulting in singleton live births (%)	33.3	15.1	10.0	0 / 17	0 / 6
Percentage of cycles resulting in twin live births (%)	11.9	5.7	10.0	0 / 17	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.8	13.2	7.5	0 / 17	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	57.6	29.1	42.9	0 / 8	0 / 7
Percentage of transfers resulting in pregnancies (%)	71.9	45.2	65.2	1 / 4	0 / 4
Percentage of transfers resulting in live births (%)	63.6	35.5	34.8	0 / 4	0 / 4
Percentage of transfers resulting in singleton live births (%)	46.3	25.8	17.4	0 / 4	0 / 4
Percentage of transfers resulting in twin live births (%)	16.5	9.7	17.4	0 / 4	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.3	22.6	13.0	0 / 4	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	136	72	37	9	9
Number of transfers	134	72	37	9	8
Estimated average number of transfers per retrieval	1.3	1.1	1.0	0.6	1.6
Average number of embryos transferred	1.4	1.3	1.2	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	49.7	45.3	48.9	9 / 12	4 / 10
Percentage of transfers resulting in pregnancies (%)	59.7	52.8	59.5	7 / 9	4 / 8
Percentage of transfers resulting in live births (%)	50.7	43.1	51.4	7 / 9	4 / 8
Percentage of transfers resulting in singleton live births (%)	41.8	36.1	48.6	5 / 9	4 / 8
Percentage of transfers resulting in twin live births (%)	8.2	6.9	2.7	2 / 9	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.1	31.9	35.1	5 / 9	4 / 8
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	68	51	29	13	5
	10	7	1	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	49	6	64	43	
Number of transfers	43	3	62	40	
Average number of embryos transferred	1.9	1.3	1.6	1.8	
Percentage of embryos transferred resulting in implantation (%)	61.5	1 / 4	44.4	58.9	
Percentage of transfers resulting in pregnancies (%)	76.7	1 / 3	64.5	77.5	
Percentage of transfers resulting in live births (%)	67.4	1 / 3	50.0	72.5	
Percentage of transfers resulting in singleton live births (%)	37.2	1 / 3	41.9	55.0	
Percentage of transfers resulting in twin live births (%)	30.2	0 / 3	8.1	17.5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.9	1 / 3	32.3	42.5	

CURRENT SERVICES & PROFILE

Current Name: Carolina Conceptions, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNC FERTILITY RALEIGH, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jennifer E. Mersereau, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 8%
Unstimulated	<1%	PGD/PGS	9%	Ovulatory dysfunction	17%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	7%	
				Endometriosis	6%	Unknown factor	20%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 573
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	134	59	46	17	6
Percentage of cancellations before retrieval (%)	10.4	11.9	28.3	6 / 17	1 / 6
Number of transfers	83	41	27	7	2
Average number of embryos transferred	1.2	1.9	2.4	2.7	2.5
Percentage of elective single embryo transfers (eSET) (%)	75.6	15.0	0.0	0 / 7	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.3	39.0	17.4	3 / 17	0 / 6
Percentage of cycles resulting in live births (%)	27.6	33.9	13.0	3 / 17	0 / 6
Percentage of cycles resulting in singleton live births (%)	26.9	22.0	13.0	2 / 17	0 / 6
Percentage of cycles resulting in twin live births (%)	0.7	11.9	0.0	1 / 17	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.4	20.3	8.7	2 / 17	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.0	42.9	12.1	4 / 19	0 / 5
Percentage of transfers resulting in pregnancies (%)	50.6	56.1	29.6	3 / 7	0 / 2
Percentage of transfers resulting in live births (%)	44.6	48.8	22.2	3 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	43.4	31.7	22.2	2 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	1.2	17.1	0.0	1 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.1	29.3	14.8	2 / 7	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	103	68	29	8	2
Number of transfers	96	62	29	8	2
Estimated average number of transfers per retrieval	1.5	2.2	1.2	1.1	1.0
Average number of embryos transferred	1.3	1.4	1.6	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	61.6	45.1	54.5	8 / 14	0 / 3
Percentage of transfers resulting in pregnancies (%)	71.9	59.7	65.5	6 / 8	0 / 2
Percentage of transfers resulting in live births (%)	60.4	37.1	48.3	6 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	55.2	33.9	27.6	4 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	5.2	3.2	20.7	2 / 8	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	50.0	30.6	20.7	4 / 8	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	12	14	16	4	1
	7	6	5	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	22	6	24	1	
Number of transfers	20	6	17	1	
Average number of embryos transferred	1.1	1.2	1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	72.7	5 / 7	70.0	1 / 2	
Percentage of transfers resulting in pregnancies (%)	75.0	4 / 6	13 / 17	1 / 1	
Percentage of transfers resulting in live births (%)	55.0	4 / 6	11 / 17	1 / 1	
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 6	9 / 17	1 / 1	
Percentage of transfers resulting in twin live births (%)	5.0	1 / 6	2 / 17	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	50.0	2 / 6	6 / 17	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: UNC Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINAS FERTILITY INSTITUTE WINSTON SALEM, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Tamer M. Yalcinkaya, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	12%	Uterine factor	4%	
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	19%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	13%	
				Endometriosis	16%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				21%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 387 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		79	38	12	3	7
Percentage of cancellations before retrieval (%)		7.6	13.2	0 / 12	1 / 3	2 / 7
Number of transfers		67	26	8	0	0
Average number of embryos transferred		1.5	2.0	2.1		
Percentage of elective single embryo transfers (eSET) (%)		53.7	4.2	0 / 8		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		60.8	44.7	5 / 12	0 / 3	0 / 7
Percentage of cycles resulting in live births (%)		50.6	36.8	2 / 12	0 / 3	0 / 7
Percentage of cycles resulting in singleton live births (%)		40.5	26.3	2 / 12	0 / 3	0 / 7
Percentage of cycles resulting in twin live births (%)		10.1	10.5	0 / 12	0 / 3	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		16.5	15.8	1 / 12	0 / 3	0 / 7
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		58.4	44.7	3 / 12		
Percentage of transfers resulting in pregnancies (%)		71.6	65.4	5 / 8		
Percentage of transfers resulting in live births (%)		59.7	53.8	2 / 8		
Percentage of transfers resulting in singleton live births (%)		47.8	38.5	2 / 8		
Percentage of transfers resulting in twin live births (%)		11.9	15.4	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		19.4	23.1	1 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles		53	27	32	13	4
Number of transfers		49	24	30	11	3
Estimated average number of transfers per retrieval		1.2	1.7	0.7	0.7	0.2
Average number of embryos transferred		1.5	1.5	1.2	1.2	2.3
Percentage of embryos transferred resulting in implantation (%)		46.2	68.6	68.8	5 / 13	1 / 7
Percentage of transfers resulting in pregnancies (%)		63.3	83.3	76.7	5 / 11	1 / 3
Percentage of transfers resulting in live births (%)		44.9	66.7	63.3	5 / 11	1 / 3
Percentage of transfers resulting in singleton live births (%)		36.7	41.7	56.7	5 / 11	1 / 3
Percentage of transfers resulting in twin live births (%)		8.2	25.0	6.7	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		22.4	29.2	30.0	4 / 11	0 / 3
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		27	7	41	14	11
		4	2	1	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		11	0	8	0	
Number of transfers		11	0	8	0	
Average number of embryos transferred		1.0		1.4		
Percentage of embryos transferred resulting in implantation (%)		8 / 11		6 / 11		
Percentage of transfers resulting in pregnancies (%)		8 / 11		6 / 8		
Percentage of transfers resulting in live births (%)		7 / 11		5 / 8		
Percentage of transfers resulting in singleton live births (%)		7 / 11		5 / 8		
Percentage of transfers resulting in twin live births (%)		0 / 11		0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 11		4 / 8		

CURRENT SERVICES & PROFILE		Current Name: Carolinas Fertility Institute					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE WINSTON SALEM, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Erika B. Johnston-MacAnanny, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	76%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 11%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	15%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	11%	
				Endometriosis	10%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 350
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	60	28	18	9	3
Percentage of cancellations before retrieval (%)	6.7	25.0	1 / 18	3 / 9	0 / 3
Number of transfers	49	18	13	5	2
Average number of embryos transferred	1.3	1.6	2.1	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	68.1	7 / 17	0 / 12	1 / 5	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.7	39.3	5 / 18	1 / 9	1 / 3
Percentage of cycles resulting in live births (%)	46.7	35.7	2 / 18	1 / 9	1 / 3
Percentage of cycles resulting in singleton live births (%)	38.3	35.7	1 / 18	1 / 9	1 / 3
Percentage of cycles resulting in twin live births (%)	8.3	0.0	1 / 18	0 / 9	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.0	32.1	0 / 18	1 / 9	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.8	42.9	24.0	1 / 10	1 / 4
Percentage of transfers resulting in pregnancies (%)	57.1	11 / 18	5 / 13	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	57.1	10 / 18	2 / 13	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	46.9	10 / 18	1 / 13	1 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	10.2	0 / 18	1 / 13	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.7	9 / 18	0 / 13	1 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	74	31	24	10	2
Number of transfers	68	26	23	10	1
Estimated average number of transfers per retrieval	1.1	1.4	1.2	0.9	0.5
Average number of embryos transferred	1.4	1.5	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	65.9	50.0	36.1	7 / 11	1 / 2
Percentage of transfers resulting in pregnancies (%)	73.5	61.5	43.5	7 / 10	1 / 1
Percentage of transfers resulting in live births (%)	61.8	46.2	39.1	6 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.1	34.6	30.4	5 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	14.7	11.5	8.7	1 / 10	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.7	23.1	26.1	4 / 10	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	39	13	17	9	2
	15	0	0	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	4	5	2	
Number of transfers	0	4	5	2	
Average number of embryos transferred		1.3	1.8	1.5	
Percentage of embryos transferred resulting in implantation (%)		3 / 5	5 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)		3 / 4	3 / 5	1 / 2	
Percentage of transfers resulting in live births (%)		3 / 4	3 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)		3 / 4	1 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 4	2 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 4	1 / 5	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Wake Forest University Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD HEALTH REPRODUCTIVE MEDICINE INSTITUTE FARGO, NORTH DAKOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Steffen P. Christensen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	20%	Uterine factor	<1%	Multiple Factors: Female factors only 15% Female & male factors 17%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	22%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	17%	
				Endometriosis	10%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 326
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	51	28	17	5	1
Percentage of cancellations before retrieval (%)	5.9	21.4	3 / 17	1 / 5	1 / 1
Number of transfers	28	17	8	2	0
Average number of embryos transferred	1.9	1.7	2.1	3.0	
Percentage of elective single embryo transfers (eSET) (%)	4.2	1 / 13	1 / 8	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.6	25.0	3 / 17	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	17.6	17.9	2 / 17	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	15.7	14.3	2 / 17	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	2.0	3.6	0 / 17	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.7	14.3	2 / 17	0 / 5	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.9	25.9	3 / 17	0 / 6	
Percentage of transfers resulting in pregnancies (%)	39.3	7 / 17	3 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	32.1	5 / 17	2 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	28.6	4 / 17	2 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	3.6	1 / 17	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	4 / 17	2 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	95	28	12	0	0
Number of transfers	93	26	12	0	0
Estimated average number of transfers per retrieval	1.5	1.1	4.0	0.0	0.0
Average number of embryos transferred	1.6	1.7	1.6		
Percentage of embryos transferred resulting in implantation (%)	46.8	34.9	6 / 17		
Percentage of transfers resulting in pregnancies (%)	55.9	46.2	6 / 12		
Percentage of transfers resulting in live births (%)	48.4	42.3	3 / 12		
Percentage of transfers resulting in singleton live births (%)	32.3	38.5	3 / 12		
Percentage of transfers resulting in twin live births (%)	16.1	3.8	0 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.0	26.9	2 / 12		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	48	15	2	4	1
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	11	6	0	
Number of transfers	1	7	6	0	
Average number of embryos transferred	2.0	2.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	9 / 14	3 / 10		
Percentage of transfers resulting in pregnancies (%)	0 / 1	6 / 7	3 / 6		
Percentage of transfers resulting in live births (%)	0 / 1	6 / 7	3 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 1	3 / 7	3 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 1	3 / 7	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	3 / 7	3 / 6		

CURRENT SERVICES & PROFILE

Current Name: Sanford Health Reproductive Medicine Institute

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY UNLIMITED, INC. NORTHEASTERN OHIO FERTILITY CENTER AKRON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nicholas J. Spirtos, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	6%	Uterine factor	6%	Multiple Factors: Female factors only 18% Female & male factors 32%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	9%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	32%	
				Endometriosis	38%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 36
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	12	5	2	1	2
Percentage of cancellations before retrieval (%)	1 / 12	0 / 5	0 / 2	1 / 1	1 / 2
Number of transfers	11	4	2	0	1
Average number of embryos transferred	1.7	2.0	1.5		1.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 10	0 / 4	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 12	2 / 5	1 / 2	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	7 / 12	2 / 5	1 / 2	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 12	0 / 5	1 / 2	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 12	2 / 5	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 12	0 / 5	1 / 2	0 / 1	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11 / 19	4 / 8	1 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 11	2 / 4	1 / 2		0 / 1
Percentage of transfers resulting in live births (%)	7 / 11	2 / 4	1 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 11	0 / 4	1 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 11	2 / 4	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	0 / 4	1 / 2		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	2	0	0	0
Number of transfers	3	2	0	0	0
Estimated average number of transfers per retrieval	1.5				0.0
Average number of embryos transferred	1.3	1.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 4	1 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 2			
Percentage of transfers resulting in live births (%)	1 / 3	1 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	1 / 2			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	5	0	
Number of transfers	2	0	5	0	
Average number of embryos transferred	2.0		1.8		
Percentage of embryos transferred resulting in implantation (%)	2 / 4		5 / 9		
Percentage of transfers resulting in pregnancies (%)	1 / 2		3 / 5		
Percentage of transfers resulting in live births (%)	1 / 2		3 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 2		2 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 5		

CURRENT SERVICES & PROFILE

Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC.-AKRON AKRON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David M. Nash, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	52%	Tubal factor	21%	Uterine factor	10%	Multiple Factors: Female factors only 15% Female & male factors 33%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	10%	
				Endometriosis	21%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 512
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	122	42	28	9	3
Percentage of cancellations before retrieval (%)	4.9	4.8	14.3	1 / 9	1 / 3
Number of transfers	48	24	13	5	0
Average number of embryos transferred	1.7	2.0	2.5	1.6	
Percentage of elective single embryo transfers (eSET) (%)	31.9	13.6	0 / 12	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.8	21.4	17.9	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)	23.0	14.3	14.3	0 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)	17.2	14.3	7.1	0 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)	4.9	0.0	7.1	0 / 9	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.8	14.3	7.1	0 / 9	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.8	19.1	21.9	0 / 8	
Percentage of transfers resulting in pregnancies (%)	60.4	37.5	5 / 13	0 / 5	
Percentage of transfers resulting in live births (%)	58.3	25.0	4 / 13	0 / 5	
Percentage of transfers resulting in singleton live births (%)	43.8	25.0	2 / 13	0 / 5	
Percentage of transfers resulting in twin live births (%)	12.5	0.0	2 / 13	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.5	25.0	2 / 13	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of cycles	142	59	22	6	2
Number of transfers	131	54	19	6	2
Estimated average number of transfers per retrieval	1.7	1.7	1.1	2.0	0.7
Average number of embryos transferred	1.5	1.6	1.8	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	53.1	35.3	46.9	1 / 12	0 / 4
Percentage of transfers resulting in pregnancies (%)	65.6	48.1	12 / 19	1 / 6	0 / 2
Percentage of transfers resulting in live births (%)	55.0	42.6	9 / 19	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	42.7	35.2	8 / 19	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	12.2	7.4	1 / 19	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.5	27.8	7 / 19	1 / 6	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	9	6	1	1
	2	0	1	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	25	0	18	4	
Number of transfers	22	0	16	4	
Average number of embryos transferred	1.6		1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	57.1		26.1	1 / 8	
Percentage of transfers resulting in pregnancies (%)	68.2		6 / 16	1 / 4	
Percentage of transfers resulting in live births (%)	63.6		4 / 16	1 / 4	
Percentage of transfers resulting in singleton live births (%)	40.9		4 / 16	1 / 4	
Percentage of transfers resulting in twin live births (%)	22.7		0 / 16	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.9		4 / 16	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology & Infertility-Akron

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLEVELAND CLINIC FERTILITY CENTER BEACHWOOD, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Cynthia Austin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	12%	Uterine factor	5%	Multiple Factors: Female factors only 13% Female & male factors 27%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	18%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	23%	Other factor	28%	
				Endometriosis	8%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 822
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	118	57	45	17	4
Percentage of cancellations before retrieval (%)	7.6	8.8	24.4	6 / 17	2 / 4
Number of transfers	107	47	31	9	1
Average number of embryos transferred	1.4	1.7	2.0	2.6	3.0
Percentage of elective single embryo transfers (eSET) (%)	52.5	11.1	7.1	0 / 8	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.8	49.1	46.7	3 / 17	1 / 4
Percentage of cycles resulting in live births (%)	52.5	38.6	35.6	2 / 17	1 / 4
Percentage of cycles resulting in singleton live births (%)	44.1	24.6	31.1	2 / 17	1 / 4
Percentage of cycles resulting in twin live births (%)	8.5	12.3	2.2	0 / 17	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	37.3	22.8	24.4	2 / 17	1 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	51.3	48.1	43.6	9.5	1 / 3
Percentage of transfers resulting in pregnancies (%)	62.6	59.6	67.7	3 / 9	1 / 1
Percentage of transfers resulting in live births (%)	57.9	46.8	51.6	2 / 9	1 / 1
Percentage of transfers resulting in singleton live births (%)	48.6	29.8	45.2	2 / 9	1 / 1
Percentage of transfers resulting in twin live births (%)	9.3	14.9	3.2	0 / 9	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.1	27.7	35.5	2 / 9	1 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	162	115	54	13	9
Number of transfers	149	99	50	12	7
Estimated average number of transfers per retrieval	1.2	2.0	1.1	0.7	0.9
Average number of embryos transferred	1.4	1.4	1.4	1.4	1.9
Percentage of embryos transferred resulting in implantation (%)	56.2	44.1	51.5	6 / 14	1 / 10
Percentage of transfers resulting in pregnancies (%)	65.1	55.6	66.0	8 / 12	2 / 7
Percentage of transfers resulting in live births (%)	58.4	46.5	56.0	6 / 12	1 / 7
Percentage of transfers resulting in singleton live births (%)	49.0	41.4	50.0	6 / 12	1 / 7
Percentage of transfers resulting in twin live births (%)	9.4	4.0	6.0	0 / 12	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.6	34.3	42.0	5 / 12	1 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	100	36	34	16	8
	18	6	1	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	7	22	3	
Number of transfers	1	6	17	3	
Average number of embryos transferred	1.0	1.8	1.3	1.7	
Percentage of embryos transferred resulting in implantation (%)	0 / 1	3 / 11	65.0	3 / 5	
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 6	13 / 17	2 / 3	
Percentage of transfers resulting in live births (%)	0 / 1	2 / 6	10 / 17	2 / 3	
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 6	9 / 17	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 6	1 / 17	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	1 / 6	8 / 17	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Cleveland Clinic Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY HOSPITALS FERTILITY CENTER BEACHWOOD, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James M. Goldfarb, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 10%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	8%	Male factor	34%	
Used gestational carrier	4%			Diminished ovarian reserve	14%	Other factor	18%	
				Endometriosis	6%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 607
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	148	77	57	22	7
Percentage of cancellations before retrieval (%)	19.6	41.6	38.6	36.4	3 / 7
Number of transfers	95	38	30	14	4
Average number of embryos transferred	1.7	1.9	2.3	3.7	3.8
Percentage of elective single embryo transfers (eSET) (%)	26.9	8.8	3.4	0 / 14	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.2	24.7	24.6	4.5	1 / 7
Percentage of cycles resulting in live births (%)	36.5	18.2	19.3	0.0	0 / 7
Percentage of cycles resulting in singleton live births (%)	26.4	14.3	17.5	0.0	0 / 7
Percentage of cycles resulting in twin live births (%)	10.1	3.9	1.8	0.0	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.0	14.3	14.0	0.0	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.0	28.8	21.9	0.0	0 / 12
Percentage of transfers resulting in pregnancies (%)	67.4	50.0	46.7	1 / 14	1 / 4
Percentage of transfers resulting in live births (%)	56.8	36.8	36.7	0 / 14	0 / 4
Percentage of transfers resulting in singleton live births (%)	41.1	28.9	33.3	0 / 14	0 / 4
Percentage of transfers resulting in twin live births (%)	15.8	7.9	3.3	0 / 14	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.8	28.9	26.7	0 / 14	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	85	53	31	6	5
Number of transfers	77	42	27	6	5
Estimated average number of transfers per retrieval	1.0	1.2	1.1	1.0	0.8
Average number of embryos transferred	1.6	1.5	1.4	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	38.6	37.3	25.7	2 / 12	1 / 9
Percentage of transfers resulting in pregnancies (%)	54.5	52.4	37.0	2 / 6	1 / 5
Percentage of transfers resulting in live births (%)	40.3	38.1	22.2	2 / 6	1 / 5
Percentage of transfers resulting in singleton live births (%)	31.2	35.7	18.5	2 / 6	1 / 5
Percentage of transfers resulting in twin live births (%)	9.1	2.4	3.7	0 / 6	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	31.0	11.1	2 / 6	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	31	13	13	2	4
	15	3	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	29	0	17	6	
Number of transfers	21	0	15	6	
Average number of embryos transferred	1.5		1.4	1.7	
Percentage of embryos transferred resulting in implantation (%)	43.8		9 / 19	1 / 10	
Percentage of transfers resulting in pregnancies (%)	61.9		9 / 15	1 / 6	
Percentage of transfers resulting in live births (%)	52.4		8 / 15	0 / 6	
Percentage of transfers resulting in singleton live births (%)	47.6		7 / 15	0 / 6	
Percentage of transfers resulting in twin live births (%)	4.8		1 / 15	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.9		6 / 15	0 / 6	

CURRENT SERVICES & PROFILE

Current Name: University Hospitals Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETHESDA FERTILITY CENTER CINCINNATI, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kasey Reynolds, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 10% Female & male factors 10%
Unstimulated	4%	PGD/PGS	5%	Ovulatory dysfunction	18%	Male factor	24%	
Used gestational carrier	7%			Diminished ovarian reserve	36%	Other factor	13%	
				Endometriosis	2%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 266
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	60	19	11	10	3
Percentage of cancellations before retrieval (%)	16.7	2 / 19	3 / 11	4 / 10	0 / 3
Number of transfers	45	14	7	5	3
Average number of embryos transferred	1.8	2.1	2.1	2.8	2.7
Percentage of elective single embryo transfers (eSET) (%)	16.7	0 / 13	0 / 7	0 / 5	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.7	4 / 19	3 / 11	1 / 10	0 / 3
Percentage of cycles resulting in live births (%)	21.7	3 / 19	3 / 11	0 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)	16.7	1 / 19	3 / 11	0 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)	5.0	2 / 19	0 / 11	0 / 10	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.7	0 / 19	3 / 11	0 / 10	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	23.7	22.2	3 / 15	1 / 14	0 / 8
Percentage of transfers resulting in pregnancies (%)	35.6	4 / 14	3 / 7	1 / 5	0 / 3
Percentage of transfers resulting in live births (%)	28.9	3 / 14	3 / 7	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	22.2	1 / 14	3 / 7	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	6.7	2 / 14	0 / 7	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.6	0 / 14	3 / 7	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	49	24	10	1	9
Number of transfers	47	23	10	1	7
Estimated average number of transfers per retrieval	1.7	3.3	1.3	0.5	1.8
Average number of embryos transferred	1.7	1.5	1.6	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	37.5	33.3	2 / 15	0 / 2	6 / 13
Percentage of transfers resulting in pregnancies (%)	40.4	47.8	3 / 10	0 / 1	5 / 7
Percentage of transfers resulting in live births (%)	31.9	39.1	2 / 10	0 / 1	5 / 7
Percentage of transfers resulting in singleton live births (%)	14.9	34.8	2 / 10	0 / 1	4 / 7
Percentage of transfers resulting in twin live births (%)	17.0	4.3	0 / 10	0 / 1	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	12.8	26.1	2 / 10	0 / 1	3 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	2	6	1	4
	4	1	1	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	27	0	18	6	
Number of transfers	17	0	13	4	
Average number of embryos transferred	1.8		1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	54.8		20.0	1 / 4	
Percentage of transfers resulting in pregnancies (%)	12 / 17		4 / 13	1 / 4	
Percentage of transfers resulting in live births (%)	10 / 17		3 / 13	1 / 4	
Percentage of transfers resulting in singleton live births (%)	6 / 17		2 / 13	1 / 4	
Percentage of transfers resulting in twin live births (%)	4 / 17		1 / 13	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 17		2 / 13	1 / 4	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Bethesda Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sherif G. Awadalla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	18%	Uterine factor	13%	Multiple Factors: Female factors only 19% Female & male factors 20%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	29%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	15%	Other factor	12%	
				Endometriosis	19%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,174
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	353	137	76	19	6
Percentage of cancellations before retrieval (%)	8.2	10.2	19.7	5 / 19	0 / 6
Number of transfers	299	109	57	11	5
Average number of embryos transferred	1.5	1.9	2.3	2.6	2.4
Percentage of elective single embryo transfers (eSET) (%)	53.4	12.6	3.6	0 / 11	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.2	35.0	39.5	2 / 19	0 / 6
Percentage of cycles resulting in live births (%)	32.9	32.1	31.6	1 / 19	0 / 6
Percentage of cycles resulting in singleton live births (%)	28.3	21.2	23.7	1 / 19	0 / 6
Percentage of cycles resulting in twin live births (%)	4.5	10.9	7.9	0 / 19	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.1	19.0	19.7	1 / 19	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.7	30.8	30.8	6.9	0 / 12
Percentage of transfers resulting in pregnancies (%)	45.2	44.0	52.6	2 / 11	0 / 5
Percentage of transfers resulting in live births (%)	38.8	40.4	42.1	1 / 11	0 / 5
Percentage of transfers resulting in singleton live births (%)	33.4	26.6	31.6	1 / 11	0 / 5
Percentage of transfers resulting in twin live births (%)	5.4	13.8	10.5	0 / 11	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.8	23.9	26.3	1 / 11	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	252	94	47	14	0
Number of transfers	231	86	44	10	0
Estimated average number of transfers per retrieval	1.7	1.5	1.3	2.5	
Average number of embryos transferred	1.5	1.5	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	39.0	33.6	37.9	3 / 15	
Percentage of transfers resulting in pregnancies (%)	50.6	47.7	47.7	2 / 10	
Percentage of transfers resulting in live births (%)	41.1	40.7	34.1	2 / 10	
Percentage of transfers resulting in singleton live births (%)	32.0	33.7	25.0	2 / 10	
Percentage of transfers resulting in twin live births (%)	9.1	7.0	9.1	0 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.7	25.6	22.7	2 / 10	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	28	23	16	2	0
	6	8	6	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	56	6	39	3	
Number of transfers	52	6	34	3	
Average number of embryos transferred	1.5	1.3	1.6	2.3	
Percentage of embryos transferred resulting in implantation (%)	41.3	2 / 8	30.4	2 / 7	
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 6	38.2	1 / 3	
Percentage of transfers resulting in live births (%)	46.2	2 / 6	35.3	1 / 3	
Percentage of transfers resulting in singleton live births (%)	36.5	2 / 6	23.5	0 / 3	
Percentage of transfers resulting in twin live births (%)	9.6	0 / 6	11.8	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.8	2 / 6	17.6	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Grant E. Schmidt, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	32%	Tubal factor	19%	Uterine factor	5%	Multiple Factors: Female factors only 13% Female & male factors 9%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	11%	Male factor	26%	
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	8%	
				Endometriosis	9%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 749
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	211	109	66	38	22
Percentage of cancellations before retrieval (%)	3.3	9.2	18.2	34.2	27.3
Number of transfers	163	78	40	17	11
Average number of embryos transferred	1.5	1.6	2.1	2.5	2.6
Percentage of elective single embryo transfers (eSET) (%)	42.3	24.6	0.0	0 / 14	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.1	38.5	24.2	13.2	4.5
Percentage of cycles resulting in live births (%)	38.9	32.1	13.6	7.9	4.5
Percentage of cycles resulting in singleton live births (%)	32.2	23.9	10.6	5.3	4.5
Percentage of cycles resulting in twin live births (%)	6.6	7.3	3.0	2.6	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.4	20.2	7.6	5.3	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.9	44.0	22.7	10.8	3.4
Percentage of transfers resulting in pregnancies (%)	57.1	53.8	40.0	5 / 17	1 / 11
Percentage of transfers resulting in live births (%)	50.3	44.9	22.5	3 / 17	1 / 11
Percentage of transfers resulting in singleton live births (%)	41.7	33.3	17.5	2 / 17	1 / 11
Percentage of transfers resulting in twin live births (%)	8.6	10.3	5.0	1 / 17	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.8	28.2	12.5	2 / 17	0 / 11
Frozen Embryos from Nondonor Eggs					
Number of cycles	120	52	18	13	4
Number of transfers	117	49	16	13	4
Estimated average number of transfers per retrieval	1.9	1.4	0.7	1.6	0.6
Average number of embryos transferred	1.5	1.3	1.3	1.4	2.5
Percentage of embryos transferred resulting in implantation (%)	51.2	44.6	30.0	4 / 18	3 / 8
Percentage of transfers resulting in pregnancies (%)	61.5	57.1	7 / 16	2 / 13	3 / 4
Percentage of transfers resulting in live births (%)	49.6	36.7	4 / 16	2 / 13	2 / 4
Percentage of transfers resulting in singleton live births (%)	39.3	30.6	4 / 16	0 / 13	1 / 4
Percentage of transfers resulting in twin live births (%)	9.4	6.1	0 / 16	2 / 13	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2	26.5	4 / 16	0 / 13	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	12	15	3	4
	2	2	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	0	20	8	
Number of transfers	14	0	18	8	
Average number of embryos transferred	1.3		1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	5 / 15		52.2	8 / 14	
Percentage of transfers resulting in pregnancies (%)	7 / 14		10 / 18	6 / 8	
Percentage of transfers resulting in live births (%)	5 / 14		9 / 18	6 / 8	
Percentage of transfers resulting in singleton live births (%)	5 / 14		6 / 18	5 / 8	
Percentage of transfers resulting in twin live births (%)	0 / 14		3 / 18	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 14		5 / 18	3 / 8	

CURRENT SERVICES & PROFILE

Current Name: Ohio Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPRINGCREEK FERTILITY DAYTON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeremy M. Groll, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 16% Female & male factors 18%
Unstimulated	1%	PGD/PGS	10%	Ovulatory dysfunction	12%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	18%	
				Endometriosis	14%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 192
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	43	7	7	1	9
Percentage of cancellations before retrieval (%)	0.0	0 / 7	0 / 7	0 / 1	1 / 9
Number of transfers	43	6	7	1	5
Average number of embryos transferred	1.6	1.7	2.1	2.0	2.4
Percentage of elective single embryo transfers (eSET) (%)	36.6	1 / 5	1 / 7	0 / 1	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	58.1	3 / 7	3 / 7	0 / 1	0 / 9
Percentage of cycles resulting in live births (%)	51.2	3 / 7	3 / 7	0 / 1	0 / 9
Percentage of cycles resulting in singleton live births (%)	46.5	2 / 7	3 / 7	0 / 1	0 / 9
Percentage of cycles resulting in twin live births (%)	4.7	1 / 7	0 / 7	0 / 1	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	34.9	2 / 7	3 / 7	0 / 1	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.1	4 / 10	3 / 15	0 / 2	0 / 12
Percentage of transfers resulting in pregnancies (%)	58.1	3 / 6	3 / 7	0 / 1	0 / 5
Percentage of transfers resulting in live births (%)	51.2	3 / 6	3 / 7	0 / 1	0 / 5
Percentage of transfers resulting in singleton live births (%)	46.5	2 / 6	3 / 7	0 / 1	0 / 5
Percentage of transfers resulting in twin live births (%)	4.7	1 / 6	0 / 7	0 / 1	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.9	2 / 6	3 / 7	0 / 1	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	43	9	9	2	1
Number of transfers	42	8	8	2	1
Estimated average number of transfers per retrieval	1.2	0.8	0.6	2.0	1.0
Average number of embryos transferred	1.6	1.5	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	42.4	7 / 12	4 / 14	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.8	5 / 8	3 / 8	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	52.4	5 / 8	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.9	3 / 8	1 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	9.5	2 / 8	1 / 8	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.0	2 / 8	1 / 8	0 / 2	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	9	13	1	0
	5	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	3	3	2	
Number of transfers	5	3	3	2	
Average number of embryos transferred	1.8	2.0	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	8 / 9	2 / 6	1 / 5	0 / 4	
Percentage of transfers resulting in pregnancies (%)	5 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	5 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 5	0 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 5	1 / 3	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	0 / 3	1 / 3	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: SpringCreek Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WRIGHT STATE PHYSICIANS OB/GYN DAYTON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Steven R. Lindheim, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	0%	Uterine factor	22%	Multiple Factors: Female factors only 19% Female & male factors 26%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	11%	Male factor	56%	
Used gestational carrier	7%			Diminished ovarian reserve	37%	Other factor	19%	
				Endometriosis	7%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 34
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	6	0	1	1
Percentage of cancellations before retrieval (%)	0 / 8	1 / 6		0 / 1	0 / 1
Number of transfers	8	5	0	1	1
Average number of embryos transferred	1.9	1.8		1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 8	0 / 4			0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 8	0 / 6		0 / 1	1 / 1
Percentage of cycles resulting in live births (%)	1 / 8	0 / 6		0 / 1	1 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 8	0 / 6		0 / 1	1 / 1
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 6		0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 8	0 / 6		0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 15	0 / 9		0 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 8	0 / 5		0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	1 / 8	0 / 5		0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 8	0 / 5		0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 5		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	0 / 5		0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	1	0	0	0
Number of transfers	2	1	0	0	0
Estimated average number of transfers per retrieval	0.3	0.5		0.0	
Average number of embryos transferred	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 4	0 / 2			
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 1			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	2	0	1	0
	2	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	3	1	
Number of transfers	3	0	3	1	
Average number of embryos transferred	1.7		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 5		0 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		0 / 3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Wright State Physicians OB/GYN

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KETTERING REPRODUCTIVE MEDICINE KETTERING, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark C. Bidwell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	13%	Uterine factor	<1%	Multiple Factors: Female factors only 3% Female & male factors 22%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	3%	
				Endometriosis	17%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 210
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	81	22	15	5	3
Percentage of cancellations before retrieval (%)	8.6	9.1	0 / 15	1 / 5	0 / 3
Number of transfers	69	19	15	4	3
Average number of embryos transferred	1.9	2.0	1.9	2.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	11.8	0 / 18	0 / 12	0 / 4	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.1	54.5	9 / 15	1 / 5	0 / 3
Percentage of cycles resulting in live births (%)	46.9	50.0	7 / 15	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	29.6	13.6	6 / 15	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	16.0	36.4	1 / 15	0 / 5	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	13.6	5 / 15	0 / 5	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.8	52.8	37.0	0 / 6	0 / 6
Percentage of transfers resulting in pregnancies (%)	62.3	12 / 19	9 / 15	1 / 4	0 / 3
Percentage of transfers resulting in live births (%)	55.1	11 / 19	7 / 15	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.8	3 / 19	6 / 15	0 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	18.8	8 / 19	1 / 15	0 / 4	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.4	3 / 19	5 / 15	0 / 4	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	13	9	1	1
Number of transfers	41	13	9	1	1
Estimated average number of transfers per retrieval	2.7	4.3	3.0		0.3
Average number of embryos transferred	1.6	1.6	1.8	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	24.6	33.3	1 / 15	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	39.0	5 / 13	2 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	34.1	4 / 13	1 / 9	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.7	3 / 13	1 / 9	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	2.4	1 / 13	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.3	3 / 13	0 / 9	0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	2	0	0	2
	2	1	0	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	5	0	
Number of transfers	6	0	5	0	
Average number of embryos transferred	2.0		1.6		
Percentage of embryos transferred resulting in implantation (%)	10 / 12		1 / 8		
Percentage of transfers resulting in pregnancies (%)	5 / 6		1 / 5		
Percentage of transfers resulting in live births (%)	5 / 6		1 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 5		
Percentage of transfers resulting in twin live births (%)	3 / 6		0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6		1 / 5		

CURRENT SERVICES & PROFILE

Current Name: Kettering Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY WELLNESS INSTITUTE OF OHIO MASON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Neeoo W. Chin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	55%	Tubal factor	33%	Uterine factor	32%	Multiple Factors: Female factors only 46% Female & male factors 22%
Unstimulated	3%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	18%	
				Endometriosis	57%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 94
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	13	9	4	4
Percentage of cancellations before retrieval (%)	13.2	1 / 13	1 / 9	4 / 4	2 / 4
Number of transfers	32	12	6	0	1
Average number of embryos transferred	1.9	2.1	2.0		1.0
Percentage of elective single embryo transfers (eSET) (%)	6.9	0 / 12	0 / 5		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.5	8 / 13	3 / 9	0 / 4	0 / 4
Percentage of cycles resulting in live births (%)	36.8	7 / 13	2 / 9	0 / 4	0 / 4
Percentage of cycles resulting in singleton live births (%)	18.4	4 / 13	2 / 9	0 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)	18.4	3 / 13	0 / 9	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.4	3 / 13	2 / 9	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.7	44.0	4 / 12		0 / 1
Percentage of transfers resulting in pregnancies (%)	46.9	8 / 12	3 / 6		0 / 1
Percentage of transfers resulting in live births (%)	43.8	7 / 12	2 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	21.9	4 / 12	2 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	21.9	3 / 12	0 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.9	3 / 12	2 / 6		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	5	3	0	0
Number of transfers	8	5	3	0	0
Estimated average number of transfers per retrieval	2.0		3.0		
Average number of embryos transferred	2.0	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 16	1 / 8	0 / 6		
Percentage of transfers resulting in pregnancies (%)	3 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in live births (%)	3 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 5	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 8	1 / 5	0 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	3	1	
Number of transfers	3	0	3	1	
Average number of embryos transferred	2.7		1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 8		0 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3		0 / 3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: The Fertility Wellness Institute of Ohio

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UC CENTER FOR REPRODUCTIVE HEALTH WEST CHESTER, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael A. Thomas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	24%	Uterine factor	5%	Multiple Factors: Female factors only 19% Female & male factors 32%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	36%	Male factor	48%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	12%	
				Endometriosis	8%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 238
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	86	28	15	5	0
Percentage of cancellations before retrieval (%)	9.3	7.1	2 / 15	3 / 5	
Number of transfers	75	26	12	2	0
Average number of embryos transferred	1.7	1.8	2.0	2.5	
Percentage of elective single embryo transfers (eSET) (%)	21.1	9.1	1 / 12	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.5	32.1	2 / 15	0 / 5	
Percentage of cycles resulting in live births (%)	32.6	25.0	0 / 15	0 / 5	
Percentage of cycles resulting in singleton live births (%)	23.3	17.9	0 / 15	0 / 5	
Percentage of cycles resulting in twin live births (%)	9.3	7.1	0 / 15	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.3	14.3	0 / 15	0 / 5	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.7	26.1	9.1	0 / 5	
Percentage of transfers resulting in pregnancies (%)	45.3	34.6	2 / 12	0 / 2	
Percentage of transfers resulting in live births (%)	37.3	26.9	0 / 12	0 / 2	
Percentage of transfers resulting in singleton live births (%)	26.7	19.2	0 / 12	0 / 2	
Percentage of transfers resulting in twin live births (%)	10.7	7.7	0 / 12	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.7	15.4	0 / 12	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	42	12	11	0	0
Number of transfers	40	12	11	0	0
Estimated average number of transfers per retrieval	1.3	1.7	0.8	0.0	0.0
Average number of embryos transferred	1.6	1.8	1.4		
Percentage of embryos transferred resulting in implantation (%)	21.1	14.3	1 / 12		
Percentage of transfers resulting in pregnancies (%)	35.0	3 / 12	3 / 11		
Percentage of transfers resulting in live births (%)	25.0	3 / 12	1 / 11		
Percentage of transfers resulting in singleton live births (%)	25.0	3 / 12	1 / 11		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	0 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	2 / 12	1 / 11		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	16	0	8	1	1
	13	0	3	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	4	0	
Number of transfers	7	0	4	0	
Average number of embryos transferred	1.6		1.3		
Percentage of embryos transferred resulting in implantation (%)	6 / 11		1 / 5		
Percentage of transfers resulting in pregnancies (%)	5 / 7		1 / 4		
Percentage of transfers resulting in live births (%)	5 / 7		1 / 4		
Percentage of transfers resulting in singleton live births (%)	4 / 7		1 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 7		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7		0 / 4		

CURRENT SERVICES & PROFILE

Current Name: UC Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC.-WESTERVILLE WESTERVILLE, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David M. Nash, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	49%	Tubal factor	12%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 20%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	20%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	8%	
				Endometriosis	10%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 358
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	28	22	4	0
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	1 / 4	
Number of transfers	66	24	14	2	0
Average number of embryos transferred	1.5	2.1	2.6	2.5	
Percentage of elective single embryo transfers (eSET) (%)	56.1	17.4	0 / 14	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	42.9	31.8	0 / 4	
Percentage of cycles resulting in live births (%)	32.6	21.4	13.6	0 / 4	
Percentage of cycles resulting in singleton live births (%)	26.3	17.9	9.1	0 / 4	
Percentage of cycles resulting in twin live births (%)	6.3	3.6	4.5	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.2	17.9	9.1	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.9	28.3	22.2	0 / 5	
Percentage of transfers resulting in pregnancies (%)	53.0	50.0	7 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	47.0	25.0	3 / 14	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.9	20.8	2 / 14	0 / 2	
Percentage of transfers resulting in twin live births (%)	9.1	4.2	1 / 14	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	20.8	2 / 14	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	90	18	24	7	1
Number of transfers	78	17	21	2	1
Estimated average number of transfers per retrieval	1.2	1.3	1.6	0.5	
Average number of embryos transferred	1.4	1.5	1.9	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	54.6	54.2	28.9	1 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	67.9	12 / 17	42.9	1 / 2	1 / 1
Percentage of transfers resulting in live births (%)	59.0	11 / 17	23.8	1 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	51.3	9 / 17	14.3	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	6.4	2 / 17	9.5	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.3	9 / 17	4.8	0 / 2	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	19	5	4	2	0
	10	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	21	2	14	0	
Number of transfers	20	1	11	0	
Average number of embryos transferred	1.3	1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	60.0	0 / 1	10 / 13		
Percentage of transfers resulting in pregnancies (%)	75.0	0 / 1	9 / 11		
Percentage of transfers resulting in live births (%)	75.0	0 / 1	6 / 11		
Percentage of transfers resulting in singleton live births (%)	75.0	0 / 1	5 / 11		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 1	1 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	75.0	0 / 1	5 / 11		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology & Infertility-Westerville

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eli Reshef, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	19%	Uterine factor	4%	Multiple Factors: Female factors only 12% Female & male factors 25%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	16%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	18%	
				Endometriosis	16%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 374
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	154	39	36	7	2
Percentage of cancellations before retrieval (%)	7.1	15.4	33.3	1 / 7	0 / 2
Number of transfers	118	31	20	5	2
Average number of embryos transferred	1.8	1.9	2.2	1.6	2.5
Percentage of elective single embryo transfers (eSET) (%)	18.2	3.8	5.0	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.2	38.5	22.2	2 / 7	0 / 2
Percentage of cycles resulting in live births (%)	35.1	33.3	16.7	2 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	27.9	28.2	13.9	2 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	7.1	5.1	2.8	0 / 7	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.4	28.2	13.9	1 / 7	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.0	28.1	20.9	2 / 8	0 / 5
Percentage of transfers resulting in pregnancies (%)	55.1	48.4	40.0	2 / 5	0 / 2
Percentage of transfers resulting in live births (%)	45.8	41.9	30.0	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.4	35.5	25.0	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	9.3	6.5	5.0	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.5	35.5	25.0	1 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	57	16	7	6	4
Number of transfers	48	13	7	5	1
Estimated average number of transfers per retrieval	1.3	4.3	1.2	1.3	
Average number of embryos transferred	1.6	1.8	1.6	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	36.5	20.8	2 / 11	0 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	47.9	5 / 13	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	43.8	4 / 13	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.4	4 / 13	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	8.3	0 / 13	0 / 7	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	3 / 13	2 / 7	0 / 5	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	1	1	2	0
	3	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	6	15	
Number of transfers	13	0	6	14	
Average number of embryos transferred	1.9		1.8	1.8	
Percentage of embryos transferred resulting in implantation (%)	32.0		2 / 9	16.0	
Percentage of transfers resulting in pregnancies (%)	6 / 13		3 / 6	4 / 14	
Percentage of transfers resulting in live births (%)	6 / 13		2 / 6	3 / 14	
Percentage of transfers resulting in singleton live births (%)	4 / 13		2 / 6	3 / 14	
Percentage of transfers resulting in twin live births (%)	2 / 13		0 / 6	0 / 14	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 13		2 / 6	2 / 14	

CURRENT SERVICES & PROFILE

Current Name: Bennett Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OU PHYSICIANS REPRODUCTIVE MEDICINE OKLAHOMA CITY, OKLAHOMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by LaTasha B. Craig, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 12% Female & male factors 22%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	49%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	26%	
				Endometriosis	11%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 283
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	94	37	21	3	4
Percentage of cancellations before retrieval (%)	3.2	0.0	19.0	0 / 3	2 / 4
Number of transfers	86	37	16	3	2
Average number of embryos transferred	1.7	2.1	2.3	3.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	24.4	5.6	0 / 15	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	57.4	40.5	23.8	1 / 3	0 / 4
Percentage of cycles resulting in live births (%)	50.0	37.8	14.3	1 / 3	0 / 4
Percentage of cycles resulting in singleton live births (%)	28.7	29.7	9.5	1 / 3	0 / 4
Percentage of cycles resulting in twin live births (%)	21.3	5.4	4.8	0 / 3	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.5	24.3	9.5	1 / 3	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	51.4	25.6	16.2	1 / 10	0 / 4
Percentage of transfers resulting in pregnancies (%)	62.8	40.5	5 / 16	1 / 3	0 / 2
Percentage of transfers resulting in live births (%)	54.7	37.8	3 / 16	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.4	29.7	2 / 16	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	23.3	5.4	1 / 16	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.9	24.3	2 / 16	1 / 3	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	51	23	7	1	1
Number of transfers	51	22	7	1	1
Estimated average number of transfers per retrieval	2.3	1.8	1.8		
Average number of embryos transferred	1.5	1.5	1.9	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	34.2	25.8	1 / 10	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	47.1	45.5	3 / 7	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	35.3	36.4	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.4	36.4	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5.9	0.0	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.6	36.4	0 / 7	0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	11	4	1	0	0
	3	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	2	10	6	
Number of transfers	5	2	10	6	
Average number of embryos transferred	1.6	1.5	1.7	1.5	
Percentage of embryos transferred resulting in implantation (%)	4 / 8	3 / 3	3 / 17	4 / 9	
Percentage of transfers resulting in pregnancies (%)	3 / 5	2 / 2	3 / 10	3 / 6	
Percentage of transfers resulting in live births (%)	2 / 5	2 / 2	1 / 10	3 / 6	
Percentage of transfers resulting in singleton live births (%)	2 / 5	1 / 2	1 / 10	2 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 2	0 / 10	1 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	1 / 2	1 / 10	1 / 6	

CURRENT SERVICES & PROFILE

Current Name: OU Physicians Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TULSA FERTILITY CENTER TULSA, OKLAHOMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Stanley G. Prough, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	11%	Uterine factor	<1%	Multiple Factors: Female factors only 11% Female & male factors 28%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	18%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	26%	
				Endometriosis	6%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 392
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	138	31	23	4	2
Percentage of cancellations before retrieval (%)	6.5	16.1	43.5	2 / 4	0 / 2
Number of transfers	74	16	6	1	1
Average number of embryos transferred	1.6	1.6	1.8	3.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	14.5	2 / 11	0 / 4	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.6	12.9	21.7	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	22.5	12.9	17.4	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	14.5	9.7	17.4	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	8.0	3.2	0.0	0 / 4	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.3	9.7	17.4	0 / 4	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.3	19.2	4 / 8	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.9	4 / 16	5 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	41.9	4 / 16	4 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.0	3 / 16	4 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	14.9	1 / 16	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.0	3 / 16	4 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	80	16	10	2	0
Number of transfers	79	15	10	1	0
Estimated average number of transfers per retrieval	1.4	0.9	0.5	1.0	
Average number of embryos transferred	1.6	1.7	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	33.0	29.2	5 / 17	1 / 2	
Percentage of transfers resulting in pregnancies (%)	50.6	7 / 15	4 / 10	1 / 1	
Percentage of transfers resulting in live births (%)	38.0	5 / 15	3 / 10	1 / 1	
Percentage of transfers resulting in singleton live births (%)	34.2	4 / 15	2 / 10	1 / 1	
Percentage of transfers resulting in twin live births (%)	3.8	1 / 15	1 / 10	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.6	4 / 15	2 / 10	1 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	19	11	17	1	0
	4	0	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	16	0	14	7	
Number of transfers	13	0	14	6	
Average number of embryos transferred	1.5		1.7	1.3	
Percentage of embryos transferred resulting in implantation (%)	10 / 18		18.2	2 / 6	
Percentage of transfers resulting in pregnancies (%)	8 / 13		3 / 14	3 / 6	
Percentage of transfers resulting in live births (%)	7 / 13		2 / 14	2 / 6	
Percentage of transfers resulting in singleton live births (%)	4 / 13		0 / 14	2 / 6	
Percentage of transfers resulting in twin live births (%)	3 / 13		2 / 14	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 13		0 / 14	1 / 6	

CURRENT SERVICES & PROFILE

Current Name: Tulsa Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF OREGON EUGENE, OREGON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

OREGON

2016 ART CYCLE PROFILE

Data verified by Douglas J. Austin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	86%	Tubal factor	10%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 26%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	21%	Male factor	45%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	16%	
				Endometriosis	6%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 191
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	21	13	3	4
Percentage of cancellations before retrieval (%)	7.1	9.5	0 / 13	0 / 3	0 / 4
Number of transfers	38	17	12	1	4
Average number of embryos transferred	2.0	1.8	2.3	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	2.9	2 / 14	1 / 11	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.6	47.6	8 / 13	0 / 3	2 / 4
Percentage of cycles resulting in live births (%)	40.5	42.9	7 / 13	0 / 3	2 / 4
Percentage of cycles resulting in singleton live births (%)	28.6	28.6	5 / 13	0 / 3	1 / 4
Percentage of cycles resulting in twin live births (%)	11.9	14.3	2 / 13	0 / 3	1 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	21.4	14.3	3 / 13	0 / 3	1 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.7	43.3	37.0	0 / 2	4 / 9
Percentage of transfers resulting in pregnancies (%)	52.6	10 / 17	8 / 12	0 / 1	2 / 4
Percentage of transfers resulting in live births (%)	44.7	9 / 17	7 / 12	0 / 1	2 / 4
Percentage of transfers resulting in singleton live births (%)	31.6	6 / 17	5 / 12	0 / 1	1 / 4
Percentage of transfers resulting in twin live births (%)	13.2	3 / 17	2 / 12	0 / 1	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.7	3 / 17	3 / 12	0 / 1	1 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	29	25	13	6	3
Number of transfers	29	24	13	6	3
Estimated average number of transfers per retrieval	4.1	24.0			
Average number of embryos transferred	2.0	1.7	1.8	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	20.8	20.0	19.0	0 / 13	0 / 6
Percentage of transfers resulting in pregnancies (%)	37.9	33.3	5 / 13	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	31.0	29.2	3 / 13	0 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	27.6	25.0	3 / 13	0 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	3.4	4.2	0 / 13	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	13.8	25.0	3 / 13	0 / 6	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	14	2	
Number of transfers	14	0	14	2	
Average number of embryos transferred	1.9		1.9	3.0	
Percentage of embryos transferred resulting in implantation (%)	65.4		20.8	0 / 6	
Percentage of transfers resulting in pregnancies (%)	10 / 14		5 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	10 / 14		3 / 14	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 14		3 / 14	0 / 2	
Percentage of transfers resulting in twin live births (%)	6 / 14		0 / 14	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 14		2 / 14	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: The Fertility Center of Oregon

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTHWEST FERTILITY CENTER
PORTLAND, OREGON**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

OREGON REPRODUCTIVE MEDICINE PORTLAND, OREGON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John S. Hesla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	6%	Uterine factor	5%	Multiple Factors: Female factors only 19% Female & male factors 11%
Unstimulated	<1%	PGD/PGS	64%	Ovulatory dysfunction	16%	Male factor	21%	
Used gestational carrier	23%			Diminished ovarian reserve	31%	Other factor	39%	
				Endometriosis	8%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,882
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	106	52	42	18	23
Percentage of cancellations before retrieval (%)	0.0	3.8	0.0	0 / 18	0.0
Number of transfers	89	32	26	9	11
Average number of embryos transferred	1.7	1.6	1.6	1.4	1.5
Percentage of elective single embryo transfers (eSET) (%)	19.5	18.2	0 / 15	0 / 4	1 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	61.3	44.2	33.3	3 / 18	26.1
Percentage of cycles resulting in live births (%)	50.9	42.3	26.2	2 / 18	17.4
Percentage of cycles resulting in singleton live births (%)	28.3	30.8	21.4	1 / 18	17.4
Percentage of cycles resulting in twin live births (%)	21.7	9.6	4.8	1 / 18	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.6	28.8	19.0	1 / 18	17.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	63.7	62.0	47.6	5 / 13	6 / 16
Percentage of transfers resulting in pregnancies (%)	73.0	71.9	53.8	3 / 9	6 / 11
Percentage of transfers resulting in live births (%)	60.7	68.8	42.3	2 / 9	4 / 11
Percentage of transfers resulting in singleton live births (%)	33.7	50.0	34.6	1 / 9	4 / 11
Percentage of transfers resulting in twin live births (%)	25.8	15.6	7.7	1 / 9	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.1	46.9	30.8	1 / 9	4 / 11
Frozen Embryos from Nondonor Eggs					
Number of cycles	167	145	95	61	45
Number of transfers	166	143	91	58	40
Estimated average number of transfers per retrieval	0.6	0.7	0.5	0.7	0.4
Average number of embryos transferred	1.4	1.4	1.3	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	65.4	72.6	62.1	58.6	68.6
Percentage of transfers resulting in pregnancies (%)	72.9	81.1	67.0	69.0	65.0
Percentage of transfers resulting in live births (%)	66.3	69.2	53.8	58.6	60.0
Percentage of transfers resulting in singleton live births (%)	48.8	58.0	40.7	55.2	40.0
Percentage of transfers resulting in twin live births (%)	17.5	11.2	12.1	3.4	20.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.2	52.4	33.0	44.8	27.5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	243	208	188	85	103
	12	8	7	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	0	262	20	
Number of transfers	17	0	254	20	
Average number of embryos transferred	1.5		1.6	1.6	
Percentage of embryos transferred resulting in implantation (%)	68.0		74.6	61.3	
Percentage of transfers resulting in pregnancies (%)	12 / 17		83.1	70.0	
Percentage of transfers resulting in live births (%)	12 / 17		71.3	60.0	
Percentage of transfers resulting in singleton live births (%)	9 / 17		42.9	50.0	
Percentage of transfers resulting in twin live births (%)	3 / 17		28.0	10.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 17		32.3	45.0	

CURRENT SERVICES & PROFILE

Current Name: Oregon Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CONSULTANTS OREGON HEALTH & SCIENCE UNIVERSITY PORTLAND, OREGON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Diana H. Wu, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 14% Female & male factors 33%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	15%	Male factor	48%	
Used gestational carrier	5%			Diminished ovarian reserve	34%	Other factor	21%	
				Endometriosis	9%	Unknown factor	5%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 680 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		80	40	32	10	7
Percentage of cancellations before retrieval (%)		13.8	20.0	18.8	2 / 10	4 / 7
Number of transfers		32	14	5	2	2
Average number of embryos transferred		1.6	1.6	1.8	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)		43.3	3 / 12	0 / 4	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		22.5	22.5	9.4	1 / 10	0 / 7
Percentage of cycles resulting in live births (%)		20.0	20.0	9.4	0 / 10	0 / 7
Percentage of cycles resulting in singleton live births (%)		12.5	15.0	6.3	0 / 10	0 / 7
Percentage of cycles resulting in twin live births (%)		7.5	5.0	3.1	0 / 10	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		11.3	15.0	6.3	0 / 10	0 / 7
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		52.0	52.2	5 / 9	2 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)		56.3	9 / 14	3 / 5	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)		50.0	8 / 14	3 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)		31.3	6 / 14	2 / 5	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)		18.8	2 / 14	1 / 5	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		28.1	6 / 14	2 / 5	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles		108	63	58	24	10
Number of transfers		106	59	55	23	10
Estimated average number of transfers per retrieval		1.1	0.8	0.9	0.7	0.8
Average number of embryos transferred		1.5	1.4	1.3	1.3	1.7
Percentage of embryos transferred resulting in implantation (%)		43.4	55.3	55.1	48.3	8 / 15
Percentage of transfers resulting in pregnancies (%)		53.8	64.4	67.3	56.5	7 / 10
Percentage of transfers resulting in live births (%)		46.2	55.9	54.5	43.5	5 / 10
Percentage of transfers resulting in singleton live births (%)		36.8	44.1	50.9	43.5	3 / 10
Percentage of transfers resulting in twin live births (%)		9.4	10.2	3.6	0.0	2 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		27.4	37.3	38.2	34.8	3 / 10
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		58	54	54	27	12
		24	13	8	2	2
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		22	0	20	1	
Number of transfers		20	0	18	1	
Average number of embryos transferred		1.1		1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)		63.6		61.9	1 / 1	
Percentage of transfers resulting in pregnancies (%)		70.0		11 / 18	1 / 1	
Percentage of transfers resulting in live births (%)		70.0		8 / 18	1 / 1	
Percentage of transfers resulting in singleton live births (%)		70.0		6 / 18	1 / 1	
Percentage of transfers resulting in twin live births (%)		0.0		2 / 18	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		45.0		5 / 18	1 / 1	

CURRENT SERVICES & PROFILE		Current Name: University Fertility Consultants, Oregon Health & Science University					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS TOLL CENTER FOR REPRODUCTIVE SCIENCES ABINGTON, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Annette Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	6%	Uterine factor	<1%	Multiple Factors: Female factors only 2% Female & male factors 6%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	20%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	4%	
				Endometriosis	4%	Unknown factor	20%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 716
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	177	56	57	34	13
Percentage of cancellations before retrieval (%)	2.3	8.9	15.8	17.6	0 / 13
Number of transfers	129	41	33	19	8
Average number of embryos transferred	1.7	2.1	2.2	2.8	3.1
Percentage of elective single embryo transfers (eSET) (%)	29.3	11.4	0.0	0 / 17	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.7	30.4	15.8	17.6	1 / 13
Percentage of cycles resulting in live births (%)	30.5	23.2	14.0	11.8	0 / 13
Percentage of cycles resulting in singleton live births (%)	24.3	19.6	12.3	8.8	0 / 13
Percentage of cycles resulting in twin live births (%)	6.2	3.6	1.8	2.9	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.3	19.6	10.5	5.9	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.0	26.7	13.0	11.8	4.0
Percentage of transfers resulting in pregnancies (%)	50.4	41.5	27.3	6 / 19	1 / 8
Percentage of transfers resulting in live births (%)	41.9	31.7	24.2	4 / 19	0 / 8
Percentage of transfers resulting in singleton live births (%)	33.3	26.8	21.2	3 / 19	0 / 8
Percentage of transfers resulting in twin live births (%)	8.5	4.9	3.0	1 / 19	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.9	26.8	18.2	2 / 19	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	131	41	33	9	12
Number of transfers	123	40	29	9	12
Estimated average number of transfers per retrieval	1.3	1.0	0.9	2.3	1.5
Average number of embryos transferred	1.3	1.3	1.3	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	41.9	47.1	34.3	4 / 12	28.6
Percentage of transfers resulting in pregnancies (%)	47.2	50.0	44.8	4 / 9	5 / 12
Percentage of transfers resulting in live births (%)	41.5	45.0	24.1	4 / 9	5 / 12
Percentage of transfers resulting in singleton live births (%)	35.8	42.5	17.2	4 / 9	4 / 12
Percentage of transfers resulting in twin live births (%)	5.7	2.5	6.9	0 / 9	1 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.9	35.0	17.2	4 / 9	3 / 12
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	43	33	23	4	5
	12	13	10	1	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	17	6	19	1	
Number of transfers	16	6	18	1	
Average number of embryos transferred	1.7	1.5	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	52.0	4 / 9	23.1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	11 / 16	3 / 6	6 / 18	1 / 1	
Percentage of transfers resulting in live births (%)	10 / 16	3 / 6	6 / 18	1 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 16	2 / 6	6 / 18	1 / 1	
Percentage of transfers resulting in twin live births (%)	3 / 16	1 / 6	0 / 18	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 16	2 / 6	2 / 18	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Abington Reproductive Medicine, Abington IVF and Genetics,
Toll Center for Reproductive Sciences

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INFERTILITY SOLUTIONS, PC
ALLENTOWN, PENNSYLVANIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA ALLENTOWN, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Wendy J. Schillings, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	15%	Uterine factor	4%	Multiple Factors: Female factors only 15% Female & male factors 37%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	17%	Male factor	51%	
Used gestational carrier	1%			Diminished ovarian reserve	15%	Other factor	54%	
				Endometriosis	4%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 325
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	67	23	6	2	1
Percentage of cancellations before retrieval (%)	7.5	17.4	1 / 6	0 / 2	0 / 1
Number of transfers	27	4	0	0	0
Average number of embryos transferred	1.4	1.8			
Percentage of elective single embryo transfers (eSET) (%)	53.8	1 / 4			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.3	8.7	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	23.9	8.7	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	16.4	0.0	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	7.5	8.7	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.9	0.0	0 / 6	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	75.0	4 / 7			
Percentage of transfers resulting in pregnancies (%)	77.8	2 / 4			
Percentage of transfers resulting in live births (%)	59.3	2 / 4			
Percentage of transfers resulting in singleton live births (%)	40.7	0 / 4			
Percentage of transfers resulting in twin live births (%)	18.5	2 / 4			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.0	0 / 4			
Frozen Embryos from Nondonor Eggs					
Number of cycles	78	34	28	5	2
Number of transfers	75	31	26	5	2
Estimated average number of transfers per retrieval	1.4	1.6	1.7	1.3	0.7
Average number of embryos transferred	1.3	1.2	1.2	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	74.5	69.4	53.6	4 / 4	2 / 2
Percentage of transfers resulting in pregnancies (%)	80.0	71.0	61.5	5 / 5	1 / 2
Percentage of transfers resulting in live births (%)	72.0	54.8	57.7	4 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	57.3	45.2	57.7	4 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	14.7	9.7	0.0	0 / 5	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	52.0	41.9	50.0	4 / 5	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	11	13	3	3
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	17	5	
Number of transfers	0	0	17	5	
Average number of embryos transferred			1.1	1.2	
Percentage of embryos transferred resulting in implantation (%)			11 / 19	5 / 6	
Percentage of transfers resulting in pregnancies (%)			11 / 17	4 / 5	
Percentage of transfers resulting in live births (%)			11 / 17	4 / 5	
Percentage of transfers resulting in singleton live births (%)			11 / 17	3 / 5	
Percentage of transfers resulting in twin live births (%)			0 / 17	1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			9 / 17	2 / 5	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER BETHLEHEM, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by H. Christina Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	10%	Uterine factor	0%	Multiple Factors: Female factors only 5% Female & male factors 31%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	25%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	15%	
				Endometriosis	10%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 124
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	12	6	4	0
Percentage of cancellations before retrieval (%)	3.3	0 / 12	1 / 6	0 / 4	
Number of transfers	20	8	4	2	0
Average number of embryos transferred	1.5	1.6	1.8	2.5	
Percentage of elective single embryo transfers (eSET) (%)	7 / 16	2 / 7	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.7	4 / 12	3 / 6	1 / 4	
Percentage of cycles resulting in live births (%)	36.7	4 / 12	2 / 6	1 / 4	
Percentage of cycles resulting in singleton live births (%)	23.3	3 / 12	2 / 6	1 / 4	
Percentage of cycles resulting in twin live births (%)	13.3	1 / 12	0 / 6	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	2 / 12	2 / 6	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	51.7	5 / 13	5 / 7	1 / 5	
Percentage of transfers resulting in pregnancies (%)	55.0	4 / 8	3 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	55.0	4 / 8	2 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	35.0	3 / 8	2 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	20.0	1 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	2 / 8	2 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	13	6	1	4
Number of transfers	22	13	5	1	4
Estimated average number of transfers per retrieval	1.3	2.2	1.0	1.0	4.0
Average number of embryos transferred	1.2	1.5	1.2	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	61.5	6 / 19	4 / 6	3 / 2	2 / 6
Percentage of transfers resulting in pregnancies (%)	59.1	5 / 13	3 / 5	1 / 1	2 / 4
Percentage of transfers resulting in live births (%)	59.1	5 / 13	2 / 5	1 / 1	2 / 4
Percentage of transfers resulting in singleton live births (%)	50.0	4 / 13	2 / 5	1 / 1	2 / 4
Percentage of transfers resulting in twin live births (%)	9.1	1 / 13	0 / 5	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.9	3 / 13	2 / 5	0 / 1	2 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	2	3	0	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	4	3	5	
Number of transfers	5	3	3	4	
Average number of embryos transferred	1.2	1.3	1.3	1.5	
Percentage of embryos transferred resulting in implantation (%)	4 / 6	2 / 4	2 / 4	0 / 6	
Percentage of transfers resulting in pregnancies (%)	3 / 5	2 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in live births (%)	2 / 5	2 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in singleton live births (%)	2 / 5	2 / 3	0 / 3	0 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	2 / 3	0 / 3	0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE BRYN MAWR, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael J. Glassner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	33%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 6%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	14%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	16%	
				Endometriosis	5%	Unknown factor	22%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,182
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	185	115	96	41	35
Percentage of cancellations before retrieval (%)	4.9	7.8	8.3	17.1	22.9
Number of transfers	140	75	56	22	15
Average number of embryos transferred	1.7	1.9	2.3	2.4	2.9
Percentage of elective single embryo transfers (eSET) (%)	30.2	12.5	6.1	5.0	0 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.4	32.2	21.9	12.2	5.7
Percentage of cycles resulting in live births (%)	33.5	27.8	13.5	9.8	5.7
Percentage of cycles resulting in singleton live births (%)	27.6	20.0	9.4	9.8	5.7
Percentage of cycles resulting in twin live births (%)	5.9	7.0	4.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.2	18.3	7.3	7.3	5.7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.6	35.3	19.4	9.4	7.0
Percentage of transfers resulting in pregnancies (%)	50.7	49.3	37.5	22.7	2 / 15
Percentage of transfers resulting in live births (%)	44.3	42.7	23.2	18.2	2 / 15
Percentage of transfers resulting in singleton live births (%)	36.4	30.7	16.1	18.2	2 / 15
Percentage of transfers resulting in twin live births (%)	7.9	10.7	7.1	0.0	0 / 15
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.3	28.0	12.5	13.6	2 / 15
Frozen Embryos from Nondonor Eggs					
Number of cycles	157	90	60	32	10
Number of transfers	143	77	54	31	9
Estimated average number of transfers per retrieval	1.0	1.3	0.8	0.9	0.6
Average number of embryos transferred	1.4	1.4	1.4	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	36.0	42.5	19.5	31.4	3 / 13
Percentage of transfers resulting in pregnancies (%)	44.8	54.5	25.9	38.7	3 / 9
Percentage of transfers resulting in live births (%)	39.9	50.6	18.5	32.3	3 / 9
Percentage of transfers resulting in singleton live births (%)	33.6	45.5	16.7	29.0	3 / 9
Percentage of transfers resulting in twin live births (%)	5.6	5.2	1.9	3.2	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.5	41.6	13.0	29.0	3 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	111	36	50	24	16
	14	7	2	1	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	55	53	1	
Number of transfers	8	47	46	1	
Average number of embryos transferred	1.8	1.9	1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 12	27.7	28.8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 8	46.8	41.3	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 8	42.6	37.0	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 8	36.2	37.0	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 8	6.4	0.0	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 8	29.8	30.4	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Main Line Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM DANVILLE, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jennifer Gell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	19%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 5%
Unstimulated	1%	PGD/PGS	3%	Ovulatory dysfunction	10%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	7%	
				Endometriosis	6%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 153
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	36	16	6	3
Percentage of cancellations before retrieval (%)	6.9	8.3	1 / 16	2 / 6	0 / 3
Number of transfers	19	26	13	4	1
Average number of embryos transferred	2.0	1.8	1.7	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 19	0.0	0 / 9	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.0	16.7	6 / 16	1 / 6	0 / 3
Percentage of cycles resulting in live births (%)	27.6	11.1	5 / 16	0 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	20.7	8.3	5 / 16	0 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	6.9	2.8	0 / 16	0 / 6	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.2	8.3	4 / 16	0 / 6	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.6	13.0	27.3	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	9 / 19	23.1	6 / 13	1 / 4	0 / 1
Percentage of transfers resulting in live births (%)	8 / 19	15.4	5 / 13	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 19	11.5	5 / 13	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 19	3.8	0 / 13	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 19	11.5	4 / 13	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	20	11	7	3	0
Number of transfers	18	10	6	3	0
Estimated average number of transfers per retrieval	1.5	1.4	1.2	1.0	
Average number of embryos transferred	1.7	1.9	1.5	1.7	
Percentage of embryos transferred resulting in implantation (%)	41.9	3 / 16	1 / 7	3 / 5	
Percentage of transfers resulting in pregnancies (%)	10 / 18	5 / 10	2 / 6	2 / 3	
Percentage of transfers resulting in live births (%)	9 / 18	3 / 10	1 / 6	2 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 18	3 / 10	1 / 6	2 / 3	
Percentage of transfers resulting in twin live births (%)	3 / 18	0 / 10	0 / 6	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 18	3 / 10	1 / 6	2 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	1	3	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	3	7	0	
Number of transfers	4	3	7	0	
Average number of embryos transferred	2.0	1.7	1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 8	2 / 5	2 / 11		
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 3	1 / 7		
Percentage of transfers resulting in live births (%)	1 / 4	1 / 3	1 / 7		
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 3	0 / 7		
Percentage of transfers resulting in twin live births (%)	1 / 4	1 / 3	1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	0 / 3	0 / 7		

CURRENT SERVICES & PROFILE

Current Name: Geisinger Medical Center Fertility Program

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER HAVERTOWN, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Albert El-Roeiy, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	52%	Tubal factor	33%	Uterine factor	10%	Multiple Factors: Female factors only 30% Female & male factors 17%
Unstimulated	1%	PGD/PGS	3%	Ovulatory dysfunction	23%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	22%	
				Endometriosis	20%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 109
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	37	9	14	6	7
Percentage of cancellations before retrieval (%)	8.1	2 / 9	3 / 14	0 / 6	1 / 7
Number of transfers	14	2	3	0	3
Average number of embryos transferred	1.6	1.5	2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	0 / 1	0 / 3		0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	18.9	2 / 9	1 / 14	0 / 6	0 / 7
Percentage of cycles resulting in live births (%)	18.9	2 / 9	1 / 14	0 / 6	0 / 7
Percentage of cycles resulting in singleton live births (%)	18.9	1 / 9	0 / 14	0 / 6	0 / 7
Percentage of cycles resulting in twin live births (%)	0.0	1 / 9	1 / 14	0 / 6	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.2	1 / 9	0 / 14	0 / 6	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.8	3 / 3	2 / 6		0 / 6
Percentage of transfers resulting in pregnancies (%)	7 / 14	2 / 2	1 / 3		0 / 3
Percentage of transfers resulting in live births (%)	7 / 14	2 / 2	1 / 3		0 / 3
Percentage of transfers resulting in singleton live births (%)	7 / 14	1 / 2	0 / 3		0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 14	1 / 2	1 / 3		0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 14	1 / 2	0 / 3		0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	5	4	1	2
Number of transfers	15	4	2	1	2
Estimated average number of transfers per retrieval	1.2	1.0	2.0	1.0	
Average number of embryos transferred	1.7	1.8	1.5	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	26.9	0 / 7	0 / 2	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	4 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	4 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	1	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	2	2	0	
Number of transfers	0	1	2	0	
Average number of embryos transferred		2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		1 / 2	0 / 4		
Percentage of transfers resulting in pregnancies (%)		1 / 1	0 / 2		
Percentage of transfers resulting in live births (%)		1 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)		1 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		1 / 1	0 / 2		

CURRENT SERVICES & PROFILE

Current Name: HAN Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PENN STATE MILTON S. HERSHEY MEDICAL CENTER HERSHEY, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by William C. Dodson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	4%	Other factor	3%	
				Endometriosis	17%	Unknown factor	24%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 118 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		35	14	8	1	1
Percentage of cancellations before retrieval (%)		5.7	1 / 14	2 / 8	1 / 1	1 / 1
Number of transfers		22	12	1	0	0
Average number of embryos transferred		1.9	2.2	2.0		
Percentage of elective single embryo transfers (eSET) (%)		9.5	0 / 12	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		20.0	2 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)		20.0	2 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)		11.4	1 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)		8.6	1 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		11.4	0 / 14	0 / 8	0 / 1	0 / 1
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		29.3	11.5	0 / 2		
Percentage of transfers resulting in pregnancies (%)		31.8	2 / 12	0 / 1		
Percentage of transfers resulting in live births (%)		31.8	2 / 12	0 / 1		
Percentage of transfers resulting in singleton live births (%)		18.2	1 / 12	0 / 1		
Percentage of transfers resulting in twin live births (%)		13.6	1 / 12	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		18.2	0 / 12	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles		26	13	8	0	0
Number of transfers		22	13	6	0	0
Estimated average number of transfers per retrieval		1.2	4.3	3.0	0.0	0.0
Average number of embryos transferred		1.8	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)		32.5	10.0	4 / 12		
Percentage of transfers resulting in pregnancies (%)		54.5	2 / 13	2 / 6		
Percentage of transfers resulting in live births (%)		45.5	2 / 13	2 / 6		
Percentage of transfers resulting in singleton live births (%)		40.9	2 / 13	0 / 6		
Percentage of transfers resulting in twin live births (%)		4.5	0 / 13	2 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		22.7	1 / 13	0 / 6		
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		4	0	0	1	1
		4	0	0	1	1
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		0	3	2	0	
Number of transfers		0	3	1	0	
Average number of embryos transferred			2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 6	1 / 2		
Percentage of transfers resulting in pregnancies (%)			1 / 3	1 / 1		
Percentage of transfers resulting in live births (%)			1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 3	0 / 1		

CURRENT SERVICES & PROFILE		Current Name: Penn State Milton S. Hershey Medical Center					
Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA KING OF PRUSSIA, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Arthur J. Castelbaum, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 12% Female & male factors 13%
Unstimulated	0%	PGD/PGS	29%	Ovulatory dysfunction	16%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	17%	
				Endometriosis	4%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,320
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	238	110	69	31	21
Percentage of cancellations before retrieval (%)	1.7	4.5	5.8	19.4	9.5
Number of transfers	165	69	35	11	5
Average number of embryos transferred	1.1	1.2	1.4	1.5	1.6
Percentage of elective single embryo transfers (eSET) (%)	89.9	77.4	53.8	5 / 9	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.7	24.5	21.7	16.1	0.0
Percentage of cycles resulting in live births (%)	30.3	20.0	17.4	16.1	0.0
Percentage of cycles resulting in singleton live births (%)	28.6	18.2	15.9	12.9	0.0
Percentage of cycles resulting in twin live births (%)	1.7	1.8	1.4	3.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.3	13.6	11.6	12.9	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.9	37.5	32.6	6 / 16	0 / 8
Percentage of transfers resulting in pregnancies (%)	51.5	39.1	42.9	5 / 11	0 / 5
Percentage of transfers resulting in live births (%)	43.6	31.9	34.3	5 / 11	0 / 5
Percentage of transfers resulting in singleton live births (%)	41.2	29.0	31.4	4 / 11	0 / 5
Percentage of transfers resulting in twin live births (%)	2.4	2.9	2.9	1 / 11	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	21.7	22.9	4 / 11	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	258	135	59	19	8
Number of transfers	250	124	49	16	7
Estimated average number of transfers per retrieval	1.3	1.1	0.7	0.7	0.8
Average number of embryos transferred	1.1	1.2	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	47.0	41.8	31.6	6 / 18	2 / 9
Percentage of transfers resulting in pregnancies (%)	48.4	47.6	40.8	7 / 16	2 / 7
Percentage of transfers resulting in live births (%)	41.2	36.3	30.6	6 / 16	1 / 7
Percentage of transfers resulting in singleton live births (%)	37.2	32.3	30.6	6 / 16	1 / 7
Percentage of transfers resulting in twin live births (%)	4.0	4.0	0.0	0 / 16	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.8	26.6	24.5	5 / 16	0 / 7
Number of Egg or Embryo Banking Cycles					
	95	69	54	18	8
Number of fertility preservation cycles	22	10	7	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	24	44	50	9	
Number of transfers	20	31	48	8	
Average number of embryos transferred	1.2	1.1	1.1	1.3	
Percentage of embryos transferred resulting in implantation (%)	59.1	70.0	39.6	5 / 10	
Percentage of transfers resulting in pregnancies (%)	60.0	74.2	39.6	4 / 8	
Percentage of transfers resulting in live births (%)	50.0	61.3	33.3	2 / 8	
Percentage of transfers resulting in singleton live births (%)	40.0	58.1	27.1	2 / 8	
Percentage of transfers resulting in twin live births (%)	10.0	3.2	6.3	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	41.9	20.8	2 / 8	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Philadelphia

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOCIETY HILL REPRODUCTIVE MEDICINE PHILADELPHIA, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Maureen P. Kelly, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^{a,b}				
IVF	100%	With ICSI	57%	Tubal factor	10%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	29%	Ovulatory dysfunction	10%	Male factor	8%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	29%	
				Endometriosis	3%	Unknown factor	18%	
						Multiple Factors:		
						Female factors only	13%	
						Female & male factors	3%	
2016 ART SUCCESS RATES ^{c,d}				Total number of cycles ^d : 139 (includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient							
	<35	35–37	38–40	41–42	>42			
Fresh Embryos from Fresh Nondonor Eggs								
Number of cycles	8	13	2	0	1			
Percentage of cancellations before retrieval (%)	0 / 8	2 / 13	0 / 2		0 / 1			
Number of transfers	2	5		0	1			
Average number of embryos transferred	2.5	2.2	2.0		2.0			
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	1 / 5	0 / 1		0 / 1			
Outcomes per Cycle								
Percentage of cycles resulting in pregnancies (%)	1 / 8	1 / 13	2 / 2		0 / 1			
Percentage of cycles resulting in live births (%)	0 / 8	0 / 13	0 / 2		0 / 1			
Percentage of cycles resulting in singleton live births (%)	0 / 8	0 / 13	0 / 2		0 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 13	0 / 2		0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 8	0 / 13	0 / 2		0 / 1			
Outcomes per Transfer								
Percentage of embryos transferred resulting in implantation (%)	1 / 5	1 / 11	1 / 3		0 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 5	2 / 2		0 / 1			
Percentage of transfers resulting in live births (%)	0 / 2	0 / 5	0 / 2		0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 5	0 / 2		0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 5	0 / 2		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 5	0 / 2		0 / 1			
Frozen Embryos from Nondonor Eggs								
Number of cycles	19	10	4	6	1			
Number of transfers	19	9	3	5	1			
Estimated average number of transfers per retrieval	0.6	0.3	0.3	1.7				
Average number of embryos transferred	1.4	1.2	1.3	1.0	1.0			
Percentage of embryos transferred resulting in implantation (%)	53.8	6 / 10	1 / 4	1 / 5	1 / 1			
Percentage of transfers resulting in pregnancies (%)	12 / 19	7 / 9	1 / 3	1 / 5	1 / 1			
Percentage of transfers resulting in live births (%)	10 / 19	6 / 9	1 / 3	1 / 5	1 / 1			
Percentage of transfers resulting in singleton live births (%)	10 / 19	6 / 9	1 / 3	1 / 5	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 9	0 / 3	0 / 5	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	10 / 19	4 / 9	0 / 3	1 / 5	1 / 1			
Number of Egg or Embryo Banking Cycles								
Number of fertility preservation cycles	28	27	9	3	0			
	19	17	8	2	0			
Donor Eggs^f								
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos				
Number of cycles	1	2	3	0				
Number of transfers	1	1	3	0				
Average number of embryos transferred	2.0	2.0	1.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 2	2 / 3					
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1	2 / 3					
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1	1 / 3					
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1	1 / 3					
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 3					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 1	1 / 3					
CURRENT SERVICES & PROFILE				Current Name: Society Hill Reproductive Medicine				
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes	
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes	

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PENNSYLVANIA
PENN FERTILITY CARE
PHILADELPHIA, PENNSYLVANIA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Clarisa R. Gracia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	11%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	24%	Other factor	21%	
				Endometriosis	6%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,247
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	168	103	103	38	35
Percentage of cancellations before retrieval (%)	11.9	11.7	20.4	31.6	22.9
Number of transfers	97	52	58	21	12
Average number of embryos transferred	1.3	1.6	1.8	2.1	2.0
Percentage of elective single embryo transfers (eSET) (%)	70.9	37.5	12.5	0 / 17	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.8	30.1	22.3	13.2	5.7
Percentage of cycles resulting in live births (%)	20.8	24.3	13.6	7.9	0.0
Percentage of cycles resulting in singleton live births (%)	18.5	19.4	10.7	7.9	0.0
Percentage of cycles resulting in twin live births (%)	2.4	4.9	2.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.9	15.5	9.7	7.9	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.3	45.6	23.2	11.9	8.3
Percentage of transfers resulting in pregnancies (%)	46.4	59.6	39.7	23.8	2 / 12
Percentage of transfers resulting in live births (%)	36.1	48.1	24.1	14.3	0 / 12
Percentage of transfers resulting in singleton live births (%)	32.0	38.5	19.0	14.3	0 / 12
Percentage of transfers resulting in twin live births (%)	4.1	9.6	5.2	0.0	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.8	30.8	17.2	14.3	0 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	177	119	89	23	19
Number of transfers	164	108	76	21	16
Estimated average number of transfers per retrieval	1.1	1.0	0.7	0.6	0.5
Average number of embryos transferred	1.3	1.3	1.3	1.2	1.8
Percentage of embryos transferred resulting in implantation (%)	61.4	48.2	52.1	36.0	4.0
Percentage of transfers resulting in pregnancies (%)	67.1	57.4	60.5	38.1	2 / 16
Percentage of transfers resulting in live births (%)	58.5	51.9	51.3	33.3	1 / 16
Percentage of transfers resulting in singleton live births (%)	52.4	47.2	50.0	33.3	1 / 16
Percentage of transfers resulting in twin live births (%)	5.5	4.6	1.3	0.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.3	41.7	44.7	23.8	1 / 16
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	85	63	74	31	24
	41	23	16	0	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	29	11	43	6	
Number of transfers	19	9	39	4	
Average number of embryos transferred	1.1	1.2	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	55.0	4 / 9	57.8	2 / 5	
Percentage of transfers resulting in pregnancies (%)	11 / 19	5 / 9	69.2	2 / 4	
Percentage of transfers resulting in live births (%)	9 / 19	4 / 9	59.0	2 / 4	
Percentage of transfers resulting in singleton live births (%)	9 / 19	4 / 9	56.4	2 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 9	2.6	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 19	3 / 9	51.3	0 / 4	

CURRENT SERVICES & PROFILE

Current Name: University of Pennsylvania, Penn Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM PITTSBURGH, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lori Homa, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 5%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	8%	Male factor	38%	
Used gestational carrier	3%			Diminished ovarian reserve	17%	Other factor	26%	
				Endometriosis	3%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 122
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	13	15	7	2
Percentage of cancellations before retrieval (%)	5.6	2 / 13	0 / 15	0 / 7	0 / 2
Number of transfers	26	10	14	4	1
Average number of embryos transferred	1.7	1.6	1.9	1.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	18.2	4 / 10	0 / 13	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.1	6 / 13	5 / 15	1 / 7	0 / 2
Percentage of cycles resulting in live births (%)	25.0	5 / 13	4 / 15	1 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	22.2	5 / 13	3 / 15	1 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	2.8	0 / 13	1 / 15	0 / 7	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.3	5 / 13	1 / 15	1 / 7	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.0	6 / 16	22.2	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 10	5 / 14	1 / 4	0 / 1
Percentage of transfers resulting in live births (%)	34.6	5 / 10	4 / 14	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.8	5 / 10	3 / 14	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3.8	0 / 10	1 / 14	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	11.5	5 / 10	1 / 14	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	5	1	3	0
Number of transfers	14	3	1	3	0
Estimated average number of transfers per retrieval	1.3	0.6	0.3	3.0	
Average number of embryos transferred	1.7	1.3	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	20.8	3 / 4	0 / 1	0 / 6	
Percentage of transfers resulting in pregnancies (%)	5 / 14	3 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in live births (%)	5 / 14	2 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in singleton live births (%)	5 / 14	2 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 14	0 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 14	1 / 3	0 / 1	0 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	5	3	3	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	5	6	
Number of transfers	3	0	3	6	
Average number of embryos transferred	1.3		2.0	1.3	
Percentage of embryos transferred resulting in implantation (%)	0 / 4		0 / 6	2 / 8	
Percentage of transfers resulting in pregnancies (%)	0 / 3		0 / 3	2 / 6	
Percentage of transfers resulting in live births (%)	0 / 3		0 / 3	1 / 6	
Percentage of transfers resulting in singleton live births (%)	0 / 3		0 / 3	1 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 3	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3		0 / 3	1 / 6	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: AHN Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, INC. PITTSBURGH, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Judith L. Albert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	13%	Uterine factor	<1%	Multiple Factors: Female factors only 4% Female & male factors 10%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	14%	Male factor	39%	
Used gestational carrier	3%			Diminished ovarian reserve	14%	Other factor	11%	
				Endometriosis	5%	Unknown factor	24%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 448
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	100	64	29	4	4
Percentage of cancellations before retrieval (%)	6.0	1.6	13.8	1 / 4	1 / 4
Number of transfers	70	53	20	3	1
Average number of embryos transferred	1.4	1.6	1.7	1.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	56.5	22.0	3 / 15	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.0	29.7	10.3	1 / 4	1 / 4
Percentage of cycles resulting in live births (%)	34.0	26.6	3.4	1 / 4	1 / 4
Percentage of cycles resulting in singleton live births (%)	30.0	18.8	3.4	1 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)	4.0	7.8	0.0	0 / 4	1 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	10.9	3.4	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.2	27.4	3.3	1 / 5	2 / 3
Percentage of transfers resulting in pregnancies (%)	55.7	35.8	15.0	1 / 3	1 / 1
Percentage of transfers resulting in live births (%)	48.6	32.1	5.0	1 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	42.9	22.6	5.0	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	5.7	9.4	0.0	0 / 3	1 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	13.2	5.0	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	95	45	23	9	6
Number of transfers	87	40	19	8	4
Estimated average number of transfers per retrieval	1.9	1.1	1.2	4.0	
Average number of embryos transferred	1.3	1.4	1.3	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	30.2	18.9	40.9	1 / 13	0 / 5
Percentage of transfers resulting in pregnancies (%)	40.2	27.5	9 / 19	1 / 8	0 / 4
Percentage of transfers resulting in live births (%)	33.3	22.5	7 / 19	1 / 8	0 / 4
Percentage of transfers resulting in singleton live births (%)	33.3	22.5	6 / 19	1 / 8	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	0.0	1 / 19	0 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.0	20.0	4 / 19	1 / 8	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	12	11	0	0
	4	2	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	13	12	0	
Number of transfers	8	10	8	0	
Average number of embryos transferred	1.9	1.3	1.3		
Percentage of embryos transferred resulting in implantation (%)	7 / 15	5 / 13	1 / 8		
Percentage of transfers resulting in pregnancies (%)	5 / 8	4 / 10	2 / 8		
Percentage of transfers resulting in live births (%)	4 / 8	3 / 10	1 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 8	2 / 10	1 / 8		
Percentage of transfers resulting in twin live births (%)	2 / 8	1 / 10	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	1 / 10	1 / 8		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF PITTSBURGH PHYSICIANS CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY PITTSBURGH, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Marie N. Menke, MD			
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}			
IVF	100%	With ICSI	59%	Tubal factor	6%	Uterine factor	1%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	9%	Male factor	28%
Used gestational carrier	2%			Diminished ovarian reserve	33%	Other factor	24%
				Endometriosis	3%	Unknown factor	8%
						Multiple Factors:	
						Female factors only	5%
						Female & male factors	7%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 720 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles	161	59	45	10	12	
Percentage of cancellations before retrieval (%)	4.3	11.9	11.1	0 / 10	4 / 12	
Number of transfers	83	31	29	7	5	
Average number of embryos transferred	1.6	1.7	2.0	2.4	2.0	
Percentage of elective single embryo transfers (eSET) (%)	34.3	22.2	0.0	0 / 7	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)	22.4	28.8	24.4	1 / 10	0 / 12	
Percentage of cycles resulting in live births (%)	18.6	20.3	22.2	0 / 10	0 / 12	
Percentage of cycles resulting in singleton live births (%)	15.5	18.6	20.0	0 / 10	0 / 12	
Percentage of cycles resulting in twin live births (%)	2.5	1.7	2.2	0 / 10	0 / 12	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.4	15.3	20.0	0 / 10	0 / 12	
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)	32.8	36.5	19.3	2 / 17	0 / 10	
Percentage of transfers resulting in pregnancies (%)	43.4	54.8	37.9	1 / 7	0 / 5	
Percentage of transfers resulting in live births (%)	36.1	38.7	34.5	0 / 7	0 / 5	
Percentage of transfers resulting in singleton live births (%)	30.1	35.5	31.0	0 / 7	0 / 5	
Percentage of transfers resulting in twin live births (%)	4.8	3.2	3.4	0 / 7	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.1	29.0	31.0	0 / 7	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	174	74	31	8	14	
Number of transfers	162	70	29	7	12	
Estimated average number of transfers per retrieval	1.6	1.8	1.5	0.9	3.0	
Average number of embryos transferred	1.4	1.4	1.7	1.6	1.3	
Percentage of embryos transferred resulting in implantation (%)	37.9	25.0	17.0	2 / 9	2 / 15	
Percentage of transfers resulting in pregnancies (%)	48.8	35.7	27.6	2 / 7	2 / 12	
Percentage of transfers resulting in live births (%)	40.7	31.4	17.2	1 / 7	2 / 12	
Percentage of transfers resulting in singleton live births (%)	37.0	30.0	13.8	0 / 7	2 / 12	
Percentage of transfers resulting in twin live births (%)	3.7	1.4	3.4	1 / 7	0 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	27.1	13.8	0 / 7	1 / 12	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles	34	12	15	5	2	
	9	1	2	0	0	
Donor Eggs^f						
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos		
Number of cycles	21	8	31	3		
Number of transfers	17	8	27	3		
Average number of embryos transferred	1.2	1.3	1.2	1.0		
Percentage of embryos transferred resulting in implantation (%)	42.9	4 / 10	37.5	1 / 3		
Percentage of transfers resulting in pregnancies (%)	9 / 17	3 / 8	40.7	1 / 3		
Percentage of transfers resulting in live births (%)	8 / 17	2 / 8	33.3	0 / 3		
Percentage of transfers resulting in singleton live births (%)	8 / 17	1 / 8	29.6	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 17	1 / 8	3.7	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	8 / 17	1 / 8	29.6	0 / 3		

CURRENT SERVICES & PROFILE		This clinic has reorganized since 2016. Contact the NASS Help Desk for further information. Current Name: University of Pittsburgh Physicians, Center for Fertility and Reproductive Endocrinology					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC OF PENNSYLVANIA WAYNE, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Isaac E. Sasson, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 7%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	18%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	8%	
				Endometriosis	5%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 878
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	45	16	10	5
Percentage of cancellations before retrieval (%)	7.0	11.1	1 / 16	5 / 10	3 / 5
Number of transfers	51	16	6	1	1
Average number of embryos transferred	1.2	1.2	1.7	2.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	78.6	10 / 13	1 / 5	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.7	8.9	3 / 16	0 / 10	0 / 5
Percentage of cycles resulting in live births (%)	20.0	6.7	3 / 16	0 / 10	0 / 5
Percentage of cycles resulting in singleton live births (%)	19.1	6.7	3 / 16	0 / 10	0 / 5
Percentage of cycles resulting in twin live births (%)	0.9	0.0	0 / 16	0 / 10	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.4	6.7	2 / 16	0 / 10	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.8	4 / 19	3 / 10	0 / 2	0 / 4
Percentage of transfers resulting in pregnancies (%)	49.0	4 / 16	3 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	45.1	3 / 16	3 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.1	3 / 16	3 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	2.0	0 / 16	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.2	3 / 16	2 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	204	82	53	11	10
Number of transfers	194	75	44	10	6
Estimated average number of transfers per retrieval	1.5	1.1	1.2	0.5	0.9
Average number of embryos transferred	1.3	1.2	1.1	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	45.5	53.3	47.8	5 / 13	2 / 11
Percentage of transfers resulting in pregnancies (%)	54.1	60.0	54.5	5 / 10	2 / 6
Percentage of transfers resulting in live births (%)	41.8	45.3	47.7	5 / 10	1 / 6
Percentage of transfers resulting in singleton live births (%)	37.6	41.3	47.7	5 / 10	1 / 6
Percentage of transfers resulting in twin live births (%)	4.1	4.0	0.0	0 / 10	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.5	30.7	45.5	5 / 10	0 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	58	47	31	18	6
	6	6	2	7	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	55	9	101	0	
Number of transfers	43	8	94	0	
Average number of embryos transferred	1.2	1.0	1.3		
Percentage of embryos transferred resulting in implantation (%)	45.8	4 / 7	40.9		
Percentage of transfers resulting in pregnancies (%)	55.8	5 / 8	51.1		
Percentage of transfers resulting in live births (%)	41.9	2 / 8	31.9		
Percentage of transfers resulting in singleton live births (%)	39.5	2 / 8	28.7		
Percentage of transfers resulting in twin live births (%)	2.3	0 / 8	3.2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.6	2 / 8	25.5		

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility-Pennsylvania

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RHPN WOMEN'S CLINIC & IVF-FERTILITY WEST READING, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vincent A. Pellegrini, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	39%	Uterine factor	5%	Multiple Factors: Female factors only 33% Female & male factors 51%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	42%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	21%	
				Endometriosis	29%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 140
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	47	30	6	7	0
Percentage of cancellations before retrieval (%)	12.8	36.7	1 / 6	2 / 7	
Number of transfers	33	16	3	4	0
Average number of embryos transferred	2.0	2.0	2.7	2.5	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 15	0 / 3	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.9	16.7	2 / 6	0 / 7	
Percentage of cycles resulting in live births (%)	29.8	13.3	2 / 6	0 / 7	
Percentage of cycles resulting in singleton live births (%)	17.0	10.0	1 / 6	0 / 7	
Percentage of cycles resulting in twin live births (%)	12.8	3.3	1 / 6	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.9	10.0	1 / 6	0 / 7	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	18.8	3 / 8	0 / 10	
Percentage of transfers resulting in pregnancies (%)	45.5	5 / 16	2 / 3	0 / 4	
Percentage of transfers resulting in live births (%)	42.4	4 / 16	2 / 3	0 / 4	
Percentage of transfers resulting in singleton live births (%)	24.2	3 / 16	1 / 3	0 / 4	
Percentage of transfers resulting in twin live births (%)	18.2	1 / 16	1 / 3	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.2	3 / 16	1 / 3	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	6	4	1	1
Number of transfers	16	6	4	0	1
Estimated average number of transfers per retrieval	1.0	0.8	2.0		
Average number of embryos transferred	1.6	1.5	1.3		3.0
Percentage of embryos transferred resulting in implantation (%)	37.5	4 / 9	1 / 5		1 / 3
Percentage of transfers resulting in pregnancies (%)	9 / 16	3 / 6	1 / 4		1 / 1
Percentage of transfers resulting in live births (%)	6 / 16	3 / 6	1 / 4		1 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 16	2 / 6	1 / 4		1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 16	1 / 6	0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 16	2 / 6	1 / 4		1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	3	1	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	5	2	0	
Number of transfers	2	3	2	0	
Average number of embryos transferred	2.0	1.7	1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 5	0 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	0 / 2	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	1 / 3	0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility & Reproductive Medicine-Tower Health Medical Group

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER, LLC YORK, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert B. Filer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	22%	Uterine factor	0%	Multiple Factors: Female factors only 14% Female & male factors 6%
Unstimulated	3%	PGD/PGS	4%	Ovulatory dysfunction	19%	Male factor	15%	
Used gestational carrier	1%			Diminished ovarian reserve	18%	Other factor	19%	
				Endometriosis	1%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 188
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	58	14	22	6	9
Percentage of cancellations before retrieval (%)	8.6	1 / 14	13.6	1 / 6	4 / 9
Number of transfers	40	11	13	4	2
Average number of embryos transferred	1.6	1.9	1.8	2.3	1.5
Percentage of elective single embryo transfers (eSET) (%)	32.4	0 / 9	2 / 11	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.4	1 / 14	27.3	0 / 6	0 / 9
Percentage of cycles resulting in live births (%)	20.7	1 / 14	13.6	0 / 6	0 / 9
Percentage of cycles resulting in singleton live births (%)	17.2	1 / 14	9.1	0 / 6	0 / 9
Percentage of cycles resulting in twin live births (%)	3.4	0 / 14	4.5	0 / 6	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.1	1 / 14	4.5	0 / 6	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	23.8	4.8	27.3	0 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	32.5	1 / 11	6 / 13	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	30.0	1 / 11	3 / 13	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.0	1 / 11	2 / 13	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	5.0	0 / 11	1 / 13	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	17.5	1 / 11	1 / 13	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	39	9	7	1	0
Number of transfers	32	8	4	0	0
Estimated average number of transfers per retrieval	1.1	1.1	0.5		
Average number of embryos transferred	1.6	1.8	1.8		
Percentage of embryos transferred resulting in implantation (%)	45.7	5 / 14	4 / 7		
Percentage of transfers resulting in pregnancies (%)	56.3	4 / 8	3 / 4		
Percentage of transfers resulting in live births (%)	31.3	4 / 8	1 / 4		
Percentage of transfers resulting in singleton live births (%)	28.1	3 / 8	0 / 4		
Percentage of transfers resulting in twin live births (%)	0.0	1 / 8	1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.1	2 / 8	0 / 4		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	1	0	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	8	6	
Number of transfers	2	0	6	6	
Average number of embryos transferred	2.0		1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	0 / 4		6 / 8	4 / 11	
Percentage of transfers resulting in pregnancies (%)	0 / 2		5 / 6	4 / 6	
Percentage of transfers resulting in live births (%)	0 / 2		5 / 6	4 / 6	
Percentage of transfers resulting in singleton live births (%)	0 / 2		4 / 6	4 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 2		1 / 6	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		4 / 6	1 / 6	

CURRENT SERVICES & PROFILE

Current Name: The Fertility Center, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PEDRO J. BEAUCHAMP, MD IVF PROGRAM DBA
PUERTO RICO FERTILITY CENTER
BAYAMON, PUERTO RICO**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Pedro J. Beauchamp, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	42%	Uterine factor	11%	
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	17%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	8%	Other factor	30%	
				Endometriosis	27%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				47%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 175 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		40	31	39	16	9
Percentage of cancellations before retrieval (%)		2.5	3.2	5.1	5 / 16	2 / 9
Number of transfers		39	28	35	10	5
Average number of embryos transferred		1.9	2.3	2.1	2.1	2.0
Percentage of elective single embryo transfers (eSET) (%)		8.3	0.0	0.0	0 / 8	0 / 5
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		67.5	58.1	46.2	3 / 16	0 / 9
Percentage of cycles resulting in live births (%)		42.5	22.6	20.5	1 / 16	0 / 9
Percentage of cycles resulting in singleton live births (%)		22.5	16.1	12.8	1 / 16	0 / 9
Percentage of cycles resulting in twin live births (%)		15.0	6.5	7.7	0 / 16	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		20.0	12.9	10.3	0 / 16	0 / 9
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		53.6	34.6	31.0	1 / 17	0 / 10
Percentage of transfers resulting in pregnancies (%)		69.2	64.3	51.4	3 / 10	0 / 5
Percentage of transfers resulting in live births (%)		43.6	25.0	22.9	1 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)		23.1	17.9	14.3	1 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)		15.4	7.1	8.6	0 / 10	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		20.5	14.3	11.4	0 / 10	0 / 5
Frozen Embryos from Nondonor Eggs						
Number of cycles		10	5	5	2	1
Number of transfers		10	5	5	2	1
Estimated average number of transfers per retrieval		10.0	1.7	1.0	2.0	1.0
Average number of embryos transferred		2.1	2.0	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)		9 / 19	0 / 7	2 / 10	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)		8 / 10	2 / 5	1 / 5	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)		7 / 10	0 / 5	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		5 / 10	0 / 5	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		2 / 10	0 / 5	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		5 / 10	0 / 5	0 / 5	0 / 2	0 / 1
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		1	1	0	0	1
		0	0	0	0	1
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		11	0	2	0	
Number of transfers		11	0	2	0	
Average number of embryos transferred		2.5		3.0		
Percentage of embryos transferred resulting in implantation (%)		4.0		1 / 6		
Percentage of transfers resulting in pregnancies (%)		2 / 11		1 / 2		
Percentage of transfers resulting in live births (%)		0 / 11		0 / 2		
Percentage of transfers resulting in singleton live births (%)		0 / 11		0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 11		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 11		0 / 2		

CURRENT SERVICES & PROFILE		Current Name: Pedro J. Beauchamp, MD IVF Program dba, Puerto Rico Fertility Center					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLINICA DE FERTILIDAD HIMA-SAN PABLO CAGUAS CAGUAS, PUERTO RICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jose R. Cruz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	63%	Tubal factor	44%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	2%	
				Endometriosis	17%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 55
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	11	10	2	2
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 10	0 / 2	0 / 2
Number of transfers	20	11	8	2	1
Average number of embryos transferred	2.0	2.5	2.4	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 18	0 / 11	0 / 6	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.0	3 / 11	4 / 10	0 / 2	0 / 2
Percentage of cycles resulting in live births (%)	10.0	2 / 11	2 / 10	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	10.0	2 / 11	2 / 10	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0 / 11	0 / 10	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	10.0	2 / 11	2 / 10	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	12.8	16.7	4 / 19	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	20.0	3 / 11	4 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	10.0	2 / 11	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	10.0	2 / 11	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 11	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	10.0	2 / 11	2 / 8	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	1	3	0	0
Number of transfers	5	1	3	0	0
Estimated average number of transfers per retrieval	2.5		1.0		0.0
Average number of embryos transferred	2.0	1.0	2.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 10	0 / 1	0 / 8		
Percentage of transfers resulting in pregnancies (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in live births (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	0 / 1	0 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	1
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Clinica de Fertilidad HIMA-San Pablo Caguas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

GREFI GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE SAN JUAN, PUERTO RICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rosa Ileana Cruz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	74%	Tubal factor	13%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 7%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	0%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	26%	
				Endometriosis	23%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 36
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	11	3	5	2	2
Percentage of cancellations before retrieval (%)	0 / 11	0 / 3	0 / 5	0 / 2	0 / 2
Number of transfers	9	3	4	1	1
Average number of embryos transferred	1.8	2.0	2.5	1.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 8	1 / 3	0 / 4		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 11	1 / 3	0 / 5	0 / 2	1 / 2
Percentage of cycles resulting in live births (%)	4 / 11	1 / 3	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 11	1 / 3	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 11	0 / 3	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 11	1 / 3	0 / 5	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 16	1 / 6	0 / 10	0 / 1	1 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 9	1 / 3	0 / 4	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	4 / 9	1 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 9	1 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 9	1 / 3	0 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	1	0	0
Number of transfers	1	2	1	0	0
Estimated average number of transfers per retrieval	0.5	1.0	0.5	0.0	
Average number of embryos transferred	2.0	2.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	1 / 2	0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	1	1	1	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	2	1	
Number of transfers	1	0	2	1	
Average number of embryos transferred	2.0		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 2		0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		0 / 2	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN & INFANTS FERTILITY CENTER PROVIDENCE, RHODE ISLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ruben Alvero, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 2% Female & male factors 5%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	12%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	5%	Other factor	9%	
				Endometriosis	3%	Unknown factor	40%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 609
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	143	81	75	44	13
Percentage of cancellations before retrieval (%)	0.7	11.1	6.7	4.5	1 / 13
Number of transfers	133	62	67	35	11
Average number of embryos transferred	1.4	1.8	2.3	3.0	3.1
Percentage of elective single embryo transfers (eSET) (%)	54.3	25.0	1.7	0.0	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.6	32.1	40.0	20.5	0 / 13
Percentage of cycles resulting in live births (%)	35.0	25.9	26.7	4.5	0 / 13
Percentage of cycles resulting in singleton live births (%)	29.4	23.5	20.0	2.3	0 / 13
Percentage of cycles resulting in twin live births (%)	5.6	2.5	6.7	2.3	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.6	21.0	14.7	2.3	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.1	25.2	22.0	6.5	0.0
Percentage of transfers resulting in pregnancies (%)	43.6	41.9	44.8	25.7	0 / 11
Percentage of transfers resulting in live births (%)	37.6	33.9	29.9	5.7	0 / 11
Percentage of transfers resulting in singleton live births (%)	31.6	30.6	22.4	2.9	0 / 11
Percentage of transfers resulting in twin live births (%)	6.0	3.2	7.5	2.9	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	27.4	16.4	2.9	0 / 11
Frozen Embryos from Nondonor Eggs					
Number of cycles	79	58	27	8	2
Number of transfers	76	56	25	8	1
Estimated average number of transfers per retrieval	1.4	1.4	1.6	0.6	0.2
Average number of embryos transferred	1.4	1.4	1.4	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	31.4	25.7	42.9	2 / 14	0 / 1
Percentage of transfers resulting in pregnancies (%)	39.5	33.9	48.0	2 / 8	0 / 1
Percentage of transfers resulting in live births (%)	34.2	25.0	36.0	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.6	21.4	28.0	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	6.6	3.6	8.0	0 / 8	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.7	16.1	24.0	1 / 8	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	15	16	9	7	3
	7	4	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	14	8	0	
Number of transfers	4	14	8	0	
Average number of embryos transferred	1.0	1.4	1.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 4	35.0	2 / 10		
Percentage of transfers resulting in pregnancies (%)	2 / 4	7 / 14	2 / 8		
Percentage of transfers resulting in live births (%)	2 / 4	7 / 14	2 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 4	7 / 14	2 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 14	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4	7 / 14	2 / 8		

CURRENT SERVICES & PROFILE

Current Name: Women & Infants Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF THE CAROLINAS

UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY

GREENVILLE, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul B. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 20%
Unstimulated	<1%	PGD/PGS	11%	Ovulatory dysfunction	41%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	8%	Other factor	16%	
				Endometriosis	20%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 235
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	67	26	27	0	4
Percentage of cancellations before retrieval (%)	9.0	7.7	18.5		0 / 4
Number of transfers	57	21	19	0	3
Average number of embryos transferred	1.9	2.0	1.9		2.0
Percentage of elective single embryo transfers (eSET) (%)	7.4	0.0	1 / 17		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.7	34.6	33.3		0 / 4
Percentage of cycles resulting in live births (%)	44.8	26.9	22.2		0 / 4
Percentage of cycles resulting in singleton live births (%)	31.3	19.2	18.5		0 / 4
Percentage of cycles resulting in twin live births (%)	13.4	7.7	3.7		0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.4	19.2	18.5		0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.7	31.7	28.6		0 / 6
Percentage of transfers resulting in pregnancies (%)	59.6	42.9	9 / 19		0 / 3
Percentage of transfers resulting in live births (%)	52.6	33.3	6 / 19		0 / 3
Percentage of transfers resulting in singleton live births (%)	36.8	23.8	5 / 19		0 / 3
Percentage of transfers resulting in twin live births (%)	15.8	9.5	1 / 19		0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.8	23.8	5 / 19		0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	24	14	2	3
Number of transfers	25	19	14	2	2
Estimated average number of transfers per retrieval	1.6	1.1	1.1	2.0	
Average number of embryos transferred	1.6	1.6	1.8	2.5	2.5
Percentage of embryos transferred resulting in implantation (%)	47.5	44.8	30.4	3 / 5	0 / 5
Percentage of transfers resulting in pregnancies (%)	52.0	10 / 19	7 / 14	2 / 2	0 / 2
Percentage of transfers resulting in live births (%)	44.0	7 / 19	3 / 14	2 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	28.0	5 / 19	2 / 14	1 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	16.0	2 / 19	1 / 14	1 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.0	3 / 19	1 / 14	1 / 2	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	12	7	1	0
	3	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	5	5	0	
Number of transfers	2	5	5	0	
Average number of embryos transferred	2.0	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 4	0 / 9	0 / 10		
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in live births (%)	1 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	0 / 5	0 / 5		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of the Carolinas, University Medical Group,
Department of Obstetrics and Gynecology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA GREENVILLE, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by John E. Nichols, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	85%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 24%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	28%	Male factor	41%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	12%	
				Endometriosis	6%	Unknown factor	10%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 693 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		159	69	41	16	7
Percentage of cancellations before retrieval (%)		1.9	2.9	7.3	1 / 16	0 / 7
Number of transfers		108	36	24	9	4
Average number of embryos transferred		1.7	1.9	2.3	2.4	1.3
Percentage of elective single embryo transfers (eSET) (%)		37.1	18.2	4.8	2 / 8	2 / 3
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		35.2	24.6	19.5	3 / 16	1 / 7
Percentage of cycles resulting in live births (%)		29.6	20.3	14.6	2 / 16	1 / 7
Percentage of cycles resulting in singleton live births (%)		25.2	18.8	12.2	1 / 16	1 / 7
Percentage of cycles resulting in twin live births (%)		3.1	1.4	2.4	1 / 16	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		18.9	11.6	7.3	1 / 16	1 / 7
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		38.9	28.8	16.1	18.2	1 / 5
Percentage of transfers resulting in pregnancies (%)		51.9	47.2	33.3	3 / 9	1 / 4
Percentage of transfers resulting in live births (%)		43.5	38.9	25.0	2 / 9	1 / 4
Percentage of transfers resulting in singleton live births (%)		37.0	36.1	20.8	1 / 9	1 / 4
Percentage of transfers resulting in twin live births (%)		4.6	2.8	4.2	1 / 9	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		27.8	22.2	12.5	1 / 9	1 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles		133	62	33	6	5
Number of transfers		131	61	32	6	5
Estimated average number of transfers per retrieval		1.3	1.6	0.9	1.2	1.3
Average number of embryos transferred		1.7	1.8	1.6	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)		42.3	45.8	32.7	4 / 9	1 / 10
Percentage of transfers resulting in pregnancies (%)		57.3	62.3	46.9	4 / 6	1 / 5
Percentage of transfers resulting in live births (%)		44.3	49.2	31.3	0 / 6	1 / 5
Percentage of transfers resulting in singleton live births (%)		35.1	34.4	25.0	0 / 6	1 / 5
Percentage of transfers resulting in twin live births (%)		9.2	14.8	6.3	0 / 6	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		25.2	21.3	18.8	0 / 6	1 / 5
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		44	18	24	4	3
		6	4	1	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		17	4	31	14	
Number of transfers		13	4	31	14	
Average number of embryos transferred		1.5	1.5	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)		55.0	3 / 6	38.5	26.9	
Percentage of transfers resulting in pregnancies (%)		9 / 13	3 / 4	58.1	6 / 14	
Percentage of transfers resulting in live births (%)		8 / 13	3 / 4	35.5	5 / 14	
Percentage of transfers resulting in singleton live births (%)		7 / 13	3 / 4	32.3	3 / 14	
Percentage of transfers resulting in twin live births (%)		1 / 13	0 / 4	3.2	2 / 14	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		6 / 13	0 / 4	16.1	3 / 14	

CURRENT SERVICES & PROFILE		Current Name: Piedmont Reproductive Endocrinology Group, PA					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY SPECIALISTS MOUNT PLEASANT, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John A. Schnorr, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	12%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 7%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	8%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	10%	
				Endometriosis	5%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 818
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	138	53	37	16	2
Percentage of cancellations before retrieval (%)	3.6	5.7	5.4	0 / 16	0 / 2
Number of transfers	30	12	9	4	1
Average number of embryos transferred	1.5	1.8	2.3	3.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	51.7	2 / 11	0 / 9	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.0	13.2	10.8	2 / 16	0 / 2
Percentage of cycles resulting in live births (%)	11.6	13.2	8.1	0 / 16	0 / 2
Percentage of cycles resulting in singleton live births (%)	10.9	11.3	8.1	0 / 16	0 / 2
Percentage of cycles resulting in twin live births (%)	0.7	1.9	0.0	0 / 16	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.0	11.3	8.1	0 / 16	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.9	38.1	23.8	1 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	60.0	7 / 12	4 / 9	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	53.3	7 / 12	3 / 9	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	50.0	6 / 12	3 / 9	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3.3	1 / 12	0 / 9	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.7	6 / 12	3 / 9	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	207	77	63	16	5
Number of transfers	200	72	58	15	3
Estimated average number of transfers per retrieval	1.2	1.3	1.5	1.1	1.0
Average number of embryos transferred	1.3	1.5	1.6	1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	65.2	41.6	48.2	24.1	2 / 6
Percentage of transfers resulting in pregnancies (%)	74.5	56.9	63.8	6 / 15	2 / 3
Percentage of transfers resulting in live births (%)	60.0	38.9	48.3	6 / 15	1 / 3
Percentage of transfers resulting in singleton live births (%)	50.0	34.7	39.7	5 / 15	1 / 3
Percentage of transfers resulting in twin live births (%)	9.5	4.2	8.6	1 / 15	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.5	29.2	34.5	5 / 15	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	66	18	18	2	2
	4	3	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	35	18	42	1	
Number of transfers	33	9	37	1	
Average number of embryos transferred	1.4	1.6	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	53.3	8 / 12	56.8	1 / 2	
Percentage of transfers resulting in pregnancies (%)	57.6	6 / 9	62.2	1 / 1	
Percentage of transfers resulting in live births (%)	57.6	4 / 9	40.5	1 / 1	
Percentage of transfers resulting in singleton live births (%)	42.4	2 / 9	27.0	1 / 1	
Percentage of transfers resulting in twin live births (%)	15.2	2 / 9	13.5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.3	2 / 9	13.5	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF CHARLESTON MOUNT PLEASANT, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Stephanie D. Singleton, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	72%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 9% Female & male factors 10%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	13%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	24%	Other factor	27%	
				Endometriosis	2%	Unknown factor	20%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 198 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		28	16	14	1	1
Percentage of cancellations before retrieval (%)		0.0	0 / 16	1 / 14	0 / 1	0 / 1
Number of transfers		11	7	8	0	1
Average number of embryos transferred		1.7	2.0	1.8		1.0
Percentage of elective single embryo transfers (eSET) (%)		2 / 10	0 / 7	1 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		25.0	4 / 16	2 / 14	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)		25.0	4 / 16	2 / 14	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)		17.9	3 / 16	2 / 14	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)		7.1	1 / 16	0 / 14	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		14.3	3 / 16	2 / 14	0 / 1	0 / 1
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		9 / 19	5 / 14	2 / 14		0 / 1
Percentage of transfers resulting in pregnancies (%)		7 / 11	4 / 7	2 / 8		0 / 1
Percentage of transfers resulting in live births (%)		7 / 11	4 / 7	2 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)		5 / 11	3 / 7	2 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)		2 / 11	1 / 7	0 / 8		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 11	3 / 7	2 / 8		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles		40	17	19	2	0
Number of transfers		39	17	19	2	0
Estimated average number of transfers per retrieval		1.4	1.3	1.2	2.0	
Average number of embryos transferred		1.3	1.6	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)		39.6	52.4	14.8	0 / 4	
Percentage of transfers resulting in pregnancies (%)		43.6	13 / 17	5 / 19	0 / 2	
Percentage of transfers resulting in live births (%)		38.5	8 / 17	3 / 19	0 / 2	
Percentage of transfers resulting in singleton live births (%)		30.8	7 / 17	2 / 19	0 / 2	
Percentage of transfers resulting in twin live births (%)		7.7	1 / 17	1 / 19	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		25.6	7 / 17	2 / 19	0 / 2	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		14	7	8	1	0
		6	3	0	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f						
Number of cycles		0	21	4	2	
Number of transfers		0	21	4	2	
Average number of embryos transferred			1.2	1.5	1.5	
Percentage of embryos transferred resulting in implantation (%)			50.0	2 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)			57.1	2 / 4	0 / 2	
Percentage of transfers resulting in live births (%)			42.9	2 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)			38.1	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)			4.8	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			33.3	1 / 4	0 / 2	

CURRENT SERVICES & PROFILE		Current Name: The Fertility Center of Charleston					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SOUTHEASTERN FERTILITY CENTER
NORTH CHARLESTON, SOUTH CAROLINA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

SANFORD WOMEN'S HEALTH SIOUX FALLS, SOUTH DAKOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Keith A. Hansen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	45%	Tubal factor	14%	Uterine factor	<1%	Multiple Factors: Female factors only 14% Female & male factors 29%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	20%	Male factor	49%	
Used gestational carrier	3%			Diminished ovarian reserve	25%	Other factor	30%	
				Endometriosis	7%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 355
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	91	34	15	8	2
Percentage of cancellations before retrieval (%)	2.2	23.5	4 / 15	1 / 8	0 / 2
Number of transfers	78	23	7	0	1
Average number of embryos transferred	1.7	2.3	2.3		1.0
Percentage of elective single embryo transfers (eSET) (%)	25.0	0.0	0 / 5		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.3	20.6	4 / 15	0 / 8	0 / 2
Percentage of cycles resulting in live births (%)	42.9	14.7	3 / 15	0 / 8	0 / 2
Percentage of cycles resulting in singleton live births (%)	34.1	8.8	3 / 15	0 / 8	0 / 2
Percentage of cycles resulting in twin live births (%)	7.7	5.9	0 / 15	0 / 8	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.5	5.9	2 / 15	0 / 8	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	17.3	5 / 16		0 / 1
Percentage of transfers resulting in pregnancies (%)	55.1	30.4	4 / 7		0 / 1
Percentage of transfers resulting in live births (%)	50.0	21.7	3 / 7		0 / 1
Percentage of transfers resulting in singleton live births (%)	39.7	13.0	3 / 7		0 / 1
Percentage of transfers resulting in twin live births (%)	9.0	8.7	0 / 7		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	32.1	8.7	2 / 7		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	88	22	16	3	2
Number of transfers	75	20	13	2	2
Estimated average number of transfers per retrieval	1.5	1.5	1.2	0.4	
Average number of embryos transferred	1.5	1.6	1.2	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	35.7	37.5	6 / 16	0 / 3	2 / 4
Percentage of transfers resulting in pregnancies (%)	41.3	50.0	4 / 13	0 / 2	2 / 2
Percentage of transfers resulting in live births (%)	33.3	50.0	4 / 13	0 / 2	2 / 2
Percentage of transfers resulting in singleton live births (%)	24.0	45.0	3 / 13	0 / 2	2 / 2
Percentage of transfers resulting in twin live births (%)	9.3	5.0	0 / 13	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	40.0	3 / 13	0 / 2	2 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	9	8	5	0
	4	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	25	2	
Number of transfers	0	1	25	2	
Average number of embryos transferred		1.0	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)		0 / 1	42.9	1 / 3	
Percentage of transfers resulting in pregnancies (%)		0 / 1	52.0	1 / 2	
Percentage of transfers resulting in live births (%)		0 / 1	52.0	1 / 2	
Percentage of transfers resulting in singleton live births (%)		0 / 1	48.0	1 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 1	4.0	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	44.0	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Sanford Women's Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER, LLC CHATTANOOGA, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Barry W. Donesky, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	77%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 2% Female & male factors 3%
Unstimulated	1%	PGD/PGS	15%	Ovulatory dysfunction	13%	Male factor	29%	
Used gestational carrier	4%			Diminished ovarian reserve	32%	Other factor	6%	
				Endometriosis	2%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 260
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	15	13	9	4
Percentage of cancellations before retrieval (%)	15.0	1 / 15	3 / 13	4 / 9	3 / 4
Number of transfers	1	1	1	0	0
Average number of embryos transferred	2.0	2.0	1.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0.0	1 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 2	2 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	74	24	11	3	0
Number of transfers	71	24	11	3	0
Estimated average number of transfers per retrieval	1.2	1.3	1.0	1.5	0.0
Average number of embryos transferred	1.3	1.3	1.4	1.3	
Percentage of embryos transferred resulting in implantation (%)	42.6	48.4	8 / 15	0 / 4	
Percentage of transfers resulting in pregnancies (%)	47.9	54.2	5 / 11	0 / 3	
Percentage of transfers resulting in live births (%)	42.3	50.0	4 / 11	0 / 3	
Percentage of transfers resulting in singleton live births (%)	35.2	41.7	1 / 11	0 / 3	
Percentage of transfers resulting in twin live births (%)	7.0	8.3	3 / 11	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.0	33.3	1 / 11	0 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	9	6	1	1
	0	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	10	13	1	
Number of transfers	1	10	12	1	
Average number of embryos transferred	2.0	1.6	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	9 / 16	11 / 16	1 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1	7 / 10	10 / 12	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 1	6 / 10	9 / 12	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	4 / 10	8 / 12	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	2 / 10	1 / 12	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	2 / 10	7 / 12	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Fertility Center, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TENNESSEE REPRODUCTIVE MEDICINE CHATTANOOGA, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ringland S. Murray, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	18%	Uterine factor	<1%	
Unstimulated	4%	PGD/PGS	25%	Ovulatory dysfunction	9%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	38%	
				Endometriosis	13%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				17%

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 242
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	41	11	9	9	4
Percentage of cancellations before retrieval (%)	2.4	1 / 11	2 / 9	2 / 9	3 / 4
Number of transfers	36	6	4	2	0
Average number of embryos transferred	1.6	1.5	2.3	1.5	
Percentage of elective single embryo transfers (eSET) (%)	34.4	1 / 4	0 / 4	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.1	1 / 11	3 / 9	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	41.5	1 / 11	2 / 9	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	36.6	1 / 11	2 / 9	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	4.9	0 / 11	0 / 9	0 / 9	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.7	1 / 11	1 / 9	0 / 9	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.6	1 / 9	2 / 7	0 / 3	
Percentage of transfers resulting in pregnancies (%)	63.9	1 / 6	3 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	47.2	1 / 6	2 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	41.7	1 / 6	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	5.6	0 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.1	1 / 6	1 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	27	10	4	0
Number of transfers	50	27	9	4	0
Estimated average number of transfers per retrieval	1.7	1.6	0.6	0.4	0.0
Average number of embryos transferred	1.3	1.3	1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)	50.7	65.7	4 / 13	3 / 7	
Percentage of transfers resulting in pregnancies (%)	64.0	77.8	4 / 9	3 / 4	
Percentage of transfers resulting in live births (%)	58.0	70.4	4 / 9	3 / 4	
Percentage of transfers resulting in singleton live births (%)	54.0	66.7	4 / 9	3 / 4	
Percentage of transfers resulting in twin live births (%)	4.0	3.7	0 / 9	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	51.9	2 / 9	3 / 4	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	13	13	9	4
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	5	4	8	
Number of transfers	2	5	4	8	
Average number of embryos transferred	1.0	1.4	1.3	1.4	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	4 / 7	2 / 5	6 / 11	
Percentage of transfers resulting in pregnancies (%)	1 / 2	3 / 5	1 / 4	5 / 8	
Percentage of transfers resulting in live births (%)	0 / 2	2 / 5	1 / 4	5 / 8	
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 5	0 / 4	4 / 8	
Percentage of transfers resulting in twin live births (%)	0 / 2	1 / 5	1 / 4	1 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	1 / 5	0 / 4	2 / 8	

CURRENT SERVICES & PROFILE

Current Name: Tennessee Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TENNESSEE FERTILITY INSTITUTE FRANKLIN, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Donna R. Session, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 21% Female & male factors 3%
Unstimulated	4%	PGD/PGS	24%	Ovulatory dysfunction	9%	Male factor	9%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	18%	
				Endometriosis	0%	Unknown factor	52%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 39
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	10	4	8	2	0
Percentage of cancellations before retrieval (%)	0 / 10	0 / 4	2 / 8	0 / 2	
Number of transfers	7	2	3	1	0
Average number of embryos transferred	1.4	2.0	3.3	3.0	
Percentage of elective single embryo transfers (eSET) (%)	2 / 5	0 / 2	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 10	1 / 4	1 / 8	1 / 2	
Percentage of cycles resulting in live births (%)	4 / 10	1 / 4	1 / 8	1 / 2	
Percentage of cycles resulting in singleton live births (%)	3 / 10	1 / 4	1 / 8	1 / 2	
Percentage of cycles resulting in twin live births (%)	1 / 10	0 / 4	0 / 8	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 10	0 / 4	1 / 8	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 10	1 / 4	1 / 10	1 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 7	1 / 2	1 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	4 / 7	1 / 2	1 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 7	1 / 2	1 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 7	0 / 2	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	2	1	0
Number of transfers	1	2	2	1	0
Estimated average number of transfers per retrieval	0.3	0.7	0.5	1.0	
Average number of embryos transferred	1.0	2.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1	1 / 4	3 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2	2 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2	2 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 2	2 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1	0 / 2	2 / 2	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	2	0	0
	3	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	3	
Number of transfers	0	0	0	3	
Average number of embryos transferred				1.3	
Percentage of embryos transferred resulting in implantation (%)				1 / 4	
Percentage of transfers resulting in pregnancies (%)				1 / 3	
Percentage of transfers resulting in live births (%)				0 / 3	
Percentage of transfers resulting in singleton live births (%)				0 / 3	
Percentage of transfers resulting in twin live births (%)				0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Tennessee Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

QUILLEN FERTILITY AND WOMEN'S SERVICES JOHNSON CITY, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark X. Ransom, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	41%	Tubal factor	20%	Uterine factor	4%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	5%	
				Endometriosis	17%	Unknown factor	17%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 75
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	14	15	6	0
Percentage of cancellations before retrieval (%)	7.4	1 / 14	1 / 15	2 / 6	
Number of transfers	24	11	10	4	0
Average number of embryos transferred	1.9	1.8	2.5	2.8	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 9	0 / 8	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.6	2 / 14	5 / 15	0 / 6	
Percentage of cycles resulting in live births (%)	48.1	1 / 14	1 / 15	0 / 6	
Percentage of cycles resulting in singleton live births (%)	29.6	1 / 14	1 / 15	0 / 6	
Percentage of cycles resulting in twin live births (%)	14.8	0 / 14	0 / 15	0 / 6	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	1 / 14	0 / 15	0 / 6	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.7	1 / 18	1 / 15	0 / 11	
Percentage of transfers resulting in pregnancies (%)	62.5	2 / 11	5 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	54.2	1 / 11	1 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	33.3	1 / 11	1 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	16.7	0 / 11	0 / 10	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.2	1 / 11	0 / 10	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	6	6	0	0	0
Number of transfers	5	5	0	0	0
Estimated average number of transfers per retrieval	1.7	1.3			
Average number of embryos transferred	2.0	1.8			
Percentage of embryos transferred resulting in implantation (%)	1 / 10	0 / 9			
Percentage of transfers resulting in pregnancies (%)	1 / 5	0 / 5			
Percentage of transfers resulting in live births (%)	1 / 5	0 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	0 / 5			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	1	
Number of transfers	0	0	0	1	
Average number of embryos transferred				3.0	
Percentage of embryos transferred resulting in implantation (%)				0 / 3	
Percentage of transfers resulting in pregnancies (%)				0 / 1	
Percentage of transfers resulting in live births (%)				0 / 1	
Percentage of transfers resulting in singleton live births (%)				0 / 1	
Percentage of transfers resulting in twin live births (%)				0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Quillen Fertility and Women's Services

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST TENNESSEE IVF AND ANDROLOGY CENTER KNOXVILLE, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gayla S. Harris, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	27%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 55% Female & male factors 36%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	36%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	46%	
				Endometriosis	64%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 11
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	3	2	0	0
Percentage of cancellations before retrieval (%)	0 / 6	0 / 3	0 / 2		
Number of transfers	6	3	2	0	0
Average number of embryos transferred	1.5	1.3	1.5		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 1	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 6	2 / 3	0 / 2		
Percentage of cycles resulting in live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of cycles resulting in singleton live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 3	0 / 2		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 6	1 / 3	0 / 2		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 9	3 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 6	2 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6	1 / 3	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: East Tennessee IVF and Andrology Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JEFFREY A. KEENAN, MD DBA SOUTHEASTERN CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY KNOXVILLE, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeffrey A. Keenan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	>99%	With ICSI	19%	Tubal factor	5%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 21%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	24%	
				Endometriosis	16%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 193
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	15	5	4	1	0
Percentage of cancellations before retrieval (%)	0 / 15	1 / 5	0 / 4	1 / 1	
Number of transfers	10	3	1	0	0
Average number of embryos transferred	2.1	1.3	3.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	2 / 3	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 15	3 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	5 / 15	3 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3 / 15	2 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 15	1 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 15	2 / 5	0 / 4	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.1	4 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 10	3 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 10	3 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 10	2 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 10	1 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 10	2 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	1	8	0	1
Number of transfers	14	1	8	0	1
Estimated average number of transfers per retrieval	1.8	0.3	1.6		0.1
Average number of embryos transferred	1.9	2.0	2.6		2.0
Percentage of embryos transferred resulting in implantation (%)	18.5	0 / 2	9.5		0 / 2
Percentage of transfers resulting in pregnancies (%)	4 / 14	0 / 1	2 / 8		0 / 1
Percentage of transfers resulting in live births (%)	4 / 14	0 / 1	1 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 14	0 / 1	1 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 1	0 / 8		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 14	0 / 1	0 / 8		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	3	0	0	7
	0	2	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	129	
Number of transfers	0	0	0	125	
Average number of embryos transferred				2.4	
Percentage of embryos transferred resulting in implantation (%)				29.8	
Percentage of transfers resulting in pregnancies (%)				53.6	
Percentage of transfers resulting in live births (%)				43.2	
Percentage of transfers resulting in singleton live births (%)				29.6	
Percentage of transfers resulting in twin live births (%)				12.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				24.0	

CURRENT SERVICES & PROFILE

Current Name: Jeffrey A. Keenan, MD dba,
Southeastern Center for Fertility and Reproductive Surgery

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	No	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC MEMPHIS, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Raymond W. Ke, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	21%	Uterine factor	8%	Multiple Factors: Female factors only 13% Female & male factors 23%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	16%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	7%	
				Endometriosis	13%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 563
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	13	19	12	6
Percentage of cancellations before retrieval (%)	14.3	0 / 13	3 / 19	5 / 12	4 / 6
Number of transfers	15	10	13	3	2
Average number of embryos transferred	1.6	1.7	1.7	2.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	5 / 14	2 / 9	1 / 10	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	16.7	6 / 13	4 / 19	0 / 12	0 / 6
Percentage of cycles resulting in live births (%)	16.7	5 / 13	4 / 19	0 / 12	0 / 6
Percentage of cycles resulting in singleton live births (%)	16.7	5 / 13	4 / 19	0 / 12	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0 / 13	0 / 19	0 / 12	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	14.3	4 / 13	4 / 19	0 / 12	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	6 / 17	18.2	0 / 6	0 / 5
Percentage of transfers resulting in pregnancies (%)	7 / 15	6 / 10	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	7 / 15	5 / 10	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 15	5 / 10	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 10	0 / 13	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 15	4 / 10	4 / 13	0 / 3	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	171	59	36	11	6
Number of transfers	151	52	30	6	6
Estimated average number of transfers per retrieval	1.3	1.9	1.8	0.9	1.0
Average number of embryos transferred	1.3	1.5	1.6	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	57.9	43.5	56.5	1 / 11	2 / 8
Percentage of transfers resulting in pregnancies (%)	66.9	55.8	66.7	1 / 6	2 / 6
Percentage of transfers resulting in live births (%)	54.3	38.5	46.7	0 / 6	1 / 6
Percentage of transfers resulting in singleton live births (%)	49.0	32.7	36.7	0 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)	5.3	3.8	10.0	0 / 6	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	43.0	28.8	26.7	0 / 6	0 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	98	24	15	4	6
	4	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	17	20	2	
Number of transfers	0	11	17	2	
Average number of embryos transferred		1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)		9 / 16	32.0	2 / 4	
Percentage of transfers resulting in pregnancies (%)		8 / 11	8 / 17	1 / 2	
Percentage of transfers resulting in live births (%)		7 / 11	8 / 17	1 / 2	
Percentage of transfers resulting in singleton live births (%)		6 / 11	8 / 17	0 / 2	
Percentage of transfers resulting in twin live births (%)		1 / 11	0 / 17	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		4 / 11	8 / 17	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REGIONAL ONE HEALTH REPRODUCTIVE MEDICINE MEMPHIS, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laura Detti, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	19%	Uterine factor	24%	Multiple Factors: Female factors only 42% Female & male factors 52%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	79%	Male factor	52%	
Used gestational carrier	3%			Diminished ovarian reserve	34%	Other factor	65%	
				Endometriosis	15%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 86
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	5	6	5	0
Percentage of cancellations before retrieval (%)	8.3	0 / 5	0 / 6	1 / 5	
Number of transfers	22	5	5	3	0
Average number of embryos transferred	1.9	1.8	2.8	3.3	
Percentage of elective single embryo transfers (eSET) (%)	18.2	0 / 4	0 / 5	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.7	4 / 5	2 / 6	0 / 5	
Percentage of cycles resulting in live births (%)	41.7	4 / 5	2 / 6	0 / 5	
Percentage of cycles resulting in singleton live births (%)	25.0	2 / 5	1 / 6	0 / 5	
Percentage of cycles resulting in twin live births (%)	16.7	2 / 5	1 / 6	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.8	2 / 5	1 / 6	0 / 5	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.7	6 / 9	3 / 14	0 / 10	
Percentage of transfers resulting in pregnancies (%)	45.5	4 / 5	2 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	45.5	4 / 5	2 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 5	1 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	18.2	2 / 5	1 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.7	2 / 5	1 / 5	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	7	1	0	1
Number of transfers	8	4	1	0	1
Estimated average number of transfers per retrieval	0.9		0.1	0.0	0.1
Average number of embryos transferred	1.8	1.5	3.0		3.0
Percentage of embryos transferred resulting in implantation (%)	6 / 14	3 / 6	0 / 3		0 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 8	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	5 / 8	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 8	1 / 4	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 8	1 / 4	0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 8	1 / 4	0 / 1		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	0	9	3	8
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	0	0	
Number of transfers	1	1	0	0	
Average number of embryos transferred	1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 1	0 / 2			
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1			

CURRENT SERVICES & PROFILE

Current Name: Regional One Health Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH NASHVILLE, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jaime M. Vasquez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 40%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	39%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	4%	
				Endometriosis	10%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 137
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	23	14	2	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 14	0 / 2	0 / 1	
Number of transfers	7	5	1	1	0
Average number of embryos transferred	1.9	2.0	1.0	4.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 5		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.0	1 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	13.0	1 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	8.7	1 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	4.3	0 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	8.7	1 / 14	0 / 2	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 13	1 / 10	0 / 1	0 / 4	
Percentage of transfers resulting in pregnancies (%)	3 / 7	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 7	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 7	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 7	1 / 5	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	6	8	0	3
Number of transfers	25	6	7	0	2
Estimated average number of transfers per retrieval	1.8	1.0	2.3	0.0	
Average number of embryos transferred	2.0	1.8	2.1		1.5
Percentage of embryos transferred resulting in implantation (%)	19.6	1 / 11	3 / 11		1 / 3
Percentage of transfers resulting in pregnancies (%)	40.0	1 / 6	5 / 7		1 / 2
Percentage of transfers resulting in live births (%)	36.0	1 / 6	2 / 7		1 / 2
Percentage of transfers resulting in singleton live births (%)	36.0	1 / 6	2 / 7		1 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 6	0 / 7		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	1 / 6	2 / 7		1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	3	2	1	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	16	0	22	7	
Number of transfers	15	0	22	7	
Average number of embryos transferred	2.0		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)			30.2	6 / 14	
Percentage of transfers resulting in pregnancies (%)	9 / 15		54.5	4 / 7	
Percentage of transfers resulting in live births (%)	9 / 15		45.5	3 / 7	
Percentage of transfers resulting in singleton live births (%)	6 / 15		40.9	1 / 7	
Percentage of transfers resulting in twin live births (%)	3 / 15		4.5	2 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 15		9.1	0 / 7	

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NASHVILLE FERTILITY CENTER NASHVILLE, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George A. Hill, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	20%	Uterine factor	8%	Multiple Factors: Female factors only 29% Female & male factors 23%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	19%	Male factor	37%	
Used gestational carrier	3%			Diminished ovarian reserve	36%	Other factor	20%	
				Endometriosis	22%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 860
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	117	49	31	8	6
Percentage of cancellations before retrieval (%)	20.5	24.5	22.6	3 / 8	2 / 6
Number of transfers	85	33	24	5	3
Average number of embryos transferred	1.4	2.1	2.3	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	58.8	3.2	0.0	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.5	40.8	25.8	1 / 8	0 / 6
Percentage of cycles resulting in live births (%)	29.9	30.6	16.1	1 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	26.5	20.4	9.7	1 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	3.4	10.2	6.5	0 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.1	16.3	9.7	1 / 8	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.9	35.4	17.3	1 / 12	0 / 6
Percentage of transfers resulting in pregnancies (%)	44.7	60.6	33.3	1 / 5	0 / 3
Percentage of transfers resulting in live births (%)	41.2	45.5	20.8	1 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	36.5	30.3	12.5	1 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	4.7	15.2	8.3	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	24.2	12.5	1 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	195	82	60	5	8
Number of transfers	183	74	55	5	6
Estimated average number of transfers per retrieval	1.3	1.4	1.1	0.4	0.8
Average number of embryos transferred	1.3	1.5	1.2	1.6	1.5
Percentage of embryos transferred resulting in implantation (%)	57.1	48.6	59.4	1 / 8	2 / 9
Percentage of transfers resulting in pregnancies (%)	67.2	59.5	65.5	1 / 5	2 / 6
Percentage of transfers resulting in live births (%)	59.6	50.0	54.5	1 / 5	2 / 6
Percentage of transfers resulting in singleton live births (%)	51.4	39.2	50.9	1 / 5	2 / 6
Percentage of transfers resulting in twin live births (%)	8.2	10.8	3.6	0 / 5	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.4	36.5	36.4	1 / 5	1 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	97	45	46	12	8
	6	5	10	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	15	37	27	
Number of transfers	9	11	33	24	
Average number of embryos transferred	1.2	1.3	1.3	1.7	
Percentage of embryos transferred resulting in implantation (%)	5 / 9	7 / 14	57.5	56.4	
Percentage of transfers resulting in pregnancies (%)	6 / 9	7 / 11	69.7	83.3	
Percentage of transfers resulting in live births (%)	5 / 9	7 / 11	57.6	66.7	
Percentage of transfers resulting in singleton live births (%)	5 / 9	7 / 11	48.5	50.0	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 11	9.1	16.7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	6 / 11	33.3	41.7	

CURRENT SERVICES & PROFILE

Current Name: Nashville Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASPIRE FERTILITY-DALLAS ADDISON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Linda C. Elkins, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	100%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 33%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	0%	Male factor	67%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	17%	
				Endometriosis	17%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 15
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	1	0	0
Percentage of cancellations before retrieval (%)			0 / 1		
Number of transfers	0	0	1	0	0
Average number of embryos transferred			2.0		
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			0 / 1		
Percentage of cycles resulting in live births (%)			0 / 1		
Percentage of cycles resulting in singleton live births (%)			0 / 1		
Percentage of cycles resulting in twin live births (%)			0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			0 / 2		
Percentage of transfers resulting in pregnancies (%)			0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	1	0	0	0
Number of transfers	3	1	0	0	0
Estimated average number of transfers per retrieval	0.4		0.0	0.0	
Average number of embryos transferred	1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 3	1 / 2			
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 1			
Percentage of transfers resulting in live births (%)	2 / 3	1 / 1			
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3	1 / 1			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	0	1	1	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	0	0	
Number of transfers	0	1	0	0	
Average number of embryos transferred		2.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 2			
Percentage of transfers resulting in pregnancies (%)		0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1			

CURRENT SERVICES & PROFILE

Current Name: Aspire Fertility-Dallas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DFW CENTER FOR FERTILITY & IVF ALLEN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Victor E. Beshay, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	11%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 14%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	14%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	22%	
				Endometriosis	0%	Unknown factor	16%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 56
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	15	2	3	2	2
Percentage of cancellations before retrieval (%)	0 / 15	0 / 2	0 / 3	1 / 2	0 / 2
Number of transfers	15	1	2	1	2
Average number of embryos transferred	1.7	2.0	1.5	2.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	4 / 14	0 / 1	1 / 2	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 15	1 / 2	1 / 3	0 / 2	1 / 2
Percentage of cycles resulting in live births (%)	8 / 15	1 / 2	1 / 3	0 / 2	1 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 15	1 / 2	1 / 3	0 / 2	1 / 2
Percentage of cycles resulting in twin live births (%)	4 / 15	0 / 2	0 / 3	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 15	1 / 2	1 / 3	0 / 2	1 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.0	1 / 2	1 / 3	0 / 2	1 / 5
Percentage of transfers resulting in pregnancies (%)	8 / 15	1 / 1	1 / 2	0 / 1	1 / 2
Percentage of transfers resulting in live births (%)	8 / 15	1 / 1	1 / 2	0 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 15	1 / 1	1 / 2	0 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	4 / 15	0 / 1	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 15	1 / 1	1 / 2	0 / 1	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	7	2	3	0	0
Number of transfers	7	2	3	0	0
Estimated average number of transfers per retrieval	0.5	0.5	0.8	0.0	
Average number of embryos transferred	1.6	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 11	0 / 3	3 / 3		
Percentage of transfers resulting in pregnancies (%)	7 / 7	0 / 2	3 / 3		
Percentage of transfers resulting in live births (%)	6 / 7	0 / 2	2 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 2	2 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 7	0 / 2	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	0 / 2	2 / 3		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	4	4	1	0
	5	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: DFW Center for Fertility & IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF AUSTIN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Shahryar K. Kavoussi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	9%	Uterine factor	7%	Multiple Factors: Female factors only 5% Female & male factors 23%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	12%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	8%	
				Endometriosis	9%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 188
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	65	31	20	9	0
Percentage of cancellations before retrieval (%)	1.5	3.2	10.0	0 / 9	
Number of transfers	48	21	13	4	0
Average number of embryos transferred	2.1	2.0	2.3	2.3	
Percentage of elective single embryo transfers (eSET) (%)	10.6	0 / 16	0 / 11	1 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.5	22.6	35.0	0 / 9	
Percentage of cycles resulting in live births (%)	35.4	22.6	25.0	0 / 9	
Percentage of cycles resulting in singleton live births (%)	21.5	19.4	20.0	0 / 9	
Percentage of cycles resulting in twin live births (%)	13.8	3.2	0.0	0 / 9	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	19.4	20.0	0 / 9	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.8	19.5	28.6	0 / 9	
Percentage of transfers resulting in pregnancies (%)	52.1	33.3	7 / 13	0 / 4	
Percentage of transfers resulting in live births (%)	47.9	33.3	5 / 13	0 / 4	
Percentage of transfers resulting in singleton live births (%)	29.2	28.6	4 / 13	0 / 4	
Percentage of transfers resulting in twin live births (%)	18.8	4.8	0 / 13	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.1	28.6	4 / 13	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	9	3	3	1
Number of transfers	12	9	3	2	1
Estimated average number of transfers per retrieval	0.9	1.1	3.0	0.4	
Average number of embryos transferred	1.8	2.1	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 19	0 / 4	0 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 12	3 / 9	0 / 3	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	5 / 12	2 / 9	0 / 3	0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 12	2 / 9	0 / 3	0 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 9	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 12	2 / 9	0 / 3	0 / 2	1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	5	1	2	0
	1	0	0	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	1	9	0	
Number of transfers	8	1	8	0	
Average number of embryos transferred	1.9	2.0	1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 13	2 / 2	3 / 13		
Percentage of transfers resulting in pregnancies (%)	4 / 8	1 / 1	3 / 8		
Percentage of transfers resulting in live births (%)	2 / 8	1 / 1	3 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 8	0 / 1	3 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 1	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	0 / 1	3 / 8		

CURRENT SERVICES & PROFILE

Current Name: Austin Fertility and Reproductive Medicine-Westlake IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY INSTITUTE, PA AUSTIN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kenneth K. Moghadam, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	17%	Uterine factor	4%	Multiple Factors: Female factors only 11% Female & male factors 18%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	15%	Male factor	50%	
Used gestational carrier	2%			Diminished ovarian reserve	12%	Other factor	13%	
				Endometriosis	16%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 342
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	67	18	18	4	1
Percentage of cancellations before retrieval (%)	4.5	1 / 18	5 / 18	0 / 4	1 / 1
Number of transfers	18	4	5	3	0
Average number of embryos transferred	1.6	1.5	3.4	2.7	
Percentage of elective single embryo transfers (eSET) (%)	7 / 18	2 / 4	0 / 5	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10.4	2 / 18	3 / 18	1 / 4	0 / 1
Percentage of cycles resulting in live births (%)	9.0	1 / 18	2 / 18	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	6.0	1 / 18	2 / 18	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	3.0	0 / 18	0 / 18	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4.5	1 / 18	1 / 18	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.6	3 / 6	4 / 17	0 / 6	
Percentage of transfers resulting in pregnancies (%)	7 / 18	2 / 4	3 / 5	1 / 3	
Percentage of transfers resulting in live births (%)	6 / 18	1 / 4	2 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	4 / 18	1 / 4	2 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 18	0 / 4	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 18	1 / 4	1 / 5	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	111	45	17	6	1
Number of transfers	111	45	17	6	1
Estimated average number of transfers per retrieval	2.1	1.7	1.1	2.0	0.5
Average number of embryos transferred	1.6	1.8	1.7	2.2	4.0
Percentage of embryos transferred resulting in implantation (%)	39.4	30.4	23.1	5 / 13	
Percentage of transfers resulting in pregnancies (%)	54.1	48.9	7 / 17	3 / 6	1 / 1
Percentage of transfers resulting in live births (%)	42.3	42.2	3 / 17	3 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	35.6	3 / 17	2 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	9.0	6.7	0 / 17	1 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.7	26.7	2 / 17	2 / 6	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	13	8	0	2
	2	2	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	0	13	0	
Number of transfers	3	0	13	0	
Average number of embryos transferred	1.3		1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 4		8 / 19		
Percentage of transfers resulting in pregnancies (%)	3 / 3		6 / 13		
Percentage of transfers resulting in live births (%)	3 / 3		5 / 13		
Percentage of transfers resulting in singleton live births (%)	2 / 3		3 / 13		
Percentage of transfers resulting in twin live births (%)	1 / 3		2 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		1 / 13		

CURRENT SERVICES & PROFILE

Current Name: Austin Fertility Institute, PA

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**RMATX.COM, PLLC
RMA OF TEXAS-AUSTIN
AUSTIN, TEXAS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 6% Female & male factors 13%
Unstimulated	0%	PGD/PGS	56%	Ovulatory dysfunction	13%	Male factor	36%	
Used gestational carrier	5%			Diminished ovarian reserve	33%	Other factor	13%	
				Endometriosis	5%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 283
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	12	6	6	4
Percentage of cancellations before retrieval (%)	3 / 13	5 / 12	2 / 6	2 / 6	2 / 4
Number of transfers	2	4	1	0	1
Average number of embryos transferred	1.0	1.3	1.0		2.0
Percentage of elective single embryo transfers (eSET) (%)		3 / 4			0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 2	2 / 5	0 / 1		0 / 2
Percentage of transfers resulting in pregnancies (%)	0 / 2	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	0 / 2	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	2 / 4	0 / 1		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	45	35	17	9	0
Number of transfers	44	34	16	8	0
Estimated average number of transfers per retrieval	0.9	1.1	0.6	0.7	0.0
Average number of embryos transferred	1.0	1.0	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	59.1	55.9	11 / 16	6 / 8	
Percentage of transfers resulting in pregnancies (%)	59.1	55.9	11 / 16	6 / 8	
Percentage of transfers resulting in live births (%)	59.1	52.9	10 / 16	6 / 8	
Percentage of transfers resulting in singleton live births (%)	59.1	52.9	10 / 16	6 / 8	
Percentage of transfers resulting in twin live births (%)	0.0	0.0	0 / 16	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.9	44.1	9 / 16	6 / 8	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	45	28	26	11	5
	9	6	5	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	5	14	1	
Number of transfers	0	3	14	1	
Average number of embryos transferred		1.3	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)		1 / 4	7 / 15	1 / 1	
Percentage of transfers resulting in pregnancies (%)		1 / 3	6 / 14	1 / 1	
Percentage of transfers resulting in live births (%)		0 / 3	5 / 14	1 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 3	4 / 14	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 3	1 / 14	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 3	2 / 14	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: RMATX.COM, PLLC, RMA of Texas-Austin

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TEXAS FERTILITY CENTER
VAUGHN, SILVERBERG & ASSOCIATES
AUSTIN, TEXAS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kaylen Silverberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	11%	Uterine factor	13%	Multiple Factors: Female factors only 22% Female & male factors 14%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	8%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	33%	Other factor	29%	
				Endometriosis	13%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,800
(includes 12 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	110	82	58	44	37
Percentage of cancellations before retrieval (%)	9.1	8.5	13.8	13.6	13.5
Number of transfers	69	43	23	15	12
Average number of embryos transferred	1.2	1.3	1.4	1.5	1.4
Percentage of elective single embryo transfers (eSET) (%)	47.6	30.0	0 / 9	0 / 6	4 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.2	24.4	17.2	15.9	10.8
Percentage of cycles resulting in live births (%)	33.6	23.2	10.3	13.6	5.4
Percentage of cycles resulting in singleton live births (%)	31.8	20.7	8.6	13.6	5.4
Percentage of cycles resulting in twin live births (%)	1.8	2.4	1.7	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.2	15.9	3.4	11.4	5.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.2	37.9	29.6	34.8	4 / 17
Percentage of transfers resulting in pregnancies (%)	60.9	46.5	43.5	7 / 15	4 / 12
Percentage of transfers resulting in live births (%)	53.6	44.2	26.1	6 / 15	2 / 12
Percentage of transfers resulting in singleton live births (%)	50.7	39.5	21.7	6 / 15	2 / 12
Percentage of transfers resulting in twin live births (%)	2.9	4.7	4.3	0 / 15	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.9	30.2	8.7	5 / 15	2 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	314	178	132	39	28
Number of transfers	278	162	107	32	25
Estimated average number of transfers per retrieval	1.1	0.9	0.9	0.5	0.5
Average number of embryos transferred	1.1	1.2	1.1	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	54.5	46.5	50.0	46.2	44.4
Percentage of transfers resulting in pregnancies (%)	57.6	54.9	57.0	56.3	60.0
Percentage of transfers resulting in live births (%)	49.3	48.1	47.7	40.6	40.0
Percentage of transfers resulting in singleton live births (%)	44.6	46.9	45.8	34.4	40.0
Percentage of transfers resulting in twin live births (%)	4.7	1.2	1.9	6.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.0	38.3	37.4	28.1	32.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	220	146	114	58	45
	23	17	19	0	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	31	23	124	5	
Number of transfers	30	17	109	3	
Average number of embryos transferred	1.1	1.3	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	68.8	47.6	48.3	2 / 3	
Percentage of transfers resulting in pregnancies (%)	76.7	11 / 17	52.3	2 / 3	
Percentage of transfers resulting in live births (%)	60.0	10 / 17	38.5	2 / 3	
Percentage of transfers resulting in singleton live births (%)	56.7	10 / 17	33.0	2 / 3	
Percentage of transfers resulting in twin live births (%)	3.3	0 / 17	5.5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.7	7 / 17	22.9	2 / 3	

CURRENT SERVICES & PROFILE

Current Name: Texas Fertility Center, Vaughn, Silverberg & Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

CENTER FOR ASSISTED REPRODUCTION BEDFORD, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kevin J. Doody, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	17%	Uterine factor	<1%	Multiple Factors: Female factors only 8% Female & male factors 18%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	24%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	13%	
				Endometriosis	6%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 658
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	75	40	16	10	6
Percentage of cancellations before retrieval (%)	2.7	12.5	5 / 16	4 / 10	2 / 6
Number of transfers	53	29	9	6	3
Average number of embryos transferred	1.1	1.3	1.8	1.8	1.0
Percentage of elective single embryo transfers (eSET) (%)	87.5	58.3	0 / 7	1 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.3	50.0	6 / 16	2 / 10	0 / 6
Percentage of cycles resulting in live births (%)	26.7	47.5	5 / 16	2 / 10	0 / 6
Percentage of cycles resulting in singleton live births (%)	25.3	37.5	2 / 16	1 / 10	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	7.5	3 / 16	1 / 10	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.0	32.5	2 / 16	1 / 10	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.4	66.7	8 / 14	3 / 11	0 / 3
Percentage of transfers resulting in pregnancies (%)	41.5	69.0	6 / 9	2 / 6	0 / 3
Percentage of transfers resulting in live births (%)	37.7	65.5	5 / 9	2 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	35.8	51.7	2 / 9	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	0.0	10.3	3 / 9	1 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.3	44.8	2 / 9	1 / 6	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	164	85	44	12	3
Number of transfers	159	79	40	10	3
Estimated average number of transfers per retrieval	1.7	1.6	1.4	0.8	0.4
Average number of embryos transferred	1.2	1.4	1.4	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	53.5	27.9	32.0	9 / 15	1 / 5
Percentage of transfers resulting in pregnancies (%)	62.3	43.0	40.0	8 / 10	2 / 3
Percentage of transfers resulting in live births (%)	51.6	30.4	30.0	7 / 10	1 / 3
Percentage of transfers resulting in singleton live births (%)	46.5	27.8	25.0	6 / 10	1 / 3
Percentage of transfers resulting in twin live births (%)	5.0	2.5	5.0	1 / 10	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.6	20.3	17.5	5 / 10	1 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	70	38	25	8	8
	11	7	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	3	8	33	
Number of transfers	8	1	8	31	
Average number of embryos transferred	1.1	1.0	1.3	1.1	
Percentage of embryos transferred resulting in implantation (%)	6 / 9	0 / 1	8 / 10	55.9	
Percentage of transfers resulting in pregnancies (%)	6 / 8	0 / 1	6 / 8	58.1	
Percentage of transfers resulting in live births (%)	5 / 8	0 / 1	6 / 8	48.4	
Percentage of transfers resulting in singleton live births (%)	5 / 8	0 / 1	5 / 8	45.2	
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 1	1 / 8	3.2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8	0 / 1	5 / 8	38.7	

CURRENT SERVICES & PROFILE

Current Name: Center for Assisted Reproduction

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DALLAS-FORT WORTH FERTILITY ASSOCIATES DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Samuel J. Chantilis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	43%	Tubal factor	12%	Uterine factor	10%	Multiple Factors: Female factors only 16% Female & male factors 26%
Unstimulated	<1%	PGD/PGS	26%	Ovulatory dysfunction	28%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	14%	
				Endometriosis	7%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,271
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	111	60	66	26	34
Percentage of cancellations before retrieval (%)	12.6	23.3	42.4	26.9	32.4
Number of transfers	67	30	23	11	10
Average number of embryos transferred	1.5	1.6	2.0	1.7	2.1
Percentage of elective single embryo transfers (eSET) (%)	48.3	30.4	0 / 19	0 / 8	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.9	20.0	13.6	15.4	2.9
Percentage of cycles resulting in live births (%)	25.2	16.7	9.1	3.8	0.0
Percentage of cycles resulting in singleton live births (%)	21.6	13.3	7.6	3.8	0.0
Percentage of cycles resulting in twin live births (%)	3.6	3.3	1.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.9	11.7	6.1	3.8	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.7	28.9	17.1	3 / 16	0 / 18
Percentage of transfers resulting in pregnancies (%)	46.3	40.0	39.1	4 / 11	1 / 10
Percentage of transfers resulting in live births (%)	41.8	33.3	26.1	1 / 11	0 / 10
Percentage of transfers resulting in singleton live births (%)	35.8	26.7	21.7	1 / 11	0 / 10
Percentage of transfers resulting in twin live births (%)	6.0	6.7	4.3	0 / 11	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.3	23.3	17.4	1 / 11	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	264	126	67	21	9
Number of transfers	262	124	64	20	9
Estimated average number of transfers per retrieval	1.3	1.0	0.8	0.5	0.3
Average number of embryos transferred	1.3	1.3	1.3	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	54.0	56.9	52.8	44.0	6 / 13
Percentage of transfers resulting in pregnancies (%)	63.0	69.4	70.3	70.0	5 / 9
Percentage of transfers resulting in live births (%)	51.9	54.0	53.1	40.0	4 / 9
Percentage of transfers resulting in singleton live births (%)	46.6	47.6	48.4	40.0	3 / 9
Percentage of transfers resulting in twin live births (%)	5.3	6.5	4.7	0.0	1 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.8	45.2	45.3	40.0	3 / 9
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	162	106	71	37	23
	16	20	9	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	36	4	29	16	
Number of transfers	30	3	29	16	
Average number of embryos transferred	1.2	1.7	1.4	1.2	
Percentage of embryos transferred resulting in implantation (%)	55.9	2 / 5	48.7	10 / 18	
Percentage of transfers resulting in pregnancies (%)	63.3	2 / 3	58.6	10 / 16	
Percentage of transfers resulting in live births (%)	50.0	2 / 3	48.3	8 / 16	
Percentage of transfers resulting in singleton live births (%)	40.0	2 / 3	37.9	8 / 16	
Percentage of transfers resulting in twin live births (%)	10.0	0 / 3	10.3	0 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.7	2 / 3	27.6	7 / 16	

CURRENT SERVICES & PROFILE

Current Name: Dallas-Fort Worth Fertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Orhan Bukulmez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	16%	Uterine factor	15%	Multiple Factors: Female factors only 15% Female & male factors 7%
Unstimulated	2%	PGD/PGS	29%	Ovulatory dysfunction	11%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	11%	
				Endometriosis	10%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 214
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	14	13	12	2
Percentage of cancellations before retrieval (%)	1 / 14	2 / 14	7 / 13	8 / 12	1 / 2
Number of transfers	5	2	0	1	0
Average number of embryos transferred	1.6	1.5		3.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 4	1 / 2		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 14	2 / 14	0 / 13	1 / 12	0 / 2
Percentage of cycles resulting in live births (%)	3 / 14	1 / 14	0 / 13	1 / 12	0 / 2
Percentage of cycles resulting in singleton live births (%)	2 / 14	1 / 14	0 / 13	1 / 12	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 14	0 / 14	0 / 13	0 / 12	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 14	1 / 14	0 / 13	1 / 12	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 8	2 / 3		1 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 5	2 / 2		1 / 1	
Percentage of transfers resulting in live births (%)	3 / 5	1 / 2		1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 5	1 / 2		1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 2		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 5	1 / 2		1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	20	11	5	4
Number of transfers	22	19	11	5	4
Estimated average number of transfers per retrieval	1.1	0.8	0.4	0.2	0.3
Average number of embryos transferred	1.3	1.4	1.2	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	57.7	55.6	8 / 13	4 / 6	1 / 6
Percentage of transfers resulting in pregnancies (%)	63.6	11 / 19	7 / 11	3 / 5	1 / 4
Percentage of transfers resulting in live births (%)	45.5	11 / 19	6 / 11	3 / 5	1 / 4
Percentage of transfers resulting in singleton live births (%)	36.4	7 / 19	6 / 11	2 / 5	1 / 4
Percentage of transfers resulting in twin live births (%)	9.1	4 / 19	0 / 11	1 / 5	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.3	6 / 19	5 / 11	2 / 5	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	15	21	27	22	12
	6	9	7	7	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Fertility and Advanced Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF DALLAS DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by J. Michael Putman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	12%	Uterine factor	21%	Multiple Factors: Female factors only 19% Female & male factors 42%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	11%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	36%	
				Endometriosis	17%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 220
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	23	4	2	2	1
Percentage of cancellations before retrieval (%)	0.0	1 / 4	0 / 2	0 / 2	0 / 1
Number of transfers	17	2	2	2	1
Average number of embryos transferred	1.5	1.5	2.0	2.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 13	1 / 2	0 / 2	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.8	1 / 4	1 / 2	1 / 2	0 / 1
Percentage of cycles resulting in live births (%)	39.1	1 / 4	0 / 2	1 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.7	1 / 4	0 / 2	1 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	17.4	0 / 4	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.4	1 / 4	0 / 2	1 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	59.1	1 / 3	1 / 4	1 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	11 / 17	1 / 2	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	9 / 17	1 / 2	0 / 2	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 17	1 / 2	0 / 2	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	4 / 17	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 17	1 / 2	0 / 2	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	39	27	12	5	3
Number of transfers	38	24	11	5	2
Estimated average number of transfers per retrieval	0.9	1.0	0.6	0.5	0.5
Average number of embryos transferred	1.6	1.7	1.5	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	34.4	40.0	10 / 17	3 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	44.7	41.7	7 / 11	3 / 5	0 / 2
Percentage of transfers resulting in live births (%)	42.1	33.3	7 / 11	3 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	34.2	12.5	4 / 11	3 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	7.9	20.8	3 / 11	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.9	12.5	4 / 11	3 / 5	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	34	24	18	10	4
	18	10	11	9	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	9	0	
Number of transfers	1	0	7	0	
Average number of embryos transferred	2.0		1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 2		5 / 10		
Percentage of transfers resulting in pregnancies (%)	1 / 1		4 / 7		
Percentage of transfers resulting in live births (%)	1 / 1		3 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 1		3 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		2 / 7		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Dallas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

REPROMED FERTILITY CENTER DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Anil B. Pinto, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	10%	Uterine factor	3%	Multiple Factors: Female factors only 20% Female & male factors 5%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	45%	Male factor	6%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	27%	
				Endometriosis	2%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 314
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	44	16	3	3	0
Percentage of cancellations before retrieval (%)	4.5	1 / 16	0 / 3	1 / 3	
Number of transfers	23	6	1	0	0
Average number of embryos transferred	1.9	2.0	3.0		
Percentage of elective single embryo transfers (eSET) (%)	13.0	0 / 6	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.1	6 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	31.8	6 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	20.5	5 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	11.4	1 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.4	3 / 16	0 / 3	0 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.3	7 / 12	0 / 3		
Percentage of transfers resulting in pregnancies (%)	65.2	6 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	60.9	6 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)	39.1	5 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)	21.7	1 / 6	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.7	3 / 6	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	62	26	11	16	4
Number of transfers	53	23	10	13	4
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.8	0.4
Average number of embryos transferred	1.7	1.7	2.4	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	38.8	51.5	20.8	15.0	2 / 6
Percentage of transfers resulting in pregnancies (%)	56.6	60.9	3 / 10	3 / 13	2 / 4
Percentage of transfers resulting in live births (%)	45.3	47.8	3 / 10	3 / 13	2 / 4
Percentage of transfers resulting in singleton live births (%)	34.0	26.1	1 / 10	3 / 13	2 / 4
Percentage of transfers resulting in twin live births (%)	11.3	17.4	2 / 10	0 / 13	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	17.0	21.7	1 / 10	2 / 13	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	32	21	16	17	9
	10	9	10	9	3
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	1	24	4	
Number of transfers	2	1	21	4	
Average number of embryos transferred	1.5	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	0 / 2	39.5	1 / 8	
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1	57.1	1 / 4	
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1	52.4	1 / 4	
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1	38.1	1 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1	14.3	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	0 / 1	28.6	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: ReproMed Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Walid A. Saleh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	18%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 13%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	14%	Male factor	24%	
Used gestational carrier	4%			Diminished ovarian reserve	45%	Other factor	9%	
				Endometriosis	3%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 217
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	52	30	16	14	3
Percentage of cancellations before retrieval (%)	3.8	0.0	1 / 16	2 / 14	0 / 3
Number of transfers	42	18	11	7	2
Average number of embryos transferred	1.8	1.8	2.0	2.1	1.5
Percentage of elective single embryo transfers (eSET) (%)	5.7	1 / 16	1 / 9	0 / 6	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.8	33.3	6 / 16	1 / 14	0 / 3
Percentage of cycles resulting in live births (%)	50.0	30.0	4 / 16	1 / 14	0 / 3
Percentage of cycles resulting in singleton live births (%)	40.4	16.7	4 / 16	1 / 14	0 / 3
Percentage of cycles resulting in twin live births (%)	9.6	13.3	0 / 16	0 / 14	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	30.8	13.3	3 / 16	1 / 14	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.6	41.9	31.8	1 / 15	0 / 3
Percentage of transfers resulting in pregnancies (%)	66.7	10 / 18	6 / 11	1 / 7	0 / 2
Percentage of transfers resulting in live births (%)	61.9	9 / 18	4 / 11	1 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	50.0	5 / 18	4 / 11	1 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	11.9	4 / 18	0 / 11	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	4 / 18	3 / 11	1 / 7	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	13	12	0	1
Number of transfers	23	13	11	0	1
Estimated average number of transfers per retrieval	1.6	1.2	1.4	0.0	0.5
Average number of embryos transferred	2.0	2.1	1.9		2.0
Percentage of embryos transferred resulting in implantation (%)	46.3	33.3	5 / 15		0 / 2
Percentage of transfers resulting in pregnancies (%)	65.2	8 / 13	7 / 11		0 / 1
Percentage of transfers resulting in live births (%)	52.2	6 / 13	3 / 11		0 / 1
Percentage of transfers resulting in singleton live births (%)	39.1	5 / 13	3 / 11		0 / 1
Percentage of transfers resulting in twin live births (%)	13.0	1 / 13	0 / 11		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.1	4 / 13	3 / 11		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	6	7	8	2	2
	2	1	2	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	9	1	16	0	
Number of transfers	7	1	14	0	
Average number of embryos transferred	1.9	2.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	8 / 13	2 / 2	41.7		
Percentage of transfers resulting in pregnancies (%)	6 / 7	1 / 1	8 / 14		
Percentage of transfers resulting in live births (%)	6 / 7	1 / 1	7 / 14		
Percentage of transfers resulting in singleton live births (%)	4 / 7	0 / 1	5 / 14		
Percentage of transfers resulting in twin live births (%)	2 / 7	1 / 1	2 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 7	0 / 1	5 / 14		

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Dallas

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS CENTER FOR REPRODUCTIVE HEALTH DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Samuel P. Marynick, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	10%	Uterine factor	12%	Multiple Factors: Female factors only 19% Female & male factors 31%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	12%	Male factor	48%	
Used gestational carrier	9%			Diminished ovarian reserve	54%	Other factor	34%	
				Endometriosis	9%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 80
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	16	13	6	2	1
Percentage of cancellations before retrieval (%)	0 / 16	1 / 13	0 / 6	0 / 2	0 / 1
Number of transfers	12	10	6	2	1
Average number of embryos transferred	1.9	1.9	1.7	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 8	0 / 4	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7 / 16	6 / 13	5 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	6 / 16	5 / 13	4 / 6	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 16	2 / 13	4 / 6	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 16	3 / 13	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4 / 16	2 / 13	3 / 6	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.5	9 / 19	5 / 10	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 12	6 / 10	5 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	6 / 12	5 / 10	4 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 10	4 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 12	3 / 10	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 12	2 / 10	3 / 6	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	5	4	0	1
Number of transfers	16	4	4	0	1
Estimated average number of transfers per retrieval	2.0	1.3	1.3	0.0	1.0
Average number of embryos transferred	1.5	1.8	1.3		2.0
Percentage of embryos transferred resulting in implantation (%)	20.8	2 / 7	0 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	4 / 16	2 / 4	0 / 4		0 / 1
Percentage of transfers resulting in live births (%)	3 / 16	2 / 4	0 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 16	2 / 4	0 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 4	0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 16	2 / 4	0 / 4		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	3	3	2	1
	0	1	1	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	1	0	
Number of transfers	2	0	1	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 4		0 / 2		
Percentage of transfers resulting in pregnancies (%)	2 / 2		0 / 1		
Percentage of transfers resulting in live births (%)	2 / 2		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2		0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 2		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Texas Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA EL PASO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Luis S. Noble, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	92%	Tubal factor	21%	Uterine factor	3%	Multiple Factors: Female factors only 20% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	18%	
				Endometriosis	36%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 118
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	39	17	17	7	6
Percentage of cancellations before retrieval (%)	5.1	1 / 17	2 / 17	1 / 7	0 / 6
Number of transfers	30	15	15	6	6
Average number of embryos transferred	2.0	2.3	2.5	3.5	3.0
Percentage of elective single embryo transfers (eSET) (%)	7.1	1 / 15	0 / 14	0 / 6	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	48.7	7 / 17	4 / 17	0 / 7	0 / 6
Percentage of cycles resulting in live births (%)	46.2	5 / 17	3 / 17	0 / 7	0 / 6
Percentage of cycles resulting in singleton live births (%)	23.1	4 / 17	2 / 17	0 / 7	0 / 6
Percentage of cycles resulting in twin live births (%)	23.1	1 / 17	1 / 17	0 / 7	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.9	3 / 17	1 / 17	0 / 7	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.5	27.3	13.5	0.0	0 / 18
Percentage of transfers resulting in pregnancies (%)	63.3	7 / 15	4 / 15	0 / 6	0 / 6
Percentage of transfers resulting in live births (%)	60.0	5 / 15	3 / 15	0 / 6	0 / 6
Percentage of transfers resulting in singleton live births (%)	30.0	4 / 15	2 / 15	0 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)	30.0	1 / 15	1 / 15	0 / 6	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.3	3 / 15	1 / 15	0 / 6	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	2	6	1	0
Number of transfers	23	2	6	1	0
Estimated average number of transfers per retrieval	2.3	1.0	6.0		
Average number of embryos transferred	2.0	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	1 / 4	2 / 11	2 / 2	
Percentage of transfers resulting in pregnancies (%)	56.5	1 / 2	1 / 6	1 / 1	
Percentage of transfers resulting in live births (%)	43.5	1 / 2	1 / 6	1 / 1	
Percentage of transfers resulting in singleton live births (%)	21.7	1 / 2	0 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	21.7	0 / 2	1 / 6	1 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.7	1 / 2	0 / 6	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Southwest Center for Reproductive Health, PA

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROOKE ARMY MEDICAL CENTER FORT SAM HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rhiana D. Saunders, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	81%	Tubal factor	24%	Uterine factor	9%	Multiple Factors: Female factors only 11% Female & male factors 25%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	6%	
				Endometriosis	14%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 130
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	69	32	28	0	0
Percentage of cancellations before retrieval (%)	7.2	0.0	7.1		
Number of transfers	64	30	22	0	0
Average number of embryos transferred	1.6	2.0	2.5		
Percentage of elective single embryo transfers (eSET) (%)	31.7	6.9	0.0		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.9	43.8	46.4		
Percentage of cycles resulting in live births (%)	39.1	34.4	28.6		
Percentage of cycles resulting in singleton live births (%)	30.4	21.9	28.6		
Percentage of cycles resulting in twin live births (%)	8.7	12.5	0.0		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	20.3	15.6	25.0		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.7	28.3	26.9		
Percentage of transfers resulting in pregnancies (%)	48.4	46.7	59.1		
Percentage of transfers resulting in live births (%)	42.2	36.7	36.4		
Percentage of transfers resulting in singleton live births (%)	32.8	23.3	36.4		
Percentage of transfers resulting in twin live births (%)	9.4	13.3	0.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.9	16.7	31.8		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval	0.0				
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Brooke Army Medical Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FORT WORTH FERTILITY, PA FORT WORTH, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert A. Kaufmann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	10%	Uterine factor	1%	Multiple Factors: Female factors only 3% Female & male factors 5%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	3%	Male factor	31%	
Used gestational carrier	14%			Diminished ovarian reserve	17%	Other factor	16%	
				Endometriosis	4%	Unknown factor	28%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 662
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	144	41	33	14	9
Percentage of cancellations before retrieval (%)	3.5	4.9	9.1	1 / 14	3 / 9
Number of transfers	72	24	22	10	3
Average number of embryos transferred	1.8	1.6	1.6	1.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	16.9	4 / 18	0 / 14	0 / 7	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.7	14.6	18.2	0 / 14	0 / 9
Percentage of cycles resulting in live births (%)	22.2	14.6	15.2	0 / 14	0 / 9
Percentage of cycles resulting in singleton live births (%)	13.2	14.6	9.1	0 / 14	0 / 9
Percentage of cycles resulting in twin live births (%)	8.3	0.0	3.0	0 / 14	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.1	9.8	9.1	0 / 14	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.7	15.8	27.8	0 / 18	0 / 5
Percentage of transfers resulting in pregnancies (%)	51.4	25.0	27.3	0 / 10	0 / 3
Percentage of transfers resulting in live births (%)	44.4	25.0	22.7	0 / 10	0 / 3
Percentage of transfers resulting in singleton live births (%)	26.4	25.0	13.6	0 / 10	0 / 3
Percentage of transfers resulting in twin live births (%)	16.7	0.0	4.5	0 / 10	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.2	16.7	13.6	0 / 10	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	164	42	20	8	1
Number of transfers	162	39	18	7	0
Estimated average number of transfers per retrieval	1.5	1.3	1.3	1.0	0.0
Average number of embryos transferred	1.7	1.7	1.6	1.6	
Percentage of embryos transferred resulting in implantation (%)	35.1	24.2	32.1	4 / 11	
Percentage of transfers resulting in pregnancies (%)	43.8	30.8	9 / 18	3 / 7	
Percentage of transfers resulting in live births (%)	40.1	23.1	9 / 18	2 / 7	
Percentage of transfers resulting in singleton live births (%)	27.8	15.4	9 / 18	1 / 7	
Percentage of transfers resulting in twin live births (%)	11.7	7.7	0 / 18	1 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	21.6	12.8	7 / 18	1 / 7	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	10	7	6	9
	5	2	1	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	34	2	69	11	
Number of transfers	21	2	66	11	
Average number of embryos transferred	1.8	3.5	1.7	1.9	
Percentage of embryos transferred resulting in implantation (%)	44.7	2 / 7	33.6	52.4	
Percentage of transfers resulting in pregnancies (%)	57.1	2 / 2	42.4	8 / 11	
Percentage of transfers resulting in live births (%)	52.4	1 / 2	36.4	6 / 11	
Percentage of transfers resulting in singleton live births (%)	38.1	1 / 2	24.2	4 / 11	
Percentage of transfers resulting in twin live births (%)	14.3	0 / 2	12.1	2 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	19.0	0 / 2	22.7	4 / 11	

CURRENT SERVICES & PROFILE

Current Name: Fort Worth Fertility, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

DALLAS IVF FRISCO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brian D. Barnett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 15%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	16%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	10%	
				Endometriosis	6%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 978
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	122	41	45	37	23
Percentage of cancellations before retrieval (%)	9.8	14.6	28.9	29.7	30.4
Number of transfers	69	24	19	17	8
Average number of embryos transferred	1.5	1.6	1.7	1.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	35.1	2 / 16	1 / 14	0 / 9	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.8	34.1	15.6	10.8	4.3
Percentage of cycles resulting in live births (%)	28.7	26.8	11.1	2.7	4.3
Percentage of cycles resulting in singleton live births (%)	22.1	22.0	4.4	2.7	0.0
Percentage of cycles resulting in twin live births (%)	6.6	4.9	6.7	0.0	4.3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.0	14.6	2.2	2.7	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.0	40.5	28.1	7.7	2 / 14
Percentage of transfers resulting in pregnancies (%)	58.0	58.3	7 / 19	4 / 17	1 / 8
Percentage of transfers resulting in live births (%)	50.7	45.8	5 / 19	1 / 17	1 / 8
Percentage of transfers resulting in singleton live births (%)	39.1	37.5	2 / 19	1 / 17	0 / 8
Percentage of transfers resulting in twin live births (%)	11.6	8.3	3 / 19	0 / 17	1 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.9	25.0	1 / 19	1 / 17	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	218	90	45	22	7
Number of transfers	209	88	43	22	7
Estimated average number of transfers per retrieval	1.3	1.4	0.8	0.8	0.6
Average number of embryos transferred	1.3	1.4	1.5	1.5	1.1
Percentage of embryos transferred resulting in implantation (%)	50.0	46.9	55.7	34.4	6 / 7
Percentage of transfers resulting in pregnancies (%)	58.9	58.0	65.1	36.4	5 / 7
Percentage of transfers resulting in live births (%)	48.3	47.7	53.5	27.3	4 / 7
Percentage of transfers resulting in singleton live births (%)	40.7	38.6	34.9	13.6	2 / 7
Percentage of transfers resulting in twin live births (%)	7.7	9.1	18.6	13.6	2 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.9	30.7	34.9	9.1	1 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	125	55	43	23	9
	6	7	1	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	2	43	16	
Number of transfers	2	2	41	16	
Average number of embryos transferred	1.5	1.5	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	0 / 3	53.7	31.8	
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 2	61.0	6 / 16	
Percentage of transfers resulting in live births (%)	2 / 2	0 / 2	58.5	5 / 16	
Percentage of transfers resulting in singleton live births (%)	2 / 2	0 / 2	46.3	3 / 16	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2	12.2	2 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 2	0 / 2	31.7	3 / 16	

CURRENT SERVICES & PROFILE

Current Name: Dallas IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF TEXAS, PLLC FRISCO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jerald S. Goldstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	59%	Tubal factor	19%	Uterine factor	5%	Multiple Factors: Female factors only 9% Female & male factors 20%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	20%	Male factor	37%	
Used gestational carrier	5%			Diminished ovarian reserve	20%	Other factor	18%	
				Endometriosis	6%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 988
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	43	36	29	10	13
Percentage of cancellations before retrieval (%)	0.0	2.8	3.4	0 / 10	0 / 13
Number of transfers	39	32	26	9	9
Average number of embryos transferred	1.7	1.9	2.0	2.9	3.7
Percentage of elective single embryo transfers (eSET) (%)	18.2	3.8	0.0	0 / 8	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.5	36.1	20.7	4 / 10	1 / 13
Percentage of cycles resulting in live births (%)	39.5	36.1	17.2	2 / 10	0 / 13
Percentage of cycles resulting in singleton live births (%)	37.2	30.6	10.3	2 / 10	0 / 13
Percentage of cycles resulting in twin live births (%)	2.3	5.6	6.9	0 / 10	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	34.9	27.8	6.9	1 / 10	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.9	26.7	15.7	13.6	0.0
Percentage of transfers resulting in pregnancies (%)	43.6	40.6	23.1	4 / 9	1 / 9
Percentage of transfers resulting in live births (%)	43.6	40.6	19.2	2 / 9	0 / 9
Percentage of transfers resulting in singleton live births (%)	41.0	34.4	11.5	2 / 9	0 / 9
Percentage of transfers resulting in twin live births (%)	2.6	6.3	7.7	0 / 9	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.5	31.3	7.7	1 / 9	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	217	71	41	20	2
Number of transfers	215	70	41	20	2
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.6	0.1
Average number of embryos transferred	1.5	1.5	1.4	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	62.1	58.4	51.9	35.3	1 / 3
Percentage of transfers resulting in pregnancies (%)	73.0	67.1	68.3	55.0	1 / 2
Percentage of transfers resulting in live births (%)	60.0	55.7	51.2	50.0	1 / 2
Percentage of transfers resulting in singleton live births (%)	44.2	37.1	46.3	40.0	1 / 2
Percentage of transfers resulting in twin live births (%)	15.3	18.6	4.9	10.0	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.2	32.9	34.1	40.0	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	253	81	70	33	14
	30	17	13	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	14	0	37	1	
Number of transfers	13	0	36	1	
Average number of embryos transferred	1.6		1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	66.7		60.4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 13		75.0	0 / 1	
Percentage of transfers resulting in live births (%)	8 / 13		61.1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 13		47.2	0 / 1	
Percentage of transfers resulting in twin live births (%)	5 / 13		13.9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 13		22.2	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists of Texas, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRISCO INSTITUTE FOR REPRODUCTIVE MEDICINE FRISCO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rinku V. Mehta, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 17%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	16%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	8%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 330
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	28	14	10	6	2
Percentage of cancellations before retrieval (%)	10.7	2 / 14	3 / 10	1 / 6	1 / 2
Number of transfers	5	4	4	3	0
Average number of embryos transferred	1.2	1.3	1.8	1.7	
Percentage of elective single embryo transfers (eSET) (%)	3 / 4	2 / 3	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3.6	3 / 14	1 / 10	1 / 6	0 / 2
Percentage of cycles resulting in live births (%)	3.6	2 / 14	1 / 10	1 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	3.6	2 / 14	0 / 10	1 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0 / 14	1 / 10	0 / 6	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3.6	2 / 14	0 / 10	0 / 6	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 6	3 / 5	2 / 7	1 / 5	
Percentage of transfers resulting in pregnancies (%)	1 / 5	3 / 4	1 / 4	1 / 3	
Percentage of transfers resulting in live births (%)	1 / 5	2 / 4	1 / 4	1 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 4	0 / 4	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4	1 / 4	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 5	2 / 4	0 / 4	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	94	31	18	7	2
Number of transfers	94	31	18	7	2
Estimated average number of transfers per retrieval	1.2	1.1	1.0	1.8	2.0
Average number of embryos transferred	1.2	1.2	1.2	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	67.5	52.6	7 / 19	4 / 9	1 / 3
Percentage of transfers resulting in pregnancies (%)	73.4	61.3	9 / 18	4 / 7	1 / 2
Percentage of transfers resulting in live births (%)	66.0	58.1	6 / 18	2 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	61.7	54.8	6 / 18	2 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	4.3	3.2	0 / 18	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	52.1	32.3	5 / 18	1 / 7	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	59	25	16	4	1
	1	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	2	4	3	
Number of transfers	4	1	3	3	
Average number of embryos transferred	1.3	1.0	1.0	1.3	
Percentage of embryos transferred resulting in implantation (%)	0 / 4	1 / 1	3 / 3	2 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 4	1 / 1	3 / 3	3 / 3	
Percentage of transfers resulting in live births (%)	0 / 4	0 / 1	3 / 3	1 / 3	
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 1	3 / 3	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 3	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	0 / 1	3 / 3	0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Frisco Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF TEXAS HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael A. Allon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	92%	Tubal factor	15%	Uterine factor	6%	Multiple Factors: Female factors only 20% Female & male factors 18%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	21%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	25%	
				Endometriosis	13%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 329
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	59	26	24	10	5
Number of transfers	57	26	24	10	5
Estimated average number of transfers per retrieval	1.0	0.6	0.7	0.5	0.3
Average number of embryos transferred	1.8	1.8	2.0	1.8	2.4
Percentage of embryos transferred resulting in implantation (%)	62.4	40.5	39.0	4 / 13	0 / 12
Percentage of transfers resulting in pregnancies (%)	80.7	73.1	70.8	7 / 10	0 / 5
Percentage of transfers resulting in live births (%)	66.7	46.2	50.0	3 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)	42.1	42.3	37.5	3 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)	24.6	3.8	12.5	0 / 10	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	26.9	29.2	1 / 10	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	60	46	33	20	18
	1	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	6	0	22	0	
Number of transfers	6	0	22	0	
Average number of embryos transferred	1.7		1.8		
Percentage of embryos transferred resulting in implantation (%)	8 / 10		21.1		
Percentage of transfers resulting in pregnancies (%)	6 / 6		31.8		
Percentage of transfers resulting in live births (%)	6 / 6		27.3		
Percentage of transfers resulting in singleton live births (%)	4 / 6		18.2		
Percentage of transfers resulting in twin live births (%)	2 / 6		9.1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6		4.5		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Texas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASPIRE FERTILITY-HOUSTON HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Barbara Stegmann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	19%	Uterine factor	8%	Multiple Factors: Female factors only 6% Female & male factors 6%
Unstimulated	0%	PGD/PGS	40%	Ovulatory dysfunction	0%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	32%	
				Endometriosis	6%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 101
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	11	6	6	5	0
Percentage of cancellations before retrieval (%)	3 / 11	1 / 6	1 / 6	2 / 5	
Number of transfers	4	2	0	0	0
Average number of embryos transferred	1.3	1.5			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 11	1 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in live births (%)	1 / 11	1 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in singleton live births (%)	1 / 11	1 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in twin live births (%)	0 / 11	0 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 11	0 / 6	0 / 6	0 / 5	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	1 / 3			
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 2			
Percentage of transfers resulting in live births (%)	1 / 4	1 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 4	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	7	1	2	0
Number of transfers	8	7	1	2	0
Estimated average number of transfers per retrieval	0.3	0.6	0.2	0.2	0.0
Average number of embryos transferred	1.1	1.1	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 9	4 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	3 / 8	5 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in live births (%)	3 / 8	4 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 8	4 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 8	3 / 7	0 / 1	1 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	10	6	8	3
	4	0	2	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	2	2	0	
Number of transfers	1	0	2	0	
Average number of embryos transferred	1.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1		1 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 2		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Aspire Fertility-Houston

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR ADVANCED REPRODUCTIVE MEDICINE HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by C. James Chuong, MD				
Type of ART and Procedural Factors^a				Patient Diagnosis^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	30%	Uterine factor	25%	
Unstimulated	2%	PGD/PGS	17%	Ovulatory dysfunction	22%	Male factor	25%	
Used gestational carrier	9%			Diminished ovarian reserve	39%	Other factor	19%	
				Endometriosis	5%	Unknown factor	2%	
						Multiple Factors:		
						Female factors only	27%	
						Female & male factors	22%	
2016 ART SUCCESS RATES ^{c,d}				Total number of cycles ^d : 120 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient							
	<35	35–37	38–40	41–42	>42			
Fresh Embryos from Fresh Nondonor Eggs								
Number of cycles	22	5	10	3	3			
Percentage of cancellations before retrieval (%)	4.5	0 / 5	2 / 10	1 / 3	1 / 3			
Number of transfers	16	4	5	1	2			
Average number of embryos transferred	2.4	2.8	2.8	4.0	3.5			
Percentage of elective single embryo transfers (eSET) (%)	0 / 14	0 / 4	0 / 5	0 / 1	0 / 2			
Outcomes per Cycle								
Percentage of cycles resulting in pregnancies (%)	22.7	0 / 5	2 / 10	0 / 3	1 / 3			
Percentage of cycles resulting in live births (%)	22.7	0 / 5	1 / 10	0 / 3	0 / 3			
Percentage of cycles resulting in singleton live births (%)	9.1	0 / 5	0 / 10	0 / 3	0 / 3			
Percentage of cycles resulting in twin live births (%)	13.6	0 / 5	0 / 10	0 / 3	0 / 3			
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.1	0 / 5	0 / 10	0 / 3	0 / 3			
Outcomes per Transfer								
Percentage of embryos transferred resulting in implantation (%)	23.7	0 / 11	3 / 11	0 / 4	0 / 4			
Percentage of transfers resulting in pregnancies (%)	5 / 16	0 / 4	2 / 5	0 / 1	1 / 2			
Percentage of transfers resulting in live births (%)	5 / 16	0 / 4	1 / 5	0 / 1	0 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 16	0 / 4	0 / 5	0 / 1	0 / 2			
Percentage of transfers resulting in twin live births (%)	3 / 16	0 / 4	0 / 5	0 / 1	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 16	0 / 4	0 / 5	0 / 1	0 / 2			
Frozen Embryos from Nondonor Eggs								
Number of cycles	9	6	4	2	4			
Number of transfers	9	6	4	2	1			
Estimated average number of transfers per retrieval	1.3	2.0	0.8	0.3	0.1			
Average number of embryos transferred	2.2	2.2	1.8	1.5	1.0			
Percentage of embryos transferred resulting in implantation (%)	30.0	2 / 13	1 / 7	0 / 3	0 / 1			
Percentage of transfers resulting in pregnancies (%)	4 / 9	2 / 6	1 / 4	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	4 / 9	2 / 6	1 / 4	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)	3 / 9	2 / 6	1 / 4	0 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 6	0 / 4	0 / 2	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	2 / 6	1 / 4	0 / 2	0 / 1			
Number of Egg or Embryo Banking Cycles								
Number of fertility preservation cycles	4	2	4	6	11			
	0	0	1	0	0			
Donor Eggs^f								
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos				
Number of cycles	9	1	14	1				
Number of transfers	5	0	11	1				
Average number of embryos transferred	2.0		2.5	3.0				
Percentage of embryos transferred resulting in implantation (%)	6 / 10		18.5	0 / 3				
Percentage of transfers resulting in pregnancies (%)	4 / 5		4 / 11	0 / 1				
Percentage of transfers resulting in live births (%)	4 / 5		3 / 11	0 / 1				
Percentage of transfers resulting in singleton live births (%)	2 / 5		2 / 11	0 / 1				
Percentage of transfers resulting in twin live births (%)	2 / 5		1 / 11	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5		2 / 11	0 / 1				
CURRENT SERVICES & PROFILE				Current Name: Cooper Institute for Advanced Reproductive Medicine				
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No	
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending	

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William E. Gibbons, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	57%	Tubal factor	8%	Uterine factor	4%	Multiple Factors: Female factors only 7% Female & male factors 11%
Unstimulated	0%	PGD/PGS	36%	Ovulatory dysfunction	21%	Male factor	31%	
Used gestational carrier	4%			Diminished ovarian reserve	22%	Other factor	22%	
				Endometriosis	8%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 345
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	50	23	17	7	11
Percentage of cancellations before retrieval (%)	8.0	17.4	4 / 17	2 / 7	3 / 11
Number of transfers	25	10	10	3	6
Average number of embryos transferred	1.4	1.5	1.8	1.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	2 / 9	0 / 4	1 / 7		1 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.0	30.4	5 / 17	1 / 7	3 / 11
Percentage of cycles resulting in live births (%)	14.0	30.4	5 / 17	1 / 7	3 / 11
Percentage of cycles resulting in singleton live births (%)	12.0	26.1	4 / 17	1 / 7	3 / 11
Percentage of cycles resulting in twin live births (%)	2.0	4.3	1 / 17	0 / 7	0 / 11
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.0	21.7	3 / 17	1 / 7	2 / 11
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.5	8 / 15	6 / 18	1 / 3	3 / 10
Percentage of transfers resulting in pregnancies (%)	28.0	7 / 10	5 / 10	1 / 3	3 / 6
Percentage of transfers resulting in live births (%)	28.0	7 / 10	5 / 10	1 / 3	3 / 6
Percentage of transfers resulting in singleton live births (%)	24.0	6 / 10	4 / 10	1 / 3	3 / 6
Percentage of transfers resulting in twin live births (%)	4.0	1 / 10	1 / 10	0 / 3	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.0	5 / 10	3 / 10	1 / 3	2 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	54	19	12	5	3
Number of transfers	49	17	12	3	3
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.4	0.3
Average number of embryos transferred	1.2	1.2	1.2	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	59.6	6 / 19	6 / 14	3 / 4	1 / 2
Percentage of transfers resulting in pregnancies (%)	61.2	7 / 17	6 / 12	2 / 3	1 / 3
Percentage of transfers resulting in live births (%)	44.9	4 / 17	5 / 12	2 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	36.7	4 / 17	5 / 12	1 / 3	1 / 3
Percentage of transfers resulting in twin live births (%)	6.1	0 / 17	0 / 12	1 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.7	2 / 17	4 / 12	1 / 3	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	67	27	23	8	9
	12	4	2	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	7	0	
Number of transfers	0	1	7	0	
Average number of embryos transferred		1.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		0 / 1	4 / 9		
Percentage of transfers resulting in pregnancies (%)		0 / 1	4 / 7		
Percentage of transfers resulting in live births (%)		0 / 1	3 / 7		
Percentage of transfers resulting in singleton live births (%)		0 / 1	3 / 7		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	3 / 7		

CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE HEARD CLINIC HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael J. Heard, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	88%	Tubal factor	9%	Uterine factor	19%	Multiple Factors: Female factors only 28% Female & male factors 38%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	47%	Male factor	44%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	47%	
				Endometriosis	13%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 37
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	9	5	1	1
Percentage of cancellations before retrieval (%)	0 / 7	1 / 9	0 / 5	0 / 1	0 / 1
Number of transfers	4	6	3	1	0
Average number of embryos transferred	2.0	1.8	2.0	1.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 5	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 7	2 / 9	1 / 5	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	3 / 7	2 / 9	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 7	0 / 9	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 7	2 / 9	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 7	0 / 9	0 / 5	0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 8	4 / 11	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 4	2 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 4	2 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 4	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	2 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 4	0 / 6	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	2	0	0	0
Number of transfers	2	2	0	0	0
Estimated average number of transfers per retrieval	0.7	1.0	0.0		0.0
Average number of embryos transferred	1.5	1.5			
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 3			
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2			
Percentage of transfers resulting in live births (%)	0 / 2	0 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 2			
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	1	1	0	1
	2	1	1	0	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	1	1	
Number of transfers	2	0	1	1	
Average number of embryos transferred	1.5		2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 3		2 / 2	1 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 2		1 / 1	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 2		1 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2		0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2		1 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2		0 / 1	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: The Heard Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY INSTITUTE HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ghassan F. Haddad, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	84%	Tubal factor	28%	Uterine factor	53%	Multiple Factors: Female factors only 33% Female & male factors 54%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	39%	Male factor	57%	
Used gestational carrier	3%			Diminished ovarian reserve	36%	Other factor	43%	
				Endometriosis	10%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 3,718
(includes 23 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	397	120	82	33	40
Percentage of cancellations before retrieval (%)	3.8	5.8	9.8	15.2	12.5
Number of transfers	95	30	19	13	6
Average number of embryos transferred	1.5	1.7	1.8	2.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	48.8	14.3	0 / 15	0 / 10	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	15.4	10.8	4.9	9.1	0.0
Percentage of cycles resulting in live births (%)	13.1	7.5	4.9	6.1	0.0
Percentage of cycles resulting in singleton live births (%)	10.8	5.8	3.7	3.0	0.0
Percentage of cycles resulting in twin live births (%)	2.3	1.7	1.2	3.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.1	5.8	3.7	3.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.8	28.6	14.7	15.4	0 / 10
Percentage of transfers resulting in pregnancies (%)	64.2	43.3	4 / 19	3 / 13	0 / 6
Percentage of transfers resulting in live births (%)	54.7	30.0	4 / 19	2 / 13	0 / 6
Percentage of transfers resulting in singleton live births (%)	45.3	23.3	3 / 19	1 / 13	0 / 6
Percentage of transfers resulting in twin live births (%)	9.5	6.7	1 / 19	1 / 13	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	23.3	3 / 19	1 / 13	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	937	373	222	87	31
Number of transfers	882	346	211	79	29
Estimated average number of transfers per retrieval	1.2	1.2	0.8	0.7	0.4
Average number of embryos transferred	1.6	1.6	1.5	1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	48.8	53.7	44.7	38.3	13.0
Percentage of transfers resulting in pregnancies (%)	61.1	66.8	58.8	50.6	24.1
Percentage of transfers resulting in live births (%)	50.5	52.9	46.0	44.3	20.7
Percentage of transfers resulting in singleton live births (%)	37.2	38.7	39.3	35.4	20.7
Percentage of transfers resulting in twin live births (%)	13.0	13.3	6.6	8.9	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.1	32.7	27.5	27.8	17.2
Number of Egg or Embryo Banking Cycles					
	453	229	205	97	68
Number of fertility preservation cycles	99	32	36	11	13
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	25	112	176	8	
Number of transfers	20	87	164	7	
Average number of embryos transferred	1.7	1.7	1.6	1.4	
Percentage of embryos transferred resulting in implantation (%)	45.2	54.1	39.0	6 / 10	
Percentage of transfers resulting in pregnancies (%)	60.0	66.7	53.0	6 / 7	
Percentage of transfers resulting in live births (%)	50.0	58.6	42.1	6 / 7	
Percentage of transfers resulting in singleton live births (%)	45.0	34.5	34.8	6 / 7	
Percentage of transfers resulting in twin live births (%)	5.0	23.0	6.7	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.0	23.0	26.2	4 / 7	

CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY SPECIALISTS HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George M. Grunert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	75%	Tubal factor	15%	Uterine factor	11%	Multiple Factors: Female factors only 28% Female & male factors 26%
Unstimulated	0%	PGD/PGS	66%	Ovulatory dysfunction	24%	Male factor	31%	
Used gestational carrier	3%			Diminished ovarian reserve	35%	Other factor	38%	
				Endometriosis	17%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,450
(includes 11 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	53	21	27	13	5
Percentage of cancellations before retrieval (%)	20.8	38.1	51.9	6 / 13	2 / 5
Number of transfers	31	8	4	1	0
Average number of embryos transferred	1.1	1.4	1.5	2.0	
Percentage of elective single embryo transfers (eSET) (%)	84.0	4 / 7	0 / 2	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.0	14.3	3.7	0 / 13	0 / 5
Percentage of cycles resulting in live births (%)	17.0	14.3	3.7	0 / 13	0 / 5
Percentage of cycles resulting in singleton live births (%)	13.2	14.3	3.7	0 / 13	0 / 5
Percentage of cycles resulting in twin live births (%)	3.8	0.0	0.0	0 / 13	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	13.2	4.8	3.7	0 / 13	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.4	3 / 11	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	29.0	3 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	29.0	3 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.6	3 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.5	0 / 8	0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.6	1 / 8	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	304	171	103	41	23
Number of transfers	285	158	90	32	21
Estimated average number of transfers per retrieval	1.1	1.1	0.8	0.6	0.5
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	53.8	44.1	49.5	38.9	29.2
Percentage of transfers resulting in pregnancies (%)	59.3	51.3	58.9	40.6	38.1
Percentage of transfers resulting in live births (%)	48.4	41.1	45.6	37.5	23.8
Percentage of transfers resulting in singleton live births (%)	43.9	38.0	44.4	37.5	23.8
Percentage of transfers resulting in twin live births (%)	4.6	3.2	1.1	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	34.8	40.0	31.3	19.0
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	244	133	102	51	44
	14	11	5	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	12	83	2	
Number of transfers	4	2	76	1	
Average number of embryos transferred	1.8	1.5	1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 7	1 / 3	42.5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 2	47.4	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 4	1 / 2	38.2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4	1 / 2	35.5	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2	2.6	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4	1 / 2	23.7	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HOUSTON INFERTILITY CLINIC
SONJA KRISTIANSEN, MD
HOUSTON, TEXAS**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

HOUSTON IVF HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Timothy N Hickman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	87%	Tubal factor	9%	Uterine factor	5%	Multiple Factors: Female factors only 18% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	21%	Ovulatory dysfunction	13%	Male factor	24%	
Used gestational carrier	3%			Diminished ovarian reserve	40%	Other factor	27%	
				Endometriosis	5%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 942
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	167	100	79	30	14
Percentage of cancellations before retrieval (%)	2.4	4.0	6.3	13.3	1 / 14
Number of transfers	152	91	65	21	10
Average number of embryos transferred	1.7	1.9	2.3	2.2	2.3
Percentage of elective single embryo transfers (eSET) (%)	22.4	4.9	1.7	0 / 16	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.7	50.0	30.4	13.3	0 / 14
Percentage of cycles resulting in live births (%)	40.7	41.0	20.3	6.7	0 / 14
Percentage of cycles resulting in singleton live births (%)	25.1	30.0	16.5	6.7	0 / 14
Percentage of cycles resulting in twin live births (%)	15.0	11.0	3.8	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.2	20.0	13.9	6.7	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.0	35.1	17.5	10.6	0.0
Percentage of transfers resulting in pregnancies (%)	51.3	54.9	36.9	19.0	0 / 10
Percentage of transfers resulting in live births (%)	44.7	45.1	24.6	9.5	0 / 10
Percentage of transfers resulting in singleton live births (%)	27.6	33.0	20.0	9.5	0 / 10
Percentage of transfers resulting in twin live births (%)	16.4	12.1	4.6	0.0	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	24.3	22.0	16.9	9.5	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	115	73	74	14	3
Number of transfers	112	72	72	12	2
Estimated average number of transfers per retrieval	1.2	1.0	1.0	0.5	0.1
Average number of embryos transferred	1.7	1.4	1.5	1.7	1.5
Percentage of embryos transferred resulting in implantation (%)	45.6	44.2	45.9	5 / 17	1 / 3
Percentage of transfers resulting in pregnancies (%)	58.9	55.6	59.7	6 / 12	1 / 2
Percentage of transfers resulting in live births (%)	51.8	44.4	45.8	4 / 12	1 / 2
Percentage of transfers resulting in singleton live births (%)	34.8	34.7	37.5	4 / 12	1 / 2
Percentage of transfers resulting in twin live births (%)	17.0	9.7	8.3	0 / 12	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.5	31.9	29.2	4 / 12	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	57	59	64	23	14
	18	16	13	10	5
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	29	0	25	0	
Number of transfers	29	0	23	0	
Average number of embryos transferred	1.8		1.7		
Percentage of embryos transferred resulting in implantation (%)	69.4		40.0		
Percentage of transfers resulting in pregnancies (%)	89.7		56.5		
Percentage of transfers resulting in live births (%)	69.0		39.1		
Percentage of transfers resulting in singleton live births (%)	37.9		30.4		
Percentage of transfers resulting in twin live births (%)	31.0		8.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.7		26.1		

CURRENT SERVICES & PROFILE

Current Name: Houston IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVFMD IRVING, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Sy Q. Le, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	20%	Uterine factor	4%	Multiple Factors: Female factors only 14% Female & male factors 16%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	11%	Male factor	33%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	25%	
				Endometriosis	9%	Unknown factor	5%	

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 552 (includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		121	32	25	4	7
Percentage of cancellations before retrieval (%)		1.7	0.0	4.0	1 / 4	0 / 7
Number of transfers		89	29	18	1	3
Average number of embryos transferred		1.6	1.8	1.9	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)		31.6	11.1	0 / 15	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		44.6	40.6	36.0	0 / 4	0 / 7
Percentage of cycles resulting in live births (%)		37.2	37.5	32.0	0 / 4	0 / 7
Percentage of cycles resulting in singleton live births (%)		28.9	18.8	20.0	0 / 4	0 / 7
Percentage of cycles resulting in twin live births (%)		8.3	18.8	12.0	0 / 4	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		24.0	12.5	20.0	0 / 4	0 / 7
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		46.7	37.3	37.5	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)		60.7	44.8	9 / 18	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)		50.6	41.4	8 / 18	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)		39.3	20.7	5 / 18	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)		11.2	20.7	3 / 18	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		32.6	13.8	5 / 18	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles		114	54	31	12	9
Number of transfers		102	44	26	10	6
Estimated average number of transfers per retrieval		1.5	1.5	0.9	0.9	0.9
Average number of embryos transferred		1.4	1.3	1.7	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)		38.3	45.3	22.2	5 / 14	1 / 9
Percentage of transfers resulting in pregnancies (%)		52.0	56.8	46.2	5 / 10	1 / 6
Percentage of transfers resulting in live births (%)		41.2	45.5	30.8	4 / 10	1 / 6
Percentage of transfers resulting in singleton live births (%)		36.3	40.9	30.8	4 / 10	1 / 6
Percentage of transfers resulting in twin live births (%)		4.9	4.5	0.0	0 / 10	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		30.4	36.4	19.2	3 / 10	0 / 6
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		33	23	15	10	6
		4	4	2	2	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		14	0	37	1	
Number of transfers		11	0	27	1	
Average number of embryos transferred		1.8		1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)		30.0		48.7	1 / 1	
Percentage of transfers resulting in pregnancies (%)		4 / 11		59.3	1 / 1	
Percentage of transfers resulting in live births (%)		4 / 11		51.9	1 / 1	
Percentage of transfers resulting in singleton live births (%)		2 / 11		40.7	1 / 1	
Percentage of transfers resulting in twin live births (%)		2 / 11		11.1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		2 / 11		29.6	0 / 1	

CURRENT SERVICES & PROFILE		Current Name: IVFMD					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTRE FOR REPRODUCTIVE MEDICINE LUBBOCK, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Janelle O. Dorsett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	13%	Tubal factor	38%	Uterine factor	4%	Multiple Factors: Female factors only 33% Female & male factors 38%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	33%	
				Endometriosis	19%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 113
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	37	14	15	4	1
Percentage of cancellations before retrieval (%)	0.0	1 / 14	1 / 15	0 / 4	0 / 1
Number of transfers	29	10	10	3	1
Average number of embryos transferred	1.7	1.7	1.8	1.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	16.7	0 / 7	0 / 8	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.9	4 / 14	3 / 15	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	43.2	4 / 14	2 / 15	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	37.8	3 / 14	2 / 15	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	5.4	1 / 14	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	29.7	3 / 14	2 / 15	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.8	5 / 17	4 / 18	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	58.6	4 / 10	3 / 10	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	55.2	4 / 10	2 / 10	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	48.3	3 / 10	2 / 10	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	6.9	1 / 10	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	3 / 10	2 / 10	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	4	3	0	1
Number of transfers	23	3	3	0	1
Estimated average number of transfers per retrieval	2.6	1.0	1.0		
Average number of embryos transferred	1.4	1.7	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	57.6	3 / 5	1 / 6		1 / 1
Percentage of transfers resulting in pregnancies (%)	78.3	2 / 3	1 / 3		1 / 1
Percentage of transfers resulting in live births (%)	65.2	2 / 3	0 / 3		1 / 1
Percentage of transfers resulting in singleton live births (%)	60.9	2 / 3	0 / 3		1 / 1
Percentage of transfers resulting in twin live births (%)	4.3	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	56.5	1 / 3	0 / 3		1 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	0	6	
Number of transfers	3	0	0	6	
Average number of embryos transferred	2.0			1.8	
Percentage of embryos transferred resulting in implantation (%)	1 / 6			6 / 11	
Percentage of transfers resulting in pregnancies (%)	1 / 3			4 / 6	
Percentage of transfers resulting in live births (%)	1 / 3			4 / 6	
Percentage of transfers resulting in singleton live births (%)	1 / 3			2 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 3			2 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3			1 / 6	

CURRENT SERVICES & PROFILE

Current Name: The Centre for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TEXAS TECH UNIVERSITY HEALTH SCIENCES CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY
LUBBOCK, TEXAS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jaou-Chen Huang, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 11%
Unstimulated	0%	PGD/PGS	29%	Ovulatory dysfunction	14%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	9%	
				Endometriosis	27%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 169
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	11	9	0	1
Percentage of cancellations before retrieval (%)	3.3	1 / 11	2 / 9		0 / 1
Number of transfers	25	8	5	0	1
Average number of embryos transferred	1.9	2.1	2.0		1.0
Percentage of elective single embryo transfers (eSET) (%)	12.0	0 / 8	0 / 5		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.7	1 / 11	2 / 9		0 / 1
Percentage of cycles resulting in live births (%)	46.7	1 / 11	2 / 9		0 / 1
Percentage of cycles resulting in singleton live births (%)	40.0	1 / 11	2 / 9		0 / 1
Percentage of cycles resulting in twin live births (%)	6.7	0 / 11	0 / 9		0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	36.7	1 / 11	2 / 9		0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.2	1 / 17	2 / 10		0 / 1
Percentage of transfers resulting in pregnancies (%)	56.0	1 / 8	2 / 5		0 / 1
Percentage of transfers resulting in live births (%)	56.0	1 / 8	2 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	48.0	1 / 8	2 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	8.0	0 / 8	0 / 5		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.0	1 / 8	2 / 5		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	43	17	8	1	1
Number of transfers	39	16	7	1	1
Estimated average number of transfers per retrieval	1.7	0.8	0.7	1.0	
Average number of embryos transferred	1.6	1.4	1.6	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	19.4	27.3	2 / 11	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	25.6	5 / 16	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	23.1	4 / 16	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	17.9	3 / 16	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5.1	1 / 16	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.4	3 / 16	0 / 7	0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	15	11	10	0	0
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	2	9	1	
Number of transfers	0	2	7	1	
Average number of embryos transferred		2.0	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)		3 / 4	3 / 10	1 / 1	
Percentage of transfers resulting in pregnancies (%)		1 / 2	3 / 7	1 / 1	
Percentage of transfers resulting in live births (%)		1 / 2	3 / 7	1 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 2	3 / 7	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 2	3 / 7	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Texas Tech University Health Sciences Center,
Center for Fertility and Reproductive Surgery

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE INSTITUTE OF SOUTH TEXAS McALLEN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Esteban O. Brown, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	93%	Tubal factor	37%	Uterine factor	28%	Multiple Factors: Female factors only 30% Female & male factors 39%
Unstimulated	2%	PGD/PGS	5%	Ovulatory dysfunction	13%	Male factor	55%	
Used gestational carrier	2%			Diminished ovarian reserve	18%	Other factor	39%	
				Endometriosis	6%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 178
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	39	26	21	13	3
Percentage of cancellations before retrieval (%)	2.6	7.7	9.5	1 / 13	1 / 3
Number of transfers	24	19	14	11	1
Average number of embryos transferred	1.5	2.0	1.6	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 19	0 / 17	1 / 10	0 / 9	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.8	23.1	23.8	5 / 13	0 / 3
Percentage of cycles resulting in live births (%)	17.9	7.7	14.3	1 / 13	0 / 3
Percentage of cycles resulting in singleton live births (%)	15.4	3.8	9.5	0 / 13	0 / 3
Percentage of cycles resulting in twin live births (%)	2.6	3.8	4.8	1 / 13	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	12.8	0.0	4.8	0 / 13	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.7	21.1	23.8	5 / 19	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 19	5 / 14	5 / 11	0 / 1
Percentage of transfers resulting in live births (%)	29.2	2 / 19	3 / 14	1 / 11	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	1 / 19	2 / 14	0 / 11	0 / 1
Percentage of transfers resulting in twin live births (%)	4.2	1 / 19	1 / 14	1 / 11	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.8	0 / 19	1 / 14	0 / 11	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	14	8	2	0
Number of transfers	33	13	4	2	0
Estimated average number of transfers per retrieval	2.8	3.3	1.0	2.0	
Average number of embryos transferred	1.5	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	51.0	35.0	0 / 6	1 / 4	
Percentage of transfers resulting in pregnancies (%)	63.6	7 / 13	0 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	48.5	7 / 13	0 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	39.4	7 / 13	0 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	9.1	0 / 13	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.2	6 / 13	0 / 4	1 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	3	2	
Number of transfers	2	0	3	2	
Average number of embryos transferred	1.0		1.7	1.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 1		4 / 5	3 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 2		3 / 3	2 / 2	
Percentage of transfers resulting in live births (%)	1 / 2		2 / 3	2 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2		1 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2		1 / 3	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2		1 / 3	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Institute of South Texas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTERS, PLLC ODESSA, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Botros Rizk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	91%	Tubal factor	36%	Uterine factor	0%	Multiple Factors: Female factors only 46% Female & male factors 36%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	46%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	46%	
				Endometriosis	27%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 11
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	5	2	0	1	1
Percentage of cancellations before retrieval (%)	0 / 5	0 / 2		0 / 1	0 / 1
Number of transfers	3	2	0	1	1
Average number of embryos transferred	2.7	2.5		4.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 2		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 5	1 / 2		0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	3 / 5	1 / 2		0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 5	0 / 2		0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 5	1 / 2		0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 5	0 / 2		0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 8	2 / 5		0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 2		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 3	1 / 2		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 3	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 2		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3	0 / 2		0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	0	0	1	0
Number of transfers	1	0	0	1	0
Estimated average number of transfers per retrieval	1.0				
Average number of embryos transferred	2.0			1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1			0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Centers, PLLC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PLANO PLANO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James Douglas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	43%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 21% Female & male factors 34%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	63%	Male factor	42%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	14%	
				Endometriosis	8%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 315
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	72	29	32	13	19
Percentage of cancellations before retrieval (%)	8.3	3.4	12.5	3 / 13	1 / 19
Number of transfers	28	13	16	4	11
Average number of embryos transferred	1.7	1.4	1.8	2.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 19	0 / 5	0 / 11	0 / 4	1 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.2	24.1	31.3	0 / 13	5 / 19
Percentage of cycles resulting in live births (%)	25.0	20.7	18.8	0 / 13	4 / 19
Percentage of cycles resulting in singleton live births (%)	19.4	13.8	12.5	0 / 13	4 / 19
Percentage of cycles resulting in twin live births (%)	5.6	6.9	3.1	0 / 13	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.1	10.3	9.4	0 / 13	4 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.2	9 / 18	44.0	0 / 11	6 / 19
Percentage of transfers resulting in pregnancies (%)	75.0	7 / 13	10 / 16	0 / 4	5 / 11
Percentage of transfers resulting in live births (%)	64.3	6 / 13	6 / 16	0 / 4	4 / 11
Percentage of transfers resulting in singleton live births (%)	50.0	4 / 13	4 / 16	0 / 4	4 / 11
Percentage of transfers resulting in twin live births (%)	14.3	2 / 13	1 / 16	0 / 4	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.4	3 / 13	3 / 16	0 / 4	4 / 11
Frozen Embryos from Nondonor Eggs					
Number of cycles	45	22	15	3	5
Number of transfers	45	22	15	3	5
Estimated average number of transfers per retrieval	0.9	1.2	0.8	0.5	0.7
Average number of embryos transferred	1.5	1.5	1.5	2.7	1.4
Percentage of embryos transferred resulting in implantation (%)	68.3	53.1	47.8	4 / 8	1 / 6
Percentage of transfers resulting in pregnancies (%)	80.0	63.6	9 / 15	3 / 3	2 / 5
Percentage of transfers resulting in live births (%)	68.9	54.5	6 / 15	3 / 3	0 / 5
Percentage of transfers resulting in singleton live births (%)	55.6	36.4	5 / 15	3 / 3	0 / 5
Percentage of transfers resulting in twin live births (%)	13.3	18.2	1 / 15	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	27.3	4 / 15	3 / 3	0 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	22	7	13	1	2
	1	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	1	8	0	
Number of transfers	2	1	8	0	
Average number of embryos transferred	1.5	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 2	1 / 2	6 / 12		
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1	4 / 8		
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1	4 / 8		
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 1	2 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1	2 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2	1 / 1	2 / 8		

CURRENT SERVICES & PROFILE

Current Name: IVF Plano

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRESBYTERIAN HOSPITAL ARTS PLANO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Alfred J. Rodriguez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	49%	Tubal factor	10%	Uterine factor	29%	Multiple Factors: Female factors only 44% Female & male factors 28%
Unstimulated	0%	PGD/PGS	57%	Ovulatory dysfunction	41%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	37%	
				Endometriosis	9%	Unknown factor	1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 248
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	15	16	7	4
Percentage of cancellations before retrieval (%)	0.0	1 / 15	3 / 16	2 / 7	1 / 4
Number of transfers	10	7	5	3	3
Average number of embryos transferred	1.3	1.0	1.2	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3		0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.0	4 / 15	1 / 16	2 / 7	3 / 4
Percentage of cycles resulting in live births (%)	20.0	4 / 15	1 / 16	2 / 7	3 / 4
Percentage of cycles resulting in singleton live births (%)	15.0	4 / 15	1 / 16	2 / 7	3 / 4
Percentage of cycles resulting in twin live births (%)	5.0	0 / 15	0 / 16	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	5.0	4 / 15	1 / 16	0 / 7	2 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 12	4 / 7	1 / 6	2 / 3	3 / 3
Percentage of transfers resulting in pregnancies (%)	6 / 10	4 / 7	1 / 5	2 / 3	3 / 3
Percentage of transfers resulting in live births (%)	4 / 10	4 / 7	1 / 5	2 / 3	3 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 10	4 / 7	1 / 5	2 / 3	3 / 3
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 7	0 / 5	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 10	4 / 7	1 / 5	0 / 3	2 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	30	20	12	8	3
Number of transfers	30	18	12	8	2
Estimated average number of transfers per retrieval	0.7	1.0	0.3	0.7	0.7
Average number of embryos transferred	1.1	1.1	1.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	64.7	80.0	2 / 15	2 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	66.7	14 / 18	2 / 12	2 / 8	0 / 2
Percentage of transfers resulting in live births (%)	53.3	14 / 18	2 / 12	2 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	50.0	13 / 18	2 / 12	2 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	3.3	1 / 18	0 / 12	0 / 8	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.7	12 / 18	2 / 12	2 / 8	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	35	15	34	11	3
	0	0	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	15	0	
Number of transfers	0	0	14	0	
Average number of embryos transferred			1.1		
Percentage of embryos transferred resulting in implantation (%)			8 / 16		
Percentage of transfers resulting in pregnancies (%)			7 / 14		
Percentage of transfers resulting in live births (%)			5 / 14		
Percentage of transfers resulting in singleton live births (%)			4 / 14		
Percentage of transfers resulting in twin live births (%)			1 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			4 / 14		

CURRENT SERVICES & PROFILE

Current Name: Presbyterian Hospital ARTS

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gregory S. Neal, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	67%	Tubal factor	28%	Uterine factor	10%	Multiple Factors: Female factors only 19% Female & male factors 16%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	20%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	26%	Other factor	13%	
				Endometriosis	10%	Unknown factor	10%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 621
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	119	56	53	16	19
Percentage of cancellations before retrieval (%)	2.5	8.9	9.4	3 / 16	5 / 19
Number of transfers	107	47	38	12	10
Average number of embryos transferred	1.7	1.8	2.1	2.4	1.9
Percentage of elective single embryo transfers (eSET) (%)	25.0	9.3	2.9	1 / 11	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.8	42.9	24.5	3 / 16	1 / 19
Percentage of cycles resulting in live births (%)	47.9	37.5	15.1	2 / 16	0 / 19
Percentage of cycles resulting in singleton live births (%)	29.4	28.6	11.3	2 / 16	0 / 19
Percentage of cycles resulting in twin live births (%)	18.5	8.9	3.8	0 / 16	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	26.1	25.0	7.5	1 / 16	0 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.8	35.4	18.7	10.3	0 / 17
Percentage of transfers resulting in pregnancies (%)	59.8	51.1	34.2	3 / 12	1 / 10
Percentage of transfers resulting in live births (%)	53.3	44.7	21.1	2 / 12	0 / 10
Percentage of transfers resulting in singleton live births (%)	32.7	34.0	15.8	2 / 12	0 / 10
Percentage of transfers resulting in twin live births (%)	20.6	10.6	5.3	0 / 12	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.0	29.8	10.5	1 / 12	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	91	77	41	18	6
Number of transfers	87	76	39	17	6
Estimated average number of transfers per retrieval	2.1	2.1	1.0	1.1	0.5
Average number of embryos transferred	1.5	1.5	1.7	1.4	2.3
Percentage of embryos transferred resulting in implantation (%)	40.8	37.4	31.1	45.5	3 / 14
Percentage of transfers resulting in pregnancies (%)	56.3	48.7	48.7	10 / 17	3 / 6
Percentage of transfers resulting in live births (%)	47.1	36.8	30.8	8 / 17	2 / 6
Percentage of transfers resulting in singleton live births (%)	41.4	28.9	25.6	7 / 17	2 / 6
Percentage of transfers resulting in twin live births (%)	5.7	7.9	5.1	1 / 17	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.6	22.4	25.6	5 / 17	2 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	16	22	27	12	9
	2	4	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	19	2	17	0	
Number of transfers	17	1	16	0	
Average number of embryos transferred	1.9	2.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	53.6	0 / 2	38.5		
Percentage of transfers resulting in pregnancies (%)	12 / 17	0 / 1	9 / 16		
Percentage of transfers resulting in live births (%)	8 / 17	0 / 1	8 / 16		
Percentage of transfers resulting in singleton live births (%)	3 / 17	0 / 1	7 / 16		
Percentage of transfers resulting in twin live births (%)	5 / 17	0 / 1	1 / 16		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 17	0 / 1	5 / 16		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of San Antonio

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF TEXAS, PLLC SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Susan Hudson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	23%	Uterine factor	3%	
Unstimulated	0%	PGD/PGS	63%	Ovulatory dysfunction	11%	Male factor	23%	
Used gestational carrier	3%			Diminished ovarian reserve	39%	Other factor	54%	
				Endometriosis	6%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				39%
				Female & male factors				19%

2016 ART SUCCESS RATES ^{c,d}		Total number of cycles ^d : 118 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs						
Number of cycles		1	0	1	0	0
Percentage of cancellations before retrieval (%)		0 / 1		0 / 1		
Number of transfers		1	0	1	0	0
Average number of embryos transferred		2.0		1.0		
Percentage of elective single embryo transfers (eSET) (%)		0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in pregnancies (%)		0 / 1		0 / 1		
Percentage of cycles resulting in live births (%)		0 / 1		0 / 1		
Percentage of cycles resulting in singleton live births (%)		0 / 1		0 / 1		
Percentage of cycles resulting in twin live births (%)		0 / 1		0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)		0 / 1		0 / 1		
Outcomes per Transfer						
Percentage of embryos transferred resulting in implantation (%)		0 / 2		0 / 1		
Percentage of transfers resulting in pregnancies (%)		0 / 1		0 / 1		
Percentage of transfers resulting in live births (%)		0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1		0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles		29	9	12	2	1
Number of transfers		26	8	9	1	0
Estimated average number of transfers per retrieval		1.1	0.9	0.9	0.2	0.0
Average number of embryos transferred		1.0	1.1	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)		60.0	7 / 9	6 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)		65.4	6 / 8	6 / 9	0 / 1	
Percentage of transfers resulting in live births (%)		53.8	5 / 8	3 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)		53.8	4 / 8	2 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)		0.0	1 / 8	1 / 9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		46.2	4 / 8	2 / 9	0 / 1	
Number of Egg or Embryo Banking Cycles						
Number of fertility preservation cycles		24	9	9	5	6
		1	0	0	0	0
Donor Eggs^f		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles		0	3	7	0	
Number of transfers		0	3	6	0	
Average number of embryos transferred			1.7	1.2		
Percentage of embryos transferred resulting in implantation (%)			2 / 5	5 / 7		
Percentage of transfers resulting in pregnancies (%)			2 / 3	5 / 6		
Percentage of transfers resulting in live births (%)			2 / 3	5 / 6		
Percentage of transfers resulting in singleton live births (%)			2 / 3	5 / 6		
Percentage of transfers resulting in twin live births (%)			0 / 3	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			2 / 3	4 / 6		

CURRENT SERVICES & PROFILE		Current Name: Fertility Institute of Texas, PLLC					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gerard M. Honoré, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 31% Female & male factors 39%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	62%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	15%	
				Endometriosis	69%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 21
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	2	3	0
Percentage of cancellations before retrieval (%)			0 / 2	1 / 3	
Number of transfers	0	0	0	2	0
Average number of embryos transferred				2.5	
Percentage of elective single embryo transfers (eSET) (%)				0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			0 / 2	0 / 3	
Percentage of cycles resulting in live births (%)			0 / 2	0 / 3	
Percentage of cycles resulting in singleton live births (%)			0 / 2	0 / 3	
Percentage of cycles resulting in twin live births (%)			0 / 2	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)			0 / 2	0 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)				0 / 5	
Percentage of transfers resulting in pregnancies (%)				0 / 2	
Percentage of transfers resulting in live births (%)				0 / 2	
Percentage of transfers resulting in singleton live births (%)				0 / 2	
Percentage of transfers resulting in twin live births (%)				0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	2	0	4	0	0
Number of transfers	2	0	4	0	0
Estimated average number of transfers per retrieval	0.7	0.0	1.0	0.0	0.0
Average number of embryos transferred	1.0		1.8		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		1 / 7		
Percentage of transfers resulting in pregnancies (%)	0 / 2		1 / 4		
Percentage of transfers resulting in live births (%)	0 / 2		1 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		1 / 4		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	3	1	2	1	1
	2	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	0	0	
Number of transfers	1	0	0	0	
Average number of embryos transferred	1.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1				

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR WOMEN'S HEALTH ADVANCED FERTILITY CENTER SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Joseph R. Garza, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	60%	Tubal factor	11%	Uterine factor	0%	Multiple Factors: Female factors only 41% Female & male factors 28%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	45%	Male factor	28%	
Used gestational carrier	3%			Diminished ovarian reserve	37%	Other factor	51%	
				Endometriosis	12%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 109
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	8	8	3	12
Percentage of cancellations before retrieval (%)	3 / 18	1 / 8	1 / 8	1 / 3	6 / 12
Number of transfers	12	4	5	1	3
Average number of embryos transferred	1.3	1.3	1.4	2.0	1.3
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 1	0 / 2	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 18	1 / 8	3 / 8	0 / 3	1 / 12
Percentage of cycles resulting in live births (%)	5 / 18	1 / 8	3 / 8	0 / 3	1 / 12
Percentage of cycles resulting in singleton live births (%)	5 / 18	1 / 8	3 / 8	0 / 3	0 / 12
Percentage of cycles resulting in twin live births (%)	0 / 18	0 / 8	0 / 8	0 / 3	1 / 12
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2 / 18	1 / 8	3 / 8	0 / 3	0 / 12
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 15	1 / 5	3 / 7	0 / 2	2 / 4
Percentage of transfers resulting in pregnancies (%)	6 / 12	1 / 4	3 / 5	0 / 1	1 / 3
Percentage of transfers resulting in live births (%)	5 / 12	1 / 4	3 / 5	0 / 1	1 / 3
Percentage of transfers resulting in singleton live births (%)	5 / 12	1 / 4	3 / 5	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 4	0 / 5	0 / 1	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 12	1 / 4	3 / 5	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	6	6	0	1
Number of transfers	7	6	6	0	1
Estimated average number of transfers per retrieval	0.5	0.4	0.7	0.0	
Average number of embryos transferred	1.3	1.3	1.5		1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 9	3 / 7	5 / 7		0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 7	4 / 6	5 / 6		0 / 1
Percentage of transfers resulting in live births (%)	2 / 7	3 / 6	4 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 7	3 / 6	3 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 6	1 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 7	3 / 6	1 / 6		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	11	9	2	0
	0	3	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	1	0	
Number of transfers	1	1	1	0	
Average number of embryos transferred	1.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Institute for Women's Health, Advanced Fertility Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	PGD/PGS	43%	Ovulatory dysfunction	22%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	10%	
				Endometriosis	6%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 670
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	96	39	24	11	4
Percentage of cancellations before retrieval (%)	7.3	20.5	25.0	4 / 11	0 / 4
Number of transfers	69	24	11	3	2
Average number of embryos transferred	1.4	1.8	1.9	2.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	60.3	22.7	0 / 8	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	38.5	25.0	2 / 11	0 / 4
Percentage of cycles resulting in live births (%)	41.7	35.9	20.8	2 / 11	0 / 4
Percentage of cycles resulting in singleton live births (%)	33.3	23.1	16.7	2 / 11	0 / 4
Percentage of cycles resulting in twin live births (%)	8.3	7.7	4.2	0 / 11	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.1	20.5	16.7	1 / 11	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	60.7	51.2	38.1	2 / 7	0 / 4
Percentage of transfers resulting in pregnancies (%)	69.6	62.5	6 / 11	2 / 3	0 / 2
Percentage of transfers resulting in live births (%)	58.0	58.3	5 / 11	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	46.4	37.5	4 / 11	2 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	11.6	12.5	1 / 11	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.7	33.3	4 / 11	1 / 3	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	145	66	36	5	7
Number of transfers	140	63	35	5	7
Estimated average number of transfers per retrieval	1.5	0.9	0.7	0.3	0.9
Average number of embryos transferred	1.2	1.2	1.3	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	57.2	58.8	41.5	3 / 6	2 / 9
Percentage of transfers resulting in pregnancies (%)	62.1	65.1	51.4	2 / 5	2 / 7
Percentage of transfers resulting in live births (%)	57.9	52.4	37.1	2 / 5	2 / 7
Percentage of transfers resulting in singleton live births (%)	50.0	47.6	31.4	1 / 5	2 / 7
Percentage of transfers resulting in twin live births (%)	7.9	4.8	5.7	1 / 5	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.7	38.1	28.6	1 / 5	1 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	71	61	46	15	8
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	14	17	1	
Number of transfers	3	8	16	1	
Average number of embryos transferred	1.0	1.6	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	7 / 12	15 / 19	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 3	5 / 8	13 / 16	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 3	4 / 8	13 / 16	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 3	1 / 8	11 / 16	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3	3 / 8	2 / 16	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 3	1 / 8	7 / 16	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UT MEDICINE FERTILITY CENTER SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randal D. Robinson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	40%	Tubal factor	26%	Uterine factor	23%	Multiple Factors: Female factors only 31% Female & male factors 15%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	8%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	8%	
				Endometriosis	26%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 144
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	14	15	4	1
Percentage of cancellations before retrieval (%)	2 / 19	2 / 14	0 / 15	1 / 4	0 / 1
Number of transfers	12	11	13	3	1
Average number of embryos transferred	1.6	1.7	2.2	1.7	1.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 11	2 / 9	1 / 10	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 19	7 / 14	5 / 15	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	5 / 19	5 / 14	3 / 15	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	5 / 19	5 / 14	3 / 15	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 19	0 / 14	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	5 / 19	4 / 14	3 / 15	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 19	6 / 17	17.9	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 12	7 / 11	5 / 13	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	5 / 12	5 / 11	3 / 13	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 12	5 / 11	3 / 13	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 11	0 / 13	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 12	4 / 11	3 / 13	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	16	10	5	3
Number of transfers	25	15	10	5	3
Estimated average number of transfers per retrieval	1.8	1.4	1.7	0.8	3.0
Average number of embryos transferred	1.4	1.3	1.2	1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	27.8	6 / 19	2 / 12	1 / 8	0 / 5
Percentage of transfers resulting in pregnancies (%)	32.0	7 / 15	2 / 10	1 / 5	0 / 3
Percentage of transfers resulting in live births (%)	32.0	5 / 15	1 / 10	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	24.0	5 / 15	1 / 10	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	8.0	0 / 15	0 / 10	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.0	4 / 15	1 / 10	0 / 5	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	10	7	5	4	1
	5	2	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	3	0	
Number of transfers	2	0	3	0	
Average number of embryos transferred	2.0		1.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 4		0 / 4		
Percentage of transfers resulting in pregnancies (%)	1 / 2		0 / 3		
Percentage of transfers resulting in live births (%)	1 / 2		0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2		0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2		0 / 3		

CURRENT SERVICES & PROFILE

Current Name: UT Medicine Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SCOTT & WHITE TEMPLE, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Thomas J. Wincek, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	23%	Uterine factor	<1%	Multiple Factors: Female factors only 9% Female & male factors 5%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	11%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	9%	
				Endometriosis	17%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 130
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	61	19	10	7	0
Percentage of cancellations before retrieval (%)	23.0	7 / 19	1 / 10	1 / 7	
Number of transfers	40	12	9	6	0
Average number of embryos transferred	1.8	1.8	2.0	1.8	
Percentage of elective single embryo transfers (eSET) (%)	3.0	0 / 10	0 / 9	0 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.3	7 / 19	3 / 10	2 / 7	
Percentage of cycles resulting in live births (%)	29.5	7 / 19	2 / 10	1 / 7	
Percentage of cycles resulting in singleton live births (%)	21.3	7 / 19	2 / 10	1 / 7	
Percentage of cycles resulting in twin live births (%)	8.2	0 / 19	0 / 10	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	9.8	5 / 19	0 / 10	0 / 7	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.7	31.8	4 / 18	3 / 11	
Percentage of transfers resulting in pregnancies (%)	60.0	7 / 12	3 / 9	2 / 6	
Percentage of transfers resulting in live births (%)	45.0	7 / 12	2 / 9	1 / 6	
Percentage of transfers resulting in singleton live births (%)	32.5	7 / 12	2 / 9	1 / 6	
Percentage of transfers resulting in twin live births (%)	12.5	0 / 12	0 / 9	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	15.0	5 / 12	0 / 9	0 / 6	
Frozen Embryos from Nondonor Eggs					
Number of cycles	18	3	5	3	2
Number of transfers	16	3	4	3	2
Estimated average number of transfers per retrieval					
Average number of embryos transferred	1.5	2.0	1.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	54.2	4 / 6	0 / 6	1 / 3	1 / 4
Percentage of transfers resulting in pregnancies (%)	11 / 16	2 / 3	0 / 4	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)	9 / 16	0 / 3	0 / 4	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 16	0 / 3	0 / 4	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 3	0 / 4	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 16	0 / 3	0 / 4	0 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	1	1	
Number of transfers	0	0	1	0	
Average number of embryos transferred			2.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 2		
Percentage of transfers resulting in pregnancies (%)			1 / 1		
Percentage of transfers resulting in live births (%)			1 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			0 / 1		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Scott & White Clinic-Temple

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA THE WOODLANDS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Dorothy J. Roach, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	13%	Uterine factor	0%	Multiple Factors: Female factors only 13% Female & male factors 31%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	48%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	7%	
				Endometriosis	13%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 85
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	15	11	3	1
Percentage of cancellations before retrieval (%)	0.0	1 / 15	1 / 11	0 / 3	0 / 1
Number of transfers	26	14	10	3	1
Average number of embryos transferred	1.7	2.1	1.9	2.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	25.0	0 / 14	0 / 8	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.4	8 / 15	6 / 11	1 / 3	0 / 1
Percentage of cycles resulting in live births (%)	40.7	6 / 15	4 / 11	1 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.3	4 / 15	2 / 11	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	7.4	2 / 15	2 / 11	1 / 3	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	4 / 15	1 / 11	0 / 3	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.8	33.3	8 / 19	2 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	46.2	8 / 14	6 / 10	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	42.3	6 / 14	4 / 10	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.6	4 / 14	2 / 10	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	2 / 14	2 / 10	1 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.9	4 / 14	1 / 10	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	6	1	1	2
Number of transfers	14	6	1	1	2
Estimated average number of transfers per retrieval	3.5	6.0	1.0		2.0
Average number of embryos transferred	1.7	1.5	1.0	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	54.2	4 / 9	0 / 1	1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	9 / 14	3 / 6	0 / 1	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	9 / 14	3 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 14	3 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 14	3 / 6	0 / 1	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	1	0	0	1
	0	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	1	0	
Number of transfers	1	0	1	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2		0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 1		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF REPRODUCTIVE MEDICINE (CORM) WEBSTER, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vicki L. Schnell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	78%	Tubal factor	3%	Uterine factor	7%	Multiple Factors: Female factors only <1% Female & male factors 2%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	41%	Male factor	11%	
Used gestational carrier	3%			Diminished ovarian reserve	20%	Other factor	11%	
				Endometriosis	10%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 804
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	145	37	19	2	6
Percentage of cancellations before retrieval (%)	6.2	16.2	2 / 19	1 / 2	3 / 6
Number of transfers	63	21	10	1	1
Average number of embryos transferred	1.2	1.5	1.8	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	78.0	7 / 18	2 / 9	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.1	27.0	4 / 19	1 / 2	0 / 6
Percentage of cycles resulting in live births (%)	20.0	16.2	3 / 19	1 / 2	0 / 6
Percentage of cycles resulting in singleton live births (%)	19.3	16.2	2 / 19	1 / 2	0 / 6
Percentage of cycles resulting in twin live births (%)	0.7	0.0	1 / 19	0 / 2	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	16.6	16.2	1 / 19	0 / 2	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.6	37.5	5 / 18	1 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	55.6	47.6	4 / 10	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	46.0	28.6	3 / 10	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	44.4	28.6	2 / 10	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1.6	0.0	1 / 10	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	38.1	28.6	1 / 10	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	184	69	53	12	8
Number of transfers	170	63	47	11	6
Estimated average number of transfers per retrieval	1.3	1.0	1.1	0.8	0.7
Average number of embryos transferred	1.2	1.3	1.3	1.8	1.7
Percentage of embryos transferred resulting in implantation (%)	57.6	55.1	54.4	45.0	2 / 10
Percentage of transfers resulting in pregnancies (%)	62.4	63.5	66.0	7 / 11	2 / 6
Percentage of transfers resulting in live births (%)	54.1	52.4	46.8	5 / 11	2 / 6
Percentage of transfers resulting in singleton live births (%)	47.1	46.0	44.7	3 / 11	2 / 6
Percentage of transfers resulting in twin live births (%)	6.5	6.3	2.1	2 / 11	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	40.0	33.3	34.0	2 / 11	2 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	61	48	37	13	9
	3	5	1	2	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	12	77	0	
Number of transfers	6	0	60	0	
Average number of embryos transferred	1.3		1.2		
Percentage of embryos transferred resulting in implantation (%)	7 / 8		51.5		
Percentage of transfers resulting in pregnancies (%)	5 / 6		58.3		
Percentage of transfers resulting in live births (%)	4 / 6		50.0		
Percentage of transfers resulting in singleton live births (%)	3 / 6		43.3		
Percentage of transfers resulting in twin live births (%)	1 / 6		6.7		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 6		35.0		

CURRENT SERVICES & PROFILE

Current Name: Center of Reproductive Medicine (CORM)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH FERTILITY CENTER PLEASANT GROVE, UTAH

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Russell A. Foulk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 11% Female & male factors 11%
Unstimulated	1%	PGD/PGS	22%	Ovulatory dysfunction	27%	Male factor	28%	
Used gestational carrier	4%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	14%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,209
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	311	73	26	13	17
Percentage of cancellations before retrieval (%)	1.3	2.7	11.5	0 / 13	3 / 17
Number of transfers	284	64	19	10	9
Average number of embryos transferred	1.6	1.9	2.0	2.0	2.4
Percentage of elective single embryo transfers (eSET) (%)	35.2	9.8	2 / 17	0 / 9	1 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	57.9	47.9	42.3	5 / 13	2 / 17
Percentage of cycles resulting in live births (%)	49.2	37.0	38.5	5 / 13	1 / 17
Percentage of cycles resulting in singleton live births (%)	33.1	27.4	30.8	4 / 13	1 / 17
Percentage of cycles resulting in twin live births (%)	15.4	9.6	7.7	1 / 13	0 / 17
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.9	23.3	11.5	2 / 13	1 / 17
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.1	37.7	39.5	35.0	9.1
Percentage of transfers resulting in pregnancies (%)	63.4	54.7	11 / 19	5 / 10	2 / 9
Percentage of transfers resulting in live births (%)	53.9	42.2	10 / 19	5 / 10	1 / 9
Percentage of transfers resulting in singleton live births (%)	36.3	31.3	8 / 19	4 / 10	1 / 9
Percentage of transfers resulting in twin live births (%)	16.9	10.9	2 / 19	1 / 10	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.7	26.6	3 / 19	2 / 10	1 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	259	74	56	17	9
Number of transfers	255	71	56	14	7
Estimated average number of transfers per retrieval	1.6	1.5	1.0	0.5	0.2
Average number of embryos transferred	1.5	1.7	1.4	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	56.3	49.1	46.2	8 / 16	4 / 11
Percentage of transfers resulting in pregnancies (%)	68.6	67.6	55.4	9 / 14	4 / 7
Percentage of transfers resulting in live births (%)	57.6	47.9	35.7	4 / 14	2 / 7
Percentage of transfers resulting in singleton live births (%)	46.3	38.0	32.1	3 / 14	2 / 7
Percentage of transfers resulting in twin live births (%)	11.4	8.5	3.6	1 / 14	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.5	28.2	28.6	1 / 14	0 / 7
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	103	28	51	26	30
	10	3	5	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	16	2	69	28	
Number of transfers	13	0	69	28	
Average number of embryos transferred	1.8		1.3	1.7	
Percentage of embryos transferred resulting in implantation (%)	60.9		60.2	39.6	
Percentage of transfers resulting in pregnancies (%)	10 / 13		63.8	57.1	
Percentage of transfers resulting in live births (%)	5 / 13		55.1	39.3	
Percentage of transfers resulting in singleton live births (%)	3 / 13		43.5	32.1	
Percentage of transfers resulting in twin live births (%)	1 / 13		10.1	7.1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 13		31.9	25.0	

CURRENT SERVICES & PROFILE

Current Name: Utah Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**EAST BAY FERTILITY CENTER
PROVO, UTAH**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

UTAH CENTER FOR REPRODUCTIVE MEDICINE SALT LAKE CITY, UTAH

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

UTAH

2016 ART CYCLE PROFILE

Data verified by Erica B. Johnstone, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	48%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	<1%	PGD/PGS	9%	Ovulatory dysfunction	17%	Male factor	40%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	14%	
				Endometriosis	9%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 744
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	183	63	29	18	1
Percentage of cancellations before retrieval (%)	5.5	11.1	13.8	3 / 18	0 / 1
Number of transfers	116	44	19	7	0
Average number of embryos transferred	1.5	1.6	1.8	2.3	
Percentage of elective single embryo transfers (eSET) (%)	47.1	30.3	1 / 14	0 / 6	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.0	34.9	24.1	2 / 18	0 / 1
Percentage of cycles resulting in live births (%)	26.2	28.6	13.8	0 / 18	0 / 1
Percentage of cycles resulting in singleton live births (%)	19.7	20.6	10.3	0 / 18	0 / 1
Percentage of cycles resulting in twin live births (%)	6.6	7.9	3.4	0 / 18	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.5	19.0	6.9	0 / 18	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.7	37.3	19.4	2 / 13	
Percentage of transfers resulting in pregnancies (%)	45.7	50.0	7 / 19	2 / 7	
Percentage of transfers resulting in live births (%)	41.4	40.9	4 / 19	0 / 7	
Percentage of transfers resulting in singleton live births (%)	31.0	29.5	3 / 19	0 / 7	
Percentage of transfers resulting in twin live births (%)	10.3	11.4	1 / 19	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	27.6	27.3	2 / 19	0 / 7	
Frozen Embryos from Nondonor Eggs					
Number of cycles	170	53	36	3	3
Number of transfers	163	51	33	3	2
Estimated average number of transfers per retrieval	1.6	1.9	0.9	0.2	0.3
Average number of embryos transferred	1.4	1.5	1.4	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	46.1	43.1	60.9	3 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	56.4	54.9	69.7	2 / 3	0 / 2
Percentage of transfers resulting in live births (%)	48.5	41.2	60.6	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	39.9	35.3	48.5	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	8.6	5.9	12.1	1 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.1	27.5	45.5	0 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	15	34	11	6
	10	2	7	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	43	0	34	5	
Number of transfers	38	0	30	5	
Average number of embryos transferred	1.2		1.3	1.4	
Percentage of embryos transferred resulting in implantation (%)	67.4		31.4	4 / 5	
Percentage of transfers resulting in pregnancies (%)	71.1		46.7	5 / 5	
Percentage of transfers resulting in live births (%)	55.3		30.0	4 / 5	
Percentage of transfers resulting in singleton live births (%)	44.7		30.0	4 / 5	
Percentage of transfers resulting in twin live births (%)	10.5		0.0	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.2		16.7	3 / 5	

CURRENT SERVICES & PROFILE

Current Name: Utah Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE CENTER SANDY, UTAH

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Keith L. Blauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 22%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	48%	Male factor	36%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	10%	
				Endometriosis	13%	Unknown factor	2%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 794
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	295	73	35	11	7
Percentage of cancellations before retrieval (%)	1.0	4.1	8.6	1 / 11	2 / 7
Number of transfers	211	59	27	8	4
Average number of embryos transferred	1.5	1.6	1.8	1.9	2.5
Percentage of elective single embryo transfers (eSET) (%)	48.0	30.0	13.0	0 / 7	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.7	30.1	34.3	2 / 11	1 / 7
Percentage of cycles resulting in live births (%)	36.9	27.4	28.6	2 / 11	0 / 7
Percentage of cycles resulting in singleton live births (%)	29.8	19.2	25.7	2 / 11	0 / 7
Percentage of cycles resulting in twin live births (%)	6.8	8.2	2.9	0 / 11	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.8	15.1	22.9	2 / 11	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.3	31.5	28.6	2 / 15	0 / 8
Percentage of transfers resulting in pregnancies (%)	56.9	37.3	44.4	2 / 8	1 / 4
Percentage of transfers resulting in live births (%)	51.7	33.9	37.0	2 / 8	0 / 4
Percentage of transfers resulting in singleton live births (%)	41.7	23.7	33.3	2 / 8	0 / 4
Percentage of transfers resulting in twin live births (%)	9.5	10.2	3.7	0 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.0	18.6	29.6	2 / 8	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	182	57	20	2	5
Number of transfers	171	53	19	2	5
Estimated average number of transfers per retrieval	1.6	1.3	1.3	0.3	1.7
Average number of embryos transferred	1.4	1.3	1.4	1.5	1.2
Percentage of embryos transferred resulting in implantation (%)	41.6	38.8	32.0	0 / 3	3 / 6
Percentage of transfers resulting in pregnancies (%)	53.8	47.2	7 / 19	0 / 2	3 / 5
Percentage of transfers resulting in live births (%)	46.2	32.1	6 / 19	0 / 2	3 / 5
Percentage of transfers resulting in singleton live births (%)	42.7	28.3	4 / 19	0 / 2	3 / 5
Percentage of transfers resulting in twin live births (%)	3.5	3.8	2 / 19	0 / 2	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.8	24.5	4 / 19	0 / 2	1 / 5
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	24	10	7	5	2
	8	2	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	7	34	11	7	
Number of transfers	7	32	11	7	
Average number of embryos transferred	1.7	1.6	1.2	1.7	
Percentage of embryos transferred resulting in implantation (%)	7 / 12	44.9	3 / 12	3 / 10	
Percentage of transfers resulting in pregnancies (%)	6 / 7	53.1	4 / 11	5 / 7	
Percentage of transfers resulting in live births (%)	6 / 7	40.6	3 / 11	3 / 7	
Percentage of transfers resulting in singleton live births (%)	5 / 7	31.3	3 / 11	3 / 7	
Percentage of transfers resulting in twin live births (%)	1 / 7	6.3	0 / 11	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 7	21.9	2 / 11	2 / 7	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Care Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF VERMONT MEDICAL CENTER
VERMONT CENTER FOR REPRODUCTIVE MEDICINE
BURLINGTON, VERMONT**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Elizabeth McGee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	46%	Tubal factor	11%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 13%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	4%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	7%	
				Endometriosis	9%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 47
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	3	7	3	0
Percentage of cancellations before retrieval (%)	12.5	0 / 3	1 / 7	0 / 3	
Number of transfers	20	3	5	3	0
Average number of embryos transferred	1.4	1.7	2.4	2.7	
Percentage of elective single embryo transfers (eSET) (%)	10 / 18	1 / 3	0 / 5	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	3 / 3	1 / 7	0 / 3	
Percentage of cycles resulting in live births (%)	50.0	3 / 3	1 / 7	0 / 3	
Percentage of cycles resulting in singleton live births (%)	45.8	3 / 3	0 / 7	0 / 3	
Percentage of cycles resulting in twin live births (%)	4.2	0 / 3	1 / 7	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	37.5	3 / 3	0 / 7	0 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.4	4 / 5	2 / 12	0 / 8	
Percentage of transfers resulting in pregnancies (%)	60.0	3 / 3	1 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	60.0	3 / 3	1 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	55.0	3 / 3	0 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	5.0	0 / 3	1 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	45.0	3 / 3	0 / 5	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	0	0	1	0
Number of transfers	4	0	0	1	0
Estimated average number of transfers per retrieval	1.0			1.0	
Average number of embryos transferred	1.3			2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 5			0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 4			0 / 1	
Percentage of transfers resulting in live births (%)	2 / 4			0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4			0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 4			0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	1	2	0	
Number of transfers	1	1	1	0	
Average number of embryos transferred	2.0	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 1	2 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1	0 / 1	0 / 1		

CURRENT SERVICES & PROFILE

Current Name: University of Vermont Medical Center, Vermont Center for Reproductive Medicine

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHEASTERN REPRODUCTIVE MEDICINE COLCHESTER, VERMONT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter R. Casson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	7%	Uterine factor	5%	Multiple Factors: Female factors only 3% Female & male factors 8%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	11%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	10%	
				Endometriosis	4%	Unknown factor	18%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 374
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	86	56	47	10	21
Percentage of cancellations before retrieval (%)	4.7	12.5	10.6	0 / 10	33.3
Number of transfers	63	42	36	10	12
Average number of embryos transferred	1.5	1.7	1.7	1.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	27.9	12.9	16.7	2 / 8	1 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.6	28.6	40.4	5 / 10	4.8
Percentage of cycles resulting in live births (%)	30.2	26.8	36.2	5 / 10	4.8
Percentage of cycles resulting in singleton live births (%)	24.4	21.4	27.7	5 / 10	4.8
Percentage of cycles resulting in twin live births (%)	5.8	5.4	8.5	0 / 10	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	23.3	17.9	25.5	4 / 10	4.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.8	25.4	36.7	6 / 18	5.0
Percentage of transfers resulting in pregnancies (%)	44.4	38.1	52.8	5 / 10	1 / 12
Percentage of transfers resulting in live births (%)	41.3	35.7	47.2	5 / 10	1 / 12
Percentage of transfers resulting in singleton live births (%)	33.3	28.6	36.1	5 / 10	1 / 12
Percentage of transfers resulting in twin live births (%)	7.9	7.1	11.1	0 / 10	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.7	23.8	33.3	4 / 10	1 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	32	16	12	4	8
Number of transfers	29	12	11	3	4
Estimated average number of transfers per retrieval	0.7	0.5	0.6	0.8	0.2
Average number of embryos transferred	1.3	1.3	1.5	1.3	2.3
Percentage of embryos transferred resulting in implantation (%)	47.1	6 / 14	10 / 17	1 / 4	0 / 9
Percentage of transfers resulting in pregnancies (%)	55.2	6 / 12	7 / 11	1 / 3	0 / 4
Percentage of transfers resulting in live births (%)	41.4	4 / 12	7 / 11	1 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	31.0	3 / 12	4 / 11	1 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	10.3	1 / 12	3 / 11	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.0	2 / 12	4 / 11	1 / 3	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	19	14	15	3	14
	0	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	10	0	4	2	
Number of transfers	9	0	3	2	
Average number of embryos transferred	1.1		1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	8 / 10		2 / 3	1 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 9		2 / 3	1 / 2	
Percentage of transfers resulting in live births (%)	4 / 9		2 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 9		2 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 9		0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 9		1 / 3	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Northeastern Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON FERTILITY CENTER ANNANDALE, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Pierre Asmar, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	42%	Tubal factor	9%	Uterine factor	5%	Multiple Factors: Female factors only 6% Female & male factors 14%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	8%	Male factor	22%	
Used gestational carrier	3%			Diminished ovarian reserve	48%	Other factor	12%	
				Endometriosis	5%	Unknown factor	11%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 148
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	16	9	9	7	9
Percentage of cancellations before retrieval (%)	2 / 16	1 / 9	0 / 9	1 / 7	3 / 9
Number of transfers	12	2	3	2	3
Average number of embryos transferred	1.3	1.0	2.0	1.5	1.3
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	1 / 1	0 / 3	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4 / 16	1 / 9	2 / 9	1 / 7	0 / 9
Percentage of cycles resulting in live births (%)	3 / 16	1 / 9	2 / 9	1 / 7	0 / 9
Percentage of cycles resulting in singleton live births (%)	2 / 16	1 / 9	1 / 9	0 / 7	0 / 9
Percentage of cycles resulting in twin live births (%)	1 / 16	0 / 9	1 / 9	1 / 7	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 16	1 / 9	1 / 9	0 / 7	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 15	1 / 2	3 / 6	2 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	4 / 12	1 / 2	2 / 3	1 / 2	0 / 3
Percentage of transfers resulting in live births (%)	3 / 12	1 / 2	2 / 3	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 2	1 / 3	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 2	1 / 3	1 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 12	1 / 2	1 / 3	0 / 2	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	6	11	3	4
Number of transfers	22	6	11	2	4
Estimated average number of transfers per retrieval	2.0	0.9	1.4	0.7	0.7
Average number of embryos transferred	1.3	1.5	1.8	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	45.8	7 / 9	5 / 18	2 / 2	2 / 4
Percentage of transfers resulting in pregnancies (%)	59.1	4 / 6	5 / 11	2 / 2	2 / 4
Percentage of transfers resulting in live births (%)	36.4	4 / 6	4 / 11	2 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	36.4	2 / 6	4 / 11	2 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	2 / 6	0 / 11	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.4	1 / 6	4 / 11	2 / 2	0 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	3	5	2	6
	0	2	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	18	3	5	0	
Number of transfers	11	1	5	0	
Average number of embryos transferred	1.0	1.0	1.2		
Percentage of embryos transferred resulting in implantation (%)	9 / 11	0 / 1	2 / 6		
Percentage of transfers resulting in pregnancies (%)	9 / 11	0 / 1	2 / 5		
Percentage of transfers resulting in live births (%)	9 / 11	0 / 1	2 / 5		
Percentage of transfers resulting in singleton live births (%)	9 / 11	0 / 1	2 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 1	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 11	0 / 1	1 / 5		

CURRENT SERVICES & PROFILE

Current Name: Washington Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOMINION FERTILITY AND ENDOCRINOLOGY ARLINGTON, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael DiMattina, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	40%	Tubal factor	15%	Uterine factor	4%	Multiple Factors: Female factors only 22% Female & male factors 24%
Unstimulated	91%	PGD/PGS	28%	Ovulatory dysfunction	7%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	55%	Other factor	28%	
				Endometriosis	4%	Unknown factor	6%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,529
(includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	109	109	113	71	218
Percentage of cancellations before retrieval (%)	14.7	24.8	23.9	29.6	36.7
Number of transfers	61	39	48	22	48
Average number of embryos transferred	1.0	1.0	1.0	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 1		0 / 1	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.6	14.7	7.1	1.4	1.8
Percentage of cycles resulting in live births (%)	23.9	12.8	4.4	1.4	0.9
Percentage of cycles resulting in singleton live births (%)	23.9	11.9	2.7	1.4	0.9
Percentage of cycles resulting in twin live births (%)	0.0	0.9	0.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	22.0	10.1	2.7	1.4	0.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.8	43.6	17.4	4.3	8.3
Percentage of transfers resulting in pregnancies (%)	47.5	41.0	16.7	4.5	8.3
Percentage of transfers resulting in live births (%)	42.6	35.9	10.4	4.5	4.2
Percentage of transfers resulting in singleton live births (%)	42.6	33.3	6.3	4.5	4.2
Percentage of transfers resulting in twin live births (%)	0.0	2.6	2.1	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.3	28.2	6.3	4.5	4.2
Frozen Embryos from Nondonor Eggs					
Number of cycles	132	89	67	18	21
Number of transfers	119	87	60	17	17
Estimated average number of transfers per retrieval	1.0	1.0	0.6	0.3	0.2
Average number of embryos transferred	1.0	1.1	1.0	1.2	1.1
Percentage of embryos transferred resulting in implantation (%)	55.4	41.2	54.2	47.6	6 / 18
Percentage of transfers resulting in pregnancies (%)	58.0	47.1	50.0	9 / 17	7 / 17
Percentage of transfers resulting in live births (%)	45.4	35.6	45.0	8 / 17	6 / 17
Percentage of transfers resulting in singleton live births (%)	43.7	34.5	40.0	8 / 17	6 / 17
Percentage of transfers resulting in twin live births (%)	1.7	1.1	5.0	0 / 17	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.8	29.9	28.3	6 / 17	5 / 17
Number of Egg or Embryo Banking Cycles					
	109	83	100	55	112
Number of fertility preservation cycles	107	81	96	51	98
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	1	97	11	
Number of transfers	1	0	88	9	
Average number of embryos transferred	1.0		1.0	1.1	
Percentage of embryos transferred resulting in implantation (%)	0 / 1		51.8	2 / 10	
Percentage of transfers resulting in pregnancies (%)	0 / 1		55.7	2 / 9	
Percentage of transfers resulting in live births (%)	0 / 1		46.6	1 / 9	
Percentage of transfers resulting in singleton live births (%)	0 / 1		46.6	1 / 9	
Percentage of transfers resulting in twin live births (%)	0 / 1		0.0	0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		42.0	1 / 9	

CURRENT SERVICES & PROFILE

Current Name: Dominion Fertility and Endocrinology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC CHARLOTTESVILLE, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christopher D. Williams, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	51%	Tubal factor	19%	Uterine factor	14%	Multiple Factors: Female factors only 19% Female & male factors 27%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	13%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	23%	Other factor	12%	
				Endometriosis	27%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 344
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	33	19	7	4	0
Percentage of cancellations before retrieval (%)	18.2	3 / 19	3 / 7	3 / 4	
Number of transfers	24	12	3	1	0
Average number of embryos transferred	1.7	2.0	2.3	2.0	
Percentage of elective single embryo transfers (eSET) (%)	30.4	1 / 10	0 / 2	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.4	7 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in live births (%)	39.4	6 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in singleton live births (%)	21.2	5 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in twin live births (%)	18.2	1 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	18.2	5 / 19	0 / 7	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.5	41.7	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	54.2	7 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	54.2	6 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	29.2	5 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	25.0	1 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	25.0	5 / 12	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	71	30	18	3	2
Number of transfers	65	29	18	3	2
Estimated average number of transfers per retrieval	1.1	1.1	0.6	0.2	1.0
Average number of embryos transferred	1.2	1.3	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	72.0	74.3	60.0	1 / 4	1 / 4
Percentage of transfers resulting in pregnancies (%)	75.4	82.8	13 / 18	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)	63.1	72.4	13 / 18	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	56.9	65.5	11 / 18	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	6.2	6.9	2 / 18	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	49.2	62.1	11 / 18	0 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	52	24	25	15	2
	4	2	4	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	13	1	10	12	
Number of transfers	12	0	10	12	
Average number of embryos transferred	1.2		1.6	1.7	
Percentage of embryos transferred resulting in implantation (%)	9 / 14		8 / 16	55.0	
Percentage of transfers resulting in pregnancies (%)	8 / 12		7 / 10	8 / 12	
Percentage of transfers resulting in live births (%)	8 / 12		6 / 10	7 / 12	
Percentage of transfers resulting in singleton live births (%)	8 / 12		5 / 10	4 / 12	
Percentage of transfers resulting in twin live births (%)	0 / 12		1 / 10	3 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 12		3 / 10	3 / 12	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENETICS & IVF INSTITUTE FAIRFAX, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laurence C. Udoff, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	64%	Tubal factor	12%	Uterine factor	13%	Multiple Factors: Female factors only 22% Female & male factors 26%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	7%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	60%	Other factor	26%	
				Endometriosis	8%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 329
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	7	14	11	6
Percentage of cancellations before retrieval (%)	3 / 13	0 / 7	2 / 14	2 / 11	1 / 6
Number of transfers	8	4	8	6	2
Average number of embryos transferred	1.5	1.0	1.9	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 6	1 / 1	1 / 7	0 / 5	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 13	1 / 7	1 / 14	0 / 11	0 / 6
Percentage of cycles resulting in live births (%)	2 / 13	1 / 7	0 / 14	0 / 11	0 / 6
Percentage of cycles resulting in singleton live births (%)	1 / 13	1 / 7	0 / 14	0 / 11	0 / 6
Percentage of cycles resulting in twin live births (%)	1 / 13	0 / 7	0 / 14	0 / 11	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 13	1 / 7	0 / 14	0 / 11	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 12	1 / 4	1 / 15	0 / 12	0 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 8	1 / 4	1 / 8	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	2 / 8	1 / 4	0 / 8	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 4	0 / 8	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 4	0 / 8	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	1 / 4	0 / 8	0 / 6	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	21	15	12	7
Number of transfers	30	21	14	12	4
Estimated average number of transfers per retrieval	1.2	0.9	0.6	0.7	1.0
Average number of embryos transferred	1.1	1.3	1.1	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	58.8	69.2	10 / 15	6 / 13	1 / 4
Percentage of transfers resulting in pregnancies (%)	63.3	71.4	9 / 14	5 / 12	1 / 4
Percentage of transfers resulting in live births (%)	56.7	57.1	8 / 14	5 / 12	1 / 4
Percentage of transfers resulting in singleton live births (%)	56.7	47.6	8 / 14	4 / 12	1 / 4
Percentage of transfers resulting in twin live births (%)	0.0	9.5	0 / 14	1 / 12	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.7	42.9	6 / 14	3 / 12	1 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	22	23	16	4
	2	8	6	3	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	44	49	4	
Number of transfers	4	34	44	4	
Average number of embryos transferred	1.0	1.2	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	4 / 4	45.2	37.0	3 / 5	
Percentage of transfers resulting in pregnancies (%)	4 / 4	47.1	45.5	2 / 4	
Percentage of transfers resulting in live births (%)	4 / 4	41.2	34.1	1 / 4	
Percentage of transfers resulting in singleton live births (%)	4 / 4	38.2	34.1	0 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 4	0.0	0.0	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 4	26.5	20.5	0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Genetics & IVF Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE NORFOLK, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laurel A. Stadtmauer, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	73%	Tubal factor	20%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 7%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	21%	Male factor	23%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	8%	
				Endometriosis	5%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 356
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	105	33	27	9	7
Percentage of cancellations before retrieval (%)	8.6	15.2	33.3	3 / 9	3 / 7
Number of transfers	69	27	13	2	3
Average number of embryos transferred	1.9	1.7	1.8	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	7.6	9.1	1 / 10	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.1	33.3	22.2	2 / 9	1 / 7
Percentage of cycles resulting in live births (%)	32.4	30.3	11.1	1 / 9	1 / 7
Percentage of cycles resulting in singleton live births (%)	21.9	15.2	7.4	1 / 9	1 / 7
Percentage of cycles resulting in twin live births (%)	9.5	15.2	3.7	0 / 9	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.1	12.1	3.7	0 / 9	1 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.4	34.0	33.3	2 / 4	3 / 7
Percentage of transfers resulting in pregnancies (%)	58.0	40.7	6 / 13	2 / 2	1 / 3
Percentage of transfers resulting in live births (%)	49.3	37.0	3 / 13	1 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	33.3	18.5	2 / 13	1 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	14.5	18.5	1 / 13	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	26.1	14.8	1 / 13	0 / 2	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	49	15	14	4	7
Number of transfers	49	15	14	4	6
Estimated average number of transfers per retrieval	1.3	1.5	1.2	0.6	3.0
Average number of embryos transferred	1.7	1.9	1.4	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	32.9	17.9	10 / 19	2 / 6	2 / 11
Percentage of transfers resulting in pregnancies (%)	44.9	5 / 15	7 / 14	2 / 4	2 / 6
Percentage of transfers resulting in live births (%)	38.8	5 / 15	7 / 14	1 / 4	2 / 6
Percentage of transfers resulting in singleton live births (%)	28.6	5 / 15	4 / 14	1 / 4	2 / 6
Percentage of transfers resulting in twin live births (%)	10.2	0 / 15	3 / 14	0 / 4	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.4	3 / 15	4 / 14	0 / 4	1 / 6
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	6	7	7	2
	2	2	1	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	20	1	10	20	
Number of transfers	18	1	9	17	
Average number of embryos transferred	1.9	2.0	1.7	1.7	
Percentage of embryos transferred resulting in implantation (%)	38.2	2 / 2	3 / 12	42.3	
Percentage of transfers resulting in pregnancies (%)	9 / 18	1 / 1	5 / 9	11 / 17	
Percentage of transfers resulting in live births (%)	9 / 18	1 / 1	2 / 9	7 / 17	
Percentage of transfers resulting in singleton live births (%)	6 / 18	0 / 1	2 / 9	5 / 17	
Percentage of transfers resulting in twin live births (%)	3 / 18	1 / 1	0 / 9	2 / 17	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 18	0 / 1	2 / 9	4 / 17	

CURRENT SERVICES & PROFILE

Current Name: Jones Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE RESTON, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Fady I. Sharara, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	89%	Tubal factor	24%	Uterine factor	26%	Multiple Factors: Female factors only 33% Female & male factors 41%
Unstimulated	0%	PGD/PGS	49%	Ovulatory dysfunction	25%	Male factor	45%	
Used gestational carrier	8%			Diminished ovarian reserve	43%	Other factor	45%	
				Endometriosis	10%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 171
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	18	11	2	1
Percentage of cancellations before retrieval (%)	0.0	1 / 18	0 / 11	0 / 2	0 / 1
Number of transfers	19	12	6	0	0
Average number of embryos transferred	1.4	1.2	1.2		
Percentage of elective single embryo transfers (eSET) (%)	4 / 12	5 / 7	1 / 2		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	60.0	9 / 18	3 / 11	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	50.0	9 / 18	3 / 11	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	40.0	9 / 18	2 / 11	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	10.0	0 / 18	1 / 11	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	35.0	4 / 18	2 / 11	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	55.6	10 / 14	5 / 7		
Percentage of transfers resulting in pregnancies (%)	12 / 19	9 / 12	3 / 6		
Percentage of transfers resulting in live births (%)	10 / 19	9 / 12	3 / 6		
Percentage of transfers resulting in singleton live births (%)	8 / 19	9 / 12	2 / 6		
Percentage of transfers resulting in twin live births (%)	2 / 19	0 / 12	1 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 19	4 / 12	2 / 6		
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	16	9	3	0
Number of transfers	11	16	9	3	0
Estimated average number of transfers per retrieval	0.7	1.0	0.5	0.6	0.0
Average number of embryos transferred	1.4	1.1	1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 13	8 / 18	11 / 15	3 / 3	
Percentage of transfers resulting in pregnancies (%)	7 / 11	8 / 16	8 / 9	2 / 3	
Percentage of transfers resulting in live births (%)	6 / 11	8 / 16	7 / 9	1 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 11	8 / 16	5 / 9	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 16	1 / 9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 11	7 / 16	5 / 9	1 / 3	
Number of Egg or Embryo Banking Cycles					
	16	12	17	5	2
Number of fertility preservation cycles	3	1	2	2	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	11	6	9	2	
Number of transfers	10	5	8	2	
Average number of embryos transferred	1.9	1.0	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	11 / 19	1 / 5	3 / 11	0 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 10	1 / 5	3 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	5 / 10	1 / 5	3 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 10	1 / 5	3 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	4 / 10	0 / 5	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 10	1 / 5	3 / 8	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Virginia Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF VIRGINIA RICHMOND, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael C. Edelstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	79%	Tubal factor	12%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors 8%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	13%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	9%	Other factor	8%	
				Endometriosis	6%	Unknown factor	25%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 324
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	22	18	5	6
Percentage of cancellations before retrieval (%)	2.4	4.5	4 / 18	1 / 5	1 / 6
Number of transfers	11	10	5	3	4
Average number of embryos transferred	1.4	1.7	2.8	3.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	5 / 9	2 / 9	0 / 5	0 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	11.9	22.7	3 / 18	0 / 5	0 / 6
Percentage of cycles resulting in live births (%)	11.9	13.6	2 / 18	0 / 5	0 / 6
Percentage of cycles resulting in singleton live births (%)	11.9	4.5	1 / 18	0 / 5	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	9.1	1 / 18	0 / 5	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.9	4.5	1 / 18	0 / 5	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 15	6 / 16	4 / 14	0 / 9	0 / 9
Percentage of transfers resulting in pregnancies (%)	5 / 11	5 / 10	3 / 5	0 / 3	0 / 4
Percentage of transfers resulting in live births (%)	5 / 11	3 / 10	2 / 5	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 11	1 / 10	1 / 5	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 11	2 / 10	1 / 5	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 11	1 / 10	1 / 5	0 / 3	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	76	41	38	8	4
Number of transfers	76	41	37	8	4
Estimated average number of transfers per retrieval	1.7	1.6	1.4	1.6	0.7
Average number of embryos transferred	1.4	1.4	1.3	1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	56.8	57.9	41.9	5 / 15	2 / 8
Percentage of transfers resulting in pregnancies (%)	73.7	70.7	59.5	4 / 8	2 / 4
Percentage of transfers resulting in live births (%)	51.3	63.4	37.8	4 / 8	2 / 4
Percentage of transfers resulting in singleton live births (%)	46.1	53.7	37.8	3 / 8	2 / 4
Percentage of transfers resulting in twin live births (%)	5.3	9.8	0.0	1 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	42.1	51.2	27.0	2 / 8	2 / 4
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	13	10	18	2	6
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	5	5	1	
Number of transfers	0	5	5	1	
Average number of embryos transferred		1.4	1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)		5 / 7	3 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)		3 / 5	3 / 5	1 / 1	
Percentage of transfers resulting in live births (%)		3 / 5	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)		3 / 5	1 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 5	0 / 5	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Virginia Fertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY
RICHMOND, VIRGINIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

UNIVERSITY CENTER FOR ADVANCED REPRODUCTIVE MEDICINE RICHMOND, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard S. Lucidi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	80%	Tubal factor	12%	Uterine factor	0%	Multiple Factors: Female factors only 9% Female & male factors 11%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	13%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	12%	Other factor	38%	
				Endometriosis	3%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 144
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	10	6	3	2
Percentage of cancellations before retrieval (%)	6.9	1 / 10	1 / 6	0 / 3	1 / 2
Number of transfers	21	7	5	3	1
Average number of embryos transferred	1.2	1.7	1.8	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	14 / 18	3 / 7	2 / 5	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.5	2 / 10	3 / 6	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	27.6	2 / 10	3 / 6	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	27.6	1 / 10	1 / 6	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	1 / 10	2 / 6	0 / 3	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	24.1	1 / 10	0 / 6	0 / 3	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.5	3 / 12	5 / 9	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	47.6	2 / 7	3 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	38.1	2 / 7	3 / 5	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.1	1 / 7	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1 / 7	2 / 5	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	1 / 7	0 / 5	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	19	4	2	0
Number of transfers	18	18	4	2	0
Estimated average number of transfers per retrieval	0.6	1.2	0.8	2.0	
Average number of embryos transferred	1.3	1.2	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	42.9	4 / 6	1 / 4	
Percentage of transfers resulting in pregnancies (%)	9 / 18	9 / 18	3 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	7 / 18	9 / 18	2 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	6 / 18	9 / 18	1 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 18	0 / 18	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 18	9 / 18	1 / 4	1 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	18	8	5	1	0
	16	3	4	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	8	2	3	0	
Number of transfers	3	2	2	0	
Average number of embryos transferred	1.3	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	2 / 3	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3	1 / 2	0 / 2		

CURRENT SERVICES & PROFILE

Current Name: VCU Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PARTNERS FOR FERTILITY AND IVF
VIENNA, VIRGINIA**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE

VIRGINIA BEACH, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robin L. Poe-Zeigler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 21% Female & male factors 40%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	30%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	47%	Other factor	11%	
				Endometriosis	13%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 390
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	33	15	16	6	15
Percentage of cancellations before retrieval (%)	0.0	1 / 15	1 / 16	1 / 6	1 / 15
Number of transfers	15	8	4	1	8
Average number of embryos transferred	1.7	1.5	2.3	1.0	1.9
Percentage of elective single embryo transfers (eSET) (%)	1 / 12	0 / 4	0 / 3		0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.2	0 / 15	2 / 16	0 / 6	2 / 15
Percentage of cycles resulting in live births (%)	18.2	0 / 15	2 / 16	0 / 6	1 / 15
Percentage of cycles resulting in singleton live births (%)	15.2	0 / 15	2 / 16	0 / 6	1 / 15
Percentage of cycles resulting in twin live births (%)	3.0	0 / 15	0 / 16	0 / 6	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.2	0 / 15	2 / 16	0 / 6	1 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.6	0 / 12	2 / 9	0 / 1	2 / 15
Percentage of transfers resulting in pregnancies (%)	7 / 15	0 / 8	2 / 4	0 / 1	2 / 8
Percentage of transfers resulting in live births (%)	6 / 15	0 / 8	2 / 4	0 / 1	1 / 8
Percentage of transfers resulting in singleton live births (%)	5 / 15	0 / 8	2 / 4	0 / 1	1 / 8
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 8	0 / 4	0 / 1	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 15	0 / 8	2 / 4	0 / 1	1 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	88	31	14	6	15
Number of transfers	84	27	13	5	14
Estimated average number of transfers per retrieval	1.3	0.9	0.6	0.8	1.2
Average number of embryos transferred	1.7	1.6	2.1	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	36.2	22.7	18.5	2 / 10	3.8
Percentage of transfers resulting in pregnancies (%)	56.0	37.0	3 / 13	2 / 5	1 / 14
Percentage of transfers resulting in live births (%)	42.9	37.0	3 / 13	2 / 5	1 / 14
Percentage of transfers resulting in singleton live births (%)	36.9	37.0	1 / 13	2 / 5	1 / 14
Percentage of transfers resulting in twin live births (%)	6.0	0.0	2 / 13	0 / 5	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	28.6	37.0	0 / 13	1 / 5	1 / 14
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	50	29	20	6	9
	2	6	3	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	15	0	6	13	
Number of transfers	13	0	4	12	
Average number of embryos transferred	1.7		2.0	1.9	
Percentage of embryos transferred resulting in implantation (%)	33.3		3 / 8	26.1	
Percentage of transfers resulting in pregnancies (%)	6 / 13		2 / 4	5 / 12	
Percentage of transfers resulting in live births (%)	4 / 13		2 / 4	3 / 12	
Percentage of transfers resulting in singleton live births (%)	2 / 13		1 / 4	2 / 12	
Percentage of transfers resulting in twin live births (%)	2 / 13		1 / 4	1 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 13		1 / 4	1 / 12	

CURRENT SERVICES & PROFILE

Current Name: The New Hope Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

OVERLAKE REPRODUCTIVE HEALTH, INC., PS BELLEVUE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kevin M. Johnson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	58%	Tubal factor	41%	Uterine factor	3%	Multiple Factors: Female factors only 33% Female & male factors 49%
Unstimulated	0%	PGD/PGS	78%	Ovulatory dysfunction	51%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	79%	Other factor	18%	
				Endometriosis	8%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 318
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	3	4	4	3
Percentage of cancellations before retrieval (%)	2 / 2	0 / 3	2 / 4	3 / 4	3 / 3
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	59	21	17	3	1
Number of transfers	57	18	15	3	0
Estimated average number of transfers per retrieval	0.7	0.5	0.5	0.2	0.0
Average number of embryos transferred	1.0	1.0	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	71.9	10 / 17	75.0	3 / 3	
Percentage of transfers resulting in pregnancies (%)	75.4	11 / 18	13 / 15	3 / 3	
Percentage of transfers resulting in live births (%)	64.9	9 / 18	12 / 15	3 / 3	
Percentage of transfers resulting in singleton live births (%)	64.9	9 / 18	11 / 15	3 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 18	1 / 15	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	54.4	7 / 18	7 / 15	3 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	83	33	32	13	15
	2	0	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	3	19	3	
Number of transfers	0	0	13	2	
Average number of embryos transferred			1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)			9 / 15	1 / 1	
Percentage of transfers resulting in pregnancies (%)			9 / 13	2 / 2	
Percentage of transfers resulting in live births (%)			8 / 13	1 / 2	
Percentage of transfers resulting in singleton live births (%)			8 / 13	1 / 2	
Percentage of transfers resulting in twin live births (%)			0 / 13	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			6 / 13	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Overlake Reproductive Health, Inc., PS

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE BELLEVUE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James I. Kustin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	91%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 1% Female & male factors 4%
Unstimulated	0%	PGD/PGS	65%	Ovulatory dysfunction	4%	Male factor	9%	
Used gestational carrier	1%			Diminished ovarian reserve	7%	Other factor	66%	
				Endometriosis	1%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 211
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	17	13	3	3
Percentage of cancellations before retrieval (%)	1 / 18	0 / 17	0 / 13	0 / 3	0 / 3
Number of transfers	11	8	6	1	3
Average number of embryos transferred	2.0	2.0	1.7	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 6	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7 / 18	1 / 17	2 / 13	1 / 3	1 / 3
Percentage of cycles resulting in live births (%)	6 / 18	1 / 17	2 / 13	1 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	4 / 18	1 / 17	2 / 13	1 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 18	0 / 17	0 / 13	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 18	0 / 17	1 / 13	1 / 3	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.9	1 / 16	2 / 10	1 / 2	1 / 3
Percentage of transfers resulting in pregnancies (%)	7 / 11	1 / 8	2 / 6	1 / 1	1 / 3
Percentage of transfers resulting in live births (%)	6 / 11	1 / 8	2 / 6	1 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 11	1 / 8	2 / 6	1 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 8	0 / 6	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	0 / 8	1 / 6	1 / 1	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	19	14	2	2
Number of transfers	22	14	11	2	2
Estimated average number of transfers per retrieval	0.6	0.6	1.1	0.4	0.4
Average number of embryos transferred	1.5	1.6	1.5	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	25.0	26.1	4 / 17	0 / 6	1 / 4
Percentage of transfers resulting in pregnancies (%)	31.8	5 / 14	3 / 11	0 / 2	1 / 2
Percentage of transfers resulting in live births (%)	27.3	4 / 14	3 / 11	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	22.7	3 / 14	3 / 11	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	4.5	1 / 14	0 / 11	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	22.7	3 / 14	2 / 11	0 / 2	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	36	16	9	5	5
	1	0	0	1	1
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	13	0	
Number of transfers	1	0	10	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		10.0		
Percentage of transfers resulting in pregnancies (%)	0 / 1		2 / 10		
Percentage of transfers resulting in live births (%)	0 / 1		1 / 10		
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 10		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 10		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 1		1 / 10		

CURRENT SERVICES & PROFILE

Current Name: Washington Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BELLINGHAM IVF & INFERTILITY CARE BELLINGHAM, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Emmett F. Branigan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	90%	Tubal factor	10%	Uterine factor	9%	Multiple Factors: Female factors only 1% Female & male factors 72%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	93%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	9%	
				Endometriosis	4%	Unknown factor	5%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 83
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	34	4	5	2	2
Percentage of cancellations before retrieval (%)	2.9	0 / 4	0 / 5	0 / 2	0 / 2
Number of transfers	31	4	5	2	2
Average number of embryos transferred	1.9	2.0	2.0	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	3.3	0 / 4	0 / 5	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	2 / 4	1 / 5	0 / 2	0 / 2
Percentage of cycles resulting in live births (%)	50.0	1 / 4	1 / 5	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	50.0	1 / 4	1 / 5	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0 / 4	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	38.2	1 / 4	1 / 5	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.3	2 / 8	1 / 10	0 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	54.8	2 / 4	1 / 5	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	54.8	1 / 4	1 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	54.8	1 / 4	1 / 5	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 4	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.9	1 / 4	1 / 5	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	5	4	2	3
Number of transfers	16	5	4	2	3
Estimated average number of transfers per retrieval	1.6		1.3	2.0	3.0
Average number of embryos transferred	1.9	1.8	2.0	2.0	2.3
Percentage of embryos transferred resulting in implantation (%)	41.4	4 / 9	1 / 8	0 / 4	0 / 7
Percentage of transfers resulting in pregnancies (%)	11 / 16	4 / 5	1 / 4	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	10 / 16	3 / 5	1 / 4	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	8 / 16	3 / 5	1 / 4	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 5	0 / 4	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 16	2 / 5	1 / 4	0 / 2	0 / 3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	2	0	
Number of transfers	3	0	2	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 6		0 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 3		0 / 2		
Percentage of transfers resulting in live births (%)	2 / 3		0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 3		0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3		0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Bellingham IVF & Infertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

POMA FERTILITY KIRKLAND, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael S. Opsahl, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	44%	Tubal factor	13%	Uterine factor	6%	Multiple Factors: Female factors only 11% Female & male factors 19%
Unstimulated	<1%	PGD/PGS	26%	Ovulatory dysfunction	7%	Male factor	35%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	21%	
				Endometriosis	10%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 487
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	70	44	27	2	4
Percentage of cancellations before retrieval (%)	7.1	2.3	14.8	0 / 2	0 / 4
Number of transfers	63	37	21	2	3
Average number of embryos transferred	1.5	2.1	2.4	3.5	2.3
Percentage of elective single embryo transfers (eSET) (%)	46.8	17.1	0 / 18	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	60.0	36.4	48.1	1 / 2	0 / 4
Percentage of cycles resulting in live births (%)	55.7	31.8	44.4	1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	40.0	27.3	29.6	1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	15.7	2.3	14.8	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	31.4	25.0	22.2	1 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	56.8	27.8	41.2	1 / 7	0 / 7
Percentage of transfers resulting in pregnancies (%)	66.7	43.2	61.9	1 / 2	0 / 3
Percentage of transfers resulting in live births (%)	61.9	37.8	57.1	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	44.4	32.4	38.1	1 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	17.5	2.7	19.0	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.9	29.7	28.6	1 / 2	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	59	42	39	11	5
Number of transfers	48	37	27	4	2
Estimated average number of transfers per retrieval	1.0	1.2	0.9	0.4	0.2
Average number of embryos transferred	1.3	1.1	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	37.9	56.1	57.1	3 / 8	1 / 1
Percentage of transfers resulting in pregnancies (%)	47.9	54.1	59.3	2 / 4	2 / 2
Percentage of transfers resulting in live births (%)	39.6	45.9	44.4	2 / 4	1 / 2
Percentage of transfers resulting in singleton live births (%)	37.5	40.5	40.7	2 / 4	1 / 2
Percentage of transfers resulting in twin live births (%)	2.1	5.4	3.7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	29.2	35.1	33.3	2 / 4	1 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	37	26	30	11	9
	5	2	3	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	20	16	31	3	
Number of transfers	12	10	29	3	
Average number of embryos transferred	1.1	1.7	1.3	2.7	
Percentage of embryos transferred resulting in implantation (%)	8 / 13	7 / 17	47.2	2 / 8	
Percentage of transfers resulting in pregnancies (%)	8 / 12	6 / 10	58.6	1 / 3	
Percentage of transfers resulting in live births (%)	8 / 12	6 / 10	44.8	1 / 3	
Percentage of transfers resulting in singleton live births (%)	8 / 12	5 / 10	37.9	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 10	6.9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	7 / 12	3 / 10	27.6	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Poma Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OLYMPIA WOMEN'S HEALTH OLYMPIA, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James F. Moruzzi, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	12%	Tubal factor	42%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 18%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	4%	
				Endometriosis	6%	Unknown factor	4%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 53
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	17	6	4	2	2
Percentage of cancellations before retrieval (%)	0 / 17	0 / 6	0 / 4	0 / 2	0 / 2
Number of transfers	9	5	4	1	2
Average number of embryos transferred	1.9	1.8	2.0	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 4	0 / 3	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 17	2 / 6	1 / 4	0 / 2	0 / 2
Percentage of cycles resulting in live births (%)	2 / 17	2 / 6	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 17	2 / 6	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 17	0 / 6	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 17	1 / 6	0 / 4	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 17	2 / 9	1 / 8	0 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 9	2 / 5	1 / 4	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	2 / 9	2 / 5	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 9	2 / 5	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 5	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9	1 / 5	0 / 4	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	1	0	2	0
Number of transfers	11	1	0	2	0
Estimated average number of transfers per retrieval	1.6			0.7	
Average number of embryos transferred	1.9	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	33.3	0 / 2		0 / 4	
Percentage of transfers resulting in pregnancies (%)	5 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	4 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	0 / 1		0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	2	0	0	1	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	0	2	0	
Number of transfers	2	0	2	0	
Average number of embryos transferred	2.0		1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 4		3 / 3		
Percentage of transfers resulting in pregnancies (%)	0 / 2		1 / 2		
Percentage of transfers resulting in live births (%)	0 / 2		1 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 2		0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 2		0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Olympia Women's Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS SEATTLE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lorna A. Marshall, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	66%	Tubal factor	6%	Uterine factor	3%	Multiple Factors: Female factors only 3% Female & male factors 3%
Unstimulated	0%	PGD/PGS	37%	Ovulatory dysfunction	7%	Male factor	21%	
Used gestational carrier	3%			Diminished ovarian reserve	42%	Other factor	9%	
				Endometriosis	7%	Unknown factor	13%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 1,142
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	54	34	32	28	13
Percentage of cancellations before retrieval (%)	13.0	23.5	21.9	21.4	3 / 13
Number of transfers	16	6	5	5	1
Average number of embryos transferred	1.5	1.7	1.8	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 13	0 / 4	0 / 4	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.0	8.8	3.1	3.6	0 / 13
Percentage of cycles resulting in live births (%)	11.1	5.9	0.0	3.6	0 / 13
Percentage of cycles resulting in singleton live births (%)	11.1	5.9	0.0	3.6	0 / 13
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	0.0	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	11.1	5.9	0.0	3.6	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.2	3 / 10	1 / 9	1 / 10	0 / 3
Percentage of transfers resulting in pregnancies (%)	7 / 16	3 / 6	1 / 5	1 / 5	0 / 1
Percentage of transfers resulting in live births (%)	6 / 16	2 / 6	0 / 5	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 16	2 / 6	0 / 5	1 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 6	0 / 5	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	6 / 16	2 / 6	0 / 5	1 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	171	126	92	46	16
Number of transfers	158	121	80	41	10
Estimated average number of transfers per retrieval	1.3	1.2	0.8	0.7	0.3
Average number of embryos transferred	1.2	1.1	1.1	1.1	1.1
Percentage of embryos transferred resulting in implantation (%)	57.7	59.1	48.4	51.1	8 / 11
Percentage of transfers resulting in pregnancies (%)	62.7	63.6	53.8	58.5	8 / 10
Percentage of transfers resulting in live births (%)	53.8	56.2	46.3	51.2	7 / 10
Percentage of transfers resulting in singleton live births (%)	50.6	52.9	45.0	51.2	7 / 10
Percentage of transfers resulting in twin live births (%)	2.5	3.3	1.3	0.0	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	44.3	50.4	43.8	48.8	7 / 10
Number of Egg or Embryo Banking Cycles					
	98	88	88	55	30
Number of fertility preservation cycles	29	26	26	15	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	25	0	109	37	
Number of transfers	18	0	105	35	
Average number of embryos transferred	1.1		1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	16 / 19		63.1	52.8	
Percentage of transfers resulting in pregnancies (%)	15 / 18		63.8	51.4	
Percentage of transfers resulting in live births (%)	12 / 18		55.2	34.3	
Percentage of transfers resulting in singleton live births (%)	11 / 18		52.4	31.4	
Percentage of transfers resulting in twin live births (%)	1 / 18		2.9	2.9	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	9 / 18		44.8	28.6	

CURRENT SERVICES & PROFILE

Current Name: Pacific Northwest Fertility and IVF Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SEATTLE REPRODUCTIVE MEDICINE SEATTLE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul S. Dudley, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	61%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	13%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	11%	
				Endometriosis	7%	Unknown factor	14%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 2,765
(includes 16 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	346	216	150	112	94
Percentage of cancellations before retrieval (%)	8.7	16.7	21.3	34.8	41.5
Number of transfers	266	159	91	57	29
Average number of embryos transferred	1.3	1.5	1.7	1.9	2.3
Percentage of elective single embryo transfers (eSET) (%)	64.5	38.5	12.7	4.5	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.5	35.2	25.3	12.5	3.2
Percentage of cycles resulting in live births (%)	35.8	31.0	16.7	6.3	1.1
Percentage of cycles resulting in singleton live births (%)	30.6	25.9	12.7	5.4	0.0
Percentage of cycles resulting in twin live births (%)	5.2	5.1	4.0	0.0	1.1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	28.0	24.1	10.0	4.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.9	36.0	31.3	12.9	3.4
Percentage of transfers resulting in pregnancies (%)	52.6	47.8	41.8	24.6	10.3
Percentage of transfers resulting in live births (%)	46.6	42.1	27.5	12.3	3.4
Percentage of transfers resulting in singleton live births (%)	39.8	35.2	20.9	10.5	0.0
Percentage of transfers resulting in twin live births (%)	6.8	6.9	6.6	0.0	3.4
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	36.5	32.7	16.5	8.8	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	351	230	181	74	42
Number of transfers	310	208	156	61	31
Estimated average number of transfers per retrieval	0.9	1.3	0.9	0.7	0.5
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	51.2	50.2	37.1	38.6	34.1
Percentage of transfers resulting in pregnancies (%)	57.7	54.8	43.6	50.8	45.2
Percentage of transfers resulting in live births (%)	48.7	48.1	34.0	37.7	38.7
Percentage of transfers resulting in singleton live births (%)	43.9	42.8	30.8	37.7	38.7
Percentage of transfers resulting in twin live births (%)	4.5	5.3	3.2	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	39.7	39.4	27.6	31.1	32.3
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	258	103	140	74	50
	61	36	43	18	9
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	37	129	98	64	
Number of transfers	32	112	89	59	
Average number of embryos transferred	1.2	1.4	1.2	1.4	
Percentage of embryos transferred resulting in implantation (%)	60.5	52.3	42.0	30.8	
Percentage of transfers resulting in pregnancies (%)	68.8	64.3	48.3	42.4	
Percentage of transfers resulting in live births (%)	56.3	52.7	41.6	39.0	
Percentage of transfers resulting in singleton live births (%)	50.0	45.5	39.3	39.0	
Percentage of transfers resulting in twin live births (%)	6.3	7.1	2.2	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	46.9	33.9	36.0	30.5	

CURRENT SERVICES & PROFILE

Current Name: Seattle Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUND FERTILITY CARE, PLLC SEATTLE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kathleen Lin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	47%	Tubal factor	13%	Uterine factor	6%	Multiple Factors: Female factors only 15% Female & male factors 16%
Unstimulated	0%	PGD/PGS	38%	Ovulatory dysfunction	9%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	15%	
				Endometriosis	7%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 106
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	7	3	0	3
Percentage of cancellations before retrieval (%)	0 / 7	2 / 7	0 / 3		1 / 3
Number of transfers	3	4	2	0	1
Average number of embryos transferred	2.0	1.8	3.0		4.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 2		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 7	4 / 7	0 / 3		1 / 3
Percentage of cycles resulting in live births (%)	1 / 7	4 / 7	0 / 3		0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 7	4 / 7	0 / 3		0 / 3
Percentage of cycles resulting in twin live births (%)	1 / 7	0 / 7	0 / 3		0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	0 / 7	4 / 7	0 / 3		0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 6	4 / 7	0 / 6		1 / 4
Percentage of transfers resulting in pregnancies (%)	1 / 3	4 / 4	0 / 2		1 / 1
Percentage of transfers resulting in live births (%)	1 / 3	4 / 4	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	4 / 4	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 4	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	4 / 4	0 / 2		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	8	3	4	11	2
Number of transfers	8	2	2	4	2
Estimated average number of transfers per retrieval	0.8	0.2	0.1	0.3	0.5
Average number of embryos transferred	1.1	1.0	1.5	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	7 / 8	0 / 1	0 / 3	1 / 5	2 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 8	1 / 2	0 / 2	1 / 4	2 / 2
Percentage of transfers resulting in live births (%)	5 / 8	0 / 2	0 / 2	1 / 4	2 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 8	0 / 2	0 / 2	1 / 4	2 / 2
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 2	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 8	0 / 2	0 / 2	1 / 4	2 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	8	9	15	15	4
	1	4	2	5	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	2	0	4	0	
Number of transfers	2	0	3	0	
Average number of embryos transferred	2.0		1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 4		1 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 2		1 / 3		
Percentage of transfers resulting in live births (%)	2 / 2		1 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2		1 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 2		0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2		0 / 3		

CURRENT SERVICES & PROFILE

Current Name: Sound Fertility Care, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY REPRODUCTIVE CARE
UNIVERSITY OF WASHINGTON
SEATTLE, WASHINGTON**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Genevieve S. Neal-Perry, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	62%	Tubal factor	38%	Uterine factor	7%	Multiple Factors: Female factors only 15% Female & male factors 48%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	15%	Male factor	64%	
Used gestational carrier	5%			Diminished ovarian reserve	35%	Other factor	16%	
				Endometriosis	4%	Unknown factor	9%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 139
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	10	10	1	6
Percentage of cancellations before retrieval (%)	10.3	3 / 10	1 / 10	1 / 1	2 / 6
Number of transfers	11	4	5	0	0
Average number of embryos transferred	1.3	1.8	1.8		
Percentage of elective single embryo transfers (eSET) (%)	2 / 5	1 / 4	1 / 4		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.8	1 / 10	2 / 10	0 / 1	0 / 6
Percentage of cycles resulting in live births (%)	10.3	1 / 10	1 / 10	0 / 1	0 / 6
Percentage of cycles resulting in singleton live births (%)	10.3	1 / 10	0 / 10	0 / 1	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0 / 10	1 / 10	0 / 1	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	10.3	1 / 10	0 / 10	0 / 1	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 14	1 / 7	3 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 11	1 / 4	2 / 5		
Percentage of transfers resulting in live births (%)	3 / 11	1 / 4	1 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 11	1 / 4	0 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 4	1 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 11	1 / 4	0 / 5		
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	11	7	5	0
Number of transfers	11	9	6	3	0
Estimated average number of transfers per retrieval	0.6	0.5	0.5	1.5	0.0
Average number of embryos transferred	1.2	1.0	1.2	1.7	
Percentage of embryos transferred resulting in implantation (%)	10 / 13	2 / 8	2 / 7	3 / 5	
Percentage of transfers resulting in pregnancies (%)	8 / 11	3 / 9	2 / 6	2 / 3	
Percentage of transfers resulting in live births (%)	7 / 11	1 / 9	1 / 6	2 / 3	
Percentage of transfers resulting in singleton live births (%)	5 / 11	1 / 9	1 / 6	2 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 9	0 / 6	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 11	0 / 9	0 / 6	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	18	13	2	3
	2	4	2	2	2
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: University Reproductive Care, University of Washington

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH SPOKANE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Edwin D. Robins, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	65%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 26%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	9%	Male factor	61%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	11%	
				Endometriosis	2%	Unknown factor	12%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 237
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	32	15	5	2	6
Percentage of cancellations before retrieval (%)	18.8	6 / 15	1 / 5	0 / 2	4 / 6
Number of transfers	12	3	1	0	0
Average number of embryos transferred	1.4	1.7	2.0		
Percentage of elective single embryo transfers (eSET) (%)	6 / 11	1 / 3	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.1	3 / 15	1 / 5	0 / 2	0 / 6
Percentage of cycles resulting in live births (%)	21.9	3 / 15	1 / 5	0 / 2	0 / 6
Percentage of cycles resulting in singleton live births (%)	18.8	3 / 15	1 / 5	0 / 2	0 / 6
Percentage of cycles resulting in twin live births (%)	3.1	0 / 15	0 / 5	0 / 2	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	15.6	3 / 15	1 / 5	0 / 2	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11 / 17	3 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)	9 / 12	3 / 3	1 / 1		
Percentage of transfers resulting in live births (%)	7 / 12	3 / 3	1 / 1		
Percentage of transfers resulting in singleton live births (%)	6 / 12	3 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	5 / 12	3 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	65	26	12	0	1
Number of transfers	64	26	12	0	1
Estimated average number of transfers per retrieval	1.7	1.6	1.7		0.1
Average number of embryos transferred	1.3	1.3	1.3		1.0
Percentage of embryos transferred resulting in implantation (%)	59.5	68.8	10 / 16		0 / 1
Percentage of transfers resulting in pregnancies (%)	65.6	73.1	10 / 12		0 / 1
Percentage of transfers resulting in live births (%)	54.7	61.5	7 / 12		0 / 1
Percentage of transfers resulting in singleton live births (%)	43.8	50.0	7 / 12		0 / 1
Percentage of transfers resulting in twin live births (%)	9.4	11.5	0 / 12		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	34.4	38.5	7 / 12		0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	29	14	5	0	4
	2	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	1	20	0	
Number of transfers	0	1	20	0	
Average number of embryos transferred		2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		0 / 2	73.1		
Percentage of transfers resulting in pregnancies (%)		0 / 1	80.0		
Percentage of transfers resulting in live births (%)		0 / 1	65.0		
Percentage of transfers resulting in singleton live births (%)		0 / 1	60.0		
Percentage of transfers resulting in twin live births (%)		0 / 1	5.0		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 1	45.0		

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SRM SPOKANE SPOKANE VALLEY, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brenda S. Houmar, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	19%	Uterine factor	<1%	Multiple Factors: Female factors only 2% Female & male factors 10%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	18%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	6%	
				Endometriosis	6%	Unknown factor	15%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 220
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	24	14	9	5
Percentage of cancellations before retrieval (%)	5.0	4.2	1 / 14	4 / 9	3 / 5
Number of transfers	22	19	12	3	2
Average number of embryos transferred	1.1	1.8	1.7	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	86.4	4 / 18	0 / 8	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.0	12.5	1 / 14	0 / 9	0 / 5
Percentage of cycles resulting in live births (%)	12.5	8.3	1 / 14	0 / 9	0 / 5
Percentage of cycles resulting in singleton live births (%)	10.0	4.2	1 / 14	0 / 9	0 / 5
Percentage of cycles resulting in twin live births (%)	2.5	4.2	0 / 14	0 / 9	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	7.5	0.0	1 / 14	0 / 9	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.1	14.3	5.0	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	45.5	3 / 19	1 / 12	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	22.7	2 / 19	1 / 12	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	18.2	1 / 19	1 / 12	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	4.5	1 / 19	0 / 12	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	13.6	0 / 19	1 / 12	0 / 3	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	15	6	3	0
Number of transfers	39	12	5	2	0
Estimated average number of transfers per retrieval	1.0	1.7	0.7	0.7	0.0
Average number of embryos transferred	1.3	1.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	39.1	6 / 11	3 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	43.6	7 / 12	3 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	33.3	4 / 12	3 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	20.5	2 / 12	3 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.8	2 / 12	0 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	20.5	2 / 12	3 / 5	0 / 2	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	21	1	6	3	1
	3	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	3	20	4	2	
Number of transfers	2	15	4	2	
Average number of embryos transferred	1.5	1.1	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 3	7 / 17	3 / 4	2 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 2	7 / 15	3 / 4	2 / 2	
Percentage of transfers resulting in live births (%)	1 / 2	5 / 15	3 / 4	2 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2	5 / 15	3 / 4	2 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 15	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 2	4 / 15	3 / 4	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: SRM Spokane

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GYFT CLINIC, PLLC
TACOMA, WASHINGTON**

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

MADIGAN ARMY MEDICAL CENTER TACOMA, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ronald D. Beesley, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	56%	Tubal factor	24%	Uterine factor	8%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	14%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	7%	
				Endometriosis	12%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 155
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	62	17	25	13	1
Percentage of cancellations before retrieval (%)	6.5	1 / 17	12.0	1 / 13	1 / 1
Number of transfers	52	14	22	8	0
Average number of embryos transferred	1.5	2.1	2.0	2.3	
Percentage of elective single embryo transfers (eSET) (%)	48.9	0 / 12	1 / 19	0 / 7	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.8	8 / 17	32.0	4 / 13	0 / 1
Percentage of cycles resulting in live births (%)	41.9	8 / 17	20.0	2 / 13	0 / 1
Percentage of cycles resulting in singleton live births (%)	27.4	6 / 17	16.0	1 / 13	0 / 1
Percentage of cycles resulting in twin live births (%)	14.5	2 / 17	4.0	1 / 13	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.8	5 / 17	12.0	1 / 13	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.3	33.3	18.6	6 / 18	
Percentage of transfers resulting in pregnancies (%)	55.8	8 / 14	36.4	4 / 8	
Percentage of transfers resulting in live births (%)	50.0	8 / 14	22.7	2 / 8	
Percentage of transfers resulting in singleton live births (%)	32.7	6 / 14	18.2	1 / 8	
Percentage of transfers resulting in twin live births (%)	17.3	2 / 14	4.5	1 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	30.8	5 / 14	13.6	1 / 8	
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	7	5	1	0
Number of transfers	20	7	5	1	0
Estimated average number of transfers per retrieval	1.8	1.8	5.0	0.5	
Average number of embryos transferred	1.7	1.7	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	45.5	5 / 11	3 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	60.0	4 / 7	3 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	55.0	2 / 7	3 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.0	1 / 7	3 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.0	0 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.0	1 / 7	3 / 5	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f					
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)					

CURRENT SERVICES & PROFILE

Current Name: Madigan Army Medical Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY FERTILITY CENTER CHARLESTON, WEST VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Pickens A. Gantt, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	100%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 13% Female & male factors 10%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	8%	
				Endometriosis	0%	Unknown factor	8%	

2016 ART SUCCESS RATES ^{c,d}	Total number of cycles ^d : 40 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)
---------------------------------------	---

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	9	1	2	1	2
Percentage of cancellations before retrieval (%)	0 / 9	0 / 1	0 / 2	0 / 1	0 / 2
Number of transfers	8	1	1	1	2
Average number of embryos transferred	1.9	1.0	2.0	2.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	0 / 7		0 / 1	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4 / 9	0 / 1	1 / 2	1 / 1	0 / 2
Percentage of cycles resulting in live births (%)	3 / 9	0 / 1	0 / 2	1 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	3 / 9	0 / 1	0 / 2	1 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 9	0 / 1	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 9	0 / 1	0 / 2	0 / 1	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 15	0 / 1	1 / 2	1 / 2	0 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 8	0 / 1	1 / 1	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	3 / 8	0 / 1	0 / 1	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 8	0 / 1	0 / 1	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 1	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 8	0 / 1	0 / 1	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	2	1	1	0
Number of transfers	9	2	0	1	0
Estimated average number of transfers per retrieval	3.0	2.0			
Average number of embryos transferred	2.2	1.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	15.0	0 / 2		0 / 2	
Percentage of transfers resulting in pregnancies (%)	3 / 9	0 / 2		0 / 1	
Percentage of transfers resulting in live births (%)	3 / 9	0 / 2		0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 2		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 2		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 9	0 / 2		0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	5	0	
Number of transfers	4	0	5	0	
Average number of embryos transferred	2.3		1.8		
Percentage of embryos transferred resulting in implantation (%)	2 / 9		1 / 9		
Percentage of transfers resulting in pregnancies (%)	2 / 4		1 / 5		
Percentage of transfers resulting in live births (%)	1 / 4		0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 4		0 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 4		0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4		0 / 5		

CURRENT SERVICES & PROFILE		Current Name: West Virginia University Fertility Center	
----------------------------	--	---	--

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CABELL HUNTINGTON HOSPITAL CENTER FOR ADVANCED REPRODUCTIVE MEDICINE HUNTINGTON, WEST VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William N. Burns, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	9%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	29%	
				Endometriosis	23%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 35
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	9	5	3	2	1
Percentage of cancellations before retrieval (%)	0 / 9	0 / 5	0 / 3	0 / 2	0 / 1
Number of transfers	8	5	3	2	0
Average number of embryos transferred	2.3	2.0	4.3	3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 4	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 9	3 / 5	3 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	6 / 9	2 / 5	2 / 3	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 9	2 / 5	2 / 3	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 9	0 / 5	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 9	2 / 5	1 / 3	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	10 / 18	4 / 10	4 / 13	0 / 6	
Percentage of transfers resulting in pregnancies (%)	6 / 8	3 / 5	3 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	6 / 8	2 / 5	2 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 8	2 / 5	2 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 8	0 / 5	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 8	2 / 5	1 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	1	0	1	1
Number of transfers	5	1	0	1	1
Estimated average number of transfers per retrieval	5.0				1.0
Average number of embryos transferred	1.8	1.0		2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	0 / 9	0 / 1		2 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 5	0 / 1		1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 5	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 5	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 5	0 / 1		0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Donor Eggs^f					
Number of cycles	4	1	2	0	
Number of transfers	4	1	2	0	
Average number of embryos transferred	2.0	3.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 8	0 / 3	1 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 4	0 / 1	1 / 2		
Percentage of transfers resulting in live births (%)	1 / 4	0 / 1	1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 1	1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 4	0 / 1	1 / 2		

CURRENT SERVICES & PROFILE

Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE MORGANTOWN, WEST VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gary M. Horowitz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	76%	Tubal factor	18%	Uterine factor	11%	Multiple Factors: Female factors only 14% Female & male factors 52%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	16%	Male factor	69%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	25%	
				Endometriosis	17%	Unknown factor	0%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 136
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	51	16	11	3	0
Percentage of cancellations before retrieval (%)	3.9	2 / 16	2 / 11	1 / 3	
Number of transfers	38	12	8	1	0
Average number of embryos transferred	1.8	1.7	1.9	2.0	
Percentage of elective single embryo transfers (eSET) (%)	12.9	1 / 8	1 / 7	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.5	3 / 16	2 / 11	1 / 3	
Percentage of cycles resulting in live births (%)	27.5	3 / 16	1 / 11	1 / 3	
Percentage of cycles resulting in singleton live births (%)	23.5	3 / 16	1 / 11	1 / 3	
Percentage of cycles resulting in twin live births (%)	3.9	0 / 16	0 / 11	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	17.6	1 / 16	1 / 11	1 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	24.6	15.0	1 / 13	1 / 2	
Percentage of transfers resulting in pregnancies (%)	36.8	3 / 12	2 / 8	1 / 1	
Percentage of transfers resulting in live births (%)	36.8	3 / 12	1 / 8	1 / 1	
Percentage of transfers resulting in singleton live births (%)	31.6	3 / 12	1 / 8	1 / 1	
Percentage of transfers resulting in twin live births (%)	5.3	0 / 12	0 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	23.7	1 / 12	1 / 8	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	7	2	0	0
Number of transfers	21	6	1	0	0
Estimated average number of transfers per retrieval	1.2	0.8	0.5		
Average number of embryos transferred	1.4	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	23.3	3 / 8	1 / 1		
Percentage of transfers resulting in pregnancies (%)	23.8	3 / 6	1 / 1		
Percentage of transfers resulting in live births (%)	19.0	3 / 6	1 / 1		
Percentage of transfers resulting in singleton live births (%)	9.5	3 / 6	1 / 1		
Percentage of transfers resulting in twin live births (%)	9.5	0 / 6	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4.8	2 / 6	0 / 1		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	4	8	2	0	0
	3	1	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	2	1	1	
Number of transfers	3	2	0	1	
Average number of embryos transferred	1.7	1.5		1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 5	0 / 3		1 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 3	0 / 2		1 / 1	
Percentage of transfers resulting in live births (%)	0 / 3	0 / 2		1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 2		1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	0 / 3	0 / 2		1 / 1	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: West Virginia University Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER GREEN BAY, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Estil Y. Strawn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	83%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 9% Female & male factors 51%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	31%	Male factor	68%	
Used gestational carrier	1%			Diminished ovarian reserve	10%	Other factor	47%	
				Endometriosis	7%	Unknown factor	3%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 181
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	54	11	4	1	0
Percentage of cancellations before retrieval (%)	11.1	2 / 11	1 / 4	0 / 1	
Number of transfers	39	5	3	1	0
Average number of embryos transferred	1.7	1.8	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	14.7	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.6	3 / 11	2 / 4	1 / 1	
Percentage of cycles resulting in live births (%)	40.7	3 / 11	1 / 4	1 / 1	
Percentage of cycles resulting in singleton live births (%)	27.8	3 / 11	1 / 4	1 / 1	
Percentage of cycles resulting in twin live births (%)	13.0	0 / 11	0 / 4	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.9	2 / 11	1 / 4	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.6	5 / 9	2 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	59.0	3 / 5	2 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	56.4	3 / 5	1 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	38.5	3 / 5	1 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	17.9	0 / 5	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.9	2 / 5	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	44	18	11	1	0
Number of transfers	41	17	11	1	0
Estimated average number of transfers per retrieval	2.0	1.3	1.2		
Average number of embryos transferred	1.4	1.2	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	58.9	52.4	8 / 13	0 / 1	
Percentage of transfers resulting in pregnancies (%)	68.3	9 / 17	8 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	56.1	9 / 17	6 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	39.0	7 / 17	6 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	17.1	2 / 17	0 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.7	6 / 17	4 / 11	0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	9	10	8	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	5	0	4	1	
Number of transfers	3	0	4	1	
Average number of embryos transferred	1.3		1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 4		5 / 7	1 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3		4 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 3		4 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3		3 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3		1 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3		1 / 4	1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services,
The Women's Center at Aurora BayCare Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FROEDTERT & MEDICAL COLLEGE OF WISCONSIN REPRODUCTIVE MEDICINE CENTER MENOMONEE FALLS, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Katherine Schoyer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	82%	Tubal factor	17%	Uterine factor	<1%	Multiple Factors: Female factors only 8% Female & male factors 13%
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	20%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	6%	
				Endometriosis	7%	Unknown factor	8%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 573
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	102	67	39	6	5
Percentage of cancellations before retrieval (%)	2.0	6.0	7.7	2 / 6	1 / 5
Number of transfers	73	44	22	3	1
Average number of embryos transferred	1.4	1.6	2.0	2.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	57.4	31.4	0 / 17	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.4	25.4	17.9	1 / 6	0 / 5
Percentage of cycles resulting in live births (%)	30.4	20.9	17.9	1 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	26.5	17.9	15.4	1 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	3.9	3.0	2.6	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	25.5	11.9	15.4	1 / 6	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.3	26.8	17.8	1 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.8	38.6	31.8	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	42.5	31.8	31.8	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.0	27.3	27.3	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	5.5	4.5	4.5	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	35.6	18.2	27.3	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	140	66	40	3	4
Number of transfers	132	62	39	2	2
Estimated average number of transfers per retrieval	2.0	1.7	1.2		2.0
Average number of embryos transferred	1.3	1.4	1.5	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	48.9	32.2	30.5	0 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	52.3	37.1	30.8	0 / 2	1 / 2
Percentage of transfers resulting in live births (%)	44.7	32.3	23.1	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	37.1	30.6	12.8	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	7.6	1.6	10.3	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	31.8	25.8	7.7	0 / 2	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	9	14	0	1
	8	1	2	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	12	13	19	5	
Number of transfers	11	9	16	4	
Average number of embryos transferred	1.1	1.9	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 12	3 / 17	28.6	2 / 8	
Percentage of transfers resulting in pregnancies (%)	5 / 11	2 / 9	5 / 16	2 / 4	
Percentage of transfers resulting in live births (%)	5 / 11	2 / 9	5 / 16	2 / 4	
Percentage of transfers resulting in singleton live births (%)	5 / 11	1 / 9	4 / 16	2 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 11	1 / 9	1 / 16	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 11	1 / 9	3 / 16	2 / 4	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE MIDDLETON, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christina E. Broadwell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	54%	Tubal factor	13%	Uterine factor	1%	Multiple Factors: Female factors only 6% Female & male factors 24%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	20%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	7%	
				Endometriosis	7%	Unknown factor	21%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 258
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	58	29	17	1	0
Percentage of cancellations before retrieval (%)	8.6	13.8	6 / 17	0 / 1	
Number of transfers	48	21	11	1	0
Average number of embryos transferred	1.3	1.4	1.7	1.0	
Percentage of elective single embryo transfers (eSET) (%)	70.7	10 / 19	0 / 8		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.1	48.3	4 / 17	0 / 1	
Percentage of cycles resulting in live births (%)	36.2	37.9	4 / 17	0 / 1	
Percentage of cycles resulting in singleton live births (%)	31.0	27.6	2 / 17	0 / 1	
Percentage of cycles resulting in twin live births (%)	5.2	10.3	2 / 17	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	27.6	24.1	0 / 17	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.3	53.6	6 / 19	0 / 1	
Percentage of transfers resulting in pregnancies (%)	52.1	66.7	4 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	43.8	52.4	4 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	37.5	38.1	2 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.3	14.3	2 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	33.3	33.3	0 / 11	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	59	28	13	4	0
Number of transfers	58	28	13	3	0
Estimated average number of transfers per retrieval	1.6	2.5	1.9	3.0	0.0
Average number of embryos transferred	1.3	1.3	1.4	1.7	
Percentage of embryos transferred resulting in implantation (%)	52.8	57.6	8 / 18	2 / 5	
Percentage of transfers resulting in pregnancies (%)	62.1	71.4	7 / 13	2 / 3	
Percentage of transfers resulting in live births (%)	50.0	57.1	5 / 13	2 / 3	
Percentage of transfers resulting in singleton live births (%)	44.8	53.6	4 / 13	2 / 3	
Percentage of transfers resulting in twin live births (%)	5.2	3.6	1 / 13	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	37.9	50.0	4 / 13	1 / 3	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	17	4	5	1	2
	6	2	3	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	17	2	0	
Number of transfers	0	14	2	0	
Average number of embryos transferred		1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)		42.9	1 / 2		
Percentage of transfers resulting in pregnancies (%)		7 / 14	1 / 2		
Percentage of transfers resulting in live births (%)		7 / 14	0 / 2		
Percentage of transfers resulting in singleton live births (%)		5 / 14	0 / 2		
Percentage of transfers resulting in twin live births (%)		2 / 14	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		3 / 14	0 / 2		

CURRENT SERVICES & PROFILE

Current Name: University of Wisconsin-Generations Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WISCONSIN FERTILITY INSTITUTE MIDDLETON, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Elizabeth Pritts, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	71%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 4%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	7%	Male factor	14%	
Used gestational carrier	2%			Diminished ovarian reserve	40%	Other factor	7%	
				Endometriosis	4%	Unknown factor	26%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 365
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	11	8	1	4
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 8	0 / 1	0 / 4
Number of transfers	6	3	2	0	2
Average number of embryos transferred	2.0	2.0	2.5		1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 5	0 / 3	0 / 2		1 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4.8	0 / 11	1 / 8	0 / 1	0 / 4
Percentage of cycles resulting in live births (%)	4.8	0 / 11	1 / 8	0 / 1	0 / 4
Percentage of cycles resulting in singleton live births (%)	2.4	0 / 11	1 / 8	0 / 1	0 / 4
Percentage of cycles resulting in twin live births (%)	2.4	0 / 11	0 / 8	0 / 1	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	2.4	0 / 11	1 / 8	0 / 1	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 12	0 / 6	1 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 6	0 / 3	1 / 2		0 / 2
Percentage of transfers resulting in live births (%)	2 / 6	0 / 3	1 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 3	1 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 3	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 6	0 / 3	1 / 2		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	44	27	3	3
Number of transfers	88	43	24	3	2
Estimated average number of transfers per retrieval	1.6	1.9	1.5	1.5	0.3
Average number of embryos transferred	1.7	1.7	1.8	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)	26.2	28.4	16.3	0 / 8	0 / 4
Percentage of transfers resulting in pregnancies (%)	37.5	41.9	29.2	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	28.4	34.9	25.0	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	21.6	30.2	25.0	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	5.7	4.7	0.0	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	18.2	25.6	12.5	0 / 3	0 / 2
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	25	15	12	2	5
	12	10	6	0	4
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	1	0	36	22	
Number of transfers	0	0	31	17	
Average number of embryos transferred			1.5	1.9	
Percentage of embryos transferred resulting in implantation (%)			31.1	24.2	
Percentage of transfers resulting in pregnancies (%)			32.3	6 / 17	
Percentage of transfers resulting in live births (%)			25.8	6 / 17	
Percentage of transfers resulting in singleton live births (%)			16.1	4 / 17	
Percentage of transfers resulting in twin live births (%)			9.7	2 / 17	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)			12.9	4 / 17	

CURRENT SERVICES & PROFILE

Current Name: Wisconsin Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY CENTER MILWAUKEE, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Grace M. Janik, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	30%	Tubal factor	23%	Uterine factor	0%	Multiple Factors: Female factors only 7% Female & male factors 12%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	2%	
				Endometriosis	23%	Unknown factor	19%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 44
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	10	5	6	1	3
Percentage of cancellations before retrieval (%)	0 / 10	1 / 5	0 / 6	0 / 1	0 / 3
Number of transfers	9	4	6	1	3
Average number of embryos transferred	1.7	1.8	2.3	2.0	3.3
Percentage of elective single embryo transfers (eSET) (%)	3 / 9	1 / 4	0 / 5	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7 / 10	1 / 5	1 / 6	0 / 1	0 / 3
Percentage of cycles resulting in live births (%)	5 / 10	1 / 5	1 / 6	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	4 / 10	1 / 5	1 / 6	0 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	1 / 10	0 / 5	0 / 6	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	4 / 10	1 / 5	1 / 6	0 / 1	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 14	1 / 7	1 / 14	0 / 2	0 / 10
Percentage of transfers resulting in pregnancies (%)	7 / 9	1 / 4	1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	5 / 9	1 / 4	1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 9	1 / 4	1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 4	0 / 6	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	4 / 9	1 / 4	1 / 6	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	3	1	1	0
Number of transfers	12	3	0	1	0
Estimated average number of transfers per retrieval	2.4	3.0			
Average number of embryos transferred	1.8	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 19	1 / 6		0 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	3 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 3		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 12	1 / 3		0 / 1	
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	0	0	1	
Number of transfers	0	0	0	1	
Average number of embryos transferred				2.0	
Percentage of embryos transferred resulting in implantation (%)				1 / 2	
Percentage of transfers resulting in pregnancies (%)				1 / 1	
Percentage of transfers resulting in live births (%)				1 / 1	
Percentage of transfers resulting in singleton live births (%)				1 / 1	
Percentage of transfers resulting in twin live births (%)				0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)				1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialty Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GUNDERSEN FERTILITY CENTER ONALASKA, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Catherine R. Ryan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	69%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 17% Female & male factors 30%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	29%	Male factor	43%	
Used gestational carrier	1%			Diminished ovarian reserve	21%	Other factor	34%	
				Endometriosis	14%	Unknown factor	7%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 79
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	11	4	1	0	0
Percentage of cancellations before retrieval (%)	1 / 11	1 / 4	0 / 1		
Number of transfers	9	1	0	0	0
Average number of embryos transferred	1.3	2.0			
Percentage of elective single embryo transfers (eSET) (%)	6 / 9	0 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 11	1 / 4	0 / 1		
Percentage of cycles resulting in live births (%)	3 / 11	1 / 4	0 / 1		
Percentage of cycles resulting in singleton live births (%)	3 / 11	1 / 4	0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 11	0 / 4	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	3 / 11	0 / 4	0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 12	1 / 2			
Percentage of transfers resulting in pregnancies (%)	5 / 9	1 / 1			
Percentage of transfers resulting in live births (%)	3 / 9	1 / 1			
Percentage of transfers resulting in singleton live births (%)	3 / 9	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	3 / 9	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	12	5	1	0
Number of transfers	24	10	5	0	0
Estimated average number of transfers per retrieval	2.2	2.5	5.0		
Average number of embryos transferred	1.3	2.0	2.2		
Percentage of embryos transferred resulting in implantation (%)	62.5	50.0	3 / 11		
Percentage of transfers resulting in pregnancies (%)	75.0	7 / 10	3 / 5		
Percentage of transfers resulting in live births (%)	54.2	5 / 10	2 / 5		
Percentage of transfers resulting in singleton live births (%)	50.0	2 / 10	2 / 5		
Percentage of transfers resulting in twin live births (%)	4.2	3 / 10	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	41.7	1 / 10	2 / 5		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	7	2	0	0	0
	0	0	0	0	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	0	6	4	0	
Number of transfers	0	3	4	0	
Average number of embryos transferred		1.3	1.5		
Percentage of embryos transferred resulting in implantation (%)		1 / 4	3 / 6		
Percentage of transfers resulting in pregnancies (%)		1 / 3	3 / 4		
Percentage of transfers resulting in live births (%)		1 / 3	3 / 4		
Percentage of transfers resulting in singleton live births (%)		1 / 3	3 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)		0 / 3	1 / 4		

CURRENT SERVICES & PROFILE

Current Name: Gundersen Fertility Center

Donor eggs?	No	Embryo cryopreservation?	No	Single women?	No	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	No

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS WEST ALLIS, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Estil Y. Strawn, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^{a,b}				
IVF	100%	With ICSI	68%	Tubal factor	17%	Uterine factor	9%	Multiple Factors: Female factors only 15% Female & male factors 59%
Unstimulated	0%	PGD/PGS	44%	Ovulatory dysfunction	12%	Male factor	68%	
Used gestational carrier	1%			Diminished ovarian reserve	31%	Other factor	62%	
				Endometriosis	5%	Unknown factor	<1%	

2016 ART SUCCESS RATES^{c,d}

Total number of cycles^d: 266
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	10	3	4	4	0
Percentage of cancellations before retrieval (%)	3 / 10	1 / 3	3 / 4	4 / 4	
Number of transfers	3	0	0	0	0
Average number of embryos transferred	2.0				
Percentage of elective single embryo transfers (eSET) (%)	0 / 3				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in live births (%)	2 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in singleton live births (%)	1 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in twin live births (%)	1 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births ^e (%)	1 / 10	0 / 3	0 / 4	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 6				
Percentage of transfers resulting in pregnancies (%)	2 / 3				
Percentage of transfers resulting in live births (%)	2 / 3				
Percentage of transfers resulting in singleton live births (%)	1 / 3				
Percentage of transfers resulting in twin live births (%)	1 / 3				
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	1 / 3				
Frozen Embryos from Nondonor Eggs					
Number of cycles	60	43	18	0	0
Number of transfers	55	33	15	0	0
Estimated average number of transfers per retrieval	1.1	1.0	1.1	0.0	0.0
Average number of embryos transferred	1.3	1.2	1.3		
Percentage of embryos transferred resulting in implantation (%)	68.7	65.0	11 / 19		
Percentage of transfers resulting in pregnancies (%)	80.0	63.6	10 / 15		
Percentage of transfers resulting in live births (%)	63.6	51.5	8 / 15		
Percentage of transfers resulting in singleton live births (%)	60.0	36.4	6 / 15		
Percentage of transfers resulting in twin live births (%)	3.6	15.2	2 / 15		
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	56.4	33.3	6 / 15		
Number of Egg or Embryo Banking Cycles					
Number of fertility preservation cycles	49	32	14	11	3
	3	2	2	1	0
Donor Eggs^f					
	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
Number of cycles	4	0	10	1	
Number of transfers	3	0	10	1	
Average number of embryos transferred	1.7		1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 5		10 / 16		
Percentage of transfers resulting in pregnancies (%)	3 / 3		9 / 10	1 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		9 / 10	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 3		8 / 10	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3		1 / 10	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births ^e (%)	2 / 3		7 / 10	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services, West Allis

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

^a Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

2016

Appendix A

Technical Notes



APPENDIX A: TECHNICAL NOTES

Validation of 2016 ART Data

Site visits to assisted reproductive technology (ART) clinics for validation of 2016 ART data were conducted during April through June 2018. For validation of 2016 data, 34 of the 463 reporting clinics were randomly selected after taking into consideration the number of ART cycles performed at each clinic, some cycle and clinic characteristics, and whether the clinic had been selected before. During each validation visit, ART data reported by the clinic to CDC were compared with information documented in medical records.

For each clinic, the fully validated sample included up to 40 cycles resulting in pregnancy and up to 20 cycles not resulting in pregnancy. Up to 10 cycles using donor eggs or embryos were included among the fully validated sample at each clinic. In total, 1,993 ART cycles performed in 2016 across the 34 clinics were randomly

selected for full validation, along with 337 egg or embryo banking cycles selected for partial validation. The full validation included review of 1,263 cycles for which a pregnancy was reported. Among the nondonor cycles, 202 were multiple-fetus pregnancies. In addition, among patients whose cycles were fully validated, we verified the number of ART cycles performed during 2016. For each of these patients, we compared the total number of cycles reported with the total number of cycles in the medical record. If unreported ART cycles were identified in selected medical records, up to 10 of these cycles were also selected for partial validation.

Discrepancy rates are listed on the next pages for the validated items of interest. Overall, validation of 2016 ART cycle data indicated that most discrepancy rates were low (less than 4%).

Discrepancy Rates by Data Fields Selected for Validation

Data Field Name	Discrepancy Rate* (Confidence Interval†)	Comments
Patient date of birth	0.5% (0.2–1.5)	
Cycle intention	1.9% (0.7–4.8)	For 61% of discrepancies, the intended banking cycles were misreported as non-banking cycles.
Cycle cancellation	0.1% (0.0–0.8)	
Number of eggs or embryos transferred	0.5% (0.1–1.7)	
Outcome of ART treatment (i.e., pregnant or not pregnant)	0.5% (0.1–1.8)	
Number of fetal hearts on ultrasound	1.2% (0.4–3.4)	For about 45% of discrepancies, one or more fetal hearts indicated in the medical record was misreported as having no fetal hearts. For 26% of discrepancies, absence of fetal hearts confirmed in the medical record was misreported as single-fetus or multiple-fetus pregnancy.
Pregnancy outcome (for example, miscarriage, live birth, or stillbirth)	0.4% (0.1–1.3)	
Date of pregnancy outcome	1.5% (0.8–2.8)	For 20% of discrepancies, there was no information on pregnancy outcome date in the medical record, but pregnancy outcome date was reported. For approximately 12% of discrepancies, pregnancy outcome date was not reported by the clinic, but was indicated in the medical record.
Number of infants born	0.4% (0.1–1.3)	
Cycle count	1.9% (1.1–3.4)	For 67% of discrepancies, more cycles were reported by the clinic than were found in the medical record.

Discrepancy Rates by Data Fields Selected for Validation (Cont'd)

Data Field Name	Discrepancy Rate* (Confidence Interval†)	Comments
Patient Diagnosis—Reason for ART		
Tubal factor	1.5% (0.8–3.0)	Tubal factor was over reported. For 88% of discrepancies, tubal factor diagnosis was not confirmed by medical record.
Ovulatory dysfunction	15.2% (9.6–23.4)	Ovulatory dysfunction was initially over reported due to inconsistent definitions between CDC and SART. This resulted in the majority of discrepancies for ovulatory dysfunction during validation. The definition of this diagnosis has been standardized for this report.
Diminished ovarian reserve	4.7% (2.8–7.8)	Diminished ovarian reserve was underreported. For 56% of discrepancies, diagnosis of diminished ovarian reserve was found in medical records, but was not reported by the clinic.
Endometriosis	0.8% (0.4–1.7)	
Uterine factor	1.9% (1.1–3.1)	Uterine factor was underreported. For 88% of discrepancies, uterine factor diagnosis was found in medical records, but was not reported by the clinic.
Male factor	3.0% (1.5–5.8)	Male factor was underreported. For 60% of discrepancies, male factor was found in medical records, but was not reported by the clinic.
Other factor	5.9% (3.9–8.8)	Other factor was over reported. For 68% of discrepancies, other factors were not confirmed by medical record.
Unknown factor	2.7% (1.5–4.7)	Unknown factor was over reported. For 72% of discrepancies, unknown factor was reported, but another diagnosis was found in medical records.

Note: ART = assisted reproductive technology.

* Discrepancy rates estimate the proportion of all ART cycles with differences for a particular data item. The discrepancy rate calculations weight the data from validated cycles to reflect the overall number of cycles performed at each clinic. Thus, findings from larger clinical practices were weighted more heavily than those from smaller practices.

† This table shows a range, called the 95% confidence interval, that conveys the reliability of the discrepancy rate. For a general explanation of confidence intervals, see page 530.

How to Interpret Confidence Intervals for Discrepancy Rates

What is a confidence interval?

Simply speaking, confidence intervals are a useful way to consider margin of error, a statistic often used in voter polls to indicate the range within which a value is likely to be correct (for example, 30% of the voters favor a particular candidate with a margin of error of plus or minus 3.5%).

Why do we need to consider confidence intervals if we already know the exact discrepancy rates for each clinic?

No discrepancy rate or statistic is absolute. Suppose that during validation, a sample of 100 cycles was reviewed, and a discrepancy rate of 15% was determined for a particular data item with a 95% confidence interval of 10%–20%. The 15% discrepancy rate tells us that we estimate the average chance that a discrepancy occurred for the selected data field among all reported cycles to be 15% based on the results of our sample of 100 cycles. However, that estimated discrepancy rate may not match the true discrepancy rate that we would calculate if we were to validate every single cycle during a reporting year.

The 95% confidence interval tells us that we are 95% confident that the true discrepancy rate is between 10% and 20%. In other words, if we were to repeat the process of selecting a sample of 100 cycles many times, calculating the discrepancy rate and 95% confidence interval for each sample, we would expect 95% of the calculated confidence intervals to capture the true discrepancy rate.

2016

Appendix B

Glossary of Terms



APPENDIX B: GLOSSARY OF TERMS

American Society for Reproductive Medicine (ASRM). Professional society whose affiliate organization, the Society for Assisted Reproductive Technology (SART), is composed of clinics and programs that provide ART.

ART (assisted reproductive technology). All treatments or procedures that include the handling of human eggs or embryos to help a woman become pregnant. ART includes but is not limited to in vitro fertilization (IVF), gamete intrafallopian transfer (GIFT), zygote intrafallopian transfer (ZIFT), tubal embryo transfer, egg and embryo cryopreservation, egg and embryo donation, and gestational surrogacy.

ART cycle. An ART cycle starts when a woman begins taking fertility drugs or having her ovaries monitored for follicle production. If eggs are produced, the cycle progresses to egg retrieval. Retrieved eggs are combined with sperm to create embryos. If fertilization is successful, at least one embryo is selected for transfer. If implantation occurs, the cycle may progress to clinical pregnancy and possibly live birth. ART cycles include any process in which (1) an ART procedure is performed, (2) a woman has undergone ovarian stimulation or monitoring with the intent of having an ART procedure, or (3) frozen embryos have been thawed with the intent of transferring them to a woman.

Canceled cycle. An ART cycle in which ovarian stimulation was performed but the cycle was stopped before eggs were retrieved or, in the case of frozen embryo cycles, before embryos were transferred. Cycles are canceled for many reasons: eggs may not develop, the patient may become ill, or the patient may choose to stop treatment.

Cryopreservation. The practice of freezing eggs or embryos from a patient's ART cycle for potential future use.

Diminished ovarian reserve. This diagnosis means that the ability of the ovary to produce eggs is reduced. Reasons include congenital, medical, or surgical causes.

Donor egg cycle. An ART cycle in which an embryo is formed from the egg of one woman (the donor) and then transferred to another woman (the recipient). Sperm from either a female patient's partner, a male patient, or a sperm donor may be used.

Donated embryo cycle. An ART cycle in which an embryo that is donated by a patient or couple who previously underwent ART treatment and had extra embryos available is transferred to another woman (the recipient).

Ectopic pregnancy. A pregnancy in which the fertilized egg implants in a location outside of the uterus—usually in the fallopian tube, the ovary, or the abdominal cavity. Ectopic pregnancy is a dangerous condition that must receive prompt medical treatment.

Egg. A female reproductive cell, also called an oocyte or ovum.

Egg or embryo banking cycle. An ART cycle started with the intention of freezing (cryopreserving) all resulting eggs or embryos for potential future use.

Egg retrieval (also called oocyte retrieval). A procedure to collect the eggs contained in the ovarian follicles.

Egg transfer (also called oocyte transfer). The transfer of retrieved eggs into a woman's fallopian tubes through laparoscopy. This procedure is used only in GIFT.

Embryo. An egg that has been fertilized by a sperm and has then undergone one or more cell divisions.

Embryo transfer. Placement of embryos into a woman's uterus through the cervix after IVF: in ZIFT, zygotes are placed in a woman's fallopian tube.

Endometriosis. A medical condition that involves the presence of tissue similar to the uterine lining in abnormal locations.

eSET (elective single embryo transfer). Elective single embryo transfer is a procedure in which one embryo, selected from a larger number of available embryos, is placed in the uterus or fallopian tube. The embryo selected for eSET might be a frozen (cryopreserved) embryo from a previous IVF cycle or a fresh embryo selected from a larger number of fresh embryos yielded during the current IVF cycle.

Female factor infertility. Infertility due to ovulatory disturbances, diminished ovarian reserve, pelvic abnormalities affecting the reproductive tract, or other abnormalities of the reproductive system.

Fertility Clinic Success Rate and Certification Act of 1992 (FCSRCA). Law passed by the United States Congress in 1992 requiring all clinics performing ART in the United States to annually report their success rate data to CDC.

Fertility preservation. A cycle started with the intent to freeze all resulting eggs or embryos for 12 months or longer in order to preserve future fertility.

Fertilization. The penetration of the egg by the sperm and the resulting combining of genetic material that develops into an embryo.

Fetus. The unborn offspring from the eighth week after conception to the moment of birth.

Follicle. A structure in the ovaries that contains a developing egg.

Fresh eggs, sperm, or embryos. Eggs, sperm, or embryos that have not been frozen.

Fresh embryo cycle. An ART cycle in which fresh (never frozen) embryos are transferred to the woman. The fresh embryos are conceived with fresh eggs and fresh or frozen sperm.

Frozen egg cycle. An ART cycle in which frozen (cryopreserved) eggs are thawed, fertilized, and then the resulting fresh embryo is transferred to the woman. Frozen and thawed eggs may be fertilized with either fresh or frozen sperm.

Frozen embryo cycle. An ART cycle in which frozen (cryopreserved) embryos are thawed and transferred to a woman. Frozen embryos may have been conceived using fresh or frozen eggs and fresh or frozen sperm.

Gamete. A reproductive cell, either a sperm or an egg.

Gestational age. The deviation of time from estimated last menstrual period (LMP) to birth. LMP is estimated using the date of retrieval or transfer.

Gestational carrier (also called a gestational surrogate). A woman who gestates, or carries, an embryo that was formed from the egg of another woman with the expectation of returning the infant to its intended parents.

Gestational sac. A fluid-filled structure that develops within the uterus early in pregnancy. In a normal pregnancy, a gestational sac contains a developing fetus.

GIFT (gamete intrafallopian transfer). An ART procedure that involves removing eggs from the woman's ovary and using a laparoscope to place the unfertilized eggs and sperm into a woman's fallopian tube through small incisions in her abdomen.

ICSI (intracytoplasmic sperm injection). A procedure in which a single sperm is injected directly into an egg; this procedure is commonly used to overcome male infertility problems.

Implantation rate. A measurement of ART success when the ART cycle results in an intrauterine clinical pregnancy, defined as the larger of either the number of maximum fetal hearts by ultrasound or maximum infants born, including live births and stillbirths, out of the total number of embryos transferred.

Induced or therapeutic abortion. A procedure used to end a pregnancy.

Infertility. In general, infertility refers to the inability to conceive after 12 months of unprotected intercourse. Female patients aged 35 and older unable to conceive after 6 months of unprotected intercourse generally are considered infertile for the purpose of initiating medical treatment.

IUI (intrauterine insemination). A medical procedure that involves placing sperm into a woman's uterus to facilitate fertilization. IUI is not considered an ART procedure because it does not involve the manipulation of eggs.

IVF (in vitro fertilization). An ART procedure that involves removing eggs from a woman's ovaries and fertilizing them outside her body. The resulting embryos are then transferred into a woman's uterus through the cervix.

Live birth. The delivery of one or more infants with any signs of life.

Male factor infertility. Any cause of infertility due to low sperm count or problems with sperm function that makes it difficult for a sperm to fertilize an egg under normal conditions.

Miscarriage (also called spontaneous abortion). A pregnancy ending in the spontaneous loss of the embryo or fetus before 20 weeks of gestation.

Multifetal pregnancy reduction. A procedure used to decrease the number of fetuses a woman carries and improve the chances that the remaining fetuses will develop into healthy infants. Multifetal reductions that occur naturally are referred to as spontaneous reductions.

Multiple factor infertility, female and male. A diagnostic category used when one or more female cause of infertility and male factor infertility are diagnosed.

Multiple factor infertility, female only. A diagnostic category used when more than one female cause of infertility but no male factor infertility is diagnosed.

Multiple-fetus pregnancy. A pregnancy with two or more fetuses, determined by the number of fetal hearts observed on an ultrasound.

Multiple-infant birth. A pregnancy that results in the birth of more than one infant.

NASS (National ART Surveillance System). Web-based data collection system used by all ART clinics to report data for each ART procedure to CDC.

Nondonor cycle. An ART cycle in which an embryo is formed from the egg of a female patient and either partner or donor sperm and then transferred back to the patient.

Oocyte. The female reproductive cell, also called an egg.

Other causes of infertility. These include immunological problems, chromosomal abnormalities, cancer chemotherapy, and serious illnesses.

Ovarian hyperstimulation syndrome. A possible complication of ovarian stimulation or ovulation induction that can cause enlarged ovaries, a distended abdomen, nausea, vomiting or diarrhea, fluid in the abdominal cavity or chest, breathing difficulties, changes in blood volume or viscosity, and diminished kidney perfusion and function.

Ovarian monitoring. The use of ultrasound, or blood or urine tests to monitor follicle development and hormone production.

Ovarian stimulation. The use of drugs (oral or injected) to stimulate the ovaries to develop follicles and eggs.

Ovulatory dysfunction. A diagnostic category used when a woman's ovaries are not producing eggs normally. It is usually characterized by irregular menstrual cycles reflective of ovaries that are not producing one mature egg each month. It includes polycystic ovary syndrome and multiple ovarian cysts.

PGD/PGS (preimplantation genetic diagnosis or screening). Techniques performed on embryos prior to transfer. PGD is for detecting specific genetic conditions to reduce the risk of passing inherited diseases to children. PGS screens embryos for an abnormal number of chromosomes, which is of special value for patients with advanced age, recurrent miscarriages, or prior failed IVF.

Pregnancy (clinical). A pregnancy documented by ultrasound that shows a gestational sac in the uterus. For ART data reporting purposes, pregnancy is defined as a clinical pregnancy rather than a chemical pregnancy (that is, a positive pregnancy test).

Singleton. A single infant.

Society for Assisted Reproductive Technology (SART). An affiliate of ASRM composed of clinics and programs that provide ART.

Sperm. The male reproductive cell.

Spontaneous abortion. See Miscarriage.

Stillbirth. The birth of an infant that shows no sign of life after 20 or more weeks of gestation.

Stimulated cycle. An ART cycle in which a woman receives oral or injected fertility drugs to stimulate her ovaries to develop follicles that contain mature eggs.

Thawed embryo cycle. Same as frozen embryo cycle.

Tubal factor infertility. A diagnostic category used when the woman's fallopian tubes are blocked or damaged, making it difficult for the egg to be fertilized or for an embryo to travel to the uterus.

Ultrasound. A technique used in ART for visualizing the follicles in the ovaries, the gestational sac, or the fetus.

Unknown cause of infertility. A diagnostic category used when no cause of female or male infertility is found.

Unstimulated cycle. An ART cycle in which the woman does not receive drugs to stimulate her ovaries to produce more follicles and eggs. Instead, follicles and eggs develop naturally.

Uterine factor infertility. A structural or functional disorder of the uterus that results in reduced fertility.

ZIFT (zygote intrafallopian transfer). An ART procedure in which eggs are collected from a woman's ovary and fertilized outside her body. A laparoscope is then used to place the resulting zygote into a woman's fallopian tube through a small incision in her abdomen.

Zygote. A fertilized egg before it begins to divide.

2016

Appendix C

ART Clinics



APPENDIX C: ART CLINICS

2016 Reporting Clinics, by State

If the clinic name has changed since 2016, the current name is listed in italics directly under the 2016 name. If the clinic location has changed since 2016, the clinic is listed alphabetically by the current city and state.

Clinic names preceded by the § symbol have reorganized since January 1, 2016. Reorganization is defined as a change in ownership or affiliation, or a change in at least two of the three key staff positions (practice director, medical director, or laboratory director) because the staff in those positions are no longer employed at the clinic. Clinic names preceded by the † symbol have closed since January 1, 2016. Contact the NASS Help Desk for further clinic information at 1-888-650-0822 or nass@westat.com.

The accrediting agencies referenced throughout this list are:

- College of American Pathologists, Reproductive Laboratory Accreditation Program (CAP)
- The Joint Commission
- New York State Tissue Bank Program (NYSTB)

NOTE that CDC does not oversee any of these accreditation programs. For further information on how to contact accrediting organizations directly, see page 21.

ALABAMA

Alabama Fertility Specialists
2700 Highway 280, Suite 370E
Birmingham AL 35223
Telephone: (205) 874-0000; Fax: (205) 874-7021
Lab Name: Alabama Fertility Specialists Laboratory
Accreditation: CAP

ART Fertility Program of Alabama
2006 Brookwood Medical Center Dr, Suite 508
Birmingham AL 35209
Telephone: (205) 870-9784; Fax: (205) 870-0698
Lab Name: ART Fertility Program of Alabama IVF/
Andrology Laboratory
Accreditation: CAP

University of Alabama at Birmingham
Reproductive Endocrinology and Infertility
Women and Infants Center-OB/GYN
1700 6th Ave South, Suite 9103
Birmingham AL 35233
Telephone: (205) 934-1030; Fax: (205) 975-5732
Lab Name: University of Alabama at Birmingham
Gamete Biology Laboratory
Accreditation: CAP

Center for Reproductive Medicine
3 Mobile Infirmary Cir, Suite 213
Mobile AL 36607
Telephone: (251) 438-4200; Fax: (251) 438-4211
Lab Name: Center for Reproductive
Medicine Laboratory-Alabama
Accreditation: CAP

University of South Alabama IVF and ART Program
1601 Center St, Suite 3F
Mobile AL 36604
Telephone: (251) 415-1491; Fax: (251) 415-1552
Lab Name: University of South Alabama IVF &
Andrology Laboratory
Accreditation: CAP

ARIZONA

New Direction Fertility Centers
1760 E. Pecos Rd, Suite 532
Gilbert AZ 85295
Telephone: (480) 351-8222; Fax: (480) 000-0000
Lab Name: New Direction Fertility
Centers Laboratory
Accreditation: CAP (Pend)

Troché Fertility Centers
17612 N. 59th Ave, Suite 100
Glendale AZ 85308
Telephone: (602) 993-8636; Fax: (602) 993-2528
Lab Name: Troché Fertility Centers ART Laboratory
Accreditation: CAP

Arizona Reproductive Medicine Specialists
1701 E. Thomas Rd, Bldg 1, Suite 101
Phoenix AZ 85016
Telephone: (602) 343-2767; Fax: (602) 343-2767
Lab Name: Arizona Reproductive Medicine
Specialists Laboratory
Accreditation: CAP

Gondra Center for Reproductive Care &
Advanced Gynecology
20940 N. Tatum Blvd, Suite B210
Phoenix AZ 85050
Telephone: (480) 621-6331; Fax: (480) 621-6203
Lab Name: Gondra Center for IVF Laboratory
Accreditation: None

Southwest Fertility Center
3125 N. 32nd St, Suite 200
Phoenix AZ 85018
Telephone: (602) 956-7481; Fax: (602) 956-7591
Lab Name: Southwest Fertility Center Laboratory
Accreditation: CAP

Advanced Fertility Care, PLLC
9819 N. 95th St, Suite 105
Scottsdale AZ 85258
Telephone: (480) 874-2229; Fax: (480) 874-2229
Lab Name: Arizona Advanced
Reproductive Laboratory
Accreditation: CAP

Arizona Associates for Reproductive Health
8573 E. Princess Dr, Suite 101
Scottsdale AZ 85255
Telephone: (480) 946-9900; Fax: (480) 946-9914
Lab Name: Arizona Associates for Reproductive
Health ART Laboratories
Accreditation: CAP

Arizona Center for Fertility Studies
(ACFS)
8997 E. Desert Cove Ave, 2nd Floor
Scottsdale AZ 85260
Telephone: (480) 860-4792; Fax: (480) 860-6819
Lab Name: Arizona Center for Fertility
Studies Laboratory
Accreditation: CAP

Bloom Reproductive Institute
8415 N. Pima Rd, Suite 290
Scottsdale AZ 85258
Telephone: (480) 434-6565; Fax: (480) 434-6572
Lab Name: Bloom Reproductive Institute Laboratory
Accreditation: CAP

Boston IVF, The Arizona Center
8901 E. Mountain View Rd, Suite 201
Scottsdale AZ 85258
Telephone: (480) 559-0252; Fax: (480) 661-4141
Lab Name: Boston IVF, The Arizona
Center Laboratory
Accreditation: CAP

IVF Phoenix
9817 N. 95th St, Bldg I, Suite 107
Scottsdale AZ 85258
Telephone: (602) 765-2229; Fax: (602) 493-6641
Lab Name: Assisted Reproductive Labs, LLC
Accreditation: CAP

Fertility Treatment Center, PC
2155 E. Conference Dr, Suite 115
Tempe AZ 85284
Telephone: (480) 831-2445; Fax: (480) 897-1283
Lab Name: Fertility Treatment Center
ART Laboratory
Accreditation: CAP

Arizona Center for Reproductive Endocrinology
and Infertility
5190 E. Farness Dr, Suite 114
Tucson AZ 85712
Telephone: (520) 326-0001; Fax: (520) 326-7451
Lab Name: Arizona Center for Reproductive
Endocrinology and Infertility Laboratory
Accreditation: CAP

Reproductive Health Center
4518 E. Camp Lowell Dr
Tucson AZ 85712
Telephone: (520) 733-0083; Fax: (520) 733-0771
Lab Name: Reproductive Health Center Laboratory
Accreditation: The Joint Commission

§Vivere Arizona Reproductive Institute
Arizona Reproductive Institute
1775 E. Skyline Dr, Suite 175
Tucson AZ 85718
Telephone: (520) 222-8400; Fax: (520) 219-2351
Lab Name: Arizona Reproductive
Institute Laboratory
Accreditation: CAP

ARKANSAS

Arkansas Fertility Center
9101 Kanis Rd, Suite 300
Little Rock AR 72205
Telephone: (501) 801-1200; Fax: (501) 801-1207
Lab Name: Arkansas Fertility and
Gynecology Laboratory
Accreditation: CAP

CALIFORNIA

LifeStart Fertility Center
29525 Canwood St, Suite 210
Agoura Hills CA 91301
Telephone: (818) 889-4532; Fax: (818) 889-4536
Lab Name: ART Reproductive Center
Accreditation: CAP

Alta Bates In Vitro Fertilization Program
2999 Regent St, Suite 101A
Berkeley CA 94705
Telephone: (510) 649-0440; Fax: (510) 649-8700
Lab Name: Pacific Fertility Center IVF Laboratory
Accreditation: CAP

Center for Reproductive Health & Gynecology
(CRH&G)
99 N. La Cienega Blvd, Suite 109
Beverly Hills CA 90211
Telephone: (310) 360-7584; Fax: (310) 360-9827
Lab Name: Center for Reproductive Health &
Gynecology Laboratory
Accreditation: CAP

Southern California Reproductive Center
450 N. Roxbury Dr, Suite 500
Beverly Hills CA 90210
Telephone: (310) 277-2393; Fax: (310) 274-5112
Lab Name: ART Reproductive Center
Accreditation: CAP

Fertility Care of Orange County
203 N. Brea Blvd, Suite 100
Brea CA 92821
Telephone: (714) 256-0777; Fax: (714) 256-0105
Lab Name: Ovation Fertility-Newport Beach
Accreditation: CAP

Central California IVF Program
Women's Specialty and Fertility Center
729 N. Medical Center Dr West, Suite 205
Clovis CA 93611
Telephone: (559) 299-7700; Fax: (559) 297-9679
Lab Name: Women's Specialty & Fertility Center
Embryology Laboratory
Accreditation: CAP

For current information for California IVF Fertility
Center, see Sacramento, CA

California Center for Reproductive Medicine
477 N. El Camino Real, Suite C310
Encinitas CA 92024
Telephone: (760) 274-2000; Fax: (760) 274-2006
Lab Name: California Center for Reproductive
Sciences Laboratory
Accreditation: CAP

The Fertility Institutes-Los Angeles,
New York, Guadalajara
16030 Ventura Blvd, Suite 404
Encino CA 91436
Telephone: (818) 728-4600; Fax: (818) 728-4616
Lab Name: Offices for Fertility and Reproductive
Medicine, PC Laboratory
Accreditation: NYSTB
Lab Name: The Fertility Institutes IVF Laboratory
Accreditation: CAP

HRC Fertility-Encino
15503 Ventura Blvd, Suite 200
Encino CA 91436
Telephone: (818) 788-7288; Fax: (818) 788-5988
Lab Name: HRC Fertility-Encino Laboratory
Accreditation: CAP

Los Angeles Reproductive Center (LARC)
16055 Ventura Blvd, Suite 1127
Encino CA 91436
Telephone: (818) 946-8051; Fax: (818) 946-8052
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP

Western Fertility Institute
16260 Ventura Blvd, Suite 210
Encino CA 91436
Telephone: (818) 292-2242; Fax: (818) 292-8914
Lab Name: Western Fertility Institute Laboratory
Accreditation: CAP (Pend)

Zouves Fertility Center
1241 E. Hillsdale Blvd, Suite 100
Foster City CA 94404
Telephone: (650) 378-1000; Fax: (650) 577-1128
Lab Name: Zouves Fertility Center Laboratory
Accreditation: CAP

West Coast Fertility Center
11160 Warner Ave, Suite 411
Fountain Valley CA 92708
Telephone: (714) 513-1399; Fax: (714) 513-1393
Lab Name: West Coast Fertility Center Laboratory
Accreditation: None

Xpert Fertility Care of California
Minh N. Ho, MD, FACOG
11180 Warner Ave, Suite 465
Fountain Valley CA 92708
Telephone: (714) 429-5848; Fax: (714) 429-5878
Lab Name: University Fertility Center Laboratory
Accreditation: The Joint Commission

Kaiser Permanente Center for Reproductive Health
39141 Civic Center Dr, Suite 350
Fremont CA 94538
Telephone: (510) 248-6900; Fax: (510) 248-6980
Lab Name: Kaiser Permanente Center for
Reproductive Health Laboratory-Fremont
Accreditation: CAP

CARE Fertility
1500 E. Chevy Chase Dr, Suite 450
Glendale CA 91206
Telephone: (818) 230-7778; Fax: (888) 873-4727
Lab Name: CARE Fertility Laboratory
Accreditation: CAP

Marin Fertility Center
1100 S. Eliseo Dr, Suite 107
Greenbrae CA 94904
Telephone: (415) 925-9404; Fax: (415) 484-7045
Lab Name: MFC Lab, Inc.
Accreditation: CAP

Coastal Fertility Medical Center, Inc.
15500 Sand Canyon Ave, Suite 100
Irvine CA 92618
Telephone: (949) 726-0600; Fax: (949) 726-0601
Lab Name: Coastal Fertility Medical Center, Inc.,
Reproductive Specialty Laboratories
Accreditation: CAP

Fertility Center of Southern California
2192 Martin St, Suite 110
Irvine CA 92612
Telephone: (949) 955-0072; Fax: (949) 955-0077
Lab Name: Ovation Fertility-Newport Beach
Accreditation: CAP

Life IVF Center
3500 Barranca Pkwy, Suite 300
Irvine CA 92606
Telephone: (949) 788-1133; Fax: (949) 788-1136
Lab Name: Life IVF Center Embryology Laboratory
Accreditation: CAP

Reproductive Fertility Center
LinFertility Family Foundation
16300 Sand Canyon Ave, Suite 911
Irvine CA 92618
Telephone: (949) 453-8600; Fax: (949) 453-8601
Lab Name: Reproductive Fertility Center
Embryology Laboratory
Accreditation: CAP

Reproductive Partners Fertility Center-San Diego
9850 Genesee Ave, Suite 800
La Jolla CA 92037
Telephone: (858) 552-9177; Fax: (858) 552-9188
Lab Name: Reproductive Partners Fertility Center-
San Diego Laboratory
Accreditation: CAP

Loma Linda University Center for Fertility and IVF
Department of Gynecology and Obstetrics
11370 Anderson St, Suite 3950
Loma Linda CA 92354
Telephone: (909) 558-2851; Fax: (909) 558-2450
Lab Name: Loma Linda University Health Care,
Fertility Science Laboratory
Accreditation: CAP

California Fertility Partners
11818 Wilshire Blvd, Suite 300
Los Angeles CA 90025
Telephone: (310) 828-4008; Fax: (310) 828-3310
Lab Name: California Fertility Partners Reproductive
Technology Laboratories
Accreditation: CAP, NYSTB

Cedars Sinai Medical Center
Center for Fertility and Reproductive Medicine
444 S. San Vicente Blvd, Suite 1002
Los Angeles CA 90048
Telephone: (310) 423-9964; Fax: (310) 423-9777
Lab Name: ART Reproductive Center
Accreditation: CAP

§CHA Fertility Center
5455 Wilshire Blvd, Suite 1904
Los Angeles CA 90036
Telephone: (323) 525-3377; Fax: (323) 525-3376
Lab Name: CHA Fertility Center Laboratory
Accreditation: CAP

CMD Fertility
10921 Wilshire Blvd, Suite 702
Los Angeles CA 90024
Telephone: (310) 873-1800; Fax: (310) 873-1803
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP

Pacific Fertility Center-Los Angeles
10921 Wilshire Blvd, Suite 700
Los Angeles CA 90024
Telephone: (310) 209-7700; Fax: (310) 209-7799
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP

§UCLA Fertility Center
Department of Obstetrics and Gynecology
200 Medical Plaza, Suite 220
Los Angeles CA 90095
Telephone: (310) 825-9500; Fax: (310) 825-2168
Lab Name: ART Reproductive Center
Accreditation: CAP

USC Fertility
1127 Wilshire Blvd, Suite 1400
Los Angeles CA 90017
Telephone: (213) 975-9990; Fax: (213) 975-9997
Lab Name: USC Fertility Laboratory
Accreditation: CAP

Innovative Fertility Center
3500 N. Sepulveda Blvd
Manhattan Beach CA 90266
Telephone: (310) 648-2229; Fax: (310) 333-0666
Lab Name: HMR Life Center Laboratory
Accreditation: None

The Fertility and Gynecology Center
Monterey Bay IVF
9833 Blue Larkspur Ln
Monterey CA 93940
Telephone: (831) 649-4483; Fax: (831) 649-9010
Lab Name: The Fertility and Gynecology Center,
Monterey Bay IVF Laboratory
Accreditation: CAP

Nova In Vitro Fertilization
2500 Hospital Dr, Bldg 7
Mountain View CA 94040
Telephone: (408) 607-7777; Fax: (650) 968-6682
Lab Name: Nova IVF Laboratory
Accreditation: CAP

CCRM OC Fertility-Fashion Island
1401 Avocado Ave, Suite 403
Newport Beach CA 92660
Telephone: (949) 706-2229; Fax: (949) 706-8490
Lab Name: CCRM OC Fertility Laboratory
Accreditation: CAP

HRC Fertility-Orange County
500 Superior Ave, Suite 210
Newport Beach CA 92663
Telephone: (949) 287-5600; Fax: (949) 642-2750
Lab Name: HRC Fertility-Orange County Laboratory
Accreditation: CAP

§Newport Fertility Center
CCRM OC Fertility-Jamboree
3501 Jamboree Rd Suite 1100
Newport Beach CA 92660
Telephone: (949) 222-1290; Fax: (949) 222-1289
Lab Name: CCRM OC Fertility Laboratory
Accreditation: CAP

Southern California Center for
Reproductive Medicine
361 Hospital Rd, Suite 333
Newport Beach CA 92663
Telephone: (949) 642-8727; Fax: (949) 642-5413
Lab Name: Ovation Fertility-Newport Beach
Accreditation: CAP

Lane Fertility Institute
101 Rowland Way, Suite 305
Novato CA 94945
Telephone: (415) 893-0391; Fax: (415) 892-4455
Lab Name: Lane Fertility Institute Laboratory
Accreditation: CAP (Pend)

American Reproductive Centers
1199 N. Indian Canyon Dr
Palm Springs CA 92262
Telephone: (760) 346-4334; Fax: (760) 346-3663
Lab Name: American Reproductive Center-Palm
Springs Laboratory
Accreditation: CAP

Bay IVF Center
1681 El Camino Real
Palo Alto CA 94306
Telephone: (650) 322-0500; Fax: (650) 322-5404
Lab Name: Bay IVF Center Laboratory
Accreditation: CAP

For current information for Stanford
Medicine Fertility & Reproductive Health,
see Sunnyvale, CA

HRC Fertility-Pasadena
333 S. Arroyo Pkwy, 3rd Floor
Pasadena CA 91105
Telephone: (626) 440-9161; Fax: (626) 440-0138
Lab Name: HRC Fertility-Pasadena Laboratory
Accreditation: CAP

Reproductive Partners-Beverly Hills, Redondo
Beach & Westminster
510 N. Prospect Ave, Suite 202
Redondo Beach CA 90277
Telephone: (310) 318-3010; Fax: (310) 798-7304
Lab Name: Reproductive Partners Medical
Group, Inc., Laboratory-Redondo Beach
Accreditation: CAP

Northern California Fertility Medical Center
1130 Conroy Ln, Suite 100
Roseville CA 95661
Telephone: (916) 773-2229; Fax: (916) 773-2162
Lab Name: Northern California Fertility Medical
Center Laboratory
Accreditation: CAP

California IVF Fertility Center
2590 Venture Oaks Way, Suite 103
Sacramento CA 95833
Telephone: (916) 979-5599; Fax: (530) 771-0135
Lab Name: California IVF Fertility Center Laboratory
Accreditation: None

Kaiser Permanente Center for
Reproductive Health-Sacramento
1650 Response Rd, Suite 1A
Sacramento CA 95815
Telephone: (916) 614-5005; Fax: (916) 614-5115
Lab Name: Kaiser Permanente Center for
Reproductive Health Laboratory-Sacramento
Accreditation: CAP

Fertility Specialists Medical Group
8010 Frost St, Suite P
San Diego CA 92123
Telephone: (858) 505-5500; Fax: (858) 505-5555
Lab Name: San Diego Center for Reproductive
Surgery Laboratory
Accreditation: CAP

Hanabusa IVF
4910 Directors Pl, Suite 150
San Diego CA 92121
Telephone: (855) 360-6730; Fax: (858) 630-5552
Lab Name: California Fertility Experts, Inc.
Accreditation: CAP, NYSTB (Pend)

Naval Medical Center San Diego Infertility Clinic
34800 Bob Wilson Dr
San Diego CA 92134
Telephone: (619) 532-5363; Fax: (619) 532-5448
Lab Name: San Diego Fertility Center IVF &
Andrology Laboratories
Accreditation: CAP

Reproductive Sciences Medical Center
3661 Valley Centre Dr, Suite 100
San Diego CA 92130
Telephone: (858) 436-7186; Fax: (858) 436-7171
Lab Name: Reproductive Sciences Medical
Center Laboratory
Accreditation: CAP

San Diego Fertility Center
11425 El Camino Real
San Diego CA 92130
Telephone: (858) 794-6363; Fax: (858) 794-6360
Lab Name: San Diego Fertility Center IVF &
Andrology Laboratories
Accreditation: CAP

Laurel Fertility Care
1700 California St, Suite 570
San Francisco CA 94109
Telephone: (415) 673-9199; Fax: (415) 673-8796
Lab Name: Laurel Fertility Care Laboratory
Accreditation: CAP

Pacific Fertility Center
55 Francisco St, Suite 500
San Francisco CA 94133
Telephone: (415) 834-3000; Fax: (415) 834-3099
Lab Name: Pacific Fertility Center IVF Laboratory
Accreditation: CAP

Spring Fertility
1 Daniel Burnham Ct, Suite 110C
San Francisco CA 94109
Telephone: (415) 964-5618; Fax: (415) 964-5619
Lab Name: Spring Fertility Laboratory
Accreditation: CAP

UCSF Center for Reproductive Health
499 Illinois St, 6th Floor
San Francisco CA 94158
Telephone: (415) 353-3040; Fax: (415) 353-7744
Lab Name: UCSF Center for Reproductive
Health Laboratory
Accreditation: CAP, The Joint Commission

Palo Alto Medical Foundation Fertility Physicians
of Northern California
2581 Samaritan Dr, Suite 302
San Jose CA 95124
Telephone: (405) 356-5000; Fax: (408) 356-8954
Lab Name: PAMF for Healthcare Research &
Education, IVF Laboratory
Accreditation: CAP

Alex Steinleitner, MD, Inc.
35 Casa St, Suite 260
San Luis Obispo CA 93405
Telephone: (805) 543-2228; Fax: (805) 980-3444
Lab Name: Central Coast IVF Laboratory
Accreditation: None

Reproductive Science Center of the San Francisco
Bay Area
100 Park Pl, Suite 200
San Ramon CA 94583
Telephone: (925) 867-1800; Fax: (925) 820-2279
Lab Name: Reproductive Science Center of the San
Francisco Bay Area Laboratory
Accreditation: CAP

Santa Barbara Fertility Center
536 E. Arrellaga St, Suite 201
Santa Barbara CA 93103
Telephone: (805) 965-3400; Fax: (805) 965-1222
Lab Name: Santa Barbara Fertility
Center Laboratory
Accreditation: CAP

Santa Monica Fertility
2825 Santa Monica Blvd, Suite 100
Santa Monica CA 90404
Telephone: (310) 566-1470; Fax: (310) 566-1485
Lab Name: Assisted Reproduction Laboratory
Accreditation: CAP

Santa Monica UCLA GYN Subspecialties Group
1450 10th St, Suite 404
Santa Monica CA 90401
Telephone: (310) 451-8144; Fax: (310) 451-3414
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP

Advanced Fertility Associates Medical Group, Inc.
1111 Sonoma Ave, Suite 214
Santa Rosa CA 95405
Telephone: (707) 575-5831; Fax: (707) 575-4379
Lab Name: Advanced Fertility Associates Medical
Group, Inc., Laboratory
Accreditation: CAP

Valley Center for Reproductive Health, Inc.
Tina Koopersmith, MD
Valley Center for Reproductive Health, Inc.
West Coast Women's Reproductive Center
4835 Van Nuys Blvd, Suite 200
Sherman Oaks CA 91403
Telephone: (818) 986-1648; Fax: (818) 986-1653
Lab Name: ART Reproductive Center
Accreditation: CAP
Lab Name: HRC Fertility-Encino Laboratory
Accreditation: CAP

Stanford Medicine Fertility & Reproductive Health
1195 W. Fremont Ave
Sunnyvale CA 94087
Telephone: (650) 498-7911; Fax: (669) 233-2884
Lab Name: Lucille Salter Packard Children's
Hospital at Stanford Laboratory
Accreditation: CAP, The Joint Commission

The Center for Fertility and Gynecology
Vermesh Center for Fertility
18370 Burbank Blvd, Suite 301
Tarzana CA 91356
Telephone: (818) 881-9800; Fax: (818) 881-1857
Lab Name: A.R.T. Medical Group, Inc., Laboratory
Accreditation: CAP

Tree of Life Center for Fertility
Snunit Ben-Ozer, MD
18370 Burbank Blvd, Suite 511
Tarzana CA 91356
Telephone: (818) 344-8522; Fax: (818) 344-8521
Lab Name: ART Reproductive Center
Accreditation: CAP
Lab Name: HRC Fertility-Encino Laboratory
Accreditation: CAP

Fertility and Surgical Associates of California
325 Rolling Oaks Dr, Suite 110
Thousand Oaks CA 91361
Telephone: (805) 778-1122; Fax: (805) 778-1199
Lab Name: Fertility and Surgical Associates of
California IVF Laboratory
Accreditation: CAP

Pacific Reproductive Center
3720 Lomita Blvd, Suite 200
Torrance CA 90505
Telephone: (310) 376-7000; Fax: (310) 373-0319
Lab Name: Pacific Reproductive Center
IVF Laboratory
Accreditation: CAP

University Fertility Center
23550 Hawthorne Blvd, Suite 210
Torrance CA 90505
Telephone: (310) 378-7445; Fax: (310) 378-7427
Lab Name: University Fertility Center Laboratory
Accreditation: The Joint Commission

California Center for Reproductive Health
Reproductive Fertility Center
9201 W. Sunset Blvd, Suite 500
West Hollywood CA 90069
Telephone: (818) 907-1571; Fax: (818) 907-1574
Lab Name: In Vitrotech Labs, Inc.
Accreditation: CAP

COLORADO

§Reproductive Medicine & Fertility Center
HQA Fertility Centers
265 Parkside Dr, Suite 200
Colorado Springs CO 80910
Telephone: (719) 475-2229; Fax: (719) 475-2227
Lab Name: Technical Conceptions,
LLC Laboratories
Accreditation: CAP

Advanced Reproductive Medicine
University of Colorado
3055 Roslyn St, Suite 230
Denver CO 80238
Telephone: (303) 724-8147; Fax: (303) 724-8149
Lab Name: University of Colorado Hospital IVF
Clinical Laboratory
Accreditation: CAP

Colorado Reproductive Endocrinology
4600 E. Hale Pkwy, Suite 350
Denver CO 80220
Telephone: (303) 321-7115; Fax: (303) 321-9519
Lab Name: Colorado Reproductive
Endocrinology Laboratory
Accreditation: CAP

Denver Fertility-Albrecht Women's Care
9780 Pyramid Ct, Suite 260
Englewood CO 80112
Telephone: (720) 420-1570; Fax: (866) 657-9471
Lab Name: Technical Conceptions,
LLC Laboratories
Accreditation: CAP

Rocky Mountain Center for Reproductive Medicine
1080 E. Elizabeth St
Fort Collins CO 80524
Telephone: (970) 493-6353; Fax: (970) 493-6366
Lab Name: Rocky Mountain Center for Reproductive
Medicine IVF/Embryology Laboratory
Accreditation: CAP

Conceptions Reproductive Associates of Colorado
271 W. County Line Rd
Littleton CO 80129
Telephone: (303) 794-0045; Fax: (303) 795-2054
Lab Name: Conceptions Reproductive Associates of
Colorado Laboratory
Accreditation: CAP

Colorado Center for Reproductive Medicine
10290 RidgeGate Cir
Lone Tree CO 80124
Telephone: (303) 788-8300; Fax: (303) 788-9936
Lab Name: Fertility Laboratories of Colorado
Accreditation: CAP

Rocky Mountain Fertility Center
9235 Crown Crest Blvd, Suite 250
Parker CO 80138
Telephone: (303) 999-3877; Fax: (303) 999-3878
Lab Name: Rocky Mountain Fertility Laboratory
Accreditation: CAP

CONNECTICUT

For current information for CT Fertility,
see Trumbull, CT

Center for Advanced Reproductive Services
2 Batterson Park Rd
Farmington CT 06032
Telephone: (844) 467-3483; Fax: (860) 838-6481
Lab Name: Center for Advanced Reproductive
Services Laboratory
Accreditation: CAP

Greenwich Fertility and IVF Center, PC
55 Holly Hill Ln, Suite 270
Greenwich CT 06830
Telephone: (203) 863-2990; Fax: (203) 863-2980
Lab Name: Greenwich Fertility and IVF
Center, PC Laboratory
Accreditation: NYSTB

Yale Fertility Center
150 Sargent Dr, 2nd Floor, Rm 211
New Haven CT 06511
Telephone: (877) 925-3483; Fax: (203) 764-6475
Lab Name: Yale Fertility Center IVF Laboratory
Accreditation: CAP

Reproductive Medicine Associates of Connecticut
761 Main Ave, Suite 200
Norwalk CT 06851
Telephone: (203) 750-7400; Fax: (203) 846-9579
Lab Name: Reproductive Medicine Associates of
Connecticut Laboratory
Accreditation: CAP

New England Fertility Institute
1275 Summer St, Suite 201
Stamford CT 06905
Telephone: (203) 325-3200; Fax: (203) 323-3100
Lab Name: New England Fertility
Institute Laboratory
Accreditation: CAP, NYSTB

†The Stamford Hospital
1 Hospital Plaza
Stamford CT 06904
Telephone: (203) 276-7559; Fax: (203) 276-7559
Contact the NASS Help Desk for current
clinic information.

§CT Fertility
100 Technology Dr, Suite 210
Trumbull CT 06611
Telephone: (203) 373-1200; Fax: (203) 880-5730
Lab Name: CT Fertility Laboratory
Accreditation: CAP

Park Avenue Fertility and Reproductive Medicine
5520 Park Ave, Suite WPG-250
Trumbull CT 06611
Telephone: (203) 372-6700; Fax: (203) 372-6076
Lab Name: Park Avenue Fertility and
Reproductive Medicine
Accreditation: CAP

DELAWARE

Delaware Institute for Reproductive Medicine, PA
Medical Arts Pavilion 1
4745 Ogletown-Stanton Rd, Suite 111
Newark DE 19713
Telephone: (302) 738-4600; Fax: (302) 738-3508
Lab Name: Delaware Institute for Reproductive
Medicine, PA Laboratory
Accreditation: CAP

Reproductive Associates of Delaware
Medical Arts Pavilion 2
4735 Ogletown-Stanton Rd, Suite 3217
Newark DE 19713
Telephone: (302) 602-8822; Fax: (302) 623-4241
Lab Name: Reproductive Associates of
Delaware Laboratory
Accreditation: CAP

DISTRICT OF COLUMBIA

Columbia Fertility Associates
2440 M St N.W., Suite 401
Washington DC 20037
Telephone: (202) 293-6567; Fax: (202) 778-6190
Lab Name: Columbia Fertility Associates IVF
Center Laboratory
Accreditation: The Joint Commission

George Washington University Medical
Faculty Associates
Fertility and IVF Center
2150 Pennsylvania Ave N.W., Suite 6-300
Washington DC 20037
Telephone: (202) 741-2520; Fax: (202) 741-2519
Lab Name: Medical Faculty
Associates, Inc., Laboratory
Accreditation: CAP

James A. Simon, MD, PC
1850 M St N.W., Suite 450
Washington DC 20036
Telephone: (202) 293-1000; Fax: (202) 463-6150
Lab Name: Columbia Fertility Associates IVF
Center Laboratory
Accreditation: The Joint Commission

FLORIDA

BocaFertility
875 Meadows Rd, Suite 334
Boca Raton FL 33486
Telephone: (561) 368-5500; Fax: (561) 368-4793
Lab Name: Boca Fertility Laboratory
Accreditation: CAP

Palm Beach Fertility Center
7015 Beracasa Way, Suite 201
Boca Raton FL 33433
Telephone: (561) 477-7728; Fax: (561) 477-7035
Lab Name: Palm Beach Fertility Center Laboratory
Accreditation: The Joint Commission

Polcz Fertility Center
9868 S. State Rd 7, Suite 320
Boynton Beach FL 33472
Telephone: (561) 736-6006; Fax: (561) 736-5788
Lab Name: Polcz Fertility Laboratory
Accreditation: The Joint Commission

Florida Fertility Institute
2454 N. McMullen Booth Rd, Suite 601
Clearwater FL 33759
Telephone: (727) 669-3414; Fax: (727) 726-6062
Lab Name: Florida Fertility Institute
Accreditation: The Joint Commission

Southwest Florida Fertility Center, PA
15730 New Hampshire Ct, Suite 101
Fort Myers FL 33908
Telephone: (239) 561-3430; Fax: (239) 561-6980
Lab Name: Southwest Florida Fertility Center, PA
Accreditation: The Joint Commission

Specialists in Reproductive Medicine and
Surgery, PA
Embryo Donation International, PL
12611 World Plaza Ln, Bldg 53
Fort Myers FL 33907
Telephone: (239) 275-8118; Fax: (239) 275-5914
Lab Name: Specialists in Reproductive Medicine &
Surgery, PA Laboratory
Accreditation: The Joint Commission

UF Health Reproductive Medicine at Springhill
4037 N.W. 86th Terrace, 1st Floor
Gainesville FL 32606
Telephone: (352) 265-2229; Fax: (352) 594-1676
Lab Name: University of Florida IVF and
Andrology Laboratory
Accreditation: CAP

Assisted Fertility Program
3627 University Blvd South, Suite 450
Jacksonville FL 32216
Telephone: (904) 398-1473; Fax: (904) 399-4596
Lab Name: Assisted Fertility Program Laboratory
Accreditation: CAP

Brown Fertility
14540 Old Saint Augustine Rd, Bldg 2, Suite 2497
Jacksonville FL 32258
Telephone: (904) 260-0352; Fax: (904) 519-8323
Lab Name: Brown Fertility Laboratory
Accreditation: None

Florida Institute for Reproductive Medicine
836 Prudential Dr, Suite 902
Jacksonville FL 32207
Telephone: (904) 399-5620; Fax: (904) 399-5645
Lab Name: Florida Institute for Reproductive
Medicine IVF Laboratory
Accreditation: CAP

Jacksonville Center for Reproductive Medicine
7051 Southpoint Pkwy, Suite 200
Jacksonville FL 32216
Telephone: (904) 493-2229; Fax: (904) 396-4546
Lab Name: North Florida Reproductive
Biology Laboratory
Accreditation: CAP

IVF Florida Reproductive Associates
2960 N. State Rd 7, Suite 300
Margate FL 33063
Telephone: (954) 247-6235; Fax: (954) 247-6252
Lab Name: IVF Florida Reproductive
Associates Laboratory
Accreditation: CAP

Viera Fertility Center
3160 Alzante Cir
Melbourne FL 32940
Telephone: (321) 751-4673; Fax: (321) 751-4567
Lab Name: Viera Fertility Center Laboratory
Accreditation: The Joint Commission

Conceptions Florida: Center for Fertility
and Genetics
4425 Ponce de Leon Blvd, Suite 110
Miami FL 33146
Telephone: (305) 446-4673; Fax: (786) 360-2891
Lab Name: Conceptions Fertility Laboratories, LLC
Accreditation: CAP (Pend)

Fertility & IVF Center of Miami, Inc.
8950 N. Kendall Dr, Suite 103
Miami FL 33176
Telephone: (305) 596-4013; Fax: (305) 596-4557
Lab Name: Fertility & IVF Center of Miami Assisted
Reproduction Laboratory
Accreditation: CAP

University of Miami Infertility Center
1400 N.W. 12th Ave, Suite 5
Miami FL 33136
Telephone: (305) 243-8642; Fax: (305) 324-0363
Lab Name: University of Miami Infertility
Center Laboratory
Accreditation: CAP

For current information for Center for Reproductive
Medicine, PA, see Winter Park, FL

†Reproductive Medicine Institute
258 S. Chickasaw Tr, Suite 310
Orlando FL 32825
Telephone: (407) 281-9229; Fax: (407) 207-7180
Contact the NASS Help Desk for current
clinic information.

New Leaders in Fertility & Endocrinology, LLC
4400 Bayou Blvd, Suite 36
Pensacola FL 32503
Telephone: (850) 857-3733; Fax: (850) 857-0670
Lab Name: New LIFE Laboratory
Accreditation: CAP

Fertility & Genetics
201 N. Pine Island Rd, 2nd Floor
Plantation FL 33324
Telephone: (954) 584-2273; Fax: (954) 587-9630
Lab Name: LIFE Laboratories, LC
Accreditation: The Joint Commission

Fertility Center & Applied Genetics of Florida
6050 Cattleridge Blvd, Suite 103
Sarasota FL 34232
Telephone: (941) 342-1568; Fax: (941) 342-8296
Lab Name: Fertility Center & Applied Genetics of
Florida Laboratory
Accreditation: None

South Florida Institute for Reproductive Medicine
*IVFMD/South Florida Institute for
Reproductive Medicine*
7300 S.W. 62nd Pl, 4th Floor
South Miami FL 33143
Telephone: (305) 662-7901; Fax: (305) 662-2938
Lab Name: IVFMD/South Florida Institute for
Reproductive Medicine Laboratory-South Miami
Accreditation: CAP
Lab Name: IVFMD/South Florida Institute for
Reproductive Medicine Laboratory-Hollywood
Accreditation: CAP
Lab Name: IVFMD/South Florida Institute for
Reproductive Medicine Laboratory-Naples
Accreditation: None
Lab Name: IVFMD/South Florida Institute for
Reproductive Medicine Laboratory-Jupiter
Accreditation: None

The Reproductive Medicine Group
5245 E. Fletcher Ave, Suite 1
Tampa FL 33617
Telephone: (813) 676-8844; Fax: (813) 676-8815
Lab Name: RMG ART Laboratories, Inc.
Accreditation: CAP

University of South Florida IVF
2 Tampa General Cir, 6th Floor
Tampa FL 33606
Telephone: (813) 259-0692; Fax: (813) 259-0882
Lab Name: University of South Florida
IVF Laboratory
Accreditation: None

F.I.R.S.T.
Florida Institute for Reproductive Sciences
and Technologies
2300 N. Commerce Pkwy, Suite 315
Weston FL 33326
Telephone: (954) 217-3456; Fax: (954) 217-3462
Lab Name: LIFE Laboratories, LC
Accreditation: The Joint Commission

Advanced Reproductive Specialists, LLC
2100 Aloma Ave, Suite 100
Winter Park FL 32792
Telephone: (407) 339-2229; Fax: (407) 339-2039
Lab Name: IVF Laboratory of Central Florida, LLC
Accreditation: CAP
Lab Name: North Florida Reproductive
Biology Laboratory
Accreditation: CAP

Center for Reproductive Medicine, PA
1500 S. Orlando Ave, Suite 200
Winter Park FL 32789
Telephone: (407) 740-0909; Fax: (407) 740-7262
Lab Name: Center for Reproductive Medicine
IVF Laboratory
Accreditation: CAP, NYSTB

Fertility CARE
The IVF Center
5901 Brick Ct
Winter Park FL 32792
Telephone: (407) 672-1106; Fax: (407) 678-2790
Lab Name: IVF Laboratory of Central Florida, LLC
Accreditation: CAP

GEORGIA

Atlanta Center for Reproductive Medicine
5909 Peachtree Dunwoody Rd, Suite 720
Atlanta GA 30328
Telephone: (770) 928-2276; Fax: (770) 592-2092
Lab Name: Atlanta Center for Reproductive
Medicine Laboratory
Accreditation: CAP

Emory Reproductive Center
550 Peachtree St N.E., Suite 1800
Atlanta GA 30308
Telephone: (404) 778-3401; Fax: (404) 686-4956
Lab Name: Emory Reproductive Center Laboratory
Accreditation: CAP, The Joint Commission

Georgia Reproductive Specialists, LLC
Shady Grove Fertility-Atlanta
5445 Meridian Mark Rd, Suite 270
Atlanta GA 30342
Telephone: (404) 843-2229; Fax: (404) 843-0812
Lab Name: Shady Grove Fertility-Atlanta Laboratory
Accreditation: The Joint Commission

Reproductive Biology Associates
1100 Johnson Ferry Rd N.E., Suite 200
Atlanta GA 30342
Telephone: (404) 257-1900; Fax: (404) 256-9497
Lab Name: Reproductive Biology
Associates Laboratory
Accreditation: The Joint Commission

Reproductive Medicine and Infertility Associates
810 Chafee Ave
Augusta GA 30904
Telephone: (706) 722-4434; Fax: (706) 722-9647
Lab Name: MCGH/PPG Reproductive
Laboratories, LLC
Accreditation: CAP

Servy Massey Fertility Institute
Servy Institute for Reproductive Endocrinology
812 Chafee Ave
Augusta GA 30904
Telephone: (706) 724-0228; Fax: (706) 722-2387
Lab Name: MCGH/PPG Reproductive
Laboratories, LLC
Accreditation: CAP

Columbus Center for Reproductive Endocrinology
and Infertility, LLC
2323 Whittlesey Rd
Columbus GA 31909
Telephone: (706) 653-6344; Fax: (706) 653-8933
Lab Name: Columbus Center for Reproductive
Endocrinology & Infertility, LLC Laboratory
Accreditation: CAP

The Georgia Center for Reproductive Medicine
5354 Reynolds St, Suite 510
Savannah GA 31405
Telephone: (912) 352-8588; Fax: (912) 352-8893
Lab Name: The Georgia Center for Reproductive
Medicine Laboratory
Accreditation: CAP

HAWAII

Advanced Reproductive Center of Hawaii
1319 Punahou St, Suite 510
Honolulu HI 96826
Telephone: (808) 949-6611; Fax: (808) 949-6610
Lab Name: Pacific IVF Institute Laboratory
Accreditation: CAP, The Joint Commission

Advanced Reproductive Medicine & Gynecology
of Hawaii, Inc.
1401 S. Beretania St, Suite 250
Honolulu HI 96814
Telephone: (808) 545-2800; Fax: (808) 262-3744
Lab Name: Fertility Institute of Hawaii Laboratory
Accreditation: CAP, NYSTB

IVF Hawaii
1329 Lusitana St, Suite 607
Honolulu HI 96813
Telephone: (808) 538-6655; Fax: (808) 537-5500
Lab Name: IVF Hawaii Laboratory
Accreditation: CAP

Pacific In Vitro Fertilization Institute
Kapi'olani Medical Center for Women and Children
1319 Punahou St, Suite 980
Honolulu HI 96826
Telephone: (808) 946-2226; Fax: (808) 943-1563
Lab Name: Pacific IVF Institute Laboratory
Accreditation: CAP, The Joint Commission

Tripler Army Medical Center IVF Institute
Department of Obstetrics and Gynecology
1 Jarrett White Rd
Tripler AMC HI 96859
Telephone: (808) 433-5925; Fax: (808) 433-1552
Lab Name: Fertility Institute of Hawaii Laboratory
Accreditation: CAP, NYSTB

IDAHO

Idaho Center for Reproductive Medicine
1000 E. Park Blvd, Suite 110
Boise ID 83712
Telephone: (208) 342-5900; Fax: (208) 342-2088
Lab Name: Idaho Center for Reproductive
Medicine Laboratory
Accreditation: The Joint Commission

ILLINOIS

Rush-Copley Center for Reproductive Health
2020 Ogden Ave, Suite 250
Aurora IL 60504
Telephone: (630) 978-6254; Fax: (630) 499-2487
Lab Name: Rush-Copley Center for Fertility
Accreditation: The Joint Commission

§Fertility Centers of Illinois–River North IVF
900 N. Kingsbury St, River Walk 6
Chicago IL 60610
Telephone: (312) 222-8230; Fax: (847) 724-1649
Lab Name: Fertility Centers of Illinois, River North
IVF Laboratory
Accreditation: CAP

Institute for Human Reproduction (IHR)
409 W. Huron St, Suite 500
Chicago IL 60654
Telephone: (312) 288-6420; Fax: (312) 288-6421
Lab Name: Reproductive Genetics Innovations,
LLC Laboratory
Accreditation: CAP

Northwestern Fertility and Reproductive Medicine
259 E. Erie St, Suite 2400
Chicago IL 60611
Telephone: (312) 695-1364; Fax: (312) 472-0226
Lab Name: Northwestern Medical Group IVF &
Andrology Laboratories
Accreditation: CAP

University of Chicago Medicine Center for
Reproductive Medicine and Fertility
1101 S. Canal St, Suite 202A
Chicago IL 60607
Telephone: (773) 702-6642; Fax: (773) 702-5848
Lab Name: Fertility Centers of Illinois, River North
IVF Laboratory
Accreditation: CAP

University of Illinois at Chicago IVF Program
1801 W. Taylor St, Suite 4A
Chicago IL 60612
Telephone: (312) 355-2634; Fax: (312) 355-3161
Lab Name: University of Illinois at Chicago
IVF Program
Accreditation: CAP

Women's Health Consultants
1725 W. Harrison St, Suite 408E
Chicago IL 60612
Telephone: (312) 997-2229; Fax: (312) 997-2354
Lab Name: Rush Center for Advanced
Reproductive Care
Accreditation: The Joint Commission

Center for Reproductive Health/Joliet IVF
2246 Weber Rd
Crest Hill IL 60403
Telephone: (815) 725-4161; Fax: (815) 721-4341
Lab Name: Center for Reproductive Health, SC/
Joliet IVF, LLC
Accreditation: CAP

Midwest Fertility Center
4333 Main St
Downers Grove IL 60515
Telephone: (630) 810-0212; Fax: (630) 810-1027
Lab Name: Midwest Fertility Center Laboratory
Accreditation: CAP

Davies Fertility & IVF Specialists, SC
2640 Patriot Blvd, Suite 260
Glenview IL 60026
Telephone: (847) 972-0300; Fax: (847) 972-0043
Lab Name: Davies Fertility & IVF Specialists,
SC, Laboratory
Accreditation: CAP

Advanced Fertility Center of Chicago
30 Tower Ct, Suite F
Gurnee IL 60031
Telephone: (847) 662-1818; Fax: (847) 662-3001
Lab Name: Advanced Fertility Center of
Chicago Laboratory
Accreditation: CAP

§Fertility Centers of Illinois–Highland Park IVF Center
767 Park Ave West, Suite B400
Highland Park IL 60035
Telephone: (847) 433-9050; Fax: (847) 433-9126
Lab Name: aParent IVF Laboratory
Accreditation: The Joint Commission

Hinsdale Center for Reproduction
121 N. Elm St
Hinsdale IL 60521
Telephone: (630) 856-3535; Fax: (630) 856-3545
Lab Name: Hinsdale Center for
Reproduction Laboratory
Accreditation: CAP

InVia Fertility Specialists
1585 N. Barrington Rd, Bldg 2, Suite 406
Hoffman Estates IL 60169
Telephone: (847) 884-8884; Fax: (847) 884-0924
Lab Name: InVia Fertility Laboratory
Accreditation: CAP

Reena Jabamoni, MD, SC
1585 N. Barrington Rd, Bldg 2, Suite 401
Hoffman Estates IL 60169
Telephone: (847) 843-7090; Fax: (847) 843-0584
Lab Name: Fertility Centers of Illinois, River North
IVF Laboratory
Accreditation: CAP

The Advanced IVF Institute
Charles E. Miller, MD, SC & Associates
120 Osler Dr, Suite 100
Naperville IL 60540
Telephone: (630) 428-2229; Fax: (630) 428-0336
Lab Name: Charles E. Miller, MD, SC &
Associates Laboratory
Accreditation: CAP

IVF1
3 N. Washington St
Naperville IL 60540
Telephone: (630) 357-6540; Fax: (630) 357-6435
Lab Name: Naperville Fertility Center
Accreditation: CAP

Reproductive Medicine Institute
2425 W. 22nd St, Suite 102
Oak Brook IL 60523
Telephone: (630) 954-0094; Fax: (630) 954-0073
Lab Name: Reproductive Medicine Institute
Accreditation: CAP

Daniel Rostein, MD, SC
2208 Midwest Rd, Suite 102
Oak Brook IL 60523
Telephone: (630) 472-9100; Fax: (630) 472-9101
Lab Name: Naperville Fertility Center
Accreditation: CAP

Sher Institute for Reproductive
Medicine-Central Illinois
5401 N. Knoxville Ave, Suite 102
Peoria IL 61614
Telephone: (309) 689-0411; Fax: (309) 689-0784
Lab Name: Sher Institute for Reproductive
Medicine-Central Illinois
Accreditation: CAP

Advanced Reproductive Center
435 N. Mulford Rd, Suite 9
Rockford IL 61107
Telephone: (815) 229-1700; Fax: (815) 229-1700
Lab Name: The Advanced IVF Institute Laboratory
Accreditation: CAP

†Reproductive Health and Fertility Center
973 Featherstone Rd, Suite 100
Rockford IL 61107
Telephone: (815) 986-3737; Fax: (815) 986-3748
Contact the NASS Help Desk for current
clinic information.

Chicago IVF
5225 Old Orchard Rd, Suite 21
Skokie IL 60077
Telephone: (847) 213-5064; Fax: (847) 966-8821
Lab Name: Chicago IVF Laboratory
Accreditation: CAP

North Shore Fertility
4250 Dempster St
Skokie IL 60076
Telephone: (847) 763-8850; Fax: (847) 763-8851
Lab Name: Reproductive Genetics
Innovations, LLC Laboratory
Accreditation: CAP

Southern Illinois University School of Medicine
Fertility and IVF Center
751 N. Rutledge St, Suite 0100
Springfield IL 62702
Telephone: (217) 545-8000; Fax: (217) 545-3130
Lab Name: SIU School of Medicine Fertility and IVF
Center Laboratory
Accreditation: CAP

§Centers for Reproductive Medicine and Wellness
Vios Fertility Institute
6 Bronze Pointe
Swansea IL 62226
Telephone: (618) 509-5523; Fax: (618) 206-5017
Lab Name: Centers for Reproductive Medicine
and Wellness Laboratory
Accreditation: CAP

Seth Levrant, MD, PC
Partners in Reproductive Health
16345 S. Harlem Ave, Suite 100
Tinley Park IL 60477
Telephone: (708) 532-7017; Fax: (708) 845-5287
Lab Name: Seth Levrant, MD, PC, In-Vitro Lab
Accreditation: CAP

INDIANA

Midwest Fertility Specialists
12188-A N. Meridian St, Suite 250
Carmel IN 46032
Telephone: (317) 571-1637; Fax: (317) 571-4586
Lab Name: Midwest Fertility Specialists
Accreditation: The Joint Commission

Advanced Reproduction Institute, LLC
Advanced Fertility Group
1222 Professional Blvd
Evansville IN 47714
Telephone: (812) 469-4920; Fax: (812) 469-4930
Lab Name: Advanced Reproduction Institute, LLC
Accreditation: The Joint Commission

Advanced Fertility Group
201 N. Pennsylvania Pkwy, Suite 205
Indianapolis IN 46280
Telephone: (317) 817-1300; Fax: (317) 817-1306
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

Community Reproductive Endocrinology
7250 Clearvista Dr, Suite 380
Indianapolis IN 46256
Telephone: (317) 621-0600; Fax: (317) 621-0610
Lab Name: Assisted Fertility Services
Accreditation: The Joint Commission

Family Beginnings, PC
8435 Clearvista Pl, Suite 104
Indianapolis IN 46256
Telephone: (317) 595-3665; Fax: (317) 595-3666
Lab Name: Family Beginnings, PC Laboratory
Accreditation: CAP

Indiana Fertility Institute
10610 N. Pennsylvania St, Suite 101
Indianapolis IN 46280
Telephone: (317) 575-6565; Fax: (317) 581-9207
Lab Name: Indiana Fertility Laboratory, LLC
Accreditation: CAP

Indiana University Hospital
550 N. University Blvd, Room 4921
Indianapolis IN 46202
Telephone: (317) 944-1640; Fax: (317) 944-0869
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

Reproductive Care of Indiana
Henry Fertility dba
Reproductive Care of Indiana
201 Pennsylvania Pkwy, Suite 325
Indianapolis IN 46280
Telephone: (317) 817-1800; Fax: (317) 817-1810
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

Boston IVF at the Women's Hospital
4199 Gateway Blvd, Suite 2600
Newburgh IN 47630
Telephone: (812) 842-4530; Fax: (812) 842-4595
Lab Name: Boston IVF at The Women's
Hospital Laboratory
Accreditation: CAP

IOWA

Mid-Iowa Fertility, PC
1371 N.W. 121st St
Clive IA 50325
Telephone: (515) 222-3060; Fax: (515) 222-9563
Lab Name: Mid-Iowa Fertility, PC Laboratory
Accreditation: CAP

University of Iowa Hospitals and Clinics
Center for Advanced Reproductive Care
Department of Obstetrics and Gynecology
200 Hawkins Dr
Iowa City IA 52242
Telephone: (319) 356-8483; Fax: (319) 384-8388
Lab Name: University of Iowa Hospital and Clinics
IVF & Reproductive Testing Laboratory
Accreditation: CAP

KANSAS

Midwest Reproductive Center, PA
Doctors Bldg 1
20375 W. 151st St, Suite 403
Olathe KS 66061
Telephone: (913) 780-4300; Fax: (913) 780-4250
Lab Name: Midwest Reproductive
Center Laboratory
Accreditation: CAP

Center for Advanced Reproductive Medicine
10777 Nall Ave, Suite 200
Overland Park KS 66211
Telephone: (913) 588-2229; Fax: (913) 588-3242
Lab Name: University of Kansas Medical Center
Embryology Laboratory
Accreditation: CAP

Reproductive Resource Center of Greater
Kansas City
12200 W. 106th St, Suite 120
Overland Park KS 66215
Telephone: (913) 894-2323; Fax: (913) 894-0841
Lab Name: Reproductive Resource Center
IVF Laboratory
Accreditation: CAP

The Center for Reproductive Medicine
9300 E. 29th St North, Suite 102
Wichita KS 67226
Telephone: (316) 687-2112; Fax: (316) 687-1260
Lab Name: The Center for Reproductive Medicine,
CRM Laboratories
Accreditation: CAP

KENTUCKY

Bluegrass Fertility Center
1760 Nicholasville Rd, Suite 501
Lexington KY 40503
Telephone: (859) 260-1515; Fax: (859) 260-1425
Lab Name: Bluegrass Fertility Center Laboratory
Accreditation: The Joint Commission

The Lexington Fertility Center
170 N. Eagle Creek Dr, Suite 101
Lexington KY 40509
Telephone: (859) 277-5736; Fax: (859) 276-2236
Lab Name: The Lexington Fertility Center
Embryology Laboratory
Accreditation: None

Fertility and Endocrine Associates
Louisville Reproductive Center
4123 Dutchmans Ln, Suite 414
Louisville KY 40207
Telephone: (502) 897-2144; Fax: (502) 897-1773
Lab Name: Louisville Reproductive Center
Embryology Laboratory
Accreditation: CAP

Fertility First
Reproductive Endocrine Services
6420 Dutchmans Pkwy, Suite 395
Louisville KY 40205
Telephone: (502) 749-6420; Fax: (502) 749-6426
Lab Name: Boston IVF at The Women's
Hospital Laboratory
Accreditation: CAP
Lab Name: University of Louisville Physicians
OB/GYN & Women's Health Laboratory
Accreditation: CAP

Kentucky Fertility Institute, LLC
4612 Chamberlain Ln, Suite 200
Louisville KY 40241
Telephone: (502) 996-4480; Fax: (502) 996-4481
Lab Name: Kentucky Fertility Laboratory, LLC
Accreditation: CAP

University of Louisville Physicians OB/GYN &
Women's Health Fertility Center
6420 Dutchmans Pkwy, Suite 190
Louisville KY 40202
Telephone: (502) 588-4400; Fax: (502) 588-4315
Lab Name: University of Louisville Physicians
OB/GYN & Women's Health Laboratory
Accreditation: CAP

LOUISIANA

Fertility Answers, LLC-Baton Rouge
500 Rue de La Vie, Suite 510
Baton Rouge LA 70817
Telephone: (225) 926-6886; Fax: (225) 922-3730
Lab Name: Fertility Answers, LLC-Baton
Rouge Laboratory
Accreditation: CAP

Fertility Answers, LLC-Lafayette
206 E. Farrel Rd
Lafayette LA 70508
Telephone: (337) 989-8795; Fax: (337) 989-8766
Lab Name: Fertility Answers,
LLC-Lafayette Laboratory
Accreditation: CAP (Pend), The Joint Commission

Fertility Institute of New Orleans
800 N. Causeway Blvd, Suite 2C
Mandeville LA 70448
Telephone: (985) 892-7621; Fax: (985) 892-9245
Lab Name: Fertility Institute of New
Orleans Laboratory
Accreditation: CAP

Audubon Fertility & Reproductive Medicine
Audubon Fertility
4321 Magnolia St
New Orleans LA 70115
Telephone: (504) 891-1390; Fax: (504) 891-1391
Lab Name: Vivere New Orleans Fertility
Laboratory, LLC
Accreditation: CAP

†Center for Fertility & Wellness
4321 Magnolia St
New Orleans LA 70115
Telephone: (504) 717-4351; Fax: (504) 662-9091
Contact the NASS Help Desk for current
clinic information.

Arklatex Fertility and Reproductive Medicine
2401 Greenwood Rd, Suite A
Shreveport LA 71103
Telephone: (318) 841-5800; Fax: (318) 841-5817
Lab Name: E and A Laboratory, LLC
Accreditation: CAP

MAINE

Boston IVF, The Maine Center
778 Main St, Suite 2
South Portland ME 04106
Telephone: (207) 358-7600; Fax: (207) 761-7019
Lab Name: Boston IVF, The Maine
Center Laboratory
Accreditation: CAP

MARYLAND

The A.R.T. Institute of Washington, Inc.
Walter Reed National Military Medical Center
8901 Rockville Pike, Bldg 10, Rm 2104
Bethesda MD 20889
Telephone: (301) 400-2151; Fax: (301) 400-1800
Lab Name: The A.R.T. Institute of Washington,
Inc., Laboratory
Accreditation: CAP

Endrika Hinton, MD
10751 Falls Rd, Suite 302
Lutherville MD 21093
Telephone: (410) 616-7777; Fax: (410) 616-7767
Lab Name: Johns Hopkins IVF ART Laboratory
Accreditation: CAP

Johns Hopkins Fertility Center
10753 Falls Rd, Suite 335
Lutherville MD 21093
Telephone: (410) 847-3650; Fax: (410) 583-2798
Lab Name: Johns Hopkins IVF ART Laboratory
Accreditation: CAP

Montgomery Fertility Center
3202 Tower Oaks Blvd, Suite 370
Rockville MD 20852
Telephone: (301) 946-6962; Fax: (301) 946-6022
Lab Name: Montgomery Fertility Center Laboratory
Accreditation: None

Shady Grove Fertility Reproductive Science Center
Shady Grove Fertility-Rockville
9601 Blackwell Rd, 4th Floor
Rockville MD 20850
Telephone: (301) 340-1188; Fax: (301) 340-1612
Lab Name: Shady Grove Fertility-Rockville
Accreditation: The Joint Commission

Fertility Center of Maryland
110 West Rd, Suite 102
Towson MD 21204
Telephone: (410) 296-6400; Fax: (410) 296-6405
Lab Name: Fertility Center of Maryland Laboratory
Accreditation: The Joint Commission

Shady Grove Fertility RSC-Towson
Shady Grove Fertility-Towson
901 Dulaney Valley Rd, Suite 616
Towson MD 21204
Telephone: (410) 512-8300; Fax: (410) 512-8390
Lab Name: Shady Grove Fertility-Towson Laboratory
Accreditation: The Joint Commission

MASSACHUSETTS

Brigham and Women's Hospital Center for Assisted
Reproductive Technology
75 Francis St, Tower 5C
Boston MA 02115
Telephone: (617) 732-5570; Fax: (617) 975-0825
Lab Name: Brigham and Women's Hospital Center
for Assisted Reproductive Technology Laboratory
Accreditation: CAP

Massachusetts General Hospital Fertility Center
32 Fruit St, Yawkey 10A
Boston MA 02114
Telephone: (617) 726-8868; Fax: (617) 724-8882
Lab Name: Massachusetts General Hospital Fertility
Center Laboratory
Accreditation: CAP

Fertility Solutions, PC
45 Stergis Way
Dedham MA 02026
Telephone: (781) 326-2451; Fax: (781) 329-2684
Lab Name: Fertility Solutions, PC Laboratory
Accreditation: CAP

†IVF New England
450 Bedford St, Suite 1000
Lexington MA 02420
Telephone: (781) 674-1200; Fax: (781) 674-2442
Contact the NASS Help Desk for current
clinic information.

Fertility Centers of New England, Inc.
New England Clinics of Reproductive Medicine, Inc.
20 Pond Meadow Dr, Suite 101
Reading MA 01867
Telephone: (781) 942-7000; Fax: (781) 942-9840
Lab Name: New England Clinic of Reproductive
Medicine, Inc., Laboratory
Accreditation: CAP

Baystate Reproductive Medicine
Tolosky Center
3300 Main St, Suite B
Springfield MA 01199
Telephone: (413) 794-1950; Fax: (413) 794-1857
Lab Name: Baystate Medical Center, Reproductive
Biology Laboratory
Accreditation: CAP

Cardone Reproductive Medicine and Infertility, LLC
2 Main St, Suite 150
Stoneham MA 02180
Telephone: (781) 438-9600; Fax: (781) 438-9601
Lab Name: Boston IVF Laboratory
Accreditation: CAP, NYSTB

Boston IVF
130 Second Ave
Waltham MA 02451
Telephone: (781) 434-6500; Fax: (781) 434-6464
Lab Name: Boston IVF Laboratory
Accreditation: CAP, NYSTB

MICHIGAN

University of Michigan Center for
Reproductive Medicine
475 Market Pl, Building 1, Suite B
Ann Arbor MI 48108
Telephone: (734) 763-4323; Fax: (734) 936-8617
Lab Name: University of Michigan, Assisted
Reproductive Technologies Laboratories
Accreditation: CAP

Advanced Reproductive Medicine and Surgery, PC
4190 Telegraph Rd, Suite 1500
Bloomfield Hills MI 48302
Telephone: (248) 203-0900; Fax: (248) 203-0902
Lab Name: Michigan Center IVF, PLLC Laboratory
Accreditation: CAP

IVF Michigan Fertility Centers
37000 Woodward Ave, Suite 350
Bloomfield Hills MI 48304
Telephone: (248) 952-9600; Fax: (248) 952-9650
Lab Name: IVF Michigan Fertility Centers Laboratory
Accreditation: CAP

Michigan Reproductive Medicine
41000 Woodward Ave, Suite 100E
Bloomfield Hills MI 48304
Telephone: (248) 593-6990; Fax: (248) 593-5925
Lab Name: Michigan Reproductive
Medicine Laboratory
Accreditation: CAP

Gago IVF
2250 Genoa Business Park Dr, Suite 110
Brighton MI 48114
Telephone: (810) 227-3232; Fax: (810) 227-3237
Lab Name: Gago IVF Laboratory
Accreditation: CAP

Michigan Comprehensive Fertility Center
18181 Oakwood Blvd, Suite 109
Dearborn MI 48124
Telephone: (313) 299-6650; Fax: (313) 299-6651
Lab Name: Michigan Comprehensive Fertility
Center Laboratory
Accreditation: The Joint Commission

Michigan Reproductive & IVF Center, PC
3230 Eagle Park Dr N.E., Suite 100
Grand Rapids MI 49525
Telephone: (616) 988-2229; Fax: (616) 988-2010
Lab Name: Michigan Reproductive & IVF
Center, PC Laboratory
Accreditation: The Joint Commission

IVF Michigan Rochester Hills & Flint, PC
3950 S. Rochester Rd, Suite 2300
Rochester Hills MI 48307
Telephone: (248) 844-8845; Fax: (248) 844-9039
Lab Name: IVF Michigan Rochester Hills
& Flint, PC Laboratory
Accreditation: CAP

§Wayne State University Physician Group
University Women's Care
26400 W. 12 Mile Rd, Suite 140
Southfield MI 48034
Telephone: (248) 352-8200; Fax: (248) 356-8255
Lab Name: Wayne State University Physician Group
Reproductive Laboratory
Accreditation: CAP

Henry Ford Reproductive Medicine
1500 W. Big Beaver Rd, Suite 105
Troy MI 48084
Telephone: (248) 637-4050; Fax: (248) 637-0115
Lab Name: Henry Ford Health System, Reproductive
Medicine Laboratory
Accreditation: CAP

Brenda L. Moskovitz, MD, PC
415 E. Maple Rd, Suite 101
Troy MI 48083
Telephone: (248) 524-1001; Fax: (248) 528-2533
Lab Name: Michigan Reproductive
Medicine Laboratory
Accreditation: CAP

Reproductive Medicine Associates of Michigan
130 Town Center Dr, Suite 106
Troy MI 48084
Telephone: (248) 619-3100; Fax: (248) 619-9031
Lab Name: Reproductive Medicine Associates of
Michigan Laboratory
Accreditation: CAP

Michigan Center for Fertility and Women's
Health, PLC
4700 E. 13 Mile Rd
Warren MI 48092
Telephone: (586) 576-0431; Fax: (586) 576-0924
Lab Name: Michigan Center IVF, PLLC Laboratory
Accreditation: CAP

MINNESOTA

CCRM Minneapolis
6565 France Ave South, Suite 400
Edina MN 55435
Telephone: (952) 225-1630; Fax: (952) 225-1609
Lab Name: CCRM Minneapolis Laboratory
Accreditation: CAP

The Midwest Center for Reproductive Health, PA
Arbor Lakes Medical Bldg
12000 Elm Creek Blvd North, Suite 350
Maple Grove MN 55369
Telephone: (763) 494-7700; Fax: (763) 494-7706
Lab Name: Midwest Center for Reproductive Health,
Assisted Reproductive Technology
Accreditation: CAP

Center for Reproductive Medicine
Advanced Reproductive Technologies
2828 Chicago Ave South, Suite 400
Minneapolis MN 55407
Telephone: (612) 863-5390; Fax: (612) 863-2697
Lab Name: Center for Reproductive Medicine
Embryology Laboratory
Accreditation: CAP

§Mayo Clinic Assisted Reproductive Technologies
200 First St S.W., Charlton 3A
Rochester MN 55905
Telephone: (507) 266-3995; Fax: (507) 284-1774
Lab Name: Mayo Clinic Fertility Testing Laboratory
Accreditation: CAP

Reproductive Medicine & Infertility Associates
Woodbury Medical Arts Bldg
2101 Woodwinds Dr, Suite 100
Woodbury MN 55125
Telephone: (651) 222-6050; Fax: (651) 222-5975
Lab Name: Reproductive Medicine &
Infertility Associates, Reproductive
Biology Laboratory-Woodbury
Accreditation: CAP
Lab Name: Reproductive Medicine &
Infertility Associates, Reproductive
Biology Laboratory-Edina
Accreditation: CAP

MISSISSIPPI

Mississippi Reproductive Medicine, PLLC
1040 River Oaks Dr, Suite 202
Flowood MS 39232
Telephone: (601) 936-3650; Fax: (866) 491-0274
Lab Name: Mississippi Reproductive
Medicine, PLLC Laboratory
Mississippi Reproductive Medicine Laboratory
Accreditation: CAP

§University of Mississippi Medical Center
2925 Layfair Dr, Room 146
Flowood MS 39232
Telephone: (601) 984-5330; Fax: (601) 984-6759
Lab Name: University of Mississippi Medical Center
IVF & Andrology Laboratory
Accreditation: CAP

MISSOURI

Infertility Center of St. Louis
224 S. Woods Mill Rd, Suite 730
Chesterfield MO 63017
Telephone: (314) 576-1400; Fax: (314) 576-1442
Lab Name: Assisted Reproductive
Technology Laboratory
Accreditation: CAP

Missouri Center for Reproductive Medicine
17300 N. Outer 40 Rd, Suite 101
Chesterfield MO 63005
Telephone: (636) 778-9899; Fax: (636) 778-9915
Lab Name: MCRM ART Laboratory
Accreditation: CAP (Pend)

Mid-Missouri Reproductive Medicine
and Surgery, Inc.
1506 E. Broadway, Suite 220
Columbia MO 65201
Telephone: (573) 443-4511; Fax: (573) 443-7860
Lab Name: Mid-Missouri Reproductive Medicine
and Surgery, Inc., Laboratory
Accreditation: CAP

Missouri Center for Reproductive Medicine
and Fertility
University of Missouri
Department of Obstetrics, Gynecology and
Women's Health
500 N. Keene St, Suite 203
Columbia MO 65201
Telephone: (573) 817-3101; Fax: (573) 449-6065
Lab Name: University of Missouri, Missouri
Center for Reproductive Medicine and
Fertility-ART Laboratory
Accreditation: CAP

Midwest Women's Healthcare Specialists
2340 E. Meyer Blvd, Bldg 2, Suite 598
Kansas City MO 64132
Telephone: (816) 444-6888; Fax: (816) 444-1375
Lab Name: Research Medical Center IVF Laboratory
Accreditation: CAP

Fertility Partnership
5401 Veterans Memorial Pkwy, Suite 201
Saint Peters MO 63376
Telephone: (636) 441-7770; Fax: (636) 441-7775
Lab Name: Fertility Partnership Laboratory
Accreditation: None

Center for Reproductive Medicine & Robotic Surgery
522 N. New Ballas Rd, Suite 206
St. Louis MO 63141
Telephone: (314) 473-1285; Fax: (314) 473-1287
Lab Name: Center for Reproductive Medicine &
Robotic Surgery Laboratory
Accreditation: CAP

Fertility and Reproductive Medicine Center
at Washington University School of Medicine
and Barnes-Jewish Hospital
4444 Forest Park Ave, Suite 3100
St. Louis MO 63108
Telephone: (314) 286-2400; Fax: (314) 286-2455
Lab Name: Fertility and Reproductive Medicine
Center at Washington University Laboratory
Accreditation: CAP

Sher Institute for Reproductive Medicine-St. Louis
IntegraMed
Missouri, LLC
555 N. New Ballas Rd, Suite 150
St. Louis MO 63141
Telephone: (314) 983-9000; Fax: (314) 983-9023
Lab Name: Sher Institute for Reproductive
Medicine Laboratory-St. Louis
Accreditation: CAP

MONTANA

Billings Clinic
Reproductive Medicine and Fertility Care
1045 N. 30th St
Billings MT 59101
Telephone: (406) 238-2500; Fax: (406) 238-2806
Lab Name: Billings Clinic IVF Laboratory
Accreditation: CAP

NEBRASKA

Reproductive Health Specialists
717 N. 190th Plaza, Suite 2500
Elkhorn NE 68022
Telephone: (402) 815-1915; Fax: (402) 815-1065
Lab Name: Methodist Women's Hospital Andrology/
Embryology Laboratory
Accreditation: CAP

Heartland Center for Reproductive Medicine, PC
7308 S. 142nd St
Omaha NE 68138
Telephone: (402) 717-4200; Fax: (402) 717-4230
Lab Name: Heartland Center for Reproductive
Medicine, PC Laboratory
Accreditation: CAP

NEVADA

Green Valley Fertility Partners
2510 Wigwam Pkwy, Suite 201
Henderson NV 89074
Telephone: (702) 722-2229; Fax: (702) 778-7672
Lab Name: Green Valley Fertility Partners Laboratory
Accreditation: CAP

Fertility Center of Las Vegas
8851 W. Sahara Ave, Suite 100
Las Vegas NV 89117
Telephone: (702) 254-1777; Fax: (702) 254-1213
Lab Name: Ovation Fertility-Las Vegas
Accreditation: CAP, NYSTB

Red Rock Fertility Center
9120 W. Russell Rd, Suite 200
Las Vegas NV 89148
Telephone: (702) 262-0079; Fax: (702) 685-6910
Lab Name: Red Rock Fertility Center Laboratory
Accreditation: CAP

Sher Institute for Reproductive Medicine-Las Vegas
5320 S. Rainbow Blvd, Suite 300
Las Vegas NV 89118
Telephone: (702) 892-9696; Fax: (702) 892-9666
Lab Name: Sher Institute for Reproductive
Medicine-Las Vegas Laboratory
Accreditation: CAP

The Nevada Center for Reproductive Medicine
645 Sierra Rose Dr, Suite 205
Reno NV 89511
Telephone: (775) 828-1200; Fax: (775) 828-1785
Lab Name: The Nevada Center for Reproductive
Medicine Laboratory
Accreditation: The Joint Commission

NEW JERSEY

Sher Institute for Reproductive
Medicine-New Jersey
171 State Route 173, Suite 301
Asbury NJ 08802
Telephone: (908) 781-0666; Fax: (908) 238-5197
Lab Name: Sher Institute for Reproductive
Medicine-New Jersey
Accreditation: CAP

Reproductive Medicine Associates of New Jersey
140 Allen Rd
Basking Ridge NJ 07920
Telephone: (973) 971-4600; Fax: (973) 290-8370
Lab Name: Reproductive Medicine Associates of
New Jersey Embryology Laboratory
Accreditation: CAP

Clifton Low Cost IVF
1033 Route 46 East, Suite 102
Clifton NJ 07013
Telephone: (973) 779-7979; Fax: (973) 246-7299
Lab Name: Diamond Institute for
Infertility Laboratory
Accreditation: CAP

NJ Best OB/GYN
716 Broad St, Suite 2A
Clifton NJ 07013
Telephone: (973) 221-3122; Fax: (973) 710-0620
Lab Name: Diamond Institute for
Infertility Laboratory
Accreditation: CAP

Reproductive Science Center of New Jersey
234 Industrial Way West, Suite A104
Eatontown NJ 07724
Telephone: (732) 918-2500; Fax: (732) 918-2504
Lab Name: Reproductive Science Center
of New Jersey Laboratory
Accreditation: CAP

Center for Advanced Reproductive Medicine
& Fertility
4 Ethel Rd, Suite 405A
Edison NJ 08817
Telephone: (732) 339-9300; Fax: (732) 339-9400
Lab Name: Center for Advanced Reproductive
Medicine & Fertility Laboratory
Accreditation: The Joint Commission

Women's Fertility Center
106 Grand Ave, Suite 400
Englewood NJ 07631
Telephone: (201) 569-6979; Fax: (201) 569-0269
Lab Name: Fertility Institute of New Jersey and New
York Laboratory
Accreditation: CAP

North Hudson IVF
Center for Fertility and Gynecology
385 Sylvan Ave
Englewood Cliffs NJ 07632
Telephone: (201) 871-1999; Fax: (201) 871-1031
Lab Name: North Hudson IVF Laboratory
Accreditation: None

University Reproductive Associates, PC
214 Terrace Ave
Hasbrouck Heights NJ 07604
Telephone: (201) 288-6330; Fax: (201) 288-6331
Lab Name: University Reproductive Associates,
PC Laboratories
Accreditation: CAP

Shore Institute for Reproductive Medicine
*Shore Institute for Reproductive Medicine dba
Morgan Fertility and Reproductive Medicine*
475 Route 70 West, Suite 201
Lakewood NJ 08701
Telephone: (732) 363-4777; Fax: (732) 363-2004
Lab Name: Shore Area IVF Laboratories, PC
Accreditation: CAP

Delaware Valley OBGYN & Infertility Group, PC
Princeton IVF
2 Princess Rd, Suite C
Lawrenceville NJ 08648
Telephone: (609) 896-0777; Fax: (609) 896-3266
Lab Name: Abington Reproductive Medicine,
Abington IVF & Genetics Laboratory
Accreditation: CAP

Institute for Reproductive Medicine and Science
Saint Barnabas Medical Center
94 Old Short Hills Rd, East Wing, Suite 403
Livingston NJ 07039
Telephone: (973) 322-8286; Fax: (973) 322-8890
Lab Name: Institute for Reproductive Medicine and
Science at Saint Barnabas Medical Center
Accreditation: CAP

Delaware Valley Institute of Fertility and Genetics
6000 Sagemore Dr, Suite 6102
Marlton NJ 08053
Telephone: (856) 988-0072; Fax: (856) 988-0056
Lab Name: Delaware Valley Institute of Fertility and
Genetics Reproductive Laboratories
Accreditation: CAP

South Jersey Fertility Center
400 Lippincott Dr, Suite 130
Marlton NJ 08053
Telephone: (856) 596-2233; Fax: (856) 596-2411
Lab Name: South Jersey Fertility Center Laboratory
Accreditation: The Joint Commission

Diamond Institute for Infertility and Menopause
89 Millburn Ave
Millburn NJ 07041
Telephone: (973) 761-5600; Fax: (973) 761-5100
Lab Name: Diamond Institute for
Infertility Laboratory
Accreditation: CAP

Cooper Institute for Reproductive Hormonal Disorders, PC
17000 Commerce Pkwy, Suite C
Mount Laurel NJ 08054
Telephone: (856) 751-5465; Fax: (856) 751-7289
Lab Name: Cooper Institute for Reproductive Hormonal Disorders, PC Laboratory
Accreditation: CAP

Fertility Institute of New Jersey and New York
680 Kinderkamack Rd, Suite 200
Oradell NJ 07649
Telephone: (201) 666-4200; Fax: (201) 666-2262
Lab Name: Fertility Institute of New Jersey and New York Laboratory
Accreditation: CAP

Valley Hospital Fertility Center
The Robert and Audrey Luckow Pavilion
1 Valley Health Plaza, 1st Floor
Paramus NJ 07652
Telephone: (201) 634-5534; Fax: (201) 634-5503
Lab Name: Valley Hospital Fertility Center Laboratory
Accreditation: CAP

Damien Fertility Partners
655 Shrewsbury Ave, Suite 300
Shrewsbury NJ 07702
Telephone: (732) 758-6511; Fax: (732) 758-1048
Lab Name: Damien Fertility Partners Laboratory
Accreditation: CAP

Center for Reproductive Medicine and Fertility
Louis R. Manara, DO
200 Route 73, Suite A
Voorhees NJ 08043
Telephone: (856) 767-0009; Fax: (856) 767-0990
Lab Name: Center for Reproductive Medicine and Fertility Laboratory
Accreditation: CAP

For current information for Fertility Institute of New Jersey and New York, see Oradell, NJ

NEW MEXICO

Caperton Fertility Institute, LLC
6500 Jefferson St N.E., Suite 250
Albuquerque NM 87109
Telephone: (505) 270-2603; Fax: (505) 796-8022
Lab Name: Caperton Fertility Institute, LLC Laboratory
Accreditation: CAP

§Center for Reproductive Medicine of New Mexico
The Fertility Center of New Mexico, LLC
201 Cedar St S.E., Suite S1-20
Albuquerque NM 87106
Telephone: (505) 248-0000; Fax: (505) 842-0000
Lab Name: The Fertility Center of New Mexico, LLC Laboratory
Accreditation: CAP

NEW YORK

Genesis Fertility & Reproductive Medicine
6010 Bay Pkwy
Brooklyn NY 11204
Telephone: (718) 283-8600; Fax: (718) 283-6580
Lab Name: Brooklyn IVF
Accreditation: NYSTB

Kofinas Fertility Group
506 6th St, 4th Floor
Brooklyn NY 11215
Telephone: (718) 243-1600; Fax: (718) 780-5085
Lab Name: Kofinas Fertility Group Laboratory
Accreditation: NYSTB

Infertility & IVF Medical Associates of Western New York, PLLC
Infertility & IVF Medical Associates of Western New York, PLLC dba Buffalo IVF
4510 Main St
Buffalo NY 14226
Telephone: (716) 839-3057; Fax: (716) 839-1477
Lab Name: Infertility & IVF Medical Associates of Western New York, PLLC Laboratory
Accreditation: NYSTB

Hudson Valley Fertility, PLLC
400 Westage Business Center Dr, Suite 109
Fishkill NY 12524
Telephone: (845) 765-0125; Fax: (845) 765-0128
Lab Name: Hudson Valley Fertility, PLLC Laboratory
Accreditation: NYSTB

The New York Fertility Center
42-31 Coldern St, Suite 202
Flushing NY 11355
Telephone: (718) 261-9068; Fax: (718) 261-9067
Lab Name: The New York Fertility Center
Accreditation: NYSTB

Montefiore's Institute for Reproductive Medicine
and Health
141 S. Central Ave, Suite 201
Hartsdale NY 10530
Telephone: (914) 997-1060; Fax: (914) 997-1099
Lab Name: Montefiore's Institute for Reproductive
Medicine and Health Laboratory
Accreditation: CAP, NYSTB

New York Reproductive Wellness
380 N. Broadway Ave, Suite 305
Jericho NY 11753
Telephone: (516) 605-2626; Fax: (516) 605-2624
Lab Name: New York Reproductive Wellness
ART Laboratory
Accreditation: NYSTB

Boston IVF, The Albany Center
399 Albany Shaker Rd
Loudonville NY 12211
Telephone: (518) 434-9759; Fax: (518) 436-9822
Lab Name: Boston IVF, The Albany
Center Laboratory
Accreditation: NYSTB

Northwell Health Fertility
300 Community Dr
Manhasset NY 11030
Telephone: (516) 562-2229; Fax: (516) 562-1710
Lab Name: Northwell Health Fertility Laboratory
Accreditation: CAP

Long Island IVF
8 Corporate Center Dr, Suite 101
Melville NY 11747
Telephone: (631) 752-0606; Fax: (631) 752-0623
Lab Name: Long Island IVF Laboratory
Accreditation: CAP, NYSTB

Reproductive Specialists of New York
200 Old Country Rd, Suite 350
Mineola NY 11501
Telephone: (516) 739-2100; Fax: (516) 873-8068
Lab Name: Reproductive Specialists of New York
Accreditation: NYSTB

Westchester Reproductive Medicine
344 E. Main St, Suite 403
Mount Kisco NY 10549
Telephone: (914) 218-8955; Fax: (914) 218-8956
Lab Name: Westchester IVF
Accreditation: NYSTB

Advanced Fertility Services, PC
1625 Third Ave
New York NY 10128
Telephone: (212) 369-8700; Fax: (212) 289-8461
Lab Name: Advanced Fertility Services, PC
Accreditation: NYSTB

CCRM New York
810 Seventh Ave, 21st Floor
New York NY 10019
Telephone: (212) 290-8100; Fax: (212) 293-6500
Lab Name: New York Medical Sciences, PC
Accreditation: NYSTB

Center for Human Reproduction (CHR)
21 E. 69th St
New York NY 10021
Telephone: (212) 994-4400; Fax: (212) 994-4499
Lab Name: Medical Offices for Human
Reproduction, CHR Laboratory
Accreditation: NYSTB

Chelsea Fertility NYC
105 E. 37th St, Suite 1
New York NY 10016
Telephone: (212) 685-2229; Fax: (646) 726-4449
Lab Name: Chelsea Fertility NYC Laboratory
Accreditation: CAP, NYSTB

§Columbia University Center for Women's
Reproductive Care
5 Columbus Cir, 2nd Floor
New York NY 10019
Telephone: (646) 756-8282; Fax: (646) 756-8280
Lab Name: Columbia University Center for Women's
Reproductive Care Laboratory
Accreditation: NYSTB

Libera Medical, PLLC
425 Fifth Ave, 3rd Floor
New York NY 10016
Telephone: (646) 792-7476; Fax: (646) 274-0600
Lab Name: Libera Medical, PLLC Laboratory
Accreditation: CAP, NYSTB

Andrew Loucopoulos, MD, PhD
1001 Fifth Ave
New York NY 10028
Telephone: (212) 472-7186; Fax: (212) 472-8608
Lab Name: Manhattan Fertility Services Laboratory
Accreditation: NYSTB

Manhattan Reproductive Medicine
159 E. 74th St, Suite 1C
New York NY 10021
Telephone: (212) 794-0080; Fax: (212) 794-0066
Lab Name: Manhattan Reproductive
Medicine Laboratory
Accreditation: NYSTB

Metropolitan Reproductive Medicine, PC
422 West End Ave
New York NY 10024
Telephone: (212) 580-2252; Fax: (212) 580-2258
Lab Name: Manhattan Fertility Services Laboratory
Accreditation: NYSTB

New Hope Fertility Center
4 Columbus Cir, 4th Floor
New York NY 10019
Telephone: (212) 517-7676; Fax: (212) 489-6294
Lab Name: New Hope Fertility Center Laboratory
Accreditation: NYSTB

New York Fertility Institute
1016 Fifth Ave
New York NY 10028
Telephone: (212) 734-5555; Fax: (212) 734-6059
Lab Name: New York Fertility Institute Laboratory
Accreditation: NYSTB

New York Fertility Services, PC
16 E. 40th St, 2nd Floor
New York NY 10016
Telephone: (212) 679-2289; Fax: (212) 679-2288
Lab Name: New York Fertility Services,
PC Laboratory
Accreditation: The Joint Commission, NYSTB

§Neway Medical
123 W. 79th St
New York NY 10024
Telephone: (212) 750-3330; Fax: (646) 462-3353
Lab Name: American Fertility Services, PC dba
Neway Medical
Accreditation: NYSTB

Noble Fertility Center
137 E. 36th St
New York NY 10016
Telephone: (212) 804-6666; Fax: (212) 502-3386
Lab Name: Rockefeller Fertility Center
Accreditation: NYSTB

NYU Langone Fertility Center
660 First Ave, 5th Floor
New York NY 10016
Telephone: (212) 263-8990; Fax: (212) 263-8827
Lab Name: NYU Langone Fertility Center Laboratory
Accreditation: NYSTB

Offices for Fertility and Reproductive Medicine, PC
51 E. 67th St
New York NY 10065
Telephone: (212) 535-5350; Fax: (212) 535-5080
Lab Name: Offices for Fertility and Reproductive
Medicine, PC Laboratory
Accreditation: NYSTB

Reproductive Medicine Associates of New York, LLP
635 Madison Ave, 10th Floor
New York NY 10022
Telephone: (212) 756-5777; Fax: (212) 756-5770
Lab Name: Reproductive Medicine Associates of
New York, LLP
Accreditation: NYSTB

Weill Cornell Medicine
Center for Reproductive Medicine
1305 York Ave, 6th Floor
New York NY 10021
Telephone: (646) 962-2764; Fax: (646) 962-0359
Lab Name: Weill Cornell Medicine, Center for
Reproductive Medicine Laboratory
Accreditation: NYSTB

Westmed Reproductive Services
3030 Westchester Ave
Purchase NY 10577
Telephone: (914) 607-6213; Fax: (914) 848-8624
Lab Name: Greenwich Fertility and IVF
Center, PC Laboratory
Accreditation: NYSTB

Rochester Fertility Care, PC
1561 Long Pond Rd, Suite 410
Rochester NY 14626
Telephone: (585) 453-7760; Fax: (585) 453-7771
Lab Name: Rochester Fertility Care, PC Laboratory
Accreditation: NYSTB

Strong Fertility Center
500 Red Creek Dr, Suite 220
Rochester NY 14623
Telephone: (585) 487-3378; Fax: (585) 334-8998
Lab Name: Strong Fertility Center
Accreditation: NYSTB

Island Reproductive Services, PC
237 Richmond Valley Rd
Staten Island NY 10309
Telephone: (718) 948-6100; Fax: (718) 948-6114
Lab Name: Reproductive Center of Central
New Jersey
Accreditation: The Joint Commission
Lab Name: Island Reproductive Services,
PC Laboratory
Accreditation: NYSTB

CNY Fertility Center
195 Intrepid Ln
Syracuse NY 13205
Telephone: (315) 469-8700; Fax: (315) 469-6789
Lab Name: CNY Fertility Center-Albany
Accreditation: NYSTB
Lab Name: CNY Fertility Center-Syracuse
Accreditation: NYSTB

Westchester Fertility and
Reproductive Endocrinology
136 S. Broadway
White Plains NY 10605
Telephone: (914) 949-6677; Fax: (914) 949-5758
Lab Name: Westchester IVF
Accreditation: NYSTB

Gold Coast IVF
Reproductive Medicine and Surgery Center
246 Crossways Park Dr West
Woodbury NY 11797
Telephone: (516) 682-8900; Fax: (516) 682-8901
Lab Name: Gold Coast IVF Laboratory
Accreditation: NYSTB

NORTH CAROLINA

North Carolina Center for Reproductive Medicine
The Talbert Fertility Institute
400 Ashville Ave, Suite 200
Cary NC 27518
Telephone: (919) 233-1680; Fax: (919) 233-1685
Lab Name: North Carolina Center for
Reproductive Medicine, North Carolina
Reproductive Laboratories
Accreditation: The Joint Commission

Advanced Reproductive Concepts
1918 Randolph Ave, Suite 210
Charlotte NC 28207
Telephone: (704) 947-9000; Fax: (704) 992-1900
Lab Name: Advanced Reproductive Concepts,
PLLC Laboratory
Accreditation: CAP

Program for Assisted Reproduction at Carolinas
Medical Center
CMC Women's Institute
1025 Morehead Medical Dr, Suite 500
Charlotte NC 28204
Telephone: (704) 355-3153; Fax: (704) 355-9322
Lab Name: Carolinas Medical Center Andrology and
ART Laboratories
Accreditation: CAP

Reproductive Endocrinology Associates of Charlotte
1524 E. Morehead St
Charlotte NC 28207
Telephone: (704) 343-3400; Fax: (704) 343-0744
Lab Name: Reproductive Endocrinology Associates
of Charlotte Laboratory
Accreditation: CAP

Duke Fertility Center
Duke University Medical Center
5704 Fayetteville Rd
Durham NC 27713
Telephone: (919) 572-4673; Fax: (919) 484-0461
Lab Name: Duke Fertility Center, Assisted
Reproductive Technologies Laboratory
Accreditation: CAP

Womack Army Medical Center
WAMC MCXC-OB
2817 Reilly Rd, Mailstop A
Fort Bragg NC 28310
Telephone: (910) 907-9270; Fax: (910) 907-7825
Lab Name: North Carolina IVF Labs
Accreditation: CAP

For current information for Advanced Reproductive
Concepts, see Charlotte, SC

Atlantic Reproductive Medicine Specialists, PA
10208 Cerny St, Suite 306
Raleigh NC 27617
Telephone: (919) 248-8777; Fax: (919) 248-8776
Lab Name: Atlantic Fertility Center Partners, LLC
Accreditation: CAP

Carolina Conceptions, PA
2601 Lake Dr, Suite 301
Raleigh NC 27607
Telephone: (919) 782-5911; Fax: (919) 861-6400
Lab Name: Carolina Conceptions Embryology/
Andrology Laboratory
Accreditation: CAP

UNC Fertility
7920 ACC Blvd, Suite 300
Raleigh NC 27617
Telephone: (919) 240-5255; Fax: (919) 596-6147
Lab Name: UNC Fertility Laboratory
Accreditation: CAP

Carolinas Fertility Institute
3821 Forrestdge Dr
Winston Salem NC 27103
Telephone: (336) 448-9100; Fax: (336) 778-7995
Lab Name: Carolinas Fertility Institute Laboratory
Accreditation: CAP

Wake Forest University Center for
Reproductive Medicine
Medical Plaza-Miller
131 Miller St, 2nd Floor
Winston Salem NC 27103
Telephone: (336) 716-6476; Fax: (336) 716-0194
Lab Name: Wake Forest University Center for
Reproductive Medicine Laboratory
Accreditation: CAP

NORTH DAKOTA

Sanford Health Reproductive Medicine Institute
1111 Harwood Dr South
Fargo ND 58104
Telephone: (701) 234-2700; Fax: (701) 234-2702
Lab Name: Sanford Health Reproductive
Medicine Laboratory
Accreditation: CAP

OHIO

Fertility Unlimited, Inc.
Northeastern Ohio Fertility Center
468 E. Market St
Akron OH 44304
Telephone: (330) 376-2300; Fax: (330) 376-4807
Lab Name: Fertility Unlimited, Inc., Laboratory
Accreditation: The Joint Commission

Reproductive Gynecology, Inc.-Akron
Reproductive Gynecology & Infertility-Akron
95 Arch St, Suite 250
Akron OH 44304
Telephone: (330) 375-7722; Fax: (330) 375-3986
Lab Name: Reproductive
Gynecology Laboratory-Akron
Accreditation: CAP

Cleveland Clinic Fertility Center
26900 Cedar Rd, Suite 220S
Beachwood OH 44122
Telephone: (216) 839-3150; Fax: (216) 839-3181
Lab Name: Cleveland Clinic Fertility Center
Accreditation: CAP

University Hospitals Fertility Center
Kathy Risman Pavilion
1000 Auburn Dr, Suite 310
Beachwood OH 44122
Telephone: (216) 285-5028; Fax: (216) 201-5390
Lab Name: University Hospitals Fertility
Center Laboratory
Accreditation: CAP

§Bethesda Fertility Center
10506 Montgomery Rd, Suite 303
Cincinnati OH 45242
Telephone: (513) 865-1675; Fax: (513) 865-1676
Lab Name: Reproductive Studies Laboratory
Accreditation: The Joint Commission

Institute for Reproductive Health
3805 Edwards Rd, Suite 450
Cincinnati OH 45209
Telephone: (513) 924-5546; Fax: (513) 924-5549
Lab Name: Institute for Reproductive Health
ART Laboratory
Accreditation: CAP

Ohio Reproductive Medicine
4830 Knightsbridge Blvd, Suite E
Columbus OH 43214
Telephone: (614) 451-2280; Fax: (614) 451-4352
Lab Name: Reproductive Diagnostics, Inc.
Accreditation: CAP

SpringCreek Fertility
7095 Ciylo Rd
Dayton OH 45459
Telephone: (937) 458-5084; Fax: (937) 458-5089
Lab Name: SpringCreek Fertility Laboratory
Accreditation: CAP (Pend)

Wright State Physicians OB/GYN
Berry Women's Health Pavilion
1 Wyoming St, Suite 4130
Dayton OH 45409
Telephone: (937) 208-6810; Fax: (937) 208-2030
Lab Name: Reproductive Studies Laboratory
Accreditation: The Joint Commission

Kettering Reproductive Medicine
3533 Southern Blvd, Suite 4100
Kettering OH 45429
Telephone: (937) 395-8444; Fax: (937) 395-8450
Lab Name: Kettering Reproductive
Medicine Laboratory
Accreditation: CAP

The Fertility Wellness Institute of Ohio
6396 Thornberry Ct, Suite 710
Mason OH 45040
Telephone: (513) 326-4300; Fax: (513) 326-4306
Lab Name: UC Center for Reproductive
Health Laboratory
Accreditation: CAP

UC Center for Reproductive Health
7675 Wellness Way, Suite 315
West Chester OH 45069
Telephone: (513) 475-7600; Fax: (513) 475-7601
Lab Name: UC Center for Reproductive
Health Laboratory
Accreditation: CAP

Reproductive Gynecology, Inc.-Westerville
Reproductive Gynecology & Infertility-Westerville
540 N. Cleveland Ave, Suite 100
Westerville OH 43082
Telephone: (614) 895-3333; Fax: (614) 895-3338
Lab Name: Reproductive
Gynecology Laboratory-Westerville
Accreditation: CAP

OKLAHOMA

Henry G. Bennett, Jr., Fertility Institute
Bennett Fertility Institute
3433 N.W. 56th St, Bldg B, Suite 200
Oklahoma City OK 73112
Telephone: (405) 949-6060; Fax: (405) 949-6872
Lab Name: Integris Canadian Valley Hospital Lab,
Bennett Fertility Institute Reproductive Services
Accreditation: CAP

OU Physicians Reproductive Medicine
840 Research Pkwy, Suite 200
Oklahoma City OK 73104
Telephone: (405) 271-1616; Fax: (405) 271-9222
Lab Name: OU Reproductive Medicine Department
of OB/GYN ART Laboratory
Accreditation: CAP

Tulsa Fertility Center
115 E. 15th St
Tulsa OK 74119
Telephone: (918) 584-2870; Fax: (918) 587-3602
Lab Name: Tulsa Fertility Center Laboratory
Accreditation: CAP

OREGON

The Fertility Center of Oregon
590 Country Club Pkwy, Suite A
Eugene OR 97401
Telephone: (541) 683-1559; Fax: (541) 683-1709
Lab Name: The Fertility Center of Oregon
Embryology Laboratory
Accreditation: None

Oregon Reproductive Medicine
808 S.W. 15th Ave
Portland OR 97205
Telephone: (503) 243-4914; Fax: (503) 274-4946
Lab Name: The Reproductive Medicine Laboratory
Accreditation: CAP

University Fertility Consultants
Oregon Health & Science University
OHSU Center for Health & Healing
3303 S.W. Bond Ave, 10th Floor
Portland OR 97239
Telephone: (503) 418-3700; Fax: (503) 428-3708
Lab Name: Oregon Health & Science University,
Andrology/Embryology Laboratory
Accreditation: CAP

PENNSYLVANIA

Abington Reproductive Medicine, Abington IVF
and Genetics
Toll Center for Reproductive Sciences
1245 Highland Ave, Suite 404
Abington PA 19001
Telephone: (215) 887-2010; Fax: (215) 887-3291
Lab Name: Abington Reproductive Medicine,
Abington IVF & Genetics Laboratory
Accreditation: CAP

Reproductive Medicine Associates of Pennsylvania
1401 N. Cedar Crest Blvd, Suite 200
Allentown PA 18104
Telephone: (610) 820-6888; Fax: (610) 820-6818
Lab Name: Reproductive Medicine Associates of
New Jersey Embryology Laboratory
Accreditation: CAP

Family Fertility Center
95 Highland Ave, Suite 100
Bethlehem PA 18017
Telephone: (610) 868-8600; Fax: (610) 868-8700
Lab Name: Family Fertility Center Laboratory
Accreditation: CAP

Main Line Fertility and Reproductive Medicine
825 Old Lancaster Rd, Suite 170
Bryn Mawr PA 19010
Telephone: (484) 380-4879; Fax: (484) 380-4866
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP

Geisinger Medical Center Fertility Program
100 N. Academy Ave
Danville PA 17822
Telephone: (570) 271-5620; Fax: (570) 271-5629
Lab Name: Geisinger Medical Center ART/
Andrology Laboratory
Accreditation: CAP

Reproductive Endocrinology and Fertility Center
HAN Fertility Center
2010 West Chester Pike, Suite 350
Havertown PA 19083
Telephone: (610) 853-1112; Fax: (610) 446-1425
Lab Name: HAN Fertility Center Laboratory
Accreditation: CAP

Penn State Milton S. Hershey Medical Center
35 Hope Dr, Suite 202
Hershey PA 17033
Telephone: (717) 531-6731; Fax: (717) 531-6286
Lab Name: Penn State Milton S. Hershey Medical
Center Laboratory
Accreditation: The Joint Commission

Reproductive Medicine Associates of Philadelphia
625 Clark Ave, Suite 17B
King of Prussia PA 19406
Telephone: (215) 654-1544; Fax: (215) 654-1543
Lab Name: Reproductive Medicine Associates
of Philadelphia
Accreditation: The Joint Commission

Society Hill Reproductive Medicine
822 Pine St, Suite 4B
Philadelphia PA 19107
Telephone: (215) 829-8110; Fax: (215) 829-8119
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP

University of Pennsylvania
Penn Fertility Care
3701 Market St, Suite 800
Philadelphia PA 19104
Telephone: (215) 662-6100; Fax: (215) 349-5512
Lab Name: University of Pennsylvania, Penn Fertility
Care Laboratory
Accreditation: CAP, The Joint Commission

§Jones Institute at West Penn Allegheny
Health System
AHN Center for Reproductive Medicine
9335 McKnight Rd, Suite 240
Pittsburgh PA 15237
Telephone: (412) 847-1166; Fax: (412) 847-1168
Lab Name: AHN Center for Reproductive
Medicine Laboratory
Accreditation: CAP

Reproductive Health Specialists, Inc.
419 Rodi Rd
Pittsburgh PA 15235
Telephone: (412) 731-8000; Fax: (412) 731-8399
Lab Name: Reproductive Health Specialists,
Inc., Laboratory
Accreditation: CAP

§University of Pittsburgh Physicians
Center for Fertility and Reproductive Endocrinology
Magee Womens Hospital
300 Halket St, Suite 5150
Pittsburgh PA 15213
Telephone: (412) 641-1600; Fax: (412) 641-7454
Lab Name: Center for Fertility and Reproductive
Endocrinology IVF Laboratory
Accreditation: CAP

Shady Grove Fertility RSC of Pennsylvania
Shady Grove Fertility-Pennsylvania
945 Chesterbrook Blvd
Wayne PA 19087
Telephone: (610) 981-6000; Fax: (610) 964-0536
Lab Name: Shady Grove Fertility RSC of
Pennsylvania Laboratory
Accreditation: The Joint Commission, NYSTB

RHPN Women's Clinic & IVF-Fertility
*Advanced Fertility & Reproductive
Medicine-Tower Health Medical Group*
301 S. 7th Ave, Suite 245
West Reading PA 19611
Telephone: (484) 628-7900; Fax: (610) 685-5264
Lab Name: Advanced Fertility & Reproductive
Medicine-Tower Health Medical
Group Laboratory
Accreditation: CAP

The Fertility Center, LLC
130 Leader Heights Rd
York PA 17403
Telephone: (717) 747-3099; Fax: (717) 747-3214
Lab Name: The Fertility Center, LLC Laboratory
Accreditation: None

PUERTO RICO

Pedro J. Beauchamp, MD IVF Program dba
Puerto Rico Fertility Center
Dr. Arturo Cadilla Bldg
100 Paseo San Pablo, Suite 503
Bayamon PR 00961
Telephone: (787) 798-0100; Fax: (787) 740-7250
Lab Name: PR Fertility and Reproductive Center
Accreditation: The Joint Commission

Clinica de Fertilidad HIMA-San Pablo Caguas
Ave Muñoz Rivera, A-1, Suite 303
Caguas PR 00726
Telephone: (787) 704-3434; Fax: (787) 961-4546
Lab Name: Clinica de Fertilidad HIMA-San Pablo
Caguas Laboratory
Accreditation: None

GREFI
Gynecology, Reproductive Endocrinology &
Fertility Institute
First Bank Bldg
1519 Ave Ponce de Leon, Suite 705
San Juan PR 00909
Telephone: (787) 984-3008; Fax: (787) 721-5957
Lab Name: GREFI Laboratory-Coto Laurel
Accreditation: None
Lab Name: GREFI Laboratory-San Juan
Accreditation: None

RHODE ISLAND

Women & Infants Fertility Center
90 Plain St, 5th Floor
Providence RI 02903
Telephone: (401) 453-7500; Fax: (401) 277-3638
Lab Name: Women & Infants Fertility
Center Laboratory
Accreditation: CAP

SOUTH CAROLINA

Fertility Center of the Carolinas
University Medical Group, Department of Obstetrics
and Gynecology
890 W. Faris Rd, Suite 470
Greenville SC 29605
Telephone: (864) 455-1600; Fax: (864) 455-8492
Lab Name: Greenville Health System, Fertility Center
of the Carolinas Laboratory
Accreditation: CAP

Piedmont Reproductive Endocrinology Group, PA
17 Caledon Ct, Suite C
Greenville SC 29615
Telephone: (864) 232-7734; Fax: (864) 232-7099
Lab Name: Piedmont Reproductive Endocrinology
Group, PA Laboratory-Greenville
Accreditation: CAP
Lab Name: Piedmont Reproductive Endocrinology
Group, PA Laboratory-West Columbia
Accreditation: CAP

Coastal Fertility Specialists
1375 Hospital Dr
Mount Pleasant SC 29464
Telephone: (843) 883-5800; Fax: (843) 881-0362
Lab Name: Coastal Fertility Specialists Laboratory
Accreditation: CAP, NYSTB

The Fertility Center of Charleston
1280 Hospital Dr, Suite 300
Mount Pleasant SC 29464
Telephone: (843) 881-7400; Fax: (843) 881-7444
Lab Name: The Fertility Center of Charleston
IVF Laboratory
Accreditation: CAP

SOUTH DAKOTA

Sanford Women's Health
1500 W. 22nd St, MB3, Suite 102
Sioux Falls SD 57105
Telephone: (605) 328-8800; Fax: (605) 328-8801
Lab Name: Sanford Women's Health Advanced
Reproductive Laboratory
Accreditation: CAP

TENNESSEE

Fertility Center, LLC
7407 Ziegler Rd
Chattanooga TN 37421
Telephone: (423) 899-0500; Fax: (423) 899-2411
Lab Name: Fertility Center, LLC Laboratory
Accreditation: The Joint Commission

Tennessee Reproductive Medicine
6031 Shallowford Rd, Suite 101
Chattanooga TN 37421
Telephone: (423) 876-2229; Fax: (423) 643-0699
Lab Name: Tennessee Reproductive
Medicine Laboratory
Accreditation: CAP

Tennessee Fertility Institute
9160 Carothers Pkwy, Suite 201
Franklin TN 37067
Telephone: (615) 721-6250; Fax: (615) 721-6251
Lab Name: Tennessee Fertility Institute Laboratory
Accreditation: CAP

Quillen Fertility and Women's Services
1319 Sunset Dr, Suite 103
Johnson City TN 37604
Telephone: (423) 439-7246; Fax: (423) 282-4698
Lab Name: ETSU Physicians and Associates,
Quillen Fertility & Women's Services Laboratory
Accreditation: CAP

East Tennessee IVF and Andrology Center
9301 Park West Blvd, Bldg A
Knoxville TN 37923
Telephone: (865) 249-7031; Fax: (865) 588-4510
Lab Name: East Tennessee IVF and Andrology
Center Laboratory
Accreditation: None

Jeffrey A. Keenan, MD dba
Southeastern Center for Fertility and
Reproductive Surgery
11126 Kingston Pike
Knoxville TN 37934
Telephone: (865) 777-0088; Fax: (865) 777-2015
Lab Name: Jeffrey A. Keenan, MD dba Southeastern
Center for Fertility and Reproductive
Surgery Laboratory
Accreditation: None

Kutteh Ke Fertility Associates of Memphis, PLLC
80 Humphreys Center, Suite 307
Memphis TN 38120
Telephone: (901) 747-2229; Fax: (901) 747-4446
Lab Name: Memphis Fertility Laboratory, Inc.
Accreditation: CAP

Regional One Health Reproductive Medicine
6555 Quince Rd, Suite 501
Memphis TN 38119
Telephone: (901) 515-3100; Fax: (901) 515-3199
Lab Name: Regional One Health Reproductive
Medicine Laboratory
Accreditation: None

The Center for Reproductive Health
2410 Patterson St, Suite 401
Nashville TN 37203
Telephone: (615) 321-8899; Fax: (615) 321-8877
Lab Name: Fertility Laboratories of Nashville, Inc.
Accreditation: CAP

Nashville Fertility Center
345 23rd Ave North, Suite 401
Nashville TN 37203
Telephone: (615) 321-4740; Fax: (615) 277-2455
Lab Name: FPG Labs of Nashville, LLC
Accreditation: CAP

TEXAS

Aspire Fertility-Dallas
16415 Addison Rd, Suite 900
Addison TX 75001
Telephone: (214) 414-3806; Fax: (214) 414-0376
Lab Name: Aspire Fertility-Dallas Laboratory
Accreditation: CAP (Pend)

DFW Center for Fertility & IVF
980 Raintree Cir
Allen TX 75013
Telephone: (214) 383-2600; Fax: (214) 383-2601
Lab Name: DFW Center for Fertility & IVF Laboratory
Accreditation: CAP

Austin Fertility and Reproductive
Medicine-Westlake IVF
300 Beardsley Ln, Bldg B, Suite 200
Austin TX 78746
Telephone: (512) 444-1414; Fax: (512) 579-2720
Lab Name: Westlake IVF Laboratory
Accreditation: CAP (Pend)

Austin Fertility Institute, PA
2200 Park Bend Dr, Bldg 1, Suite 402
Austin TX 78758
Telephone: (512) 339-4234; Fax: (512) 339-4237
Lab Name: New Austin Health, LLC Laboratory
Accreditation: CAP

RMATX.COM, PLLC
RMA of Texas-Austin
911 W. 38th St, Suite 402
Austin TX 78705
Telephone: (512) 479-7979; Fax: (512) 479-7978
Lab Name: RMATX.COM, PLLC Laboratory
Accreditation: CAP

Texas Fertility Center
Vaughn, Silverberg & Associates
6500 N. Mopac Expressway, Bldg 1, Suite 1200
Austin TX 78731
Telephone: (512) 451-0149; Fax: (512) 451-0977
Lab Name: Ovation Fertility-Austin
Accreditation: CAP
Lab Name: San Antonio IVF Laboratory
Accreditation: CAP

Center for Assisted Reproduction
1701 Park Place Ave
Bedford TX 76022
Telephone: (817) 540-1157; Fax: (817) 267-0522
Lab Name: Center for Assisted
Reproduction Laboratory
Accreditation: CAP

Dallas-Fort Worth Fertility Associates
5477 Glen Lakes Dr, Suite 200
Dallas TX 75231
Telephone: (214) 363-5965; Fax: (214) 363-0639
Lab Name: Dallas Fertility Center Laboratory
Accreditation: CAP

Fertility and Advanced Reproductive Medicine
Outpatient Building
1801 Inwood Rd, Suite 616
Dallas TX 75390
Telephone: (214) 645-3858; Fax: (214) 645-7930
Lab Name: Fertility and Advanced Reproductive
Medicine Laboratory
Accreditation: CAP

Fertility Center of Dallas
Baylor Medical Pavilion
3900 Junius St, Suite 610
Dallas TX 75246
Telephone: (972) 884-5700; Fax: (972) 884-5709
Lab Name: Fertility Center of Dallas Laboratory
Accreditation: CAP, NYSTB

ReproMed Fertility Center
3800 San Jacinto St
Dallas TX 75204
Telephone: (214) 827-8777; Fax: (214) 827-8622
Lab Name: American Reproductive Center-Texas
Accreditation: CAP

Sher Institute for Reproductive Medicine-Dallas
7777 Forest Ln, Suite C638
Dallas TX 75230
Telephone: (972) 566-6686; Fax: (972) 566-6670
Lab Name: Sher Institute for Reproductive
Medicine-Dallas Laboratory
Accreditation: CAP

Texas Center for Reproductive Health
Barnett Tower
3600 Gaston Ave, Suite 504
Dallas TX 75246
Telephone: (214) 821-2274; Fax: (214) 821-2373
Lab Name: Texas Center for Reproductive
Health Laboratory
Accreditation: CAP

Southwest Center for Reproductive Health, PA
700 S. Mesa Hills Dr
El Paso TX 79912
Telephone: (915) 842-9998; Fax: (915) 842-9972
Lab Name: Southwest Center for Reproductive
Health, PA Laboratory
Accreditation: None

Brooke Army Medical Center
Department of Obstetrics & Gynecology
3551 Roger Brooke Dr
Fort Sam Houston TX 78234
Telephone: (210) 916-6305; Fax: (210) 916-6350
Lab Name: BAMC IVF Laboratory
Accreditation: CAP

Fort Worth Fertility, PA
1800 Mistletoe Blvd
Fort Worth TX 76104
Telephone: (817) 348-8145; Fax: (817) 348-8264
Lab Name: Texas Reproductive Center Laboratory
Accreditation: CAP

Dallas IVF
2840 Legacy Dr, Bldg 1, Suite 100
Frisco TX 75034
Telephone: (214) 297-0027; Fax: (214) 297-0034
Lab Name: Dallas IVF Laboratory
Accreditation: CAP

Fertility Specialists of Texas, PLLC
5757 Warren Pkwy, Suite 300
Frisco TX 75034
Telephone: (214) 618-2044; Fax: (214) 618-7838
Lab Name: Fertility Specialists of Texas Laboratory
Accreditation: CAP

Frisco Institute for Reproductive Medicine
8380 Warren Pkwy, Suite 201
Frisco TX 75034
Telephone: (972) 377-2625; Fax: (972) 377-2667
Lab Name: Frisco IVF Laboratory
Accreditation: CAP

Advanced Fertility Center of Texas
10901 Katy Freeway
Houston TX 77079
Telephone: (713) 467-4488; Fax: (713) 467-9499
Lab Name: Center for Women's Medicine
IVF Laboratory
Accreditation: CAP

Aspire Fertility-Houston
7515 Main St, Suite 500
Houston TX 77030
Telephone: (713) 425-3003; Fax: (713) 396-3854
Lab Name: Aspire Fertility-Houston Laboratory
Accreditation: CAP

Cooper Institute for Advanced
Reproductive Medicine
7500 Beechnut St, Suite 308
Houston TX 77074
Telephone: (713) 771-9771; Fax: (713) 771-9773
Lab Name: Cooper Institute
Reproductive Laboratory
Accreditation: CAP (Pend)

Family Fertility Center
Texas Children's Pavilion for Women
6651 Main St, Suite E350
Houston TX 77030
Telephone: (832) 826-7463; Fax: (832) 825-9413
Lab Name: Family Fertility Center IVF Laboratory
Accreditation: CAP

The Heard Clinic
The Heard Institute
1315 St. Joseph Pkwy, Suite 1305
Houston TX 77002
Telephone: (713) 878-0878; Fax: (713) 654-8795
Lab Name: Cooper Institute
Reproductive Laboratory
Accreditation: CAP (Pend)

Houston Fertility Institute
2500 Fondren Rd, Suite 350
Houston TX 77063
Telephone: (832) 237-1434; Fax: (832) 237-1436
Lab Name: New Houston Health IVF Laboratory
Accreditation: CAP

Houston Fertility Specialists
7900 Fannin St, Suite 4400
Houston TX 77054
Telephone: (713) 512-7914; Fax: (713) 512-7853
Lab Name: Houston Fertility Specialists Laboratory
Accreditation: CAP

Houston IVF
929 Gessner Rd, Suite 2300
Houston TX 77024
Telephone: (713) 465-1211; Fax: (713) 550-1475
Lab Name: Houston IVF Laboratory
Accreditation: CAP

IVFMD
7501 Las Colinas Blvd, Suite 200A
Irving TX 75063
Telephone: (972) 506-9986; Fax: (972) 506-0044
Lab Name: IVFMD, Advanced
Reproductive Laboratory
Accreditation: CAP

The Centre for Reproductive Medicine
3405 22nd St, Suite 300
Lubbock TX 79410
Telephone: (806) 788-1212; Fax: (806) 788-1253
Lab Name: The Centre for Reproductive
Medicine Laboratory
Accreditation: CAP

Texas Tech University Health Sciences Center
Center for Fertility and Reproductive Surgery
3601 4th St, Mailstop 8340
Lubbock TX 79430
Telephone: (806) 743-4256; Fax: (806) 743-4462
Lab Name: Texas Tech University Health Sciences
Center IVF Laboratory
Accreditation: CAP

Reproductive Institute of South Texas
110 E. Savannah, Bldg B, Suite 103
McAllen TX 78503
Telephone: (956) 687-2693; Fax: (956) 687-2829
Lab Name: Reproductive Institute of South
Texas Laboratory
Accreditation: CAP

Fertility Institute of Texas, PLLC
705 Generations Dr, Suite 102
New Braunfels TX 78130
Telephone: (830) 608-8004; Fax: (830) 620-9077
Lab Name: San Antonio IVF Laboratory
Accreditation: CAP

Advanced Fertility Centers, PLLC
420 E. 6th St, Suite 101
Odessa TX 79761
Telephone: (432) 614-6376; Fax: (432) 614-6377
Lab Name: Odessa Fertility Laboratory
Accreditation: CAP

IVF Plano
6300 W. Parker Rd, MOB 2, Suite G28
Plano TX 75093
Telephone: (972) 612-2500; Fax: (972) 612-9601
Lab Name: Texas Health Presbyterian Hospital
ARTS Laboratory
Accreditation: CAP

Presbyterian Hospital ARTS
6130 W. Parker Rd, Suite 215
Plano TX 75093
Telephone: (972) 981-7800; Fax: (972) 981-7814
Lab Name: Texas Health Presbyterian Hospital
ARTS Laboratory
Accreditation: CAP

Fertility Center of San Antonio
4499 Medical Dr, Suite 200
San Antonio TX 78229
Telephone: (210) 692-0577; Fax: (210) 615-6788
Lab Name: Fertility Center of San Antonio Laboratory
Accreditation: CAP

For current information for Fertility Institute of Texas, PLLC, see New Braunfels, TX

†Fertility Specialists of San Antonio
225 E. Sonterra Blvd, Suite 206
San Antonio TX 78258
Telephone: (210) 402-1560; Fax: (210) 402-1570
Contact the NASS Help Desk for current clinic information.

Institute for Women's Health
Advanced Fertility Center
18707 Hardy Oak Blvd, Suite 500
San Antonio TX 78258
Telephone: (210) 616-0680; Fax: (210) 676-0684
Lab Name: San Antonio IVF Laboratory
Accreditation: CAP

Reproductive Medicine Associates of Texas, PA
19296 Stone Oak Pkwy
San Antonio TX 78258
Telephone: (210) 337-8453; Fax: (210) 337-8452
Lab Name: Reproductive Medicine Associates of Texas, PA Laboratory
Accreditation: CAP

UT Medicine Fertility Center
Medical Arts & Research Center
8300 Floyd Curl Dr, 5th Floor
San Antonio TX 78229
Telephone: (210) 450-9500; Fax: (210) 450-6027
Lab Name: UT Medicine Fertility Center Laboratory
Accreditation: CAP

§Scott & White
Scott & White Clinic-Temple
Department of Obstetrics and Gynecology
2401 S. 31st St
Temple TX 76508
Telephone: (254) 724-3389; Fax: (254) 724-1046
Lab Name: Scott & White Clinic-Temple Laboratory
Accreditation: None

North Houston Center for Reproductive
Medicine, PA
111 Vision Park, Suite 110
The Woodlands TX 77384
Telephone: (281) 444-4784; Fax: (281) 444-0429
Lab Name: North Houston Fertility Laboratory, Inc.
Accreditation: CAP

Center of Reproductive Medicine (CORM)
1015 Medical Center Blvd, Suite 2100
Webster TX 77598
Telephone: (281) 332-0073; Fax: (281) 557-5837
Lab Name: Center of Reproductive
Medicine Laboratory
Accreditation: CAP

UTAH

Utah Fertility Center
1446 W. Pleasant Grove Blvd
Pleasant Grove UT 84062
Telephone: (801) 785-5100; Fax: (801) 785-4597
Lab Name: Utah Fertility Center Laboratory
Accreditation: The Joint Commission, NYSTB

Utah Center for Reproductive Medicine
675 Arapeen Dr, Suite 205
Salt Lake City UT 84108
Telephone: (801) 581-3834; Fax: (801) 585-2231
Lab Name: University of Utah School of Medicine
Andrology/Embryology Laboratory
Accreditation: CAP

Reproductive Care Center
10150 Petunia Way
Sandy UT 84092
Telephone: (801) 878-8888; Fax: (801) 878-8890
Lab Name: Reproductive Care Center Andrology
and Embryology Laboratory
Accreditation: CAP

VERMONT

University of Vermont Medical Center
Vermont Center for Reproductive Medicine
111 Colchester Ave, Main Campus, Main Pavilion,
Level 4
Burlington VT 05401
Telephone: (802) 847-1249; Fax: (843) 380-2847
Lab Name: University of Vermont Medical
Center, Vermont Center for Reproductive
Medicine Laboratory
Accreditation: CAP

Northeastern Reproductive Medicine
105 West View Rd, Suite 302
Colchester VT 05446
Telephone: (802) 655-8888; Fax: (802) 497-3371
Lab Name: Northeastern Reproductive
Medicine Laboratory
Accreditation: CAP

VIRGINIA

Washington Fertility Center
4316 Evergreen Ln
Annandale VA 22003
Telephone: (703) 658-3100; Fax: (703) 658-3103
Lab Name: Washington Fertility Center
Reproductive Laboratories
Accreditation: CAP

Dominion Fertility and Endocrinology
4040 N. Fairfax Dr, Suite 600
Arlington VA 22203
Telephone: (703) 920-3890; Fax: (703) 892-6037
Lab Name: Dominion Fertility and
Endocrinology Laboratory
Accreditation: CAP

Reproductive Medicine and Surgery Center
of Virginia, PLC
595 Martha Jefferson Dr, Suite 390
Charlottesville VA 22911
Telephone: (434) 654-8520; Fax: (434) 654-8521
Lab Name: Reproductive Medicine & Surgery Center
of Virginia, PLC Laboratory
Accreditation: CAP

Genetics & IVF Institute
3015 Williams Dr
Fairfax VA 22031
Telephone: (703) 698-3912; Fax: (703) 207-9183
Lab Name: Genetics & IVF Institute Laboratory
Accreditation: CAP, NYSTB

Jones Institute for Reproductive Medicine
601 Colley Ave
Norfolk VA 23507
Telephone: (757) 446-7100; Fax: (757) 446-7455
Lab Name: Jones Institute for Reproductive
Medicine Embryology Laboratory
Accreditation: CAP

Virginia Center for Reproductive Medicine
11150 Sunset Hills Rd, Suite 100
Reston VA 20190
Telephone: (703) 437-7722; Fax: (703) 437-0066
Lab Name: Virginia Reproductive Labs
Accreditation: CAP

Fertility Institute of Virginia
Virginia Fertility Associates
9030 Stony Point Pkwy, Suite 450
Richmond VA 23235
Telephone: (804) 379-9000; Fax: (804) 323-0236
Lab Name: Virginia IVF and Andrology
Center Laboratory
Accreditation: CAP

University Center for Advanced
Reproductive Medicine
VCU Reproductive Medicine
9109 Stony Point Dr
Richmond VA 23235
Telephone: (804) 327-8820; Fax: (804) 237-6637
Lab Name: Virginia IVF and Andrology
Center Laboratory
Accreditation: CAP
Lab Name: VCU Reproductive Medicine Laboratory
Accreditation: CAP (Pend)

The New Hope Center for Reproductive Medicine
448 Viking Dr, Suite 100
Virginia Beach VA 23452
Telephone: (757) 496-5370; Fax: (757) 481-3354
Lab Name: The New Hope Center for Reproductive
Medicine Laboratory
Accreditation: CAP

WASHINGTON

Overlake Reproductive Health, Inc., PS
11232 N.E. 15th St, Suite 201
Bellevue WA 98004
Telephone: (425) 646-4700; Fax: (425) 646-1076
Lab Name: Overlake Reproductive Health
Laboratory, LLC
Accreditation: The Joint Commission

Washington Center for Reproductive Medicine
1370 116th Ave N.E., Suite 100
Bellevue WA 98004
Telephone: (425) 462-6100; Fax: (425) 635-0742
Lab Name: Eastside Fertility Laboratory
Accreditation: CAP

Bellingham IVF & Infertility Care
2980 Squalicum Pkwy, Suite 103
Bellingham WA 98225
Telephone: (360) 715-8124; Fax: (360) 715-8126
Lab Name: Bellingham IVF & Infertility
Care Laboratory
Accreditation: None

Poma Fertility
12039 N.E. 128th St, Suite 110
Kirkland WA 98034
Telephone: (425) 822-7662; Fax: (425) 822-0172
Lab Name: Poma Fertility Laboratory
Accreditation: The Joint Commission

Olympia Women's Health
403 Black Hills Ln S.W., Suite E
Olympia WA 98502
Telephone: (360) 786-1515; Fax: (360) 754-7476
Lab Name: Olympia Fertility Laboratory
Accreditation: The Joint Commission

Pacific Northwest Fertility and IVF Specialists
1101 Madison Ave, Suite 1050
Seattle WA 98104
Telephone: (206) 399-4228; Fax: (206) 515-0001
Lab Name: Pacific Northwest Fertility and IVF
Specialists Laboratory
Accreditation: CAP

Seattle Reproductive Medicine
1505 Westlake Ave North, Suite 400
Seattle WA 98109
Telephone: (206) 301-5000; Fax: (206) 285-1119
Lab Name: Seattle Reproductive
Medicine Laboratory
Accreditation: CAP, NYSTB

Sound Fertility Care, PLLC
509 Olive Way, Suite 501
Seattle WA 98101
Telephone: (206) 651-4432; Fax: (206) 793-7999
Lab Name: Poma Fertility Laboratory
Accreditation: The Joint Commission

University Reproductive Care
University of Washington
4245 Roosevelt Way N.E., 4th Floor
Seattle WA 98105
Telephone: (206) 598-4225; Fax: (206) 598-8772
Lab Name: University Reproductive Care Laboratory
Accreditation: CAP

The Center for Reproductive Health
508 W. 6th Ave, Suite 500
Spokane WA 99204
Telephone: (509) 462-7070; Fax: (509) 462-7071
Lab Name: The Center for Reproductive
Health Laboratory
Accreditation: The Joint Commission

SRM Spokane
15920 E. Indiana Ave, Suite 200
Spokane Valley WA 99216
Telephone: (206) 301-5000; Fax: (206) 301-5679
Lab Name: SRM Spokane Laboratory
Accreditation: CAP

Madigan Army Medical Center
Department of Obstetrics and Gynecology
9040A Jackson Ave
Tacoma WA 98431
Telephone: (253) 968-3783; Fax: (253) 968-5295
Lab Name: Seattle Reproductive
Medicine Laboratory
Accreditation: CAP, NYSTB

WEST VIRGINIA

West Virginia University Fertility Center
830 Pennsylvania Ave, Suite 205
Charleston WV 25302
Telephone: (304) 388-2863; Fax: (304) 388-2802
Lab Name: West Virginia University Fertility
Center Laboratory
Accreditation: None

Cabell Huntington Hospital
Center for Advanced Reproductive Medicine
1600 Medical Center Dr, Suite 4500
Huntington WV 25701
Telephone: (304) 526-2602; Fax: (304) 691-1410
Lab Name: Cabell Huntington Hospital, Center for
Advanced Reproductive Medicine
Accreditation: The Joint Commission

§West Virginia University Center for
Reproductive Medicine
1322 Pineview Dr, Suite 2
Morgantown WV 26505
Telephone: (304) 598-3100; Fax: (304) 598-8301
Lab Name: West Virginia University Center for
Reproductive Medicine Laboratory
Accreditation: CAP

WISCONSIN

Aurora Health Care-Aurora Fertility Services
The Women's Center at Aurora BayCare
Medical Center
2845 Greenbrier Rd, Suite 350
Green Bay WI 54311
Telephone: (920) 288-8500; Fax: (920) 288-8570
Lab Name: Aurora Health Care-Aurora Fertility
Services, Green Bay Laboratory
Accreditation: CAP

§Froedtert & Medical College of Wisconsin
Reproductive Medicine Center
North Hills Health Center
W129 N0755 Northfield Dr, Bldg B, Suite 500
Menomonee Falls WI 53051
Telephone: (262) 253-9220; Fax: (262) 253-9221
Lab Name: Froedtert Hospital Reproductive
Medicine Center Laboratory
Accreditation: CAP

University of Wisconsin-Generations Fertility Care
2365 Deming Way
Middleton WI 53562
Telephone: (608) 824-6160; Fax: (608) 827-3040
Lab Name: Generations Fertility Care, Inc.,
Andrology and Embryology Laboratory
Accreditation: CAP

Wisconsin Fertility Institute
3146 Deming Way
Middleton WI 53562
Telephone: (608) 824-0075; Fax: (608) 829-0748
Lab Name: Wisconsin Fertility Institute Laboratory
Accreditation: CAP

Reproductive Specialty Center
2350 N. Lake Dr, Suite 504
Milwaukee WI 53211
Telephone: (414) 289-9668; Fax: (414) 289-0974
Lab Name: Reproductive Specialty
Center Laboratory
Accreditation: CAP

Gundersen Fertility Center
Center for Women
3111 Gundersen Dr, 4th Floor
Onalaska WI 54650
Telephone: (608) 775-2306; Fax: (608) 775-0606
Lab Name: Gundersen Fertility Center Laboratory
Accreditation: None

Aurora Health Care-Aurora Fertility Services,
West Allis
West Allis Memorial Hospital
8901 W. Lincoln Ave, 2nd Floor
West Allis WI 53227
Telephone: (414) 329-4300; Fax: (414) 329-4399
Lab Name: Aurora Health Care-Aurora Fertility
Services, West Allis Laboratory
Accreditation: CAP

2016 Nonreporting Clinics, by State

The clinics listed below provided ART services and were in operation during 2016 and accordingly were required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act passed by the US Congress. These clinics either failed to submit data or the clinic's medical director did not approve the clinic's 2016 ART data for inclusion in this report.

Consumers who are aware of a clinic that was in operation in 2016 but is not included in this report's lists of either reporting or nonreporting clinics are encouraged to contact us with the complete name, mailing address, and telephone number of the clinic, by e-mail at artinfo@cdc.gov or by regular mail at CDC, ATTN: ART Surveillance and Research Team; 4770 Buford Highway, N.E.; Mail Stop F-74; Atlanta GA 30341-3717. Providing this information will help ensure that clinics that should be in the report will be included in upcoming years.

Clinic names preceded by the † symbol have closed since January 1, 2016.

Huntsville Reproductive Medicine, PC
20 Hughes Rd, Suite 203
Madison AL 35758
Telephone: (256) 213-2229; Fax: (256) 213-9978

CARE for the Bay Area
555 Knowles Dr, Suite 212
Los Gatos CA 95032
Telephone: (408) 628-0783; Fax: (888) 850-3405

Kathleen Kornafel, MD, PhD
1560 E. Chevy Chase Dr, Suite 200
Glendale CA 91206
Telephone: (818) 242-9933; Fax: (818) 242-9937

†Reproductive Specialty Medical Center
1441 Avocado Ave, Suite 203
Newport Beach CA 92660
Telephone: (949) 640-7200; Fax: (949) 720-0203

Hope IVF and Fertility Center
2500 Alton Pkwy, Suite 201
Irvine CA 92606
Telephone: (949) 387-3888; Fax: (949) 387-3907

†Women's Healthcare Institute
18546 Roscoe Blvd, Suite 220
Northridge CA 91324
Telephone: (818) 886-0600; Fax: (818) 886-0010

La Jolla IVF
9850 Genesee Ave, Suite 610
La Jolla CA 92037
Telephone: (858) 558-2221; Fax: (858) 558-2263

Williams OB/GYN & Associates
1334 W. Covina Blvd, Suite 102
San Dimas CA 91773
Telephone: (909) 599-8677; Fax: (909) 592-0999

Acacio Fertility Center
27882 Forbes Rd, Suite 200
Laguna Niguel CA 92677
Telephone: (949) 249-9200; Fax: (949) 249-9203

Dr. Aimee Eyvazzadeh
5401 Norris Canyon Rd, Suite 106
San Ramon CA 94583
Telephone: (925) 277-0600; Fax: (925) 277-0801

LA IVF Clinic
2080 Century Park East, Suite 400
Los Angeles CA 90067
Telephone: (310) 286-2800; Fax: (310) 691-1116

Center for Reproductive Medicine
19844 N. Dale Mabry Hwy, Suite 101
Lutz FL 33556
Telephone: (813) 948-8400; Fax: (813) 948-8409

Fertility Center of Orlando
1000 N. Maitland Ave
Maitland FL 32751
Telephone: (407) 345-9006; Fax: (407) 345-9007

Kaiser Permanente Hawaii Region, Reproductive
Medicine Division
1010 Pensacola St
Honolulu HI 96814
Telephone: (808) 432-2540; Fax: (808) 432-2510

Chicago Infertility Associates, Ltd.
Alexian Brother's Hospital, Wimmer Bldg
800 Biesterfield Rd, Suite 402
Elk Grove Village IL 60007
Telephone: (847) 545-4733; Fax: (847) 952-7457

Reproductive Health Specialists, Ltd.
1515 Essington Rd
Joliet IL 60435
Telephone: (815) 730-1100; Fax: (815) 730-1066

Center for Reproductive Medicine
9711 Medical Center Dr, Suite 214
Rockville MD 20850
Telephone: (301) 424-1904; Fax: (301) 424-1902

Siu Ng-Wagner, MD
14955 Shady Grove Rd, Suite 125
Rockville MD 20850
Telephone: (301) 340-1495; Fax: (301) 838-9712

†Dartmouth-Hitchcock Medical Center
Department of Obstetrics and Gynecology
1 Medical Center Dr, 5th Floor
Lebanon NH 03756
Telephone: (603) 653-9240; Fax: (603) 650-0905

†Brooklyn/Westside Fertility Center
Brooklyn Fertility Center
60 W. 68th St, Suite 1A
New York NY 10023
Telephone: (212) 721-4545; Fax: (212) 721-4598

New York Reproductive Medical Services, PC
133 E. 58th St, Suite 1002
New York NY 10022
Telephone: (212) 317-8700; Fax: (877) 396-8029

Peter Brzechffa, MD
4855 Hylan Blvd
Staten Island NY 10312
Telephone: (718) 780-5066; Fax: (718) 780-5085

University IVF
SUNY Upstate Medical University
725 Irving Ave, Suite 600
Syracuse NY 13210
Telephone: (315) 464-7249; Fax: (315) 464-4615

Braverman Reproductive Immunology, PC
800 Woodbury Rd, Suite G
Woodbury NY 11797
Telephone: (516) 584-8710; Fax: (516) 584-8711

†Premier Fertility Center
High Point Regional Health System
2783 NC Hwy 68, Suite 104
High Point NC 27265
Telephone: (336) 841-7070; Fax: (336) 841-7077

Northwest Fertility Center
1750 S.W. Harbor Way, Suite 200
Portland OR 97201
Telephone: (503) 227-7799; Fax: (503) 227-5452

†Infertility Solutions, PC
1275 S. Cedar Crest Blvd, Suite 3
Allentown PA 18103
Telephone: (610) 776-1217; Fax: (610) 776-4149

GENES Fertility Institute
Doral Bank Center
576 César González Ave, Suite 505
San Juan PR 00918
Telephone: (787) 767-2220; Fax: (787) 767-7781

†Southeastern Fertility Center
9221 University Blvd, Suite D2C
North Charleston SC 29406
Telephone: (843) 881-3900; Fax: (843) 856-2751

†Advanced Fertility & Reproductive Endocrinology
2324 Sunset Blvd
West Columbia SC 29169
Telephone: (803) 939-1515; Fax: (803) 929-0504

†Dr. Jeffrey Youngkin
Austin Fertility Center
805 E. 32nd St, Suite 201
Austin TX 78705
Telephone: (512) 478-3188; Fax: (512) 478-5092

IVF Institute, PA
7777 Forest Ln, Suite C-108
Dallas TX 75230
Telephone: (972) 566-6868; Fax: (972) 566-6860

Office of Frank DeLeon, MD
1300 W. Terrell Ave, Suite 320
Fort Worth TX 76104
Telephone: (817) 735-2300; Fax: (817) 882-8653

Houston Infertility Clinic
Sonja Kristiansen, MD
9055 Katy Freeway, Suite 450
Houston TX 77024
Telephone: (713) 862-6181; Fax: (713) 464-2810


East Bay Fertility Center
746 E. 1910 South, Suite 1
Provo UT 84606
Telephone: (801) 377-0580; Fax: (801) 375-5582

†The Richmond Center for Fertility
and Endocrinology
7603 Forest Ave, Suite 301
Richmond VA 23229
Telephone: (804) 285-9700; Fax: (804) 285-9745

†Partners for Fertility and IVF
8100 Boone Blvd, Suite 430
Vienna VA 22182
Telephone: (703) 876-6311; Fax: (703) 876-6317

Francisco M. Irianni, MD
1820 W. Plaza Dr
Winchester VA 22601
Telephone: (540) 662-6092; Fax: (540) 667-2476

†GYFT Clinic, PLLC
2201 S. 19th St, Suite 101
Tacoma WA 98405
Telephone: (253) 475-5433; Fax: (253) 475-0290



**US Department of Health and Human Services
Centers for Disease Control and Prevention
National Center for Chronic Disease Prevention and Health Promotion
Division of Reproductive Health**